



COMMON NAMES OF ANGOLAN PLANTS

Estrela Figueiredo & Gideon F. Smith

COMMON NAMES OF ANGOLAN PLANTS

Estrela Figueiredo

*Department of Botany, Nelson Mandela Metropolitan University,
Port Elizabeth, South Africa*

*Centre for Functional Ecology, Departamento de Ciências da Vida,
Universidade de Coimbra, Portugal*

&

Gideon F. Smith

South African National Biodiversity Institute, South Africa

*H.G.W.J. Schweickerdt Herbarium, Department of Plant Science,
University of Pretoria, South Africa*

*Centre for Functional Ecology, Departamento de Ciências da Vida,
Universidade de Coimbra, Portugal*

Inhlaba Books

2012

Images

Front cover:

Euphorbia eduardoi L.C.Leach growing along the road from Lubango to Namibe, Angola. © Estrela Figueiredo.

Back cover:

Ukengue [*Xerophyta capillaris* Baker], Tundavala, Angola. © Estrela Figueiredo.

Omunthumbiriri [*Solanum incanum* L.] Near Leba Pass, Angola. © Estrela Figueiredo.

Tulipeira-do-Gabão [*Spathodea campanulata* P.Beauv.], Lubango, Angola. © Gideon F. Smith.

Odre-do-deserto [*Cyphostemma uter* (Exell & Mendonça) Desc.] En route from Leba Pass to Namibe. © Gideon F. Smith.

Figueira-da-Índia [*Opuntia ficus-indica* (L.) Mill.], Lubango, Angola. © Gideon F. Smith.

Imbondeiro [*Adansonia digitata* L.] Near Leba Pass, Angola. © Estrela Figueiredo.

Okandole [*Aloe palmiformis* Baker], Tundavala, Angola. © Gideon F. Smith.

Images and text © E. Figueiredo & G.F. Smith

ISBN 978-0-620-52051-5

Inhlaba Books, 2012.

Contact: inhlaba@gmail.com

CONTENTS

| | |
|--|-----|
| Foreword | vii |
| Introduction | 1 |
| List by family | 10 |
| List of common names | 60 |
| Additional Portuguese common names | 249 |
| Source references | 253 |
| Index to genera | 255 |

Dedicated to the memory of Dr Arthur Wallis Exell (21 May 1901–15 January 1993) who was one of the founders of the *Conspectus florae angolensis*



Dr Arthur W. Exell outside his house in Blockley, England, in 1991. © Estrela Figueiredo

FOREWORD

Angola, including the enclave of Cabinda Province, is a vast country covering an area of 1,246,700 km². The country has a population of about 17 million people. The regional prominence of the Angolan flora stems from the mega-biomes the country shares with the rest of the African continent. The territory is covered by three phytochoria as described by Armen Takhtajan in his book *Floristic Regions of the World*. The Guineo-Congolian Region, a phytochorion that is characterised by the occurrence of tropical rain forests is prominent in the Cabinda Province located in the northwestern part of Angola. The Sudano-Zambezian Region, typified by an extensive cover of deciduous to semi-deciduous woodlands, encompasses the central and eastern parts of Angola. The Zambezian domain of this phytochorion is also home to the Miombo Ecoregion, one of WWF's 200 global regions in which the leguminous species of the genera *Baikiaea*, *Brachystegia*, *Burkea*, *Colophospermum*, *Cryptosepalum*, *Isoberlinia* and *Julbernardia* are the dominant taxa in woodlands. Landscapes of high altitudes above 1,600 m that occur in Bié, Cuanza Sul, Huambo and Huíla provinces represent emergent Afromontane elements clustered within the Zambezian domain. Such floristic islands include montane areas of Mt. Moco and Serra de Chela found in Huambo and Huíla provinces respectively. The Karoo-Namib Region, which covers the southern coastal province of Namibe, is a phytochorion characterized by the occurrence of the fascinating gymnosperm known as *Welwitschia mirabilis*. This floristic region also extends to other desert and semi-desert areas in the western and south-western parts of Namibia and South Africa, respectively.

Early descriptions of the vegetation types of Angola were published in 1939 by J. Gossweiler and F.A. Mendonça. H.K. Airy-Shaw translated this Portuguese account into an English version which was published in 1947. This was an era that simultaneously witnessed the inception of the Flora project under the series called *Conspectus floriae angolensis*. These works provided a spring board from which Prof. Brian Huntley mounted extensive ecological studies on the flora of Angola in the 1970s. The advent of the Southern African Botanical Diversity Network (SABONET) Project during the period 1996–2005, whose main tasks included the production of national plant checklists in the project area, ushered in a realisation that southern Africa is endowed with a rich diversity of flora estimated to contain over 30,000 species of vascular plants. As for Angola in particular,

SABONET facilitated the publication of a preliminary account based on a checklist of the Angolan grasses. The obvious major gaps prompted the two eminent researchers, Dr Estrela Figueiredo of the Nelson Mandela Metropolitan University and Prof. Gideon Smith of the South African National Biodiversity Institute, to embark on and publish a comprehensive checklist of the vascular plants of Angola incorporating the angiosperms, gymnosperms and pteridophytes. The state of the plant inventory in Angola currently stands at 6,961 species. However, the stratification of a country into three phytochoria entail that Angola is a haven for a large number of Important Plant Areas (IPAs) with inherent high species diversity. Knowledge of the common names of Angolan plants will thus facilitate future botanical research leading to the incorporation of more species that have eluded scientific attention.

A plant name is an aid to communication and, therefore, acts as a means of reference in literature encompassing fields of conservation, ecology and ethnobotany. Biologists who seek to conduct research in Angola will depend on the indigenous knowledge held by the local people to provide the initial plant names in the field. In practice, the researcher will merely require to collect a plant specimen, ask for a local name from a resident folklore taxonomist and then consult this book to obtain the equivalent scientific name(s). This process will enhance the flow of information relating to useful plants of Angola. This book offers a welcome avenue to provide the essential nutrients to nurture and consolidate the renaissance of the field of ethnobotany taking root in southern Africa. The discipline of ethnobotany is just attaining a consolidating phase of development in South Africa, but this publication sets the stage for an exploratory phase in Angola. It will also be a useful reference to workers in neighbouring countries with which Angola shares bantu languages along a border stretching up to 5,198 km long. The major Angolan languages which extend into other countries are the Yombe spoken in Cabinda and the Republic of Congo-Brazzaville; the Luanda and Luvale found in Moxico spill into the Democratic Republic of Congo-Kinshasa and Zambia; the Mashi, Mbukushu and Nyengo in Moxico and Cuando-Cubango are dialects of the Lozi language spoken in western Zambia; the Ushiwambo and Zemba found in Cunene, Huíla and Namibe also extend into northern Namibia. The quest for plants that are endowed with useful natural products has led to the intensification of research in the area of ethnobotany. This scholarly

product is a wake up call to pharmaceutical industries to invest their surplus financial earnings into fields of botanical research and forge viable links with existing established institutions which hold vast databases on the biology, ecology and ethnobotany of plants that bear potentially useful

bioactive compounds. This volume is a valuable resource that addresses the needs of a wide spectrum of users of botanical information in Angola and its closest neighbouring countries.

Patrick S.M. Phiri
Coordinator of Graduate Studies
School of Mathematics and Natural Sciences
The Copperbelt University
Kitwe, Zambia

INTRODUCTION

"The legend goes back to the days of the caravels, the ships that brought the first Portuguese to Angola. As he set foot on African soil for the first time, the pilot Paulo Dias de Novais may have asked a local calmly pounding corn in his mortar, "what is the name of this place?" Given that the question was asked in an unknown language, the man may have thought instead the foreigner was asking him what he was doing. He duly replied in Kimbundu: "massa n'gana" ("corn, sir!"). Paulo Dias de Novais naturally thought that the place was called Massangano—a name that has stuck till today." Lousada (2010)

Common names: a key to interpreting botanical diversity

The past few years have seen a significant resurgence of interest in the common names of plants. This was prompted by several factors, including the fact that common names represent an information-rich component of the culture of a country and its peoples. An important additional factor is that common names, especially in indigenous languages, are often very descriptive and indicative of the multitude of uses of plants. An index of common names has therefore become one of the first and critically important reference points for anyone interested in bio-beneficiation, as it often unlocks information on the indigenous uses of plants. Furthermore, the general increase in awareness of the fragility of the natural environment has meant that more people are becoming interested in, and are soon fascinated by, plants and animals, big and small, from specific regions. Regrettably, many emerging and amateur naturalists are not that concerned with the scientific names of organisms; they are much more inclined, and able, to refer to a plant as 'piteira' (in Portuguese), rather than as *Agave americana* L., which is perceived as somewhat more cumbersome. Also, for many people, common names, not scientific ones, are what they grew up with. Thus they feel a greater affinity for plant names that more easily roll off the tongue, as opposed to the often foreign-sounding scientific names.

Our main interest in common names, however, is that they serve to help decode information on the uses of plants by the people of a country or region. With the increasing industrialisation of the world, and the rapid advance of the technological age globally, this information, and often the cultures in which it originated, are vanishing very quickly. Since such information is often not recorded in writing, being transmitted orally, it is rapidly lost due to the lack of dependence on, or interest in, plant uses by the current, progressively more urbanised generations. Information on the past uses of plants is usually recorded by individuals through reference to their common names, in a vast array of published and unpublished texts—from autobiographies to traditional cookery books. Furthermore, common names are often used locally by a small group of people, and if there is no information linking that common name to a scientific one for the plant in question, it is not possible to know which plant is being referred to. Since people who have the knowledge to link a common name to, ideally, a single scientific name, are dwindling, there is a danger that in future information will still be available on the uses of plants, but that it will be impossible to ever establish the identity of the plants being referred to.

For these and other reasons, it is not surprising that most of the select few books on common names of parts of the flora of southern Africa are now out of print, and highly priced, and prized, collectors' items. For example, Smith (1966) has been out of print for many years and has been one of the best sellers in the *Memoirs of the Botanical Survey of South Africa* series, published by the Botanical Research Institute, a forerunner of the South African National Biodiversity Institute (SANBI). This magnificent work of C.A. Smith (1898–1956) on common names of South African plants was published in 1966, ten years after his death (Gunn & Codd 1981). An even earlier work by Dr John Muir (1929) on the common names of plants from Riversdal (Western Cape Province, South Africa) has been unavailable for many years and now also exists in a few specialist libraries only. The recent work by Powrie (2004), which focused on the common names of Karoo plants, is still available.

An even earlier benchmark publication on the common names of South African plants (Marloth 1917), is now also very scarce, even in the antiquarian book trade. This work, compiled by

Dr Rudolf Marloth, was a companion volume to his excellent multi-volume *Flora of South Africa*, which was intended to be published between 1913 and 1915, but only appeared between 1913 and 1932 (Tyrrell-Glynn & Levyns 1963; Bullock 1978). Marloth sadly passed away in 1931, one year before the final *Flora* volume was published. His book on common names included the then recorded common names of South African plants as well as the names of exotic plants "...cultivated in the open". Marloth's work on common names was intended to appear after the *Flora* was published, but he fortunately managed to fast-track its publication.

It is important to be aware that common or vernacular names are not always accurate from a purely botanical point of view: numerous species often have the same common name, 'piteira' again being a good example as it is applied to many of the widely cultivated species of the New World genus *Agave* L. (Agavaceae/Asparagaceae) (century plants) and, perhaps somewhat surprisingly, also to representatives of the unrelated genus *Opuntia* Mill. (Cactaceae) (prickly pears or Indian figs). On the other hand, the same species can have several different common names, often dependent on the region in which the names were recorded. And of course there are many species that do not have common names at all. Still, common names are a useful part of any language in which plant information is disseminated, and this undoubtedly contributes to instilling a love of plants among the broader public. In this regard this checklist of vernacular names will greatly assist those researchers and enthusiasts who work and interact with the people of Angola, and other researchers who work on the flora of the country. In many ways this list is therefore also a starting point for anyone who wants to find out more about the Angolan botanical heritage.

This list is also intended to stimulate efforts to conserve the rich and diverse Angolan botanical knowledge. The recent publication of the first-ever annotated catalogue of the plants of Angola (Figueiredo & Smith 2008; Figueiredo *et al.* 2009), has considerably advanced knowledge of the flora of this hitherto floristically neglected African country, in part due to the civil war that raged there for close on 30 years. This present work now considerably enhances the value of that checklist by providing a comprehensive catalogue of the known common names of the plants of Angola.

Early 2009 saw a large expedition embark on a natural history specimen collecting trip to southern Angola. The results from this trip are still being processed, but all indications are that it confirmed—indeed enhanced—views on the extensive biological wealth of this long-forgotten

tract of land. No doubt, several new species and new records will emanate once all the collected material is identified. The expedition also confirmed the importance of being able to communicate with the local population in their native languages when a specific plant is searched for.

The highly successful Southern African Botanical Diversity Network (SABONET) project, funded by the Global Environment Facility (GEF), over a period of about ten years, contributed more than 7,000 closely printed pages to the scientific and semi-scientific literature on the floras of countries in southern and south-tropical Africa. One of the publications supported by SABONET was the work of Kwembeya & Takawira (2002) who produced a checklist of Zimbabwean vernacular plant names. The latter publication was an update of Kwembeya & Takawira (No date), which in turn benefitted from the earlier works of Wild (1953) and Wild *et al.* (1972). The present publication carries on the tradition of disseminating information on the common names of plants of Africa south of the equator, this time for Angola.

The compilation of common names

The study of common names of Angolan plants is in its infancy. While several studies have been published on the derivation and origin of Afrikaans common names, for example (see Smith 1966; Scholtz 1974; Adendorff No date), very few publications exist on vernacular Angolan names. It must be noted though that Afrikaans is one of the two best-documented of the 11 official languages of the Republic of South Africa (the other being English). For South African black languages the literature on common names is scarcer (but see Cole 1995 on Setswana names of animals and plants). Nevertheless, for Angola, even for the widely spoken Portuguese language, which is the official language of the country, the number of publications on common plant names is limited.

The present work builds on two remarkable publications by Gossweiler (1950, 1953). Both works have been out-of-print for a long time and are difficult to access. John Gossweiler (1873–1952) was an extraordinary plant collector who collected over 14,000 numbers in Angola between 1900 and 1950. He worked relentlessly on his compilation of the vernacular names of Angolan plants, virtually until just before his death in 1952. The work was eventually published posthumously (Gossweiler 1953). It was based on a few previously compiled resources, as well as his own collections and information and knowledge obtained during 50 years of extensive field experience. Apart from the vernacular names, this 1953 publication is also very rich in information on



Photograph taken by Arthur W. Exell during the expedition to Angola in 1937. The aim of the expedition was to collect material for *Conspectus Flora Angolensis*. From left to right: Francisco A. Mendonça, Luiz W. Carrisso, Mildred A. Exell and John Gossweiler. © Private collection of Estrela Figueiredo.

the uses of plants. Other sources used in compiling the present work included the published volumes of the *Conspectus flora angolensis* and other publications (see references), as well as herbarium specimen databases.

There are a few general problems with compiling common names. The first is that recording names relies heavily and inevitably on what could be called a process of double determination. The person who provides the name is often not a qualified botanist but someone with a knowledge of local plant-lore. It is most commonly a person from a local community with an interest in plants who uses them medicinally, for instance. That person has to identify the plant first, that is, he/she has to know what the plant is called in the vernacular. This represents the first possible source of errors. A second determination of the plant (its scientific name) has to be done by the recorder, either *in situ*, or by making a voucher specimen for later study. It is only when voucher specimens are made that these second determinations can be confirmed.

Another problem encountered during the study of vernacular names, particularly in Africa, is that the recorder of the names often had no knowledge of the language used. It is well-known that many plants may be called 'I don't know' in the local language as this was the answer provided when someone from the local population was asked about

the name of a plant. This remains difficult to detect given the poor state of our knowledge of some languages! The lack of knowledge of the languages (some of the languages at the time of recording did not exist in writing, thus they had no alphabet, grammar or dictionaries) is also the cause of the numerous spelling variations found in different sources. The recorder of the name, who was often unfamiliar with the local language, would revert to transcribing the sound using the alphabet and spelling in his/her mother tongue. For example, in Angolan common names, the sound spelled 'nh' in Portuguese, has been spelled 'ñ' (from Spanish) or 'gn' (from French). If the sound does not exist in the languages known to the recorder, its transcription becomes more difficult and results in more variations, such as 'ny' for the sound mentioned above.

In the literature sources used in this compilation, the names are not linked to voucher herbarium specimens. Information therefore had to be accepted as it was recorded, given that there was no way of verifying it. The family Rubiaceae is the only one where information on common names based on herbarium specimens is available. This was compiled as part of recent taxonomic studies on the family in Angola and Cabinda (Figueiredo 2007, 2008), and emphasizes the importance of comprehensive revisionary and monographic studies. Herbarium specimens often have labels

with information on the locality, habitat, date of collection of the plant and other information affixed to them; these often include a record of the common names (usually obtained locally at the time of collection) of plants. Thus, for the Rubiaceae we could compare the information from these labels with that from the literature sources. In this family, 527 names were compiled, of which 355 were obtained from herbarium specimen labels and 191 from the literature. Astonishingly, of the names obtained from labels, only 18 were cited in previous literature. The reason for this is that many of these herbarium specimens were collected after Gossweiler's (1953) seminal work on common names. If these data are extrapolated to the whole of the Spermatophytes of Angola, it could be expected that at least twice the number of common names listed here is in existence. Clearly, there is a huge amount of information still hidden in herbaria and awaiting interpretation and dissemination. In addition, the importance of compiling and disseminating databases as a source of biodiversity information cannot be over-estimated.

Twenty-nine common names of Rubiaceae are applied to more than one taxon in the family. These may include up to five different taxa (e.g. 'café-domato', meaning 'coffee from the bush', which is applied to five species in the genera *Aidia* Lour., *Tricalysia* A.Rich. ex DC. and *Leptactina* Hook.f.). Sometimes the same name is applied to varieties of the same species [e.g. 'usso' was recorded for the two varieties of *Calanda rubricaulis* K.Schum.] or to closely related and possibly confused species of the same genus [e.g. 'mababata' for both *Geophila afzelii* Hiern and *G. renaris* De Wild. & T.Durand]. Many of the names are variations in spelling (orthographic variants) of the same word. For example, the word 'usso' cited above has also been spelled 'uço', which has the same sound. Such orthographic variations that resulted from the way the sound was pronounced or understood by the recorders are numerous: the names 'omundilodilo', 'omundilondilo', 'omundilono', 'omundilodiro', 'mundiloldilo', 'mundilolo', 'ndilondilon', 'nondilodilo', 'no'Ndilo-Ndilo', 'nondilondilon', 'nondirondiro' are all variations of the same common name recorded for *Ancylanthos rubiginosus* Desf.

This multitude of names resulting from different recordings and showing variations of spelling due to the way they were transcribed may require standardisation by a specialist linguist. In this sense 'standardisation of common names' (a controversial topic) implies selecting the correct spelling for a name like 'omundilodilo' and its ten variations. This must be done following the rules of the grammar of the language in question and taking into account the etymology of the word. It is often thought that standardizing names means choosing

one over the others, or even creating a new common name. In our view that can only add more confusion to the already troublesome world of common names and must certainly be avoided.

The languages of Angola

A multitude of languages is spoken in Angola. This is not uncommon for an African country, and displays the rich cultural history of the various regions of the continent. However, the official language of Angola is Portuguese, reflecting the country's colonial history. Apart from Portuguese, a further 41 languages have been recorded for Angola: Bolo, Cokwe, Diriku, Holu, Khwe, Kikongo, Kilari, Kimbundu, Kisikongo, Kung-Ekoka, Kwadi, Kwangali, Luazi, Luimbi, Lunda, Luvale, Luyana, Maligo, Mashu, Mbangala, Mbukushu, Mbunda, Mbwela, Ndombe, Ndonga, Ngandyera, Nkangala, Nkumbi, Nyaneka, Nyemba, Nyengo, Oshiwambo, !O!ung, Ruund, Sama, Songo, Umbundu, Yaka, Yauma, Yombe, Zemba. One of these (Kwadi) has no known speakers (Lewis 2009). This linguistic profile comprises, as far as we could establish, all the languages, including minority ones, spoken in the country. Our compilation includes names recorded for 23 of these languages, the main ones being Umbundu, Kimbundu, Portuguese, Nyaneka and Kikongo.

It is not surprising that Portuguese, and Portuguese-based, common names are prominent for components of the Angolan (and southern African) flora. This is not only due to the extended colonial involvement of Portugal in the territory, which lasted 400 years and only finished in 1975, but also to the influence that early Portuguese travellers had on many languages, landmarks and cultures of the world (Axelson 1998; Ferrão 2005). Portuguese seafarers rounded the Cape some 100 years before the Dutch travelled that route to East India, and Bartholomeu (Bartolomeu) Dias, for example, is credited with having coined the name 'Cabo das Tormentas' ('Cape of Storms') in about 1488 (Jackson 1980). Another of Portugal's great mariners, Vasco da Gama, who commanded the first ships that sailed from Europe to India, rounded the Cape some ten years later during an outbound journey that may even have included a visit to the shores of Brazil (Axelson 1998).

However, it was Bartholomeu Dias's grandson, Paulo Dias de Novais, who eventually, in early 1575, landed in Angola (Luanda) in command of a fleet of seven ships carrying a hundred families of colonists and 400 soldiers (Lehmkuhl 2008), becoming the first Governor of the territory. Another Portuguese sailor, João da Nova, is widely acknowledged as having been the person who, on 7 July 1507, discovered a letter from a previous

sailor, Pedro de Ataíde, dated from 1501 reputedly in a shoe hanging from what became known as the Post Office Tree (*Sideroxylon inerme* L.) in Mossel Bay, South Africa (Esterhuyse *et al.* 2001; Lehmkühl 2008).



The Post Office Tree (*Sideroxylon inerme*) in Mossel Bay, South Africa, in 2009. © E. Figueiredo in 2009.

Even ‘Table Mountain’, the name of the prominent, flat-topped mountain in Cape Town, was possibly given by the Portuguese Admiral António de Saldanha (as ‘Mesa do Cabo’ in Portuguese = Table of the Cape) in 1503 (Raper 2004; Lehmkühl 2008). In addition, Scholtz (1974) mentioned that the Afrikaans common name for *Ecklonia maxima* (Osbeck) Papenf. [= *Ecklonia buccinalis* (L.) Hornem.], ‘seetrompet(-ter)’, could well have been a Dutch version of the Portuguese common name ‘tromba’ or ‘trombas’ (plural), applied to the species. *Ecklonia maxima* is a Cape seaweed (kelp) in which the vegetative parts are composed of hollow stalks with much enlarged, free-floating extremities. It was also the very first South African plant to be figured (see Figure 4 in Gunn & Codd 1981: 7).

The orthography of names

The orthography of the common names recorded here shows substantial variation. The sound ‘tch’ for example, has been transcribed as ‘tj’, ‘c’ or ch’ in different sources. In this compilation the names were transcribed exactly as spelled in the original source to allow for retro-searches that would lead to the names as recorded originally. Deliberately, no attempt was made to standardise spelling, as it could give rise to confusion and such a task is certainly best left to a linguist.

As in many African languages, names in Umbundu are formed by a prefix and a radical. Prefixes often mean plural or singular but they may also have other meanings. In plants, the same

radical can be used for different species, with only the prefix changing. For example, ‘nangongo’ is used for *Eriosema psoraleoides* (Lam.) G.Don (Fabaceae), while ‘mengongo’ is used for *Phyllanthus ovalifolius* Forssk. (Euphorbiaceae) and ‘okangongo’ for *Strophanthus amboensis* (Schinz) Engl. & Pax (Apocynaceae) (Bossard 1996). In his publication on medicinal plants, Bossard (1996) listed common names under their radicals, noting however that a radical is never used on its own. In our view this method of disseminating information on and about common names is not the most practical as a reader without a knowledge of the languages will hardly be able to tell prefixes from radicals. Furthermore, with the exception of Bossard (1996), all sources cite the common names in full, so for search purposes it seems better to cite them as they were recorded in the source, which is what was done in our list. This listing by radical as done by Bossard (1996) created some confusion with regard to the scientific names attributed to the common names that were not properly cross-referenced.

The meaning of names

The meanings of the common names are not presented in this compilation. As in all languages common names can usually be explained by reference to the appearance of the plant, its occurrence or geographical distribution, or uses. For example, in our list several names have a component associated with habitat preferences: ‘yov’olwi’ or ‘wov’olwi’ (from the watercourses), ‘wov’tchikala’ (from savannas) ‘wongongo’ (from hills), ‘wok’omunda’ (from the mountain), ‘wov’usenge’ (from the forest), ‘-do-mato’ (from the bush), etc. (Bossard 1996). Portuguese names for indigenous plants are often a corruption of an original name in the African language, while some of the names for cultivated plants have a Brazilian origin and others appear to have been adopted from other languages (for example, ‘sap-sap’, a corruption of the English ‘sour sap’). In Portuguese common plant names the ending ‘-eiro/a’ is applied to the plant producing the fruit, for example ‘tomateiro’ is the plant bearing the fruit ‘tomate’ (tomato). Nevertheless, the name of the fruit is often also used for the plant. Likewise, in Umbundu the word ‘uti’ frequently found in a name means tree, for example in ‘elimau-uti’, the name given to the lemon tree, with the word ‘elimau’ deriving from the Portuguese ‘limão’.

The names of introduced and cultivated plants

In Angola the majority (64%) of Portuguese names recorded in the literature refers to introduced or



The widely distributed seaweed *Ecklonia maxima*, is commonly known as ‘seetrompet(-ter)’, which could well have been a Dutch version of the Portuguese common name ‘tromba’ or ‘trombas’ (plural). Photographed at Betty’s Bay, South Africa in 2010. © G.F. Smith

cultivated plants. The remaining names refer mostly to plants with well-known widespread uses. The Portuguese often used names of the plants of their own flora for local plants bearing a vague resemblance. For example, the name ‘malvas’ originally applied to plants of the genus *Malva* L. (which occurs naturally in Portugal) was used by the colonists for *Abutilon mauritianum* (Jacq.) Medik., a plant of the same family (Malvaceae). Interestingly, the Afrikaans common name ‘malva’ is consistently applied to species of *Pelargonium* L’Hér., the geraniums of the horticultural trade. Likewise, the name ‘alcaçuz’ commonly used in Portugal for *Glycyrrhiza glabra* L. (liquorice), a plant not recorded for Angola, is used as ‘alcaçuz-branco’ (white alcaçuz) or ‘alcaçuz-do-mato’ (alcaçuz from the bush) for *Mondia whitei* (Hook.f.) Skeels, an indigenous plant with roots that apparently taste like liquorice.

Portuguese language shows up in many neologisms in other Angolan languages for introduced or cultivated plants. This is not surprising, considering the number of cultivated

plants introduced in Africa from other continents. For example, among many others, from America came avocado, cacao, capsicum peppers, grenadilla, maize, manioc, papaya, peanut, pineapple, sweet potato, tomato, and tobacco. From Asia came banana, barley, citrus, coconut palm, date palm, eggplant, jackfruit, mango, onion, rice, sugarcane, taro, tea and yam. Indigenous to Africa are coffee, cotton, gourds, millet, oil palm, okra, sesame, sorghum and tamarind. Following these widespread agricultural introductions, many of the plants most commonly grown as food crops in Africa have a foreign origin. The common names of introduced plants often reflect their origin. For example, in Umbundu ‘ovayu’ or ‘olovayu’ originate from the Portuguese ‘alho’ (garlic), and ‘okasapola’, ‘olosapola’, or ‘osapola’, from the Portuguese ‘cebola’ (onion) (Bossard 1996). Nevertheless, the names for plants known only in cultivation in Angola compiled here are mostly Portuguese (c. 400 names, as opposed to c. 175 for the indigenous languages).

The lifespan of common names

Gossweiler (1953) states that some of the names he recorded were no longer in use at the time of writing. In fact, the world of common names is not static, with new names continually being coined while others fall into disuse. Nevertheless, it is important to record them for purposes of locating them in the original sources. An interesting example of name changes and their importance in the study of plant introductions is that of the common names for *Zea mays* L. (maize).



A field of maize (*Zea mays*) on the outskirts of the town of Namibe, Angola, in August 2010.

© G.F. Smith.

At present the Portuguese common name for maize is ‘milho’, a word that has been adopted in southern Africa as ‘mielie’ (Afrikaans) or ‘mealies’ (English). However, the word ‘milho’ seems to have existed in Portugal since the 13th century (derived from the Latin ‘milium’), long before the discovery of *Zea mays* in the New World by the Europeans. The word was used for other species of grasses (Poaceae) producing grains that were used to make bread, such as *Panicum miliaceum* L., *Setaria italica* (L.) P.Beauv. and *Sorghum bicolor* (L.) Moench. The names recorded for some Angolan grasses still reflect this use: ‘milho-painço’ (*Pennisetum robustum* Stapf & C.E.Hubb.) and ‘milho-miúdo’ (*Sorghum bicolor*). To further confuse matters, the common name ‘milho-zaburro’ which is used presently for *Sorghum bicolor* in Portugal, was used in the past for maize!

When *Zea mays* was discovered by Europeans and introduced into the Old World, the Portuguese already used the word in their vocabulary for that type of grain. However, Columbus, the Spanish seafarer, adopted the Caribbean word ‘maize’ (USDA 2009) for these plants. According to Klipper *et al.* (1993), the Haitian name for what we now know as maize was in fact ‘maltis’. ‘Milho’ became ‘milho-grosso’ (‘grosso’ meaning thick) or

‘milho-maiz’ (Ferrão 2005). However, in the Portuguese written accounts of the time, when the occurrence of this plant is mentioned for Africa, the name used is often simply ‘milho’ or ‘milho-zaburro’ which leaves doubt about its identification, as these names could refer to either maize or sorghum. For this reason it was difficult to determine the paths of introduction of maize into Africa, a question that has been the subject of much controversy for many years. It is noteworthy that it is an African common name recorded at the end of the 16th century in the Congo, ‘massa mamputo’ (meaning ‘grain from Portugal’) that indicates that the introduction of maize in that part of the continent is due to the Portuguese. It is agreed now that the Portuguese introduced maize into cultivation in Africa in the 16th century and that it was already cultivated in Angola as early as 1590 (McCann 2005).

The list of names

Nearly 7,000 common names are recorded here, the most comprehensive such list ever recorded for Angola. These names are applied to nearly 1,700 indigenous or introduced taxa (species, subspecies and varieties) of the 7,096 taxa of spermatophytes recorded for that country. Cultivated crops and ornamental plants for which common names were recorded total c. 300 taxa. The information was transcribed from the sources without editing but obvious mistakes were not included in this database to avoid their perpetuation. Several mistakes were found in Bossard (1996), for example. The unlikely statement that the name ‘ananas’, applied to *Crochorus* spp. (Tiliaceae), originates from the Portuguese ‘ananas’ (= pineapple) is particularly questionable. Some of the scientific names cited in that publication were obtained by reference to similar common names in other languages. This indirect identification may be the source of errors, as common names are often associated with different species in different languages. Information obtained from Bossard (1996) should therefore be treated with some circumspection.

Names of plant products were not recorded.

About this book

The book is divided into several sections. The first is a taxonomic list of all the species of Spermatophytes indigenous or introduced to, or cultivated in Angola, for which names were recorded; this list is presented in alphabetical order by family. As this book is intended as a companion to Figueiredo & Smith (2008), for consistency the families follow the classification used in that work.

Nevertheless, alternative classifications (Christenhusz *et al.* 2011; APGIII) are also provided in the list by family. The second section of the book presents the common names in alphabetical order, linked to scientific names. For each common name included in this second list the language is given where known, sources of the record, and synonyms or names under which the name is cited in the sources. When several scientific names are listed for the same common name these are in alphabetical order. References are cited chronologically.

A separate appendix lists additional Portuguese common names which were not recorded for Angolan plants (indigenous, naturalised or cultivated) although they are quite likely in use in Angola. This includes the names of some commonly cultivated plants. For example, for *Pisum sativum* L. (the common pea), only ‘ervilha’ (pea) was listed, while the name of the plant (‘ervilheira’) was missing. Likewise, for *Cocos nucifera* L. (coconut palm) the name of the plant (‘coqueiro’) was listed but the name of the fruit (‘côco’) was omitted. These names and those of others in general horticultural or agricultural use were compiled in a separate list, as they are not cited in the Angolan literature.

Finally, a list of the publications consulted for this compilation is given.

Acknowledgements

Anne-Lise Fourie, Librarian at the Mary Gunn Library of the South African National Biodiversity Institute, Pretoria, is thanked for locating little-known and obscure publications. Thanks are due to Joana Abreu for searching the library of Centro de Botânica in Lisbon and to Tessa Fortuin for assistance with finalising the cover design. We thank Alicia Grobler for helping with a previous version of the manuscript.

References cited

- Adendorff, R. (No Date) *Flower terms and common flower names / Blomterme en algemene blomname*. Self published, Ladysmith.
- Angiosperm Phylogeny Group [APG III] (2009) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Botanical Journal of the Linnean Society* 161: 105–121.
- Axelson, E. (1998) *Vasco da Gama. The diary of his travels through African waters 1497 to 1499*. Stephan Phillips (Pty), Somerset West.
- Bossard, E. (1996) *La Médecine traditionnelle au centre et à l'ouest de l'Angola*. Instituto de Investigação Científica Tropical, Lisboa.
- Bullock, A.A. (1978) *Flora of Southern Africa. Bibliography of South African botany (up to 1951)*. Department of Agricultural Technical Services, Pretoria.
- Christenhusz, M.J.M., Reveal, J.L., Farjon, A., Gardner, M.F., Mill, R.R. & Chase, M.W. (2011) A new classification and linear sequence of extant gymnosperms. *Phytotaxa* 19: 55–70.
- Cole, D.T. (1995) *Setswana—animals and plants (Setswana—Ditshedi le ditlhare)*. The Botswana Society, Gaborone.
- Esterhuyse, N., Von Breitenbach, J. & Söhnge, H. (2001) *Remarkable trees of South Africa*. Briza Publications, Pretoria.
- Ferrão, J.E.M. (2005) *A Aventura das Plantas e os Descobrimentos Portugueses*. 3^a Edição. Instituto de Investigação Científica Tropical, Lisboa, Fundação Berardo, Funchal & Chaves Ferreira Publicações, S.A, Lisboa.
- Figueiredo, E. (2007) The Rubiaceae of Cabinda. *Botanical Journal of the Linnean Society* 154: 455–495.
- Figueiredo, E. (2008) The Rubiaceae of Angola. *Botanical Journal of the Linnean Society* 156: 537–638.
- Figueiredo, E. & Smith, G.F. (2008) Plants of Angola / Plantas de Angola. *Strelitzia* 22: 1–282. South African National Biodiversity Institute, Pretoria.
- Figueiredo, E., Smith, G.F. & César, J. (2009) The flora of Angola: a first record of diversity and endemism. *Taxon* 58: 233–236.
- Gossweiler, J. (1950) *Flora exótica de Angola. Nomes vulgares e origem das plantas cultivadas ou sub-espontâneas*. Imprensa Nacional, Luanda.
- Gossweiler, J. (1953) Nomes indígenas das plantas de Angola. *Agronomia Angolana* 7: 1–587.
- Gunn, M. & Codd, L.E. (1981) *Botanical exploration of southern Africa*. A.A. Balkema, Cape Town.

- Jackson, W.P.U. (1980) *Wild flowers of the fairest Cape*. Howard Timmins Publishers, Cape Town.
- Klipper, L., Walleyn, R., Billiet, F., Leyman, V., Ronse, A., Vanderborgh, T. & Rammeloo, J. (1993) *Mexico. Planten voor het volk*. Rechtspersoonlijkheid van de Nationale Plantentuin van België, Meise & Uitgeverij Hayez, Brussel.
- Kwembeya, E.G. & Takawira, R. (2002) *A checklist of Zimbabwean vernacular plant names*, 2nd edition. National Herbarium and Botanic Garden, Harare.
- Kwembeya, E.G. & Takawira, R. (No Date) *A checklist of Zimbabwean vernacular plant names*. National Herbarium and Botanic Garden, Harare.
- Lehmkuhl, A. (2008) A brief history of the Portuguese in South Africa. http://www.rupert.net/~lkool/Madeira.html#1_A_BRIEF_HISTORY_OF_THE_PORTUGUESE_IN_SOUTH_AFRICA
- Lewis, M.P. (ed.) (2009) Ethnologue: Languages of the World, Sixteenth edition. Dallas, Tex.: SIL International. Online version: <http://www.ethnologue.com/>.
- Lousada, C. (2010) Massangano. Onde a História de Angola Começa. / Massangano. Where Angola's history begins. *Austral* 80: 102–112.
- Marloth, (H.W.) R. (1917) "The Flora of South Africa". *Dictionary of the common names of plants with list of foreign plants cultivated in the open*. The Specialty Press of South Africa, Ltd., Cape Town.
- McCann, J. (2005) *Maize and Grace: Africa's encounter with a new crop, 1500–2000*. Harvard University Press, New York.
- Muir, J. (1929) *Gewone plantname in Riversdal*. Reprinted from *Die Huisgenoot* 30 August 1929: 1–27.
- Powrie, L. (2004) Common names of Karoo plants. *Strelitzia* 16: 1–199. National Botanical Institute, Pretoria.
- Raper, P.E. (2004) *New dictionary of South African place names*. Jonathan Ball Publishers, Johannesburg.
- Scholtz, J. du P. (1974) *Naamgewing aan plante en diere in Afrikaans. Bydrae tot die geskiedenis van die Afrikaanse woordeskat*. Nasou Beperk, Kaapstad.
- Smith, C.A. (1966) Common names of South African plants. Edited by E.P. Phillips and E. van Hoepen. *Memoirs of the Botanical Survey of South Africa* 35: 1–642. Department of Agricultural Technical Services, Botanical Research Institute, Pretoria.
- Tyrrell-Glynn, W. & Levyns, M.R. (1963) *Flora Africana. South African botanical books 1600–1963. A selective bibliography based on the collections of the South African Public Library (with the addition of items from the Bolus Herbarium of the University of Cape Town)*. South African Public Library, Cape Town.
- USDA. (2009) Plants and Crops. Chapter 3: Mahindi and milho in Africa. <http://www.nal.usda.gov/research/maize/chapter3.shtml>
- Wild, H. (1953) *A Southern Rhodesian botanical dictionary of Native and English plant names*. Herbarium, Branch of Botany and Plant Pathology, Department of Agriculture, Salisbury (Harare).
- Wild, H., Biegel, H.M. & Mavi, S. (1972) *A Rhodesian botanical dictionary of African and English plant names*. National Herbarium, Department of Research and Specialist Services, Ministry of Agriculture, Salisbury.

LIST BY FAMILY

* = introduced, naturalised; ^c = cultivated;
? = taxon to which the names apply is uncertain.
Alternative family classification in brackets.

ACANTHACEAE

- Acanthus montanus* (Nees) T.Anderson
olososo-yov'olwi, ososo-yolui,
ososo-yov'olwi, ososo-yov'usenge, soso-yolui
^c*Aphelandra squarrosa* Nees
justicia
Barleria elegans S.Moore ex C.B.Clarke
hekete
Barleria gossweileri S.Moore
okahumbe
Barleria spinulosa Klotzsch
otyengueti
Blepharis malangensis S.Moore
olososo, ososo
Dicliptera verticillata (Forssk.) C.Chr. ?
kixixila
Dicliptera sp.
alunamba, canamba, kalunamba, kaunamba,
olonamba, olunamba, olunomba, onamba,
ovalunamba, rabanete
Justicia baumii S.Moore
otyikualu, otyikwalu, otyiu-uve, otyu-uve
Lepidagathis angustifolia C.B.Clarke
olikombokombo
Lepidagathis macrochila Lindau
olikombokombo
Thunbergia angolensis S.Moore
osokata
Thunbergia huillensis S.Moore
etikutiku, etiku-tiku
Thunbergia hyalina S.Moore
omui-eloi

AGAVACEAE (Asparagaceae)

- ^c*Agave americana* L.
piteira
^c*Agave attenuata* Salm-Dyck subsp. *attenuata*
piteira
^c*Agave filifera* Salm-Dyck
piteira
^c*Agave fourcroydes* Lem.
sisal
^c*Agave salmiana* Otto ex Salm-Dyck var. *ferox*
(K.Koch) Gentry
piteira
^{*}*Agave sisalana* Perrine
alungwengwe, olongwengwe, olungwengwe,

ombalahuma, ombalohuma, otchimbuti,
ovalungwengwe, sisal

- ^c*Agave vivipara* L.
piteira-do-musseque-de-Luanda
^c*Cordyline fruticosa* (L.) Goeppert
dracena
^{*}*Furcraea foetida* (L.) Haw.
aloe-fedorenta, caboya, cabuja
^c*Furcraea selloa* K.Koch.
piteira-ornamental

AIZOACEAE

- Sesuvium sesuviodes* (Fenzl) Verdc.
makunga, mohagha
^{*}*Tetragonia tetragonoides* (Pall.) Kuntze
espinafre-da-Nova-Zelândia
Zaleya pentandra (L.) C.Jeffrey
tchihiangulo, txikete

ALLIACEAE (Amaryllidaceae)

- ^c*Allium cepa* L.
cebola, kasabola, kasapola, kassapola,
okasapola, olosapola, osapola
^c*Allium cepa* L. var. *aggregatum* G.Don
chalotas
^c*Allium porrum* L.
alho-porro
^c*Allium sativum* L.
alho, alho-ordinário, okatchyala, okayala,
olovayu, ovayu
^c*Allium schoenoprasum* L.
alho-verde

AMARANTHACEAE

- Aerva leucura* Moq.
omukoko, omukoto
^{*}*Alternanthera nodiflora* R.Br.
solokoto
^{*}*Alternanthera pungens* Kunth
madeate-a-ngombe, matui-ma-ngombe
^{*}*Alternanthera sessilis* (L.) R.Br. ex DC.
cilueia, txilueia
^{*}*Amaranthus caudatus* L.
chorões-dos-jardins, jimboa, kimboa, mboa
(sing.), moncos-de-perú, mulenje
^{*}*Amaranthus spinosus* L.
jimboa, olombua, omboa, omumboa, otyihindi
^{*}*Amaranthus tricolor* L.
crista-de-galo
^{*}*Celosia argentea* L.
amaranto-branco, crista-de-galo
Celosia trigyna L.
otyikeli-keli, otyikeri-keri

**Gomphrena globosa* L.

perpétuas-roxas

Pandiaka welwitschii (Schinz) Hiern
onongolo

AMARYLLIDACEAE

Boophone disticha (L.f.) Herb.

ehikihala, ocikuamene

^c*Eucharis ×grandiflora* Planch. & Linden
estrela-do-norte, lírio-do-Amazonas

^c*Hippeastrum aulicum* (Ker.Gawl.) Herb.
lírio-do-palácio

^c*Hippeastrum vittatum* (L'Hér.) Herb.
açucena

Scadoxus multiflorus (Martyn) Raf. subsp.
multiflorus
munjanga

ANACARDIACEAE

**Anacardium occidentale* L.

caju (fruit peduncle), cajueiro

Antrocaryon klaineanum Pierre

musangaula, ngangu, ngongo

Lannea ambacensis (Hiern) Engl.

kakumbi, mucumbi, mukumbi, mungongolua,
ngonjila

Lannea antiscorbutica (Hiern) Engl.

humbi, mucumbi, mukumbi, pau-mucumbi

Lannea rubra (Hiern) Engl.

ocingonjila, omungongolua, ongonjila

Lannea sp.

alungongwila (fruit), conguira, ingondjila,
ingongwila (shrub), ohumbi, olongongwila
(fruit), olungongwila (fruit), omungongolua,
otchingondjila, otchingongwila (fruit),
ovalungongwila (fruit), ovingondjila,
ovingongwila (shrub), ungongwila (shrub)

Lannea welwitschii (Hiern) Engl.

humbi, mucumbi, mukumbe, mukumbi

**Mangifera indica* L.

mangueira, olumanga, omanga

Ozoroa benguellensis (Engl.) R.Fern.

cikatu, kambungu, kasikatu, muvulia, sikatu

Ozoroa gossweileri (Exell) R.Fern. & A.Fern.

muimaiem

Ozoroa insignis Delile

enkenha, kadikekele, kitundu, londeo, olondeo,
ondeho, ondeo, quitundo, undeho, undji, unji

Ozoroa sp.

ongo

Pseudospondias microcarpa (A.Rich.) Engl.

iondo, kukunha, muçondo, musondo,
mussondo, muzondo, susa, vivua

Rhus anchietae Ficalho & Hiern
sasambia

Rhus angolensis Engl.

omahola-kandijangi

Rhus leptodictya Diels
mutheiankala

Rhus longipes Engl.

lunga, musalasa, muxima, muzualaza

Rhus natalensis Bernh.

kambombo, mukuku, okambambu,
okambombo, omukuku, otyikubende,
otyiku-bende, otyikuku

Rhus quartiniana A.Rich.

muxima, omonkhukumbendye, omuhatyikolo,
omukukubende, omukukumbendye,
omungangambende

Rhus tenuinervis Engl.

mupombo, omupombo

Rhus wellmanii Engl.

asangala, asangalala (fruit), assangala,
esangala, esangalala (fruit), kambumbu,
kambundu, ovasangala, ovasangalala (fruit),
sangala

**Schinus molle* L.

pimenteira-bastarda

Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
(Sond.) Kokwaro

bumbo-ngongo, elume-ngongo (male), gongo,
kaxama, mjong, mungongo, mupafu, ngongo,
omuangu, omuhongo, omuhongongo,
omungongo, omuongo, ongongo (fruit),
onkhandi-ngongo (female)

Sorindeia gossweileri Exell

humbi

Sorindeia juglandifolia (A.Rich.) Planch. ex Oliv.

mulamata

^c*Spondias dulcis* Park.

caja-manga

**Spondias mombin* L.

cajaseiro, cajazeiro, icaco, jingenge (fruit),
jinguegue, kinguegue, muguegue,
mungenge, munguenge, munguengo (fruit),
munguengue, nguengue, njingenge (fruit),
quinguengue

Trichoscypha acuminata Engl.

kinvutu, mvuta, zinvuta

Trichoscypha oddonii De Wild.

jinota, vombalu, vombua

ANISOPHYLLEACEAE

Anisophyllea boehmii Engl.

aluhengo (fruit), engo, hengu, ikengo (tree),
lehangah, loengo (fruit), lohengo, luengos,
luhingalo, mofongo, mufango, mufongo,
mufongo, mufungi, mumpungue, ohengo
(fruit), olohengo (fruit), oluhengo (fruit),
olotengo, ovaengo, ovaluhengo (fruit),
ovikengo (tree), uguengo, ukengo (tree)

Anisophyllea buchneri Engl. & Brehmer

engo, loengo (fruit), lohengo, mufongo,
otchengo, otchyengo, ovaengo, ovyyengo

Anisophyllea quangensis Engl. ex Henriquez

afungo-mufongo, bungo-bungo, fegalote,
fregatota, funga-funga, kiji-kia-fungu, lunzala,
mbungu-mbungu, mifongo, mufongo,

mufungo-atchana, mufungo-uamo-tchana,
tuamba, unguenga

ANNONACEAE

Annickia affinis (Exell) Versteegh & Sosef
muamba

Annickia pilosa (Exell) Setten & Maas
muamoa

^c*Annona cherimola* Mill.
cherimolia

Annona glabra L.
lobo-quiamaza, lolo-ia-maza

^c*Annona muricata* L.
sap-sap

^c*Annona reticulata* L.
ateira, coração-de-boi, nona

Annona senegalensis Pers.
kilolo, nkua

^c*Annona squamosa* L.
ateira, fruta-conde, fruta-pinha

Annona stenophylla Engl. & Diels subsp. *cuneata*
(Oliv.) N.Robson
dilolo-ambulo, ayolo, dilolo, dilolo-ambulo,
eiolo, eyolo, malolo, mulolo, omuyola,
ovayolo

Annona stenophylla Engl. & Diels subsp. *nana*
(Exell) N.Robson
ayolo (fruit), ayolo-ayolo, eyolo (fruit), iolo,
iyolo, maiola, matchalale, mutandu, ombambi,
omuyolo, ovaiolo, ovayolo (fruit), oviyolo,
uyolo

Anonidium mannii (Oliv.) Engl. & Diels var. *brieyi*
(De Wild.) R.E.Fr.
muamba-branca

Artobotrys stenopetalus Engl. & Diels
kingolo

Duguetia confinis (Engl. & Diels) Chatrou
libambo

Friesodielsia obovata (Benth.) Verdc.
mukolongoso

Greenwayodendron suaveolens (Engl. & Diels)
Verdc.
muamba-preta

Hexalobus crispiflorus A.Rich.
m'bula

Hexalobus monopetalus (A.Rich.) Engl. & Diels
omukuma, omutundu

Monanthotaxis lucidula (Oliv.) Verdc.
kakuema

Monodora angolensis Welw.
gipepe-de-Songo, jipepe-de-Songo,
jipepe-ia-songo, lulusinga, mbende,
moscadeira-brava-de-Angola,
mupepe-ia-songo, mutúge, njipepe-ia-songo,
ntutu, pepe-ia-songo, xipepe-de-Songo

Monodora myristica (Gaertn.) Dunal
gipepe, jipepe, mbende-nzau, mesingo, mpepe,
mupepe (sing.), njipepe (pl.), pepe

Monodora tenuifolia Benth.
mupepe

Piptostigma fasciculatum (De Wild.) Boutique ex
R.E.Fr.

kadidila, kididila, kingamu

Polyceratocarpus angustifolius Paiva
muamba-branca

Xylopia acutiflora (Dunal) A.Rich.
aluswa, musanhi, olusuwa-vyov'usitu, oloswa,
olusua, olusuwa, oluswa, ovaluswa, sua

Xylopia aethiopica (Dunal) A.Rich.
bela, cabela, kabela, kua, luvunga, mukua,
musua-ua-moxitu, nkala, nkana, nkula,
sabongo

Xylopia hypolampra Mildbr.
kanzi, lucanga, lukanga

Xylopia lenombe Paiva
lucanga-lenombe

Xylopia odoratissima Welw. ex Oliv.
muxinga-nzamba, muxinga-xinga,
omulyandele, omuriandele, omutehiankunie,
xinga

Xylopia parviflora (A.Rich.) Benth.
mussano

Xylopia quintasii Engl. & Diels
lucanga, lukanga, muamba

Xylopia rubescens Oliv.
ntumba

Xylopia staudtii Engl. & Diels
diroma, divimo

Xylopia toussaintii Boutique
lukanga

Xylopia sp.
muimbajimba

ANTHERICACEAE (Asparagaceae)

Chlorophytum sp. ?
olonombo, onombo

APIACEAE

Afrocarum imbricatum (Schinz) Rauschert
mungola

**Apium graveolens* L.
aipo

^c*Apium graveolens* L. var. *dulce* (Mill.) DC.
aipo-rábano

^c*Coriandrum sativum* L.
coentro

**Daucus carota* L.
cenoura

Diplolophium zambesianum Hiern
itunda-ndjembo, mutundandjembo,
omutundandyembo, otundandjambo,
ovitunda-ndjembo, utunda-ndjembo

Heteromorpha gossweileri (C.Norman) C.Norman
omulunda, otyinengui

Heteromorpha occidentalis P.J.D.Winter
omulunda, omutyo

Heteromorpha stenophylla Welw. ex Schinz
omulunda, omutyo

Lefebvreabyssinica A.Rich.
gumuhumu, mulhaeul, quiongo

Lefebvrea grantii (Kingston ex Oliv.) S.Droop
kalusanji-kafele, kizonjila, mpepe (root),
mupepe, zonjila

^c*Petroselinum crispum* (Mill.) A.W.Hill
otcheo, otcheyelo, salsa

Physotrichia muriculata (Welw. ex Hiern) S.Droop
& C.C.Towns.
ondunda

^c*Pimpinella anisum* L.
erva-doce

Pimpinella buchananii H.Wolff
mulhacol

Pimpinella huillensis Welw. ex Engl.
dunda, mulha-colu, ndonga-lundu, omupombo

^c*Prangos trifida* (Mill.) Herrnst. & Heyn
bugalho, erva-isqueira

Sium repandum Welw. ex Hiern
ondombuahila

Steganotaenia araliacea Hochst.
calusange, emandola, epondololu, imondolwa,
kalusanji, katundu-limbu, katundu-lumbu,
mundolua, omondolwa, omupondo,
omupondololu, omutionjoka, ovidmondolwa,
ulongo, umondola, umondolwa

APOCYNACEAE

Adenium boehmianum Schinz
junguiu, unguiu

Alstonia congensis Engl.
jisalisali, kisalisali, mapalapassa, ndenga,
songati

Ancylobotrys scandens (Schumach. & Thonn.)
Pichon
dituti-dia-ufele

Bassea wulffhorstii Schinz
muxila, omutijila, tchicalamufito

^c*Calotropis procera* (Aiton) W.T.Aiton
bombardeira

Carissa spinarum L.
carandas, jingingga, jingongono (pl.),
kinkongo, muiangolo, muiongolo,
mungongono, munhongolo, ngongono (fruit),
njingongono, omungongola, omuniongola,
omuniongolo, omunyongolo, quingongo,
uiangola, uiangolo

**Cascabela thevetia* (L.) Lippold
chapéu-de-Napoleão

**Catharanthus roseus* (L.) G.Don
flor-do-anjinho

Ceropegia abyssinica Decne. var. *abyssinica*
omuntafua, omunthafua

Ceropegia multiflora Baker subsp. *tentaculata*
(N.E. Br.) H.Huber
omuthapua

Chamaelitandra henriquesiana (Hallier f.) Pichon
kapindo, mukuti, oboase, omukungula,
ukungulo

Cryptolepis oblongifolia (Meisn.) Schltr.
awangulungu, ovawangulungu, owangulungu,
owangu-olungu

Dictyophleba ochracea (K.Schum. ex Hallier f.)
Pichon
mvoji

Diplorhynchus condylocarpon (Müll.Arg.) Pichon
diboto, epondo, indjole, jasmineiro-de-África,
jasmineiro-do-Cazengo, katumbula, kibudia,
lingu, lungu, mabudia, mudi, mufukamahoje,
muhogue, mulembe-lembe, muli, mundi,
mupondo, muri, muria-tchirulo,
musala-kanjunje, musua, muvulia,
natchindjole, ndenu, ocindjole, ocinjalo,
ocinjalu, ocinjole, olungu, omuelo, omulele,
omuleu, omulia, omulya, omulya-tchilulo,
omundeu, omupondo, omutopo, otchilya,
otchindjalo, otchindjalu, otchindjole,
otchindjovole, ovilya, ovindjole, ulele, undenu

Fockea multiflora K.Schum.
erikho, ginguui, otyingonduo, otyinguiu,
veneno-de-leão

Fockea sp.
trepadeira-gibóia, trepadeira-piton

**Funtumia africana* (Benth.) Stapf
limumbu, luhumbu, munhumba

Funtumia elastica (Preuss) Stapf
árvore-da-borracha-do-Golfo-da-Guiné

Gomphocarpus semilunatus A.Rich.
utinda

^c*Hoya carnosa* (L.f.) R.Br.
flor-de-cera

Landolphia camptoloba (K.Schum.) Pichon
borracha-da-trepadeira-das-Ganguelas,
cambungu, kambungu, kieke-bungubungu,
mumbungu, ovivungu, quieque-bungubungu,
vulungu

Landolphia dewevrei Stapf
mavoki

Landolphia foretiana (Pierre ex Jum.) Pichon
ilombo, lombo, malombo, nlombo, ovilombo,
ulombo

Landolphia gossweileri (Stapf) Pichon
mahuve

Landolphia lanceolata (K.Schum.) Pichon
mahulunganza, senzala, teke

Landolphia owariensis P.Beauv.
borracha-do-leste-de-Luanda, licongue,
likongue (sing.), makongue (pl.), mbuebe

Landolphia parvifolia K.Schum.
licandi, likandi, mabangu, mabungu (fruit),
mutuage, mutuagi, mutuaji, omuhungu,
omungu, omutuaje

Landolphia thollonii Dewèvre
borracha-de-chana, jinguengue-nene,
otalamba, utalamba

Landolphia sp.
oluongo, omuongo

Marsdenia abyssinica (Hochst.) Schltr.
onkhatanga, onkhathanga, otyingungumbala

Marsdenia angolensis N.E.Br.
munzenze, nzenza

Marsdenia sylvestris (Retz.) P.I.Forst.
 omumbole-mbole
Mondia whitei (Hook.f.) Skeels
 alcaçus-branco, alcaçus-do-mato, jindondo,
 milandu, mulondo, mundondo (pl.), ndondo,
 olondondo, omundondo, ondondo
^c*Nerium oleander* L.
 cevadilha, espirradeira, loendro, sevadilha
Oncinotis hirta Oliv.
 ndondo-ia-finda
Orthanthera jasminiflora (Decne.) Schinz
 ungondi
Pachycarpus lineolatus (Decne.) Bullock
 eliko, eriko
Pentarrhinum abyssinicum Decne. subsp.
^a*angolense* (N.E.Br.) Liede & Nicholas
 ekomokomo, olumpundia
Picralima nitida (Stapf) T.Durand & H.Durand
 konde-konde, kongone, lutete-lumene,
 nkonsensi
^c*Plumeria rubra* L.
 frangipaneiro-branco, jasmim-mangueira
Raphionacme utilis N.E.Br. & Stapf
 obitinga
Saba comorensis (Bojer ex A.DC.) Pichon
 ditute (sing.), matute (pl.)
Sarcostemma viminale (L.) R.Br.
 ndumbu, olondumbo, ondumbo, ondumbu,
 otchimbungo-tchohanda, otyinyangundi
Secamone erythradenia K.Schum.
 omupameka, omupameke, otyikalumohito,
 otyikalumohitu
Stathmostelma welwitschii Britten & Rendle var.
^a*welwitschii*
 otyihhi
Strophanthus amboensis (Schinz) Engl. & Pax
 fuku-a-moxi, kangengo, kangongo,
 kanjelenjunje, kazelenjunje, mbela, mosua,
 okangongo, okanjelenjunje, olongongo,
 omulembelembe, omulembe-lembe, ongongo,
 otyilembelembe, otyilembe-lembe,
 ovongongo-vov'usenye, ua-ngongo
Strophanthus preussii Engl. & Pax
 kangongo, okangala
Strophanthus sp.
 ambinga, chimbinga, embinga, imbinga,
 ocimbinga, ombinga, otchimbinga,
 otchimbinga-tchitito, otchimbinga-
 tchov'usenye, ovambinga, ovimbinga
Tabernaemontana crassa Benth.
 muhanda, nebata
^c*Tabernaemontana divaricata* (L.) R.Br. ex Roem.
& Schult.
 maçã-de-Adão
Tabernaemontana pachysiphon Stapf
 mbeta, mubeta
Tabernanthe iboga Baill.
 dihoa, lihaka, lihoka
Tacazzea apiculata Oliv.
 omundau

Trachycalymma pulchellum (Decne.) Bullock
 kotombo
Voacanga thouarsii Roem. & Schult.
 kajiuá, kengavungu

AQUIFOLIACEAE

Ilex mitis Radlk.
 ipembe, kipembe, nakapembe, omutaku,
 otchipembe, ovipembe

ARACEAE

^c*Alocasia* sp.
 jarro
Anchomanes difformis (Blume) Engl.
 dendé-guma, disa-dia-hima, kakuala, sakuala
^c*Caladium bicolor* (Aiton) Vent.
 cocos
^c*Caladium* sp.
 jarro
^c*Colocasia esculenta* (L.) Schott
 inhame, inhame-coco, taro
^c*Monstera deliciosa* Liebm.
 filodendro
^{*}*Pistia stratiotes* L.
 alface-de-água, mbuangungu
^c*Spathiphyllum* sp.
 jarro
^c*Xanthosoma sagittifolium* (L.) Schott
 mangareto

ARALIACEAE

Cussonia angolensis (Seem.) Hiern
 imbolo-mbolo, kizenze, mumona, mupongo,
 mupunga, mupungo, musassa, muzaza,
 omulomboti, omumona, omupanga,
 omutomboti, ovimbolo-mbolo, umbolombolo,
 umbolo-mbolo, umbolumbolo, umbombo
^c*Hedera helix* L.
 hera
Polyscias fulva (Hiern) Harms
 abesika, kihalomba, kihalombua
^c*Polyscias guilfoylei* (Bull.) Bailey var. *laciniata*
 Bailey
 aralia, árvore-da-fortuna
Schefflera barteri Harms
 mpuluka, pulka

ARECACEAE

^{*}*Arenga pinnata* (Wurmb) Merr.
 palmeira-do-açúcar
^c*Attalea cohune* Mart.
 palma-de-Príncipe-de-Gales
^c*Attalea speciosa* Mart. ex Spreng.
 babassú
Borassus aethiopum Mart.
 mukapa-kapa
Calamus deerratus G.Mann & H.Wendl.
 kapama
^c*Caryota urens* L.
 palmeira-Jaggeri

- **Cocos nucifera* L.
coqueiro, eva
- Elaeis guineensis* Jacq.
betata, diba (sing.), dendem, diba-malau,
diba-matundaba, die (sing.), dihusue, durazia,
forma-molar, hoho, kandende, maba (pl.), maie
(pl.), manhamba, mazi-ia-kombo,
mazi-ma-mona, mbanda-kajane,
mbase-mumbolo, mbaize,
mbaze-a-mbuaki-ia-vale,
mbaze-ia-ntundua-ia-evale,
mbaze-lombo-ia-vale, mbaze-lombo-nsombo,
mbaze-makombo, mbaze-mbanda-kakiane,
mbaze-nkambondia, mbaze-nkambuendia,
mbaze-nkam-buendia,
mbaze-ntundua-ia-nsombo,
mbaze-ntundua-ia-vale, mbaze-numbo,
ndende, ndende-ia-fumbe, ndende-ia-fume,
ndende-ia-hoho, ndende-ia-sombo, olondende
(fruit), ondende (fruit), ovondende (tree),
palmeira-dendém, palmeira-do-azeite,
palmeira-do-dendém, palmeira-do-óleo,
sombo, tuanza-nkamba, tuanzinkamba,
ulela-wondende, undende (tree), usue
Eremospatha cabrae (De Wild. & T.Durand) De Wild.
junco, mbamba, palha-rota, rotang
- Eremospatha cuspidata* (G.Mann & H.Wendl.) H.Wendl.
kajana, mukajana, nlenze
- Eremospatha* sp.
mbamba, nlese
- Hyphaene guineensis* Schumach. & Thonn.
diteva, mateba, matebeira, nteba, nteva,
palmeira-de-Luanda
- Hyphaene petersiana* Klotzsch ex Mart.
matebeira, mateva-do-Porto-Pinda,
omukujumba, omulunga
- Hyphaene thebaica* (L.) Mart.
mbale, mbaize
- Laccosperma secundiflorum* (P.Beauv.) Kuntze
enkau, mikau
- Oncocalamus mannii* (H.Wendl.) H.Wendl.
mbamba
- ^c*Phoenix canariensis* Chabaud
tamareira-das-Canárias
- ^c*Phoenix dactylifera* L.
tamareira
- Phoenix reclinata* Jacq.
cacome, calôlo, ekumba, etome, kakome,
kololo, mahundu, makindo, mapanda,
masongua, otyikumba, otyikumba-muari
- ^c*Phoenix sylvestris* (L.) Roxb.
tamareira-brava
- Podococcus barteri* G.Mann & H.Wendl.
masambalala
- Raphia hookeri* G.Mann & H.Wendl.
ntombe-ia-kongo, palmeira-bordão
- Raphia matombe* De Wild.
ditombe, matombe, ntombe, palmeira-bambú,
- palmeira-bordão-do-estuário-do-Zaire, tombe
- Raphia rostrata* Burret
mabanga, nkanda-mbaku
- Raphia textilis* Welw.
ditombe (sing.), matombe, palmeira-bordão
- Raphia* sp.
isanda, kisanda, mabulu, maimba, okasanda,
otchisanda, ovisanda
- ^c*Roystonea regia* (Kunth) O.F.Cook
palmeira-real
- Sclerosperma mannii* H.Wendl.
mabondo, makua, mangana, mangke, manke,
mapete
- ^c*Syagrus romanzoffiana* (Cham.) Glassman
coqueiro-brasileiro
- ^c*Washingtonia filifera* (L.Lindl.) H.Wendl.
palmeira-da-California
- ## ARISTOLOCHIACEAE
- Aristolochia albida* Duch.
kangululu
- ## ASPARAGACEAE
- ^c*Asparagus aethiopicus* L.
espargos-de-jardim
- Asparagus africanus* Lam.
mudeluakima
- Asparagus benguellensis* Baker
ekatolokanga
- Asparagus laricinus* Burch.
gelele-grande, gelele-pequeno, olondjelele,
ondjelele, ondjelele-itito, onjelele,
unjele-kasonje
- ^c*Asparagus officinalis* L.
espargo
- ## ASPHODELACEAE (Xanthorrhoeaceae)
- Aloe paedogona* A.Berger
kikalangu-kibela
- Aloe palmiformis* Baker
okandole
- Aloe zebrina* Baker
djimbelia, iandala, mantombo, njandola,
ojinkalangua, okandala-kasengue,
okandala-kazengue, okandole,
otchandala-ekundi, otchyandala, otyiandola,
oviandala, sankulu
- Aloe* sp.
mala
- Bulbine abyssinica* A.Rich.
cassabola
- Bulbine asphodeloides* (L.) Spreng.
kombalu
- Kniphofia benguellensis* Welw. ex Baker
ndlangu, ntongo
- ## ASTERACEAE
- **Acanthospermum hispidum* DC.
carapicha-do-Mato-Grosso,
carrapicho-do-Mato-Grosso, kauenha, solokoto

| | |
|--|--|
| <i>Ageratum conyzoides</i> L. | ondiyilono |
| ilongo-longo, kilongolongo, otchilongo-longo, ovilongo-longo, txilongolongo | |
| ^c <i>Argyranthemum frutescens</i> (L.) Sch.Bip. | |
| margarita | |
| <i>Artemisia afra</i> Jacq. ex Willd. | |
| enthilili, entilili, juandimba, losna-da- | |
| Humpata, omatylili | |
| <i>Berkheya angolensis</i> O.Hoffm. | |
| kikualu | |
| <i>Berkheya carlinopsis</i> Welw. ex O.Hoffm. subsp. | |
| <i>sylvicola</i> (S.Moore) Roessler | |
| okasongo, okasungu, okasungu-kuswa, otusongo | |
| <i>Berkheya welwitschii</i> O.Hoffm. | |
| omukandula, ovi | |
| <i>Bidens biternata</i> (Lour.) Merr. & Sherff | |
| canamelela, holokoso, oholokoso, olonamele, olonamelela, omukolokoho, onamele, onamelela, onamerela, songa-jangoma | |
| <i>Bidens grandis</i> Sherff | |
| dibula, ximbulu | |
| <i>Bidens pilosa</i> L. | |
| jisongo-jia-ngoma | |
| <i>Bidens</i> sp. | |
| holo-koso, ohokoso, oloholokoso | |
| <i>Blumea decurrens</i> (Vahl) Merxm. | |
| otyimbambubilingi | |
| ^c <i>Blumea mollis</i> (D.Don) Merr. | |
| kitiko, quitoco-antiscorbutico, tiko | |
| <i>Brachylaena huillensis</i> O.Hoffm. | |
| omukanda, omukandu | |
| <i>Brachylaena</i> sp. | |
| khisekko, kikongo, kiseku, seku | |
| ^c <i>Callistephus chinensis</i> (L.) Nees | |
| malmequer-da-sécia | |
| [*] <i>Chrysanthellum indicum</i> DC. | |
| crisântemo | |
| [*] <i>Chrysanthemum segetum</i> L. | |
| pampilho-das-serras | |
| ^c <i>Coleostephus myconis</i> (L.) Cass. | |
| pampilho-de-micão | |
| <i>Conyza gouanii</i> (L.) Willd. | |
| otyimbambabirinki | |
| ^c <i>Coreopsis tinctoria</i> Nutt. | |
| caliopsis | |
| [*] <i>Cosmos bipinnatus</i> Cav. | |
| cosmea | |
| <i>Crassocephalum crepidioides</i> (Benth.) S.Moore | |
| eyukula, kimbimbi-a-xeta, ngokambinde | |
| <i>Crassocephalum rubens</i> (Jacq.) S.Moore | |
| kitova | |
| ^c <i>Dahlia ×pinnata</i> Cav. | |
| dalias | |
| <i>Dicoma anomala</i> Sond. | |
| haka, mupia | |
| <i>Dicoma antunesii</i> O.Hoffm. | |
| okandu, okaundu | |
| <i>Dicoma elegans</i> Welw. ex O.Hoffm. | |
| elumeliotyifiti, elume-liotyifiti, elumetiokifiti, | |
| | onydylono |
| | <i>Distephanus angolensis</i> (O.Hoffm.) H.Rob. & |
| | B.Kahn |
| | otyiambambo |
| | <i>Emilia coccinea</i> (Sims) G.Don |
| | imandalu, kahumbula, kalohumbula, kandua, katchimandalu, kipololo, nakalohumbula, ocimandulu, ohumbula, okahumbula, okamandalu, okatchimandalu-katito, olohumbula, olonduva, onduva, otchimandalu, otchimandalu-kov'efinala, ovimandalu |
| | <i>Erlangea misera</i> S.Moore |
| | munganga |
| | <i>Erythrocephalum dianthiflorum</i> (Welw.) O.Hoffm. |
| | cravo-do-mato |
| | [*] <i>Galinsoga parviflora</i> Cav. |
| | lume, okalume, otulume |
| | <i>Geigeria acicularis</i> O.Hoffm. |
| | etuntu, otyihangandue |
| | <i>Geigeria angolensis</i> O.Hoffm. |
| | omulalavakai, otyihangandue |
| | <i>Geigeria hoffmanniana</i> Hiern |
| | otyhenguengu, otyinengu-nengu |
| | <i>Grangea maderaspatana</i> (L.) Poir. |
| | macela |
| | <i>Gynura scandens</i> O.Hoffm. |
| | mulembuji, musaba, utumbe |
| | ^c <i>Helianthus annuus</i> L. |
| | girassol |
| | ^c <i>Helianthus tuberosus</i> L. |
| | topinambo |
| | <i>Helichrysum benguellense</i> Hiern |
| | kiteta, kitetengala, otyihiti |
| | <i>Helichrysum kraussii</i> Sch.Bip. |
| | dimanongote, efiti, ekhang, olufiti, oluhiti |
| | <i>Helichrysum nudifolium</i> (L.) Less. |
| | atutulo-atito, etulutulu-litito, etulu-tulu-litito |
| | <i>Helichrysum stenopterum</i> DC. |
| | atinga, eninga, otyihanandimba, ovaninga |
| | <i>Helichrysum subglomeratum</i> Less. |
| | enika, otyifiti |
| | <i>Hippocratea antunesii</i> (O.Hoffm.) Roessler |
| | isekwa, ocisekua, otchisekua, otchisekwa, otyinkonkho, ovisekwa |
| | <i>Hippocratea gorterioides</i> (Oliv. & Hiern) Roessler |
| | subsp. <i>gorterioides</i> |
| | otyinkonkho |
| | <i>Hypericophyllum angolense</i> (O.Hoffm.) N.E.Br. |
| | omundonji, otyinambuluktu, otyinamburukuta, otyinembulukuta, otyinombuluktu |
| | ^c <i>Ismelia versicolor</i> Cass. |
| | crisântemo-anual |
| | <i>Lactuca andongensis</i> Hiern |
| | ilyanete, ovilyanete, ovolyanete, ulianete, ulyanete, ulyanete-olombombo (root) |
| | ^c <i>Lactuca sativa</i> L. |
| | alface |
| | <i>Lactuca schulzeana</i> Büttner |
| | kalola |

| | |
|--|--|
| <i>Laggera brevipes</i> Oliv. & Hiern | omutiatupa, pau-quicongo, |
| okaya-mekana, omulangalandhimba, | pau-quicongo-da-Huila |
| omulangala-ndymba | |
| <i>Launaea intybacea</i> (Jacq.) Beauverd | <i>Vernonia amygdalina</i> Delile |
| serralhas | lulu, molulu, mululu |
| <i>Litogyne gariepina</i> (DC.) Anderb. | <i>Vernonia auriculifera</i> Welw. ex Hiern |
| carqueja | emkumku, evukuvuku, ndolo, ntangu, |
| <i>Macledium poggei</i> (O.Hoffm.) S.Ortiz | omuhaina, tongo, tongo-a-ndongo, |
| ehongo | tongo-ntongo |
| <i>Melanthera scandens</i> (Schumach. & Thonn.) | <i>Vernonia calulu</i> Hiern |
| Brenan | catulu, kalulu, lulu |
| ngalakasa | |
| <i>Mikania cordata</i> (Burm.f.) B.L.Rob. ? | <i>Vernonia cleanthoides</i> O.Hoffm. |
| otyihipai | etue-lio-ntemu |
| <i>Mikania</i> sp. | <i>Vernonia colorata</i> (Willd.) Drake |
| otyihipai | itumba-ndjeye, itumba-njeie, mululu |
| <i>Pasaccardoa baumii</i> O.Hoffm. | <i>Vernonia conferta</i> Benth. |
| dilumba | kipukulu-kia-ufela, okatende, otutende, |
| <i>Pleiotaxis antunesii</i> O.Hoffm. | quipuculo-cafele, tende, utende, |
| otyihongo | utende-wok'omunda, utende-wongongo, |
| <i>Pluchea dioscoridis</i> (L.) DC. | utende-wov'tchikala, utende-wov'usenge, |
| ayukula, eyukula, iyukula, kigangumakutu, | vuvuku |
| kipangumakutu, kitoko, mambumbu, | |
| muhunza-hunza, munze-hunze, ocyukula, | <i>Vernonia gerberiformis</i> Oliv. & Hiern subsp. |
| otchiyukula, ovayukula, oviyukula, | <i>macrocyanus</i> (O.Hoffm.) C.Jeffrey |
| quitoco-pequeno | akova, ekakaholua, ekova, ikova, ocikova, |
| * <i>Pseudoconyza viscosa</i> (Mill.) D'Arcy | otchikova, ovakova, ovikova |
| kimbuma, mbuma | <i>Vernonia hochstetteri</i> Sch.Bip. ex Hochst. var. |
| <i>Psiadia incana</i> Oliv. & Hiern | <i>dekindtii</i> (O.Hoffm.) C.Jeffrey |
| lufifi | mululu |
| <i>Senecio coronatus</i> (Thunb.) Harv. | <i>Vernonia petersii</i> Oliv. & Hiern ex Oliv. |
| ekangona, otyikangona | omunganga |
| <i>Senecio latifolius</i> DC. | <i>Vernonia praemorsa</i> Muschl. |
| chirombo, ilombo, ocilombo, | etulutulu-linene, etulu-tulu-linene, |
| olombalakatyetye, ombakatyetye, | etutulu-linene |
| ombala-katietie, ombalakatyetye, otchilombo, | <i>Vernonia steetziana</i> Oliv. & Hiern |
| ovilombo, umba-katyetye | kaxixila, mudia-mbalu, okatchitchila, xixila |
| <i>Senecio pentecostus</i> Hiern | <i>Vernonia thomsoniana</i> Oliv. & Hiern ex Oliv. |
| otytumbaveto | ndolo |
| <i>Senecio</i> sp. | <i>Vernonia undulata</i> Oliv. & Hiern |
| dulu-epanda, olonduluyepanda, | otyitumbaveto |
| onduluyepanda, ondulyepanda, | |
| onundulu-yepanda | <i>Vernonia</i> sp. |
| <i>Seriphium cinereum</i> L. | indongo, nandongo, ocindongo, otchindongo, |
| entilili, juanandimba, lufifi | ovindongo |
| <i>Solanecio mannii</i> (Hook.f.) C.Jeffrey | |
| dizembula, katodi, katoli, sambalala, zembula | AVERRHOACEAE (Oxalidaceae) |
| <i>Sonchus bipontini</i> Asch. | ^c <i>Averrhoa carambola</i> L. |
| nekaia, nekaya | caramboleiro |
| <i>Stomatianthes africanus</i> (Oliv. & Hiern) R.M.King | |
| & H.Rob. | AVICENNIACEAE (Acanthaceae) |
| aluwawa, kaluwawa, olowawa, olu-ua-ua, | <i>Avicennia germinans</i> (L.) L. |
| oluwawa, omuhipa, otyihipai, otyikualu, | munjingue (fruit), patu |
| otyipai, ovaluwawa | |
| ^c <i>Tagetes erecta</i> L. | BALANITACEAE (Zygophyllaceae) |
| cravo-da-Índia | <i>Balanites angolensis</i> (Welw.) Welw. ex Mildbr. & |
| ^c <i>Tanacetum cinerariifolium</i> (Trevir.) Sch.Bip. | Schltr. |
| piretro | kabakaxi, kabanganji, kabaxi, kiba-kaxi |
| <i>Tarchonanthus camphoratus</i> L. | <i>Balanites wilsoniana</i> Dawe & Sprague var. |
| kifungu, kikongo, mucando, okandote, | <i>mayumbensis</i> (Exell) Sands |
| | bussepundi, buza-pundi, mbuza-mpundi, |
| | muzazu |

BALSAMINACEAE

Impatiens assurgens Baker f.
okafukutu

BASELLACEAE

**Anredera cordifolia* (Ten.) Steenis
bertalha

BETULACEAE

^c*Corylus avellana* L.
aveleira

BIGNONIACEAE

Catophractes alexandri D.Don
calabiri, calaviri, mucalabide, mukaraviri,
muncalavivi, omukalavise
^c*Crescentia alata* Kunth
cuchara
^c*Crescentia cujete* L.
calabaceiro
^c*Jacaranda mimosifolia* D.Don
jacarandá
Kigelia africana (Lam.) Benth.
kambumbi, mavungo-vungo, mivungo-vulgo,
mivungu-vungu (pl.), muvungu,
muvgunguvungu, muvungu-vungu,
vungo-vungo, vungu-vungu
Markhamia obtusifolia Sprague
mukuraxiko, tschitshapa
Markhamia tomentosa (Benth.) K.Schum.
cassano, dau, lumbote, mukola, muluanda,
mussumba, muzela-poko (fruit), n'dau,
nsumba, omupondanjamba
Markhamia zanzibarica (Bojer ex DC.) K.Schum.
cia, hanha, muniavalala, muselapoco
Rhigozum brevispinosum Kuntze
kepati, mucumauno, mukolabide, mundimba
Spathodea campanulata P.Beaup.
andandua, makelandua, mande-a-ndua,
messana, mute-kalandua, mutengena-ndua,
tila-tila, tira, tulipeira-do-Gabão
Stereospermum harmsianum K.Schum.
chicuala, jijapa, kakoba, kijaba, tchitchaba,
tjikuala
^c*Tecoma stans* (L.) Juss. ex Kunth
tronadora

BIXACEAE

**Bixa orellana* L.
anato, arnato, diteke, kasasa, kisafu, mboa,
orucú, quisafu, quissafú, safu, urucú

BOMBACACEAE (Malvaceae)

Adansonia digitata L.
ekwa (fruit), embondeiro, imbondeiro, konde,
mbondo, m'bondo, mubondo, mûcua (fruit),
mukua (fruit), n-bondo, omukua, omukwa,
omukwa (tree)

Bombax buonopozense P.Beaup.

mafuma, mafumeira, mafumeira-encarnada,
mefuma, musol, musole

Ceiba pentandra (L.) Gaertn.
kafuma-fuma, mafuma, mafumeira, mfuma,
mufuma

^c*Durio zibethinus* Murray
durião

^c*Pachira aquatica* Aubl.
castanheiro-da-Guiana, zapote-de-água

BORAGINACEAE

**Borago officinalis* L.
borragem
Cordia africana Lam.
elalanku, ilalanka, kibosa-kia-muxitu, kibuba,
kindenga, muianga, umbaga, umbanga
Cordia aurantiaca Baker
kibosa-kia-muxito, quibosa-ia-mugito
Cordia millenii Baker
ndengu, quicumba
Cordia monoica Roxb.
kizenze (fruit), ocipa, usipe, xipa
Cordia sinensis Lam.
muxipa, olongombe, omukoio, omukoyo,
omupuka, omutua-koyo, ongombe
Trichodesma ambacense Welw.
elimiliombua, utendulu
Trichodesma arenicola Gürke
elimiliombua, utendulu
Trichodesma physaloides (Fenzl) A.DC.
kafukutu

BRASSICACEAE

**Brassica juncea* (L.) Czern.
mostarda-da-Índia
^c*Brassica napus* L.
nabiça, nabo, rutabaga
Brassica oleracea L.
couve, repolho
^c*Brassica oleracea* L. var. *acephala* (DC.) Schübler
& Martens
couve-galega
^c*Brassica oleracea* L. var. *botrytis* DC.
brócolos, couve-flor
^c*Brassica oleracea* L. var. *gemmifera* DC.
couve-de-Bruxelas
^c*Brassica oleracea* L. var. *gongylodes* L.
couve-de-nabo
^c*Brassica oleracea* L. var. *sabauda* L.
couve-lombarda, couve-tronchuda
^c*Brassica rapa* L.
nabo-redondo
Capsella bursapastoris (L.) Medik.
bolsa-de-pastor
Nasturtium officinale R.Br.
agrião-de-água
^c*Raphanus sativus* L.
rabanete, rabano, rabão

BROMELIACEAE

- ^c*Aechmea magdalena* (André) André ex Baker
arghan, curauá
**Ananas comosus* (L.) Merr.
abacaxi, ananaz (fruit), ananazeiro
^c*Bromelia pinguin* L.
caraguata-acanga
^c*Cryptanthus zonatus* (Vis.) Beer
caraguata

BUDDLEJACEAE (Scrophulariaceae)

- Nuxia congesta* R.Br. ex Fresen.
otiyvoto
Nuxia oppositifolia (Hochst.) Benth.
otyipunduka, otyipunduko

BURSERACEAE

- Canarium schweinfurthii* Engl.
alindili, avimbili, elindili, mbidi-nkala, mbili,
mebili, mubafo, mupaxi, ndili, ovalindili,
ovimbili
Commiphora africana (A.Rich.) Engl.
calusange, kakong'atu
Commiphora angolensis Engl.
jilema, kalusanje, mujugo, mungolo, mututu,
njilema, ombane, tilema
Commiphora glaucescens Engl.
omba, omukanje, omuolo
Commiphora mollis (Oliv.) Engl.
jimbonde, mungolo, ngonguela, obobo,
omuleba-bobo, omulemba-bobo,
omutela-bobo, omuvovo, ongongwela
Commiphora mulelame K.Schum.
mulelame, mungolo
Commiphora sp.
omungolo, omuvovo
Dacryodes edulis (G.Don) H.J.Lam
safu, safueiro, safu-nkala
Dacryodes pubescens (Vermoesen) H.J.Lam
chisafo, kasafu, kisafo, kisafu, nkala-nkala,
safu-cala, safukala
Santiria trimera (Oliv.) Aubrév.
jikunga, kisok, kisoku, luhumbu, lumiumbo,
luniumbo, mutombo, ntombo, quisaque,
utambe, utombe

BUXACEAE

- Buxus benguellensis* Gilg
buxo-indígena, omunyanga

CACTACEAE

- ^c*Epiphyllum phyllanthus* (L.) Haw.
conambaia
^c*Hylocereus undatus* (Haw.) Britton & Rose
pitaya
**Opuntia ficus-indica* (L.) Mill.
figueira-da-Índia, imbali-mbali, nopal,
otchimbali-mbali, ovimbali-mbali,
piteira-espinhosa, piteira-sem-espinhos

- ^c*Pereskia aculeata* Mill.
groselha-de-Barbados

CANNABACEAE

- *Cannabis sativa* L.
apangwe, cânhamo, diamba, elyamba, engoña,
epandji, epangue, epangue, epanji, etenga,
kangonha, liamba, linho-câñhamo, lyamba,
okangoña, onguku (seed), ovapangwe, riamba

CANNACEAE

- *Canna indica* L.
cana-da-Índia, conteira, erva-conteira

CAPPARACEAE

- Boscia albitrunca* (Burch.) Gilg & Gilg-Ben.
muntendelete, omutendeleti, kewaia, ndjevaya,
ngavaia, njavaia, njevaia, okajia-kundu,
omunhundi, omutunda
Boscia polyantha Gilg
mupembate, omupembate, omutunda
Boscia urens Welw. ex Oliv.
mututuia, mututumba, sambila
Boscia welwitschii Gilg
omutandu
Boscia sp.
etunda, itunda-kalunga, mutunda, omutunda,
omutunda-kalunga, ovitunda-kalunga,
utunda-kalunga, utundakalunga
Capparis erythrocarpus Isert
katatomuna, kokola
Capparis sepiaria L. var. *subglabra* (Oliv.) De
Wolf
kalumbi
Capparis tomentosa Lam.
kipai, makolongolo, omakulongolo, omangatu,
omutuyovi
Cleome angustifolia Forssk. subsp. *diandra*
(Burch.) Kers
ompungu
Cleome gynandra L.
kasangu, musambe, muzambue, omphungu
Cleome hirta (Klotzsch) Oliv.
elume-liompunguhiko, elume-liompunguliko,
ompunguhika
Maerua angolensis DC.
muriangombe, mudiangombe, otyhielu
Ritchiea capparoides Britten
kihondjo

CAPRIFOLIACEAE

- ^c*Lonicera confusa* DC.
madresilva-de-cheiro
^c*Lonicera implexa* Aiton
madresilva
^c*Sambucus nigra* L.
sabugueiro

CARICACEAE

**Carica papaya* L.

cambungué, djimāmā, djimbungué, imama, mamão, mamoeiro, mamoeiro-brasileiro, otchimama, ovimama, papaia

CARYOPHYLLACEAE

^c*Dianthus caryophyllus* L.

cravos

**Spergula arvensis* L.

esparguta

Stellaria media (L.) Vill.

morugem-vulgar

CELASTRACEAE

Catha edulis Forssk.

gibota, otyibota

Elachyptera parvifolia (Oliv.) N.Hallé

mundumbilo, omundumbila, omundumbilo, omundumbilu, omundumbiro

Elaeodendron buchananii (Loes.) Loes.

kitula, mbuia-tuba, quituba

Gymnosporia senegalensis (Lam.) Loes.

kambolo, kenga-ia-nila, kisongo, manutunge, mundungu, musongasongo, mutunji, ngondue, okaminga, omuhintala, omulukui, omumbanguanguluve, omumbanguluve, otyilianvantita, otyirianvanthita, otyirianvantita

Mystroxylon aethiopicum (Thunb.) Loes.

kitubi, muxomuenene, omungome, omungumbei, omunyavamua, omutyomuene, omuyavambua, tomboka

Reissantia indica (Willd.) N.Hallé var.

loeseneriana (Hutch. & M.B.Moss) N.Hallé

ngunho, ngunhu

CHENOPODIACEAE (Amaranthaceae)

^c*Atriplex halimus* L.

salgadeira

^c*Atriplex nummularia* Lindl.

alfafa-arbórea

^c*Beta vulgaris* L.

beterraba

^c*Beta vulgaris* L. var. *cicla* (L.) Moq.

acelga, celga

**Chenopodium ambrosioides* L.

atyambulu, erva-de-Santa-Maria, erva-formigueira, etyambulu, iangua-ia-nzambi, muasumba, omuniliniki, osanda-malia, ovatyambulu, tembuambo

^c*Chenopodium quinoa* Willd.

arroz-do-Perú, quinoa

**Chenopodium schraderianum* Schult.

ambrósia-das-boticas

^c*Spinacia oleracea* L.

espinafre-da-Holanda

Suaeda fruticosa (L.) Forssk.

valverde-dos-sapais

CHRYSOBALANACEAE

Chrysobalanus icaco L. subsp. *icaco*

eschimo, icaqueira, jingimo, jinjimo, jinjimu (pl.), mafua, n'gimo, njimo, njimu

Dactyladenia gilletti (De Wild.) Prance & F.White munjeledje

Magnistipula sapinii De Wild.

mungondu

Maranthes floribunda (Baker) F.White muandje, mucha-o-muchito, muhande, muhandi, uxá

Maranthes gabunensis (Engl.) Prance chikumbi-lombe, escubilombe, nbolo

Maranthes glabra (Oliv.) Prance cacanti, m'banga, n'tiete, quivinde

Parinari capensis Harv.

caluhia, enhanhafi, gia, gighia, gihia, guihia, jafia, jihia (fruit), kaluhia, kaluya, kaluywa, kihia, kikia, lungu, muiengu, muienjo, munhandjo, mutongo, mutongo-ua-hashi, nkia, ovintyahi (fruit), u-ienguio

Parinari curatellifolia Planch. ex Benth.

emunha-notcha, isya (tree), jihia (fruit), locha (fruit), luhia (sing.), luja, mendonça, mucha, muhacha, mutangu, mutcha, mut'hongo, mut'hongu, mutongo, mutotoxi, mutotxi, mutxa, mutya, nocha (fruit), noxa, okosya, olosya (fruit), omunia, omutiia, omutya, omutyameka, ontyahai, ontyahi, ontyhai, ovisya (tree), sitixa, uca, uchia, uka, uncha, usya (tree), viaihi, vinxa

Parinari sp.

kazongo, kibinde, kivinde, matongua, muhandi, njesa, uxá

CLUSIACEAE

Allanblackia floribunda Oliv.

kionzo, lalanso, lonzo, mbunze

Allanblackia stameriana Exell & Mendonça

mbunze, n'bunze, n'honzo

Garcinia buchneri Engl.

ikondo, mundombola, mundombolla, ovikondo, ucondo, ukondo

Garcinia epunctata Stapf

ngandeka

Garcinia huillensis Welw. ex Oliv.

mungindu, omuhintala, omuhinthala

Garcinia livingstonei T.Anderson

fulundundu, njilabe

^c*Garcinia mangostana* L.

mangostão

Garcinia mannii Oliv.

angariaria, ngandiadia

Garcinia smeathmannii (Planch. & Triana) Oliv.

husu

Garcinia sp.

mulondangue, omulondangue

Mammea africana Sabine

mbosa, mukunza, muliangulumbre, muposa

^c*Mammea americana* L.

mamoeiro

Pentadesma butyracea Sabine

enanhangu

Sympmania globulifera L.f.

huhu, mbambe, mbeta, mbibangu, mubambe, munda, mungundo, mungundu

COCHLOSPERMACEAE (Bixaceae)

Cochlospermum angolense Welw. ex Oliv.

borututu, brututo, brututu, burututo, imbombo, impupu, imupu, mbolongo, mbolongongo, mbolututu, mbulututo, mbulututu, olombulutu, olumbombo, ombulututu, otchimbombo, otchipulupulu, ovimbombo, umbombo

COLCHICACEAE

Androcymbium striatum Hochst. ex A.Rich.

ontite

Gloriosa superba L.

dikumbele, kandua, kumbele, lutamba, olonduva, onaitembo-otyiria-nona, onduva, otyiranona-onaitembe, ovakai

Littonia littonioides (Welw. ex Baker) K.Krause
kandua, olonduva, onduva

COMBRETACEAE

Combretum acutifolium Exell

mupupo

Combretum apiculatum Sond.

mulaletungo, monjolo

Combretum camporum Engl.

fukamahonje, kitandu, lueia, mafukamahonje, moeia, mueia, mufukamahonje, muhondongolo, mumbota, mutintinha, sumbila

Combretum celastroides Welw. ex M.A.Lawson
subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
dikaxi, mpala, mupala, musungua, muzimba, njimba, nsilu, punguixi, punxixi, xilu, zima

Combretum cinereopetalum Engl. & Diels
dikaxi

Combretum collinum Fresen.

muhocho, muhuhu, mupupo, ohakati, omulundu, tekula-fuku

Combretum cuspidatum Planch. ex Benth.
tshissuingi

Combretum engleri Schinz

muala-tungu, muhihi, omuhihi

Combretum gossweileri Exell

tchinginda

Combretum hereroense Schinz

omukungulu

Combretum imberbe Wawra

carvalho, mukaji, mukoje, mukuku, mungando, mungandu, mungondua, munhondo, omuhyo-tahamba, omuhyotahambo, omukuku, omunborongonga, onkue, onkuku

Combretum molle R.Br. ex G.Don

dikaxi, mukaji, munhanje, mupupu, omusengue, silu, upanda-jambu, xilu

Combretum mossambicense (Klotzsch) Engl.

ingalundu, kula-fukai, muhondongolo

Combretum oxytachyum Welw. ex M.A.Lawson
ekulo-otyiqui

Combretum paniculatum Vent.

lunzuanzua, n'zuaia, olumbala, quinzuma

Combretum platypetalum Welw. ex M.A.Lawson
olumbalu

Combretum platypetalum Welw. ex M.A.Lawson
subsp. *baumii* (Engl. & Gilg) Exell

alumbala, alumbalu, juaia, lusanve, olombala, olombalu, olumbala, olumbala-ywov'eñala, olumbalu, omumbiri, otyinkulu, otyipalala, ovalumbala, ovalumbalu

Combretum platypetalum Welw. ex M.A.Lawson
subsp. *platypetalum*

uangbiri

Combretum platypetalum Welw. ex M.A.Lawson
subsp. *virgatum* (Welw. ex M.A.Lawson) Exell

kuvantique

Combretum psidiooides Welw.

muangaxi, mubeba, muhalehale, mukanzi, mulamata, mupupo, mupupuaheke, namalo, omuhyotahambo, omuntombo, omupupu

Combretum psidiooides Welw. subsp. *dinteri*
(Schinz) Exell

mupupo

Combretum zeyheri Sond.

dilunga-dia-sanji, lunga-dia-sangi, mufula, mumbumbuge, mumbunge, muta-katexi, omupupu

Combretum sp.

mulundoangombe, mupupo, omupupu

Pteleopsis anisoptera (Welw. ex M.A.Lawson)

Engl. & Diels

mufunge, muhihi, mutendi, omucici, omuhihi
Pteleopsis diptera Engl. & Diels
enkazuso, gusu, guzusu, kikixi, mufunge, mungua, mungususu, ngazuzu, nguenjixi, nhenga

Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
guzuzu, jikidi, jiquiri, kixixi, mufumena, mufungue, mufunji, muhinje, muxixe, omuhihi, omuici

Terminalia brachystemma Welw. ex Hiern

golo, ingolo, kangolo, kilungo-veva, mueia, mungolo, muveva, ovingolo, ovongolo, ungolo

Terminalia catappa L.

amendoeira-da-Índia, figueira-da-Índia

Terminalia mollis M.A.Lawson

lucungo

Terminalia prunioides M.A.Lawson

ehama, muhaiana, muhamama, ohama, olohama, omuhaima, omuhama

Terminalia sericea Burch. ex DC.

kitonda, mubeba, mueia, mukongolo, mungolo,

muveva, omungola, omungolo, omungula,
omusea-sete
Terminalia superba Engl. & Diels
chene-limbo, limba, mulimba

COMMELINACEAE

Commelina benghalensis L.
ndakala
Commelina diffusa Burm.f.
kindangala, okindangala
Commelina subulata Roth
munoko, omuyolela
Commelina welwitschii C.B.Clarke
dilonga
Commelina sp.
omuyolela, ovindindi, ovindindo
Palisota schweinfurthii C.B.Clarke
jikete, kambonjo, txinguete

CONNARACEAE

Cnestis corniculata Lam.
casse-quesa
Manotes expansa Sol. ex Planch.
cal'chiche, ca-lume

CONVOLVULACEAE

Ipomoea batatas (L.) Lam.
batata-doce, cará, ekapa, katata,
kidingu-kia-kambonji, kiringu-kia-mbonzo,
mbonzo, nkua-kia-mputo, nkua-konde, tamba
Ipomoea ochracea (Lindl.) G.Don
katandaxatxi
Ipomoea pes-caprae (L.) R.Br. subsp. *brasiliensis*
(L.) Ooststr.
mungolongolo
Ipomoea prismatosyphon Welw.
diluvu, diluwu, disalula, enthuve, entuve,
ondhimbe
**Ipomoea purpurea* (L.) Roth
bons-dias
Ipomoea verbascoidea Choisy
enthuve, entuve, eyona, eyono
Ipomoea sp.
omunome
Jacquemontia ovalifolia Hallier f.
nbumba-ia-iala
Lepistemon owariense (P.Beauv.) Hallier f.
kibu
Merremia pterygocaulos (Choisy) Hallier f.
dila-dia-sanji
Merremia tuberosa Rendle
campainha-amarela

COSTACEAE

Costus lucanusianus J.Braun & K.Schum.
bossango, mukisu
Costus spectabilis (Fenzl) K.Schum.
ciala-ciala

CRASSULACEAE

**Bryophyllum pinnatum* (L.f.) Oken
herbe-a-mal-de-tete
Kalanchoe brachyloba Welw. ex Britten
kombaluva
Kalanchoe lacinata (L.) DC.
kumbengengele, samenha-damenha
Kalanchoe lanceolata (Forssk.) Pers.
ecula-otiqui, tukolokosch
Kalanchoe welwitschii Britten
dituta-dia-nvula, kibanga, motolotolo,
tuta-riambula, tuta-rianvula

CTENOLOPHONACEAE

Ctenolophon englerianus Mildbr.
saba

CUCURBITACEAE

Acanthosicyos horridus Welw. ex Hook.f.
calungo, longale (fruit), mnara, mughala,
munara, nala, nara, nhara
Acanthosicyos naudinianus (Sond.) C.Jeffrey
coloquintida, luhula, mandjuanja, mbumba,
mungungua, mutangue, xoxio
Citrullus lanatus (Thunb.) Matsum. & Nakai
atanga, canua, dinhungo, dinhungu-nhungu,
ditanga (fruit), ditangue, dixiabu (sing.),
elanga, etanga, etangalulu, jinjinga, kalitangi,
kixibua, litanga, lunguinga, matande, matanga
(pl.), matende, matenga, maxibua, mbalazia,
melancia, melancia-brava, mudia-ua-ditanga,
mumbunzu (pl.), mutangue, nakambiambia,
njamba,
ntanda-sende, n'xibua, omatanga (fruit pl.),
ovatanga, pia (seed), ritanga, tangage,
tanganze, ulenga
Coccinia barteri (Hook.f.) Keay
gombe, onteta
Cogniauxia podolaena Baill.
ca-tanta, n'saca, nsaka, nteter
Corallocarpus bainesii (Hook.f.) A.Meeuse
lo'hana, matondo-hakakoio, muximba
Corallocarpus welwitschii (Naud.) Hook.f. ex
Welw.
iondinga, mu-ndonguena, olubinga
Cucumeropsis mannii Naudin
dipupu, lipupu, matanga
Cucumis anguria L.
asonhwa, asoñwa, asonyua, esoñwa, isoñwa,
itito, nofe, otchisoñwa, ovasoñwa, xixibia,
xongonhongo
Cucumis anguria L. ?
kangala (fruit), maxixi, mimbunzu (pl.),
ntanga-dia-zende
Cucumis hirsutus Sond.
katanshatshi, khai, ochemba,
olendungoviacatu, ombutu, omukalalola
**Cucumis melo* L.
melão, niniungo

Cucumis metuliferus E.Mey. ex Naudin
 ehenio, maxija, maxije, maxixa
Cucumis sagittatus Wawra & Peyr.
 cahalacatchana, cangola, lucho-mucombe,
 mundimba
^c*Cucumis sativus* L.
 pepino
^c*Cucurbita ficifolia* Bouché
 abóbora-chila
^{*}*Cucurbita maxima* Duchesne ex Lam.
 abóbora-menina, camuto, dinhangua, elengue,
 kamutu, lenga, linhangoa, okamutu, olomutu,
 omutu
^c*Cucurbita moschata* Duchesne ex Lam.
 abóbora-almiscarada
^c*Cucurbita pepo* L.
 abóbora-porqueira
Lagenaria breviflora (Benth.) Roberty
 chimbondo, coloquinta, ditanga, ditangalese,
 ditanga-sese (sing.), mudia-ua-ditanga-sese,
 suessue
Lagenaria siceraria (Molina) Standl.
 abóbora-carneira, binda, cabaça, chimbinda,
 colombro, dinhungo, dinhungu (fruit),
 jimbinda (pl.), mbinda, mudia-ua-dinhungu,
 mudia-ua-mbinda, ntove, olombinda, ombinda,
 quimama, riniungo, zakambula
Luffa cylindrica M.Roem.
 esponja-vegetal
Momordica balsamina L.
 balsamina-de-purga, katanda-tanda
Momordica charantia L.
 balsamina-longa, dumbiri, eu-vau-va,
 mimbuzu, musekonha, mussegueia
Momordica cissoides Planch. ex Benth.
 maseke, maseso, masseço
Momordica foetida Schumach.
 burmubulo, kibinda, kivua, nganga-kambangu,
 shirua, shivua, sivua, vinhefute, xivua
Momordica humilis (Hook.f.) C.Jeffrey
 mutiracaculucande
Momordica welwitschii Hook.f.
 dombiri, vingangue
Momordica sp.
 olondunge-viahulukai,
 olondunge-vyokahulukayi,
 olondungo-vyokahulukayi,
 olondungu-vyokahulukayi,
 ondunge-vyokahulukayi
Mukia maderaspatana (L.) M.Roem.
 canengu
Peponium vogelii (Hook.f.) Engl.
 suezua
^c*Sechium edule* (Jacq.) Sw.
 caiota, chuchu, pimpinela
Trochomeria macrocarpa (Sond.) Hook.f. subsp.
^{vittifolia} R.Fern. & A.Fern.
 bumba-riachole, mbumba-ia-xole
Zehneria angolensis Hook.f.
 jiloain

Zehneria racemosa Hook.f.
 omukata, otinteye

CUPRESSACEAE

^c*Cupressus arizonica* Greene
 cedro-do-Arizona
^c*Cupressus lusitanica* Mill.
 cedro, cedro-de-Goa, cedro-do-Buçaco
^c*Cupressus macrocarpa* Hartw.
 cedro-de-Monterey
^c*Platycladus orientalis* (L.) Franco
 árvore-da-vida
^c*Thuja plicata* Donn ex D.Don
 cipreste-amarelo

CYCADACEAE

^c*Cycas revoluta* Thunb.
 palmeira-sagú

CYCLANTHACEAE

^c*Carludovica palmata* Ruiz & Pav.
 bombonaje, bombonassa

CYPERACEAE

Cyperus alternifolius L. subsp. *flabelliformis* Kük.
 ji-jinje, njinje
Cyperus articulatus L.
 alundawu, indawu, jaku-jaku, kalondau,
 mbala, ndau, olondawu, olundawu, ondau,
 ondawu, otchindawu, ovalundawu, ovindawu
Cyperus esculentus L.
 junquinha-mansa, kingamba, nkau, tchiguamba
Cyperus mapanioides C.B.Clarke
 nsambe
Cyperus nutans Vahl
 intole, ntle, tolle
Cyperus papyrus L.
 dibu, mabu, papiro
Cyperus renschii Boeck.
 pokoi-ia-nzambi
Cyperus rotundus L. subsp. *rotundus*
 junça, junça-de-conta, ndanda
Cyperus usitatus Burch. ex Roem. & Schult.
 junquilho-manso, kingamba, nkau, ointjes,
 ozeu
Kyllinga alba Nees subsp. *alba*
 kandjonjo

DICHAPETALACEAE

Dichapetalum cymosum (Hook.) Engl.
 mixau (pl.), munbanje, muxau, omaciau

DILLENIACEAE

Tetracera masuiana De Wild. & T.Durand
 kilue, txilua
Tetracera poggei Gilg
 njilue

DIOSCOREACEAE

Dioscorea alata L.

cará, cará-de-inhame, inhame-da-Índia,
kiakusuka, kidingu-kia-kasalala,
kidingu-kia-kasalale, kiguela, kikua,
kindingu-kia-kasalala, kisekebuak,
kiseke-buake, txiligo

Dioscorea bulbifera L.

cará, cará-de-S.Tomé, cará-de-sapateiro,
fígado-de-perú, kidingo-kia-kazola,
kindungo-kia-kazola, ngunda, ngunda-kixima,
nguva, nguva

Dioscorea cayenensis Lam.

kasasu

Dioscorea dumetorum (Kunth) Pax

balanzalala, bisonha, bisonia, ditenha, kialal,
kialala, kidinga-kia-ngoji, makalokote,
ngamba, ugamba

Dioscorea hirtiflora Benth.

kisunzu, kizunzu, txeza, tzeza

Dioscorea minutiflora Engl.

kanadi

^c*Dioscorea polystachya* Turcz.
inhame-da-China

Dioscorea praehensilis Benth.

kanadi, kesa, keza, kisadi, sambo, txisadi

Dioscorea preussii Pax

kunde-kunde, kundu-kundu

Dioscorea quartiniana A.Rich.

ehilanthebe, katamba-xita, omaciba, omaxiba,
soko

Dioscorea sansibarensis Pax

soko

DIPSACACEAE (Caprifoliaceae)

**Succisa pratensis* Moench

erva-de-São-José, escabiosa, morso-diabólico

DIPTEROCARPACEAE

Marquesia acuminata R.E.Fr.

osui-vinene

Marquesia macroura Gilg

mafuba, mavuca, mafuca, mufuka, muhalala,
musanga, muvuca, muvuku

Monotes africanus A.DC.

lungu, musenene

Monotes angolensis De Wild.

mbaze-baze

Monotes caloneurus Gilg

kamuasa, muvala, omuvandye, osui, osuim,
pau-ferro, txipampa

Monotes dasyanthus Gilg

mbuanza-mbuaza, osui

Monotes discolor R.E.Fr.

mupopoka, ossuim

Monotes hutchinsonianus Exell

mubuaza-buaza

Monotes hypoleucus (Oliv.) Gilg

mbaze-baze, musute, muvala, ocevile, omufui,
uxevile

Monotes loandensis Exell

mutala-tete

Monotes noldeae Bancr.

mbaze-baze

DRACAENACEAE (Asparagaceae)

Dracaena acaulis Baker

makaia

Dracaena aubryana Brongn. ex E.Morren

masaki

Dracaena fragrans (L.) Ker Gawl.

dracena, kiengo

Dracaena mannii Baker

mukangata, tiendje-mungongo

Dracaena parviflora Baker

die-dia-kalunga

^c*Dracaena surculosa* Lindl.

andunda

Sansevieria cylindrica Bojer ex Hook.

djifi, jifi, onguehejo-zondundu, otyngongue

DROSERACEAE

Drosera affinis Welw. ex Oliv.

itemu-iamu-meia, itemu-iamu-ulombu

Drosera burkeana Planch.

itemu-iamu-meia

Drosera madagascariensis DC.

itemo-ua-meia, mulombo-ua-meia

EBENACEAE

Diospyros abyssinica (Hiern) F.White

mualala, tacula-escura (timber)

Diospyros batocana Hiern

murimba, murrima, omutane, ovankhumbi

Diospyros canaliculata De Wild.

kikimba, lomba-lomba, xiximba

Diospyros chamaethamnus Dinter ex Mildbr.

mucocofi, mucocossi, mucofi, omukokof

Diospyros dendo Welw. ex Hiern

dendo, dendu-grande, ébano-de-Tamboco,
ndendu, pau-ébano-de-Tamboco

Diospyros heterotricha (Welw. ex Hiern) F.White

kalundukia, kongo, mundendu,
mungulungunja, ndendu, ndendu-ia-ufele,
ngungulakunga, omuliaphalanka,
omuriaphalanka, omuriampolankha

Diospyros hoyleana F.White subsp. *hoyleana*

kasikidi, katadi

^c*Diospyros kaki* L.f.

kaki, persimon-da-China

Diospyros kirkii Hiern

elilo, muiaji, mumunde, muniande,
musolveira, nahunde, omiandu, omuhande,
omuhandi, omunde, omuniandi, omunyandi

Diospyros mespiliformis Hochst. ex A.DC.

lende, muhande, mulende, mumbi, munhandi,
musolveira, musolveira, niande, omuandi,
omuniande, omuniandi, omunyandi, onuandi,
silveira, unhandi

Diospyros natalensis (Harv.) Brenan
kanjiki, njiki
Diospyros pallens (Thunb.) F.White
kindumbiri, otyihundumbiri, otyindumbiri
Diospyros pseudomespilus Mildbr. subsp.
undabunda (Hiern ex Greves) F.White
fumbalele, mantchicala, m'tchicala,
omucingola, omucingolo, tumbalele
Diospyros sparsirama Hiern ex Greves
omiandu, teta-nkalala
Diospyros virgata (Gürke) Brenan
atokdo-a-kandimba, atondo-akandimba,
atondokandimba, ébano, etondo-akandimba,
macocossi, macocoxi, muatchissengue,
mukokoli, murima, mutonde, mutonte,
ovatondo-akandimba, tchela-tchacalumba,
tchero-calumba, tchilamatchacana
Diospyros viridicans Hiern
jumbo (tree with fruits), luvek (timber),
musekenha (male tree), museknea, sekenia
(timber)
Diospyros sp.
ébano, mujongolo, munjidi-hamba
Euclea angolensis Gürke
otyindumbili, otyindumbiri, otipunduka,
otyipunduko
Euclea crispa (Thunb.) Gürke
antinum, boto, emboto, imboto, jimboto (pl.),
mboto, muime, mukunha-utinu, mumboto,
olomboto, omboto, omukunia, omukunya,
omundime, omunime, omunyime, omunyme,
omuonime, omutylombo, otchimboto, otinu,
otyiime, otyime, otyintiko, otyitiko, otyntiko,
ovimboto, ovingongolo, umboto
Euclea divinorum Hiern
munhande, olosombo, omunyime, osombo,
sombo, utundumbidi
Euclea natalensis A.DC.
omukuna, omukunia, omukunya, omundimba,
omuntyilombo, omunyime, omunyme,
omunysine
Euclea pseudoebenus E.Mey. ex A.DC.
mumboto, mundime, musema, omuzena

EQUISETACEAE

Equisetum ramosissimum Desf.
cavalinha

ERICACEAE

Agarista salicifolia (Comm. ex Lam.) G.Don
omulembula
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
aluvili, kaluvili, luvili, olovili, oluvidi, oluvili,
ovalivili

ERIOSPERMACEAE (Asparagaceae)

Eriospermum flexuosum Welw. ex Baker
otjiolo

ERYTHROXYLACEAE

^c*Erythroxylum coca* Lam.
cóca
Erythroxylum dekindtii (Engl.) O.E.Schulz
olukoto, omunjambe
Erythroxylum emarginatum Thonn.
olucoto, seká
Pinacopodium congolense (S.Moore) Exell &
Mendonça
kivinde, n'cuma, quivinde

EUPHORBIACEAE (Euphorbiaceae,
Phyllanthaceae and Putranjivaceae)

Acalypha dumetorum Müll.Arg.
otyinkula
Acalypha segetalis Müll.Arg.
otyiantangolo
Acalypha sp.
ondeya
Alchornea cordifolia (Schumach. & Thonn.)
Müll.Arg.
dunze, jimbunze (pl.), kadi-kadi, mbunze,
ngunza, tchimbunze
Alchornea floribunda Müll.Arg.
ilondo
^c*Aleurites moluccana* (L.) Willd.
amendoeira-da-China,
amendoeira-de-óleo-tung
Anhostema aubryanum Baill.
nsanguila
Antidesma membranaceum Müll.Arg.
kafufula, kahenjila, xilama
Antidesma venosum E.Mey. ex Tul.
mbalala, mudienje, mukunkokila, umbalala,
xipa
Bridelia atroviridis Müll.Arg.
aluhulyungu, ihulyungu, kambalela, kindundu,
mudienje, mungue-a-hima, okulinugu,
okuliungu, olohulyungu, oluhulyungu,
omukuliunku, omundiendje, ovaluhulyungu,
ovihulyungu, uhulyungu
Bridelia cathartica Bertol.
oliunguliungu
Bridelia ferruginea Benth.
kalutete, kambalala-musuna, kambalela,
mukalekale, omulenga
Bridelia micrantha (Hochst.) Baill.
alumbalala, imbalala, kambaleila,
kamulengue-lengue, maliengue-lengue,
mudialila, mukalakala, mulengue-lengue,
mulengwe-lengwe, namuleke-leke, nundu,
olombalala, olumbalala, omukuliu, omukulu,
omulenga, omunkhuliu, omunkhuriu,
omutyiahila, ovalumbalala, ovimbalala,
umbalala
Bridelia scleroneura Müll.Arg. subsp. *angolensis*
(Müll.Arg.) Radcl.-Sm.
kambalela, muindu, mukale-kale,
oloswi-yitito, omuliunku, omuvatu, omuvole,
osui-yitito, oswi-yitito, umbalele

Bridelia tenuifolia Müll.Arg.
omukuliunku

Chaetocarpus africanus Pax
kabubula, kapupula, kikungo, kisesa,
kunguteke

Chamaesyce granulata (Forssk.) Soják
otyimiankhana

**Chamaesyce hirta* (L.) Millsp.
oiva, ovovanda, uvanda, uvanda-olongombe,
uvanda-wolongombe, vanda

Chamaesyce prostrata (Aiton) Small
otyiliankhana, otyiriankhana

Cleistanthus polystachyus Hook.f. ex Planch.
omukunyambambi

Codiaeum variegatum (L.) Blume ex A.Juss.
croton

Croton angolensis Müll.Arg.
katalangu, mukunhambambi

Croton brieyi De Wild.
dibinde, mbibinde

Croton draconopsis Müll.Arg.
pau-purga

Croton dybowskii Hutch.
musenga-senga

Croton gossweileri Hutch.
mumanu, omumana

Croton gratissimus Burch. var. *gratissimus*
katate, omubango, onambumbu

Croton integrifolius Pax
katete, okahenie, omuhinthambi, onambumbu,
otyinguyu

Croton mubango Müll.Arg.
bamba, imbango, malulu, manga-kanga,
mbangu, muango, muangu, mubango,
mumango, omuhintala, ovimbango, umbango

Croton oligandrus Pierre ex Hutch.
mbambu, mbumbu

Croton pyrifolius Müll.Arg.
mubango-ua-muxitu, mudiaputu, mudia-putu

Croton sp.
mubango

Dalechampia scandens L.
casação, kasausau, lizanza, rizanza

Discoglypremma caloneura (Pax) Prain
kikuanza

Drypetes paxii Hutch.
mbangu

Elaeophorbia hiernii Croizat
kavola, sonji

Erythrococca menyharthii (Pax) Prain
koxa-nzanza

Euphorbia bellica Hiern
otyinkuyir

Euphorbia carunculifera L.C.Leach subsp.
carunculifera
almeidina, cassoneira

Euphorbia coerulans Pax
otyiliankopo, otyiriankopo

Euphorbia conspicua N.E.Br.
eyanga-ohimi, isoma, kisoma, mucuto,

musongo, nakokutu, nkutu, olosoma,
omaianga, osoma, quissoma, udiua

Euphorbia espinosa Pax
ngalzane

Euphorbia macra Hiern
omupo, otyingugu

**Euphorbia peplus* L.
maleiteiras-das-areias

**Euphorbia pulcherrima* Willd. ex Klotzsch
flores-de-Páscoa, papagaios, poinsetia

Euphorbia radiifera L.C.Leach
omunye, otyindombuahila, otyindombwahila

Euphorbia strangulata N.E.Br.
diongo, kisonje

Euphorbia subsalsa Hiern
hahi

Euphorbia teke Schweinf. ex Pax
ilembe, mujugo, mundali

Euphorbia tirucalli L.
almeidinha, cassoneira, kanumi-numi, kisoma,
kisumane, txissumanha

Euphorbia transvaalensis Schltr.
omnyuko, omupopo

Flueggea virosa (Roxb. ex Willd.) Voigt
kakasala, katole-tola, matolo

^c*Hevea brasiliensis* (A.Juss.) Müll.Arg.
seringueira-do-Pará

^c*Hura crepitans* L.
árvore-do-diabo

Hymenocardia acida Tul.
kaapepe, kibeta, kijeti, lukanga, meti,
mpalambanda, mubezi, muhe, muhete, mukaji,
mulhe, mupepe, mupeti, mupexi, mussassola,
mvete, olometi, omethy, ometi, omety,
omuhomboke, peti, quiheto, sueia

Hymenocardia ulmoides Oliv.
lueia, mbanda, mukele, musenga, ngusu, njebele

**Jatropha curcas* L.
imolo, ipukulu (pl.), kandinga, mbubu,
munebia, mupulukua, nvuluka, ovimolo,
purgueira, umolo

**Jatropha multifida* L.
árvore-coral

Macaranga angolensis (Müll.Arg.) Müll.Arg.
dibala

Macaranga poggei Pax
nkala-kindundu

Macaranga schweinfurthii Pax
dibala, kukala, muzende-zende

Macaranga spinosa Müll.Arg.
nkala

Macaranga staudtii Pax
nsoko

^c*Manihot dichotoma* Ule
maniçoba-do-Jaquié

^c*Manihot esculenta* Crantz
buabua, dexima, diambua-muana, dikonge,
dioko-amputo, dioko-dia-nzanza,

- dioko-tantome, dixamba, dizamba, falo,
itombo, kambinda, kambumba, kambuta,
kapadika, kasai, kasasu, kasekele, kassanga,
katoka, katoma, katome, kaxima, kimbundu,
kindele-paku, kingolumuka, kinguanji,
kitangumuna, koxola, lkoeza, luhia, lungunga,
mandioqueira, mandioqueira-amarga,
mandioqueira-doce, meia-luhembe,
mujie-kumbi, mundele-mbaku, mundele-paku,
munguenga, mutadi, mutelamo, muvika,
namukalu, nganga-nzau, nomatoto, olombowe,
omboue, ombowe, ovitombo, ovotombo,
utombo, utumbu, utumbu-uti
- ^c*Manihot glaziovii* Müll.Arg.
dikongue, maniçoba-do-Ceará, mukonge
- ^c*Manihot heptaphylla* Ule
maniçoba-de-S.Francisco
- ^c*Manihot piauhyensis* Ule
maniçoba-de-Piauhy
- ^c*Manihot* sp.
kambuta, mandioca, mbuta, okambuta, ombuta
- Maprounea africana* Müll.Arg.
kanzanzanza, kavil-malil, mafula-fula, mubole,
muiamba, omuhama, omuhindi,
otchavatchusoma
- Maprounea membranacea* Pax & K.Hoffm.
nvazo
- Margaritaria discoidea* (Baill.) G.L.Webster var.
discoidea
kadieete, kaletete, kalutete, mukinguidi,
musanda-kanda, ombulu
- Oldfieldia dactylophylla* (Welw. ex Oliv.)
J.Léonard
itendelekete, kikamba, nzuanza,
omuipanganga, ovitendelekete, txikamba,
undetelekete, utendelekete, utendelequete
- Phyllanthus fraternus* G.L.Webster ?
oluuke, omuliuatu
- Phyllanthus glaucophyllus* Sond.
kanianguluka, kanyanguluka,
nakandjanguluka, nanjanguluka, omuilati,
otyindombe
- Phyllanthus microdendron* Müll.Arg.
omuhasi, omuipoa
- Phyllanthus nummulariifolius* Poir.
ondyai, ondyiai
- Phyllanthus nummulariifolius* Poir. var. *capillaris*
(Schumach. & Thonn.) Radcl.-Sm.
ondyiai
- Phyllanthus ovalifolius* Forssk.
djionde, mengongo
- Phyllanthus pentandrus* Schumach. & Thonn.
ilendula
- Phyllanthus reticulatus* Poir.
jilendula (pl.), kilendula
- Phyllanthus welwitschianus* Müll.Arg.
kindombe, otyihiaakete, otyindombe, otyiriakete
- Pseudolachnostylis maprouneifolia* Pax var.
dekindtii (Pax) Radcl.-Sm.
mobolo-mbku, muliambambe, omuliambambe,
- omuriambambi
- Pseudolachnostylis maprouneifolia* Pax var. *glabra*
(Pax) Brenan
mapupa, mbaku, mobolo-mbku,
mudia-nbambi, mukola, mukunha-mbambi,
muliambambe, mumbambi, musalia,
omukunyambambi
- Pycnocoma dentata* Hiern
etende, omiloti
- Ricinodendron heudelotii* (Baill.) Heckel subsp.
africanum (Müll.Arg.) J.Léonard
cielele, kinkele, mulela, munguela,
nzanga-nzanga, textele
- **Ricinus communis* L.
bafurreira, bimono, carrapateira, jimona (pl.),
jimona (pl.), kanyanya, lomolo, luvalle,
mamona (seed), manona (seed), mamono,
mmono-mono, melombela, momono, moni,
mono,
mono-ja-kassalala, mumona,
muxi-ua-munono, ntete-a-mbono (fruit),
okanya-nya, olomolo, olomono, olomuno,
olumolo, omaniancuele, omaniankuele, omolo,
omumona, onomono, ríciño, zimonono
- Schinziophyton rautanenii* (Schinz) Radcl.-Sm.
mangongo (fruit), mungongo (tree), manquete,
omhintu (female), omunkhete,
omunkhete-omulumentu (male), utendelekete
- Sclerocroton cornutus* (Pax) Kruijt & Roebers
makuku, mujima
- Sclerocroton oblongifolius* (Müll.Arg.) Kruijt &
Roebers
alungenete, olongenete, olongueguete,
olonguenguete, olonguenkete, olungenete,
otchingeso
- Shirakiopsis elliptica* (Hochst.) Esser
muxoxo, noba, omuhenga-landongo,
omuhengala-ndongo, omuhenga-nandongi,
otyinkhula
- Spirostachys africana* Sond.
munjiliti, mupapa, olundjiongo, olundyongo,
olunxongo, omupapa, onceliko, onjerico,
tamboli, tomboli, unjelite
- Suregada zanzibariensis* Baill.
tati-tati
- Synadenium angolense* N.E.Br.
funhika, katula, katutulu, tula
- Tragia benthamii* Baker
casação, disanza, lianza, lisanza, risanza
- Tragia okanyua* Pax
kalisia, kasau-sau, okalilisa, okanina, okanyua
- Tragia volubilis* L.
kasau-sau
- Uapaca benguelensis* Müll.Arg.
jimbula (pl. fruit), lombula, mbula,
mbula-inene, mulengu, mumbula, mundengu,
okatetembula, okatete-mbula, ombula-inene,
omumbula, omunjé, otutetembula
- Uapaca gossweileri* Hutch.
jimbulua, mbula, mbuma, mundengo,

| | |
|--|---|
| nambula, xilolo | * <i>Acacia melanoxylon</i> R.Br. |
| <i>Uapaca guineensis</i> Müll.Arg. | Austrália |
| sambi, samfi, sanvi | <i>Acacia mellifera</i> (Vahl) Benth. subsp. <i>detinens</i> |
| <i>Uapaca heudelotii</i> Baill. | (Burch.) Brenan |
| ensanve, mutanta | kandeo, mutivula, okandea, omuhaluveya, |
| <i>Uapaca kirkiana</i> Müll.Arg. | omumangandyaba, omutyekete, omuzana, |
| okauhamanga, olombula | omuzaona |
| <i>Uapaca nitida</i> Müll.Arg. | <i>Acacia nigrescens</i> Oliv. |
| lombula, mbula, mulengu, mundengu, | mugando |
| ntatchambula, olombula, ombula, | ^c <i>Acacia nilotica</i> (L.) Willd. ex Delile |
| ombula-inene, ombula-yeteto, ombula-yetito | acácia-da-Arábia |
| <i>Uapaca sansibarica</i> Pax | <i>Acacia pentagona</i> (Schumach.) Hook.f. |
| okatete | cazembi |
| FABACEAE | <i>Acacia pentagona</i> (Schumach.) Hook.f. ? |
| <i>Abrus canescens</i> Welw. ex Baker | kazembe, muanu, mukenha, mumbulu, |
| fingu, jifingu, mukanhenje, tingu | okadiange, olukienny, omano, omukanya |
| <i>Abrus melanospermus</i> Hassk. subsp. | <i>Acacia polyacantha</i> Willd. subsp. <i>campylacantha</i> |
| <i>melanospermus</i> | (Hochst. ex A.Rich.) Brenan |
| fingu, jifingu | omunianiambungu |
| <i>Abrus precatorius</i> L. | <i>Acacia polyacantha</i> Willd. subsp. <i>campylacantha</i> |
| fruta-de-conta, jifingu | (Hochst. ex A.Rich.) Brenan ? |
| <i>Acacia amythethophylla</i> Steud. ex A.Rich. | espinheiro-preto |
| ocihutia, otchenha, senhe | ^c <i>Acacia pycnantha</i> Benth. |
| <i>Acacia antunesii</i> Harms | acácia-mimosa |
| omuilomia | <i>Acacia reficiens</i> Wawra |
| <i>Acacia brevispica</i> Harms | espinheiro-unha-de-gato, olunkhwenya, |
| muanu, mucuenha, mukenha, okadiange, | olunkuanya, omukhondo, omunkhondo, |
| olukienye, olunkhuanya, omano, omuanu, | omungondo |
| omukanya, omunkhenga, omunkhenya | <i>Acacia schweinfurthii</i> Brenan & Exell |
| ^c <i>Acacia dealbata</i> Link | mucondo |
| acácia-dealbata | <i>Acacia sieberiana</i> DC. |
| ^c <i>Acacia decurrens</i> (J.C.Wendl.) Willd. | isonge, mungondo, musonge, musongue, |
| wattle-da-casca-taninosa | mutontola, ovisonge, usonge, |
| <i>Acacia erioloba</i> E.Mey. | usongue-pequeno |
| musu, omumbonde, omumbondo, omuonde | <i>Acacia sieberiana</i> DC. var. <i>woodii</i> (Burtt Davy) |
| <i>Acacia erubescens</i> Welw. ex Oliv. | Keay & Brenan |
| musonguele, omuhona | mussonde, mussongo, mussongue |
| <i>Acacia etbaica</i> Schweinf. | <i>Acacia tortilis</i> (Forssk.) Hayne |
| jakete, koleti | oguengue, omuxengue |
| [*] <i>Acacia farnesiana</i> (L.) Willd. | <i>Acacia tortilis</i> (Forssk.) Hayne subsp. <i>spiroparpa</i> |
| esponjeira | (Hochst. ex A.Rich.) Brenan var. <i>spiroparpa</i> |
| <i>Acacia goetzei</i> Harms subsp. <i>microphylla</i> Brenan | oguengue, omuxengue, uxengue |
| esequela, usekele | <i>Acacia welwitschii</i> Oliv. |
| <i>Acacia hebeclada</i> DC. | mubanga, mubungo, vanga |
| otyinbuku | <i>Acacia</i> sp. |
| <i>Acacia hebeclada</i> DC. subsp. <i>tristis</i> (Welw. ex | hete, makete, mukondo, ohamakete, |
| Oliv.) A.Schreib. | omuhaluveia, omukete, omunkhonde, omyaho, |
| musanga, mutontola, omuntontola, osanga, | ondyaho, otyikete |
| usangu | [*] <i>Adenanthera pavonina</i> L. |
| <i>Acacia karroo</i> Hayne | olho-de-pavão |
| oluzu, omukete, omulumekete, omulumenkhete | <i>Adenocarpus mannii</i> (Hook.f.) Hook.f. |
| <i>Acacia kirkii</i> Oliv. | ajoue, onthumbandy |
| omuhaluveya, omukete, omulumekete, | <i>Adenodolichos rhomboideus</i> (O.Hoffm.) Harms |
| omulumenkhete, omunyamalena | etangambombo, imbundi, kasuseku, kikunde, |
| ^c <i>Acacia longifolia</i> (Andrews) Willd. | kipumbulu, ocingambambundi, ocipumbulu |
| acácia-da-Austrália | <i>Adenolobus garipensis</i> (E.Mey.) Torre & Hillc. |
| ^c <i>Acacia mearnsii</i> De Wild. | muinhina |
| acácia-mimosa | <i>Aeschynomene angolense</i> Rossberg |
| | aluvonga, olovonga, oluvonga, oluwonga, |
| | ovaluvonga |

| | |
|--|--|
| <i>Aeschynomene benguellensis</i> Torre ? | * <i>Albizia lebbeck</i> (L.) Benth. |
| omemaloku | acácia-siras |
| <i>Aeschynomene bracteosa</i> Welw. ex Baker | <i>Albizia versicolor</i> Welw. ex Oliv. |
| kasinde | maxiku, mufufuta, mufufutu, omuapamalenge, omupuhomalenge, xepape |
| <i>Aeschynomene dimidiata</i> Welw. ex Baker subsp. | <i>Albizia welwitschii</i> Oliv. |
| <i>dimidiata</i> | muance |
| nacolunguanga | |
| <i>Aeschynomene elaphroxylon</i> (Guill. & Perr.) Taub. | <i>Albizia zygia</i> (DC.) J.F.Macbr. |
| bimba, mbimba, muimba | oncocongo, pau-de-raio |
| <i>Aeschynomene fluitans</i> Peter | <i>Alysicarpus aff. zeyheri</i> Harv. |
| cahenge, okahendje, okahenge, okahenje | ukasi-kasi |
| <i>Aeschynomene fulgida</i> Welw. ex Baker | <i>Amblygonocarpus andongensis</i> (Welw. ex Oliv.) |
| epangue, kaiense, okahengue | Exell & Torre |
| <i>Aeschynomene indica</i> L. | messala-sala, mulolo, mussuco, musoko, muzuku, obijaku |
| muimba | |
| <i>Afzelia bella</i> Harms | <i>Angylocalyx pynaertii</i> De Wild. |
| kapake | kifussa-pembe |
| <i>Afzelia bipindensis</i> Harms | <i>Anthonotha fragrans</i> (Baker f.) Exell & Hillc. |
| capoque, pau-ferro | guifusa-guifusa, kifusa, kifusa-kifusa, quifusa |
| <i>Afzelia pachyloba</i> Harms | <i>Anthonotha macrophylla</i> P.Beauv. |
| cocongo, coconua, kakongo, kokongua, nkokongu | nbi-nfunza, nfusa |
| <i>Afzelia quanzensis</i> Welw. | <i>Aphanocalyx richardsiae</i> (J.Léonard) Wieringa |
| mbange, mualato, muala-to, mubala, mucungo, mukongo, mukungu, mupazu, mupope, | lumanga |
| muvala, muvanje, muvanke, omone, omuanki, omubantya, omulatobo, ovala, pupopo, uvala | * <i>Arachis hypogaea</i> L. |
| <i>Albizia adianthifolia</i> (Schumach.) W.Wight | alungupa, amendoim, gumba, jinguba (fruit), katapi, kisanda-kia-jinguba, mancarra, mpinda, olongumba, olongupa, olungupa, ondombe, ongupa, ovalungupa |
| camuanga, canhoca, dianze, molu, muanza, mucassa | <i>Argyrolobium aequinoctiale</i> Welw. ex Baker |
| <i>Albizia anthelmintica</i> Brongn. | kangombe, okangombe, olongombe, ongombe, otchikamba |
| omuama | |
| <i>Albizia antunesiana</i> Harms | <i>Baikiae plurijuga</i> Harms |
| muiando, muiunda, muiundu, olomanda, omanda, omuiundu, omupuhomalengue, omusene, osese, ossessi | mucusse, mucusso, muahaha, muiumba, muyumba, omuiumba, omupapa, omuyumba, umpapa |
| <i>Albizia brevifolia</i> Schinz | <i>Baikiae</i> sp. |
| muaritxima | muiumba, omuiumba, omupapa |
| <i>Albizia coriaria</i> Welw. ex Oliv. | <i>Baphia bequaertii</i> De Wild. |
| dianza, mozemba, mupalangonga, musembe, musuemba, muzende, muzuemba, muzuemb, palangonga | muama, undumalende |
| <i>Albizia ferruginea</i> (Guill. & Perr.) Benth. | <i>Baphia gossweileri</i> Baker f. |
| jimbanji (pl.), kafufuta, kazeze, muanza, mufufuta, mufufutu, mukasa-kasa, ngasasa, nkasa, nkasa-kasa | nkoka |
| <i>Albizia glaberrima</i> (Schumach. & Thonn.) Benth. | <i>Baphia letestui</i> Pellegr. |
| var. <i>glaberrima</i> | khelenge, vini |
| muanza, muanze | <i>Baphia massaiensis</i> Taub. |
| <i>Albizia gummosa</i> (J.F.Gmel.) C.A.Sm. | montacuta |
| dianza, dikasa-kasa, jimbanji-mbanji (pl.), kamuanza, kasa-kaianza, kinzuenze, kisalula, kituenze, kitueza, mbanze, muanze, mufululu, mugango, muholombombo, mukasa, mukula, mungandu, mupanze,ohanje, ombanje, omuholombombo, omuhombombo, panje, vanze | <i>Baphia massaiensis</i> Taub. subsp. <i>obovata</i> (Schinz) |
| <i>Albizia harveyi</i> E.Fourn. | Brummitt |
| uaranganga | katxina |
| | <i>Baphia massaiensis</i> Taub. subsp. <i>obovata</i> (Schinz) |
| | Brummitt var. <i>cornifolia</i> (Harms) Soladoye |
| | ambale, mumbale |
| | <i>Baphia massaiensis</i> Taub. subsp. <i>obovata</i> (Schinz) |
| | Brummitt var. <i>obovata</i> |
| | katshiua, muama, mun-ze, ontakuta, tchionde |
| | <i>Baphia massaiensis</i> Taub. subsp. <i>obovata</i> (Schinz) |
| | Brummitt var. <i>whitei</i> (Brummitt) Soladoye |
| | catchiba, nuana, tchionde |
| | <i>Baphia</i> sp. |
| | katangula, kativa |

| | |
|--|---|
| <i>Bauhinia mendoncae</i> Torre & Hillc. chifute | omopanda, omundi, onduka, onduko, ongenge, ongondjo, ongondjo-yonduko, panda, sulo, ulundu, umbanda, umpanda, usamba |
| <i>Bauhinia petersiana</i> Bolle subsp. <i>macrantha</i> (Oliv.) Brummitt & J.H.Ross engangu (fruit), muhititi, omangangu, otyiengangu, otyingangu, tchifutua | <i>Brachystegia tamarindoides</i> Welw. ex Benth. akasa, ekasa, isamba, kasamba, kosamba, messassa, muhamba, mungai, musamba, muzamba, nsamba, okasa, okasamba, olososa-lusamba, omuhamba, omuhambu, omusamba, omusasa, ongoti, osamba, osasa-lusamba, ovakasa, ovisamba, samba, ukuba, usamba, usamba-wol'olwi |
| <i>Bauhinia</i> sp. tchifutua | <i>Brachystegia utilis</i> Hutch. & Burtt Davy mulungo, musamba |
| <i>Berlinia auriculata</i> Benth. kifusa | <i>Brachystegia wangermeeana</i> De Wild. mussamba, ondjiu |
| <i>Berlinia bracteosa</i> Benth. kibota | <i>Brachystegia</i> sp. monge, mongole, ociengu |
| <i>Berlinia giorgii</i> De Wild. mupopo | <i>Burkea africana</i> Hook. cabilango, capilangolo, capirangau, kabilango, kabilangu, kapiangala, massesse, mepondela, mukulati, musese, mussesse, mutundungu, muzeze, okapelangalo, okapilango, okapilangolo, okapilangu, okapyangu, omukalati, omukarati, omukulati, omupolalu, omutundungu, otchieko, otupilangu, otyikalatyipembe, sakambua, sangambua, unganga |
| <i>Berlinia grandiflora</i> (Vahl) Hutch. & Dalziel mboza, mposa, mupopu, possa | <i>Bussea gossweileri</i> Baker f. kisala, quissala |
| <i>Berlinia viridicans</i> Baker f. mposa, m'posa, mpossa, m'possa, n'posa | * <i>Caesalpinia bonduc</i> (L.) Roxb. noz-de-bonduque |
| <i>Berlinia</i> sp. mupopo, omuhambangenge | * <i>Caesalpinia pulcherrima</i> (L.) Sw. barba-de-barata, maloso |
| <i>Bobgunnia fistuloides</i> (Harms) J.H.Kirkbr. & Wiersema sambo-sambo, sambo, sambu | * <i>Cajanus cajan</i> (L.) Millsp. ervilha-do-Congo, handa, jipuapua, kadiangu, kinzonji, kizonji, oanda, uandu |
| <i>Bobgunnia madagascariensis</i> (Desv.) J.H.Kirkbr. & Wiersema ganja, kapuipe, muhombo, muienze, mukcombe, mumonga-omongamonga, munonga-muiombo, mussamba-seque, musuku, mutete, ngandja, olongandja, ombendje, ombenje, omuhiombo, ongandja, onganja, pau-rosa | * <i>Canavalia ensiformis</i> (L.) DC. feijoeiro-feiticeiro, kanza-ka-mulende, kasa-kambole, kijimanu, muximana, nsimana, nsimange |
| <i>Brachystegia bakeriana</i> Hutch. & Burtt Davy andundu, manda, m'tete, muangombe, mushobi, mutete, olomanda, omanda, onteta, tchicuencu | <i>Canavalia rosea</i> (Sw.) DC. kijimanu |
| <i>Brachystegia boehmii</i> Taub. samba | * <i>Canavalia virosa</i> (Roxb.) Wight & Arn. feijoeiro-feiticeiro, jipinhi, kijimanu, maxima (pl.), muximana, muximina, ximpinhi |
| <i>Brachystegia floribunda</i> Benth. nundo | <i>Cassia absus</i> L. esema, kakiteku, kinshima-jampata |
| <i>Brachystegia gossweileri</i> Hutch. & Burtt Davy mussamba, samba | * <i>Cassia alata</i> L. mangerioba-branca, mangerioba-grande, monuka, mutuense |
| <i>Brachystegia longifolia</i> Benth. messamba, muevu, mungolo, mungolo, musamba, mussamba, samba | <i>Cassia angolensis</i> Welw. ex Hiern muhangue, mussambe, musue (fruit), ocece, ocesse, olococe, olosesese, osese |
| <i>Brachystegia longifolia</i> Benth. × <i>B. boehmii</i> Taub. mongole, mussamba, samba | * <i>Cassia fistula</i> L. canafistula |
| <i>Brachystegia manga</i> De Wild. manga, mumanga, olomanga, omanga | <i>Cassia psilocarpa</i> Welw. canafistula, mossambe, mossue (fruit), omuyombo |
| <i>Brachystegia puberula</i> Hutch. & Burtt Davy messassa, osasi | <i>Cassia</i> sp. omuiakaiaka |
| <i>Brachystegia russellia</i> I.M.Johnst. cacungo, ciengo, damedebemi, guengue, kigungu, mulungo, olongoti, ongote, ongoti, samba, tchicungo | |
| <i>Brachystegia spiciformis</i> Benth. anduko, anduku, chicungo, kakenze, kiakenza, manda, manga, mongole, mpanda, mubanda, muevu, mumanga, mupanda, mushovi, musovi, mutundua, ngole, n-panda, olomanda, olonduko, olongondjo, omanda, ombanda, | |

| | |
|--|---|
| <i>*Ceratonia siliqua</i> L. alfarrobeira | <i>Crotalaria sylvicola</i> Baker f. mumua |
| <i>Cercis siliquastrum</i> L. olaia | <i>Crotalaria teixeirae</i> Torre itumba, otchitumba, ovitumba, tumba-tcholondele |
| <i>Chamaecrista biensis</i> (Steyaert) Lock omutieketyeke | <i>Crotalaria tetraptera</i> Torre iuolouolu-ua-muiambu |
| <i>Chamaecrista kirkii</i> (Oliv.) Standl. ayendje, eyendje, eyendje-katito, eyendje-lyv'olwi, okaiendje-catito, omulati, omutyih, otyikalamuhepe, otyimbangalala | <i>Cryptosepalum exfoliatum</i> De Wild. subsp. <i>pseudotaxus</i> (Baker f.) P.A.Duvign. & Brenan camengo, kamengu, kanhengu, mavuka, mucua, mucue, mucuve, mucuvi, mucus, mukua, mukubi, mukumu, mukuu, omuhamba, omukuve, ucalati, ucube, ukalati, ukube, ukuve |
| <i>Chamaecrista mimosoides</i> (L.) Greene aluvonga, cacunde, kakunde, kaluweti, kinxi, nakalweti, oheleti, ohereti, ololota, olovonga, oluvonga, omundungo, onthohitohi, ontohitohi, otyimbangalala, ovaluvonga | <i>Cryptosepalum maraviense</i> Oliv. kakue, okakue, olongoti, ongoti |
| <i>*Cicer arietinum</i> L. grão-de-bico, gravanço | <i>Cryptosepalum mimosoides</i> Welw. ex Oliv. ongote |
| <i>Colophospermum mopane</i> (J.Kirk ex Benth.) J.Léonard mupane, mutiati, omunthiati, omuthiati, omutyate, omutyati, unteate | <i>Cryptosepalum verdickii</i> De Wild. angoti, ongote, ongoti, sambexi |
| <i>Copaifera baumiana</i> Harms muha | <i>Cynometra lujae</i> De Wild. ncuto, nkutu |
| <i>Craibia brevicaudata</i> (Vatke) Dunn subsp. <i>baptistarum</i> (Büttner) J.B.Gillett kabende, omutoko | <i>Cytisus proliferus</i> L.f. tagasaste |
| <i>Crotalaria abscondita</i> Welw. ex Baker omupute | <i>Cytisus scoparius</i> (L.) Link giesteira-das-vassouras |
| <i>Crotalaria amoena</i> Welw. ex Baker onthumbu | <i>Dalbergia ecastaphyllum</i> (L.) Taub. vasa, vosia |
| <i>Crotalaria anthyllopsis</i> Welw. ex Baker olunuya, otyinyua | <i>Dalbergia hostilis</i> Benth. kisemba, mukonzo, pau-quizemba |
| <i>Crotalaria bondii</i> Baker f. ex Torre bondi | <i>Dalbergia melanoxylon</i> Guill. & Perr. pau-preto |
| <i>Crotalaria cistoides</i> Welw. ex Baker heilo | <i>Dalbergia nitidula</i> Welw. ex Baker itoná, mutona, omupapa, omutona, ovitona, utona, utona |
| <i>Crotalaria florida</i> Welw. ex Baker kasikaia-mbuia | <i>Dalbergia pachycarpa</i> (De Wild. & T.Durand) Ulbr. ex De Wild. langela-ni-aluva |
| <i>Crotalaria juncea</i> L. cânhamo-sunn | <i>Daniellia alsteeniana</i> P.A.Duvign. mulombe |
| <i>Crotalaria ochroleuca</i> G.Don nzenze | <i>Daniellia klainei</i> Pierre ex A.Chev. tola-combo, tola-kombe |
| <i>Crotalaria ononoides</i> Benth. chambanda, ociambanda, otchambanda, otchyambanda, ovyambanda | <i>Daniellia oliveri</i> (Rolfe) Hutch. & Dalziel mulomba |
| <i>Crotalaria pittardiana</i> Torre omutieketyeke, otyikarimba | <i>Daniellia</i> sp. mubeza, mulombe |
| <i>Crotalaria pterospartioides</i> Torre iuolouolu-ua-muiambu | <i>*Delonix regia</i> (Bojer ex Hook.) Raf. acácia-rubra, flamboyante |
| <i>Crotalaria quangensis</i> Taub. var. <i>quangensis</i> oluvamba | <i>Desmodium barbatum</i> (L.) Benth. var. <i>argyreum</i> (Welw. ex Baker) B.G.Schub. otyipaio |
| <i>Crotalaria retusa</i> L. macassala | <i>Desmodium barbatum</i> (L.) Benth. var. <i>dimorphum</i> (Welw. ex Baker) B.G.Schub. kisangua, muria-atu, otyihipai, otyiipai, otyipai, otyipayo |
| <i>Crotalaria sapinii</i> De Wild. cavassa | <i>Desmodium ramosissimum</i> G.Don nguba-ia-mbole |
| <i>Crotalaria spinosa</i> Hochst. ex Benth. enganji | <i>Desmodium velutinum</i> (Willd.) DC. mutoma-toma |
| <i>Crotalaria stenothyrsa</i> Taub. ovasa | |

| | |
|--|---|
| <i>Dialium angolense</i> Welw. ex Oliv. | <i>Droogmansia</i> sp. |
| lusala-ua-moxitu, mebota, mucala, mukala, tamarindo-de-veludo | okanjunju |
| <i>Dialium dinklagei</i> Harms | <i>Entada abyssinica</i> Steud. ex A.Rich. |
| kifula-kia-makiekie, m'pende-pali, quifula-quia-maqueque | ingeve, ingevya, mubalandongo, mukele, muqueve, musanji, musema, musoso, musoxi, mussofre, mussosso, nsoxi, omubalandongo, omumbalandongo, ongeve, onkeia, oñge, ovingeve, ovingevya, soxi, ungeve, ungevi, ungevya, ungewi, ungueve, unkeve |
| <i>Dialium englerianum</i> Henriq. | <i>Entada arenaria</i> Schinz subsp. <i>arenaria</i> |
| capanga, capota, ditchondo-ria-mpata, ditxondo-ria-mpata, kapanga, mbota, muajinga, mubibi, mubota, mucala, mukala, mupa, musala, musibi, musola, mussala, mussamba, mussola, mussua, mutengu, mutibi, omufimba, omussala, sala, ussala | ombote, omboti |
| <i>Dialium gossweileri</i> Baker f. | <i>Entada gigas</i> (L.) Fawc. & Rendle |
| chicuinda, chicuinge, ekimba, kikimba, kikuinda, kikuinde, menga-menga, mpenza, penze, penze-maolo | fuse, jinjinda, kifuji, mufuti, quifuge, txifutxi |
| <i>Dialium pachyphyllum</i> Harms | <i>Eriosema affine</i> De Wild. |
| mpenza | isangu, katchisangu, katchisangu-kov'eñala, ocisangu, otchisango, otchisangu, ovisangu, quiçango |
| <i>Dialium tessmannii</i> Harms | <i>Eriosema albo-griseum</i> Baker f. |
| kikakaia, penze-maolo, penze-muolo, quicacaia | kisanga, ocisangua, ohombonhenala, omahelenge, ombundi |
| <i>Dichrostachys cinerea</i> (L.) Wight & Arn. | <i>Eriosema benguellense</i> Rossberg |
| muhaniambungu, muhunji, munguenhe, mupanje, mupanji, omupange, omutytya-tya, omutyetye, otyitya-tya | ocikamba-citita, otchikamba-tchitita, txipumbulo |
| <i>Dichrostachys cinerea</i> (L.) Wight & Arn. subsp. <i>cineraria</i> | <i>Eriosema erici-rosenii</i> R.E.Fr. var. <i>machadoi</i> Torre mufululu |
| kisua, muhaniambungu, muhunji, munzenza, mupanje, mupanji, ngenha, omupange, omutujete, omutyetye, senda, ungenha | <i>Eriosema filipendulum</i> Welw. ex Baker var. <i>prostratum</i> Torre nongo |
| <i>Dichrostachys cinerea</i> (L.) Wight & Arn. subsp. <i>nyassana</i> (Taub.) Brenan | <i>Eriosema gossweileri</i> Baker f. |
| mupangui | ocingolindo |
| <i>Dichrostachys cinerea</i> (L.) Wight & Arn. subsp. <i>platycarpa</i> (Welw. ex W.Bull) Brenan & Brummitt | <i>Eriosema psoraleoides</i> (Lam.) G.Don |
| mukenha, mukenia, mukua-ua-nzongo, munquenha, nzonge | mubangu, mutombexi, nangongo, ntambeje, ucipanjonjo |
| <i>Dioclea reflexa</i> Hook.f. | <i>Eriosema shirensense</i> Baker f. |
| luvuka | otyikukutiyapanda |
| <i>Dolichos antunesii</i> Harms | <i>Eriosema terniflorum</i> Hiern ex Baker f. var. <i>terniflorum</i> |
| ocindundu, okasesu | evangono |
| <i>Dolichos dongaluta</i> Baker | <i>Eriosema</i> sp. |
| dongaluta, ndongaluta | itunda-sonde, katunda-sonde, okatunda-sonde, ovitunda-sonde, uti'utund'osonde, utundasonde, utunda-sonde, utundosonde |
| <i>Dolichos splendens</i> Welw. ex Baker | <i>Erythrina abyssinica</i> Lam. ex DC. |
| kipumbulu, ocipumbulu, otyintuvelu | angunda, bungu, imbangalunda, mai-mai, mbanalundu, mbangalundu, molungo, mubungu, mulungo, mulungu, nelungue-lungue, omumonamona, ongongualunda, ongwangwalunda, ovimbangalunda, tomai-mai, umbanga, umbangalala, umbangalunda, umbuangalunda |
| <i>Dolichos trinervatus</i> Baker | <i>Erythrina droogmansiana</i> De Wild. & T.Durand |
| ocikamba, otchikamba | mulungu, mulungua |
| <i>Droogmansia dorae</i> Torre var. <i>dorae</i> | <i>Erythrophleum africanum</i> (Welw. ex Benth.) Harms |
| muriakholu | gunvolume, kiambungue, mucosse, mucosso, mufuta, mukaji, mukasa, mukoso, mukoxo, mulungo, mungai, mungaia, munguati, mupelu, mussesse, muvambu, negungo, n'gundo, ngungo, ngungu, nkimbunke, |
| <i>Droogmansia gossweileri</i> Torre | |
| okopokabunda | |
| <i>Droogmansia megalantha</i> (Taub.) De Wild. | |
| akopoka-mbunda, ekopoka-mbunda, ekopokambundu, luti, ocikuku, okandjendje, okanjenje, ovakopoka-mbunda, ukepukambunda, ukopokombunda | |
| <i>Droogmansia pteropus</i> (Baker) De Wild. var. <i>quarrei</i> (De Wild.) Verdc. | |
| munga-munga | |

- olomako, omako, omaku, omuindundu,
 omukoso, omulongo, omungai, ongaye
Erythrophleum letestui A.Chev.
 casca, cassa, muage, muaji, muaxi, ncassa,
 nkassa, nkaza
Erythrophleum letestui A.Chev. ?
 bambu, bulungu, burungu, casca, cassa,
 golungo, kasa, muage, muaje, muaji, muaxi,
 nkassa, nkaza, olombambu, ombambu
Faidherbia albida (Delile) A.Chev.
 espinheiro, muheia, munheia, munheie,
 munher, munhere, ohue, omue, omunyele,
 omunyere, onue, ue
**Falcataria moluccana* (Miq.) Barneby &
 J.W.Grimes
 acácia-asiática
Fillaeopsis discophora Harms
 mbaca, mbaka
Gilbertiodendron grandistipulatum (De Wild.)
 J.Léonard
 mposta
Gilbertiodendron mayombense (Pellegr.) J.Léonard
 m'banda, m'possa
Gilbertiodendron ogoouense (Pellegr.) J.Léonard
 chicacaia, gibaio, jibaiu, jikakaia, kibaia,
 kikakaia
Gilletiodendron kisantuense (Vermoesen ex De
 Wild.) J.Léonard
 mucongongo
^c*Gleditschia triacanthos* L.
 espinheiro-da-Virginia
^c*Glycine max* (L.) Merr.
 soja
Gossweilerodendron balsamiferum (Vermoesen)
 Harms
 kitola, mupele, tola, tola-branca
Guibourtia arnoldiana (De Wild. & T.Durand)
 J.Léonard
 benje, mpenze, penge, penje
Guibourtia carrisoana (M.A.Exell) J.Léonard
 mutenje-a-njamba, mutonji
Guibourtia carrisoana (M.A.Exell) J.Léonard var.
gossweileri (M.A.Exell) J.Léonard
 kababa, mungongangu
Guibourtia coleosperma (Benth.) J.Léonard
 kushibi, misivi, mucibi, musibi, mussibe,
 mussibi, mussive, mutongue, muxi, muxibi,
 muxivi, omisivi, omusivi
^{*}*Haematoxylum campechianum* L.
 campeche
^c*Hedysarum coronarium* L.
 sula
Humularia welwitschii (Taub.) P.A.Duvign.
 ondzerele-enene
Humularia welwitschii (Taub.) P.A.Duvign. var.
gossweileri (Baker f.) P.A.Duvign.
 ingonge, ocingonge, otchingonge, ovingonge,
 tchingongue
Humularia welwitschii (Taub.) P.A.Duvign. var.
lundaensis (P.A.Duvign.) Verdc.
 mudia-ngunga, omuliangunga, omuriangungu
Humularia welwitschii (Taub.) P.A.Duvign. var.
welwitschii
 onjeje, onjenje
Hymenostegia laxiflora (Benth.) Harms
 calalanza, kalalanza, kimbilimbili, tacula-falsa
Indigastrum guerranum (Torre) Schrire
 ouhiba
Indigofera antunesiana Harms
 ahelele, aluhelele-linene, ehelele, ocaia,
 okahelele-linene, olohelele-linene, oluhelele,
 ovahelele, ovaluhelele-linene, uhelele,
 uhelele-linene
Indigofera arrecta Hochst. ex A.Rich.
 otyilombagolongo
Indigofera baumiana Harms
 omutahindi, omutie, otyilombangolongo
Indigofera dendroides Jacq.
 omulangalankopo
Indigofera hendecaphylla Jacq.
 anileiro, tumbanjadi
Indigofera hendecaphylla Jacq. ?
 anileiro, atumba-ndjali, etumbandjali,
 etumba-ndjali, ovatumba-ndjali, tumbanjadi,
 tumbanjali
Indigofera hirsuta L.
 catunga-tem
Indigofera longibracteata Engl.
 okanjenje, omopo, otyivandamberi,
 otyivandankhanda
Indigofera nummularia Welw. ex Baker
 maladia
Indigofera pruinosa Welw. ex Baker
 onhua
Indigofera rhynchocarpa Welw. ex Baker
 okanjenje, omuviu, ubanji, umbanji
Indigofera setiflora Baker
 omugundo, omuhanga
Indigofera subulifera Welw. ex Baker
 otyihangandue
Indigofera subulifera Welw. ex Baker var.
polysperma J.B.Gillett
 otyihangandue
Indigofera suffruticosa Mill.
 anileira, anileiro, mbunze, ubunze
Indigofera sutherlandoides Welw. ex Baker
 olonungo, onungo
Indigofera tinctoria L.
 anileira-asiática, anileiro, mbunze
Isoberlinia angolensis (Welw. ex Benth.) Hoyle &
 Brenan
 homue, mone, motobe, motone, mutobua,
 mutombe, omue
Isoberlinia tomentosa (Harms) Craib & Stapf
 mpanda, olomone, omone
Julbernardia brieyi (De Wild.) Troupin
 mpocussa, mpokussa
Julbernardia gossweileri (Baker f.) Torre & Hillc.
 mumua

- Julbernardia paniculata* (Benth.) Troupin
anundu, homue, mucondo, mumua, mumue,
munhumbe, musondo, mutombe, mutone,
okanhoha, okañoha, olomanda, olomone,
oloñoha, olumwe, omanda, omone, omoni,
omowe, omue, omundu, omune, omuwe,
onhoha, oñoha, onyoha, onyoha-omanda,
panda
- Kotschya aeschynomenoides* (Welw. ex Baker)
Dewit & P.A.Duvign.
otyingalongangu
- Kotschya strigosa* (Benth.) Dewit & P.A.Duvign.
var. *strigosa*
omunkhopio, otyinkopio
- Kotschya strobilantha* (Welw. ex Baker) Dewit &
P.A.Duvign. var. *strobilantha*
itula (pl.), omuhetyi, omunkhopio, otyinkopio
- Lablab purpureus* (L.) Sweet
dikanza, feijão-cutelinho, makanze,
mambaéza, mamboesa, mankansa-mansala,
mankanza-ma-nzala, mukululo
- ^c*Laburnum anagyroides* Medik.
codeço-bastardo
- ^c*Lathyrus cicera* L.
chicharos-míudos
- ^c*Lathyrus clymenum* L.
cizirão-de-Torres
- **Lathyrus sativus* L.
chicharo
- ^c*Lens culinaris* Medik.
lentilha
- Leptoderris brachyptera* (Benth.) Dunn
kihaha-kialondo
- Leptoderris nobilis* (Welw. ex Baker) Dunn
divota, dizombole, lumbombo, mbivota,
musumba-sumba
- ^c*Lespedeza striata* (Murray) Hook. & Arn.
trevo-do-Japão
- **Leucaena leucocephala* (Lam.) de Wit
acácia, lantoro
- Lonchocarpus sericeus* (Poir.) Kunth ex DC.
cochochi, ipupu, kipupu, mukuimbe,
mutala-menha, otchipupu, ovipupu, seca-seca,
seka-seka, tala-menha
- ^c*Lotus corniculatus* L.
cornichão
- ^c*Lupinus angustifolius* L.
tremoço-flor-azul
- ^c*Lupinus luteus* L.
tremoço-amarelo
- Machaerium lunatum* (L.f.) Ducke
kimbombo
- Macrotyloma axillare* (E.Mey.) Verdc. var.
glabrum (E.Mey.) Verdc.
ontelekunde
- Macrotyloma densiflorum* (Welw. ex Baker) Verdc.
var. *densiflorum*
mumua
- ^c*Medicago lupulina* L.
luzerna-lupulina
- **Medicago sativa* L.
alfalfa, luzerna
- **Melilotus albus* Medik.
anafe-da-Sibéria
- ^c*Melilotus indicus* (L.) All.
anafe-menor
- Mezoneuron angolense* Welw. ex Oliv.
katatula, mazala, sage, saje, sase, sasse
- Milletia acuticarinata* Baker f.
mufula, pariapembe
- Milletia aromatica* Dunn
kaseke, kasekua, kisekua, pau-careca,
pau-casseco, pau-de-caseque, pau-quisecua,
seke
- Milletia barteri* (Benth.) Dunn
musamba, mussamba
- Milletia drastica* Welw. ex Baker
ditenda, ditenha, kitenda, mutuala-kafele,
mutala-menha, mutuala-menha-kafele, quitenda,
tenda
- Milletia duchesnei* De Wild.
njinjimba
- Milletia nudiflora* Welw. ex Baker
mutala-menha
- **Milletia thonningii* (Schumach. & Thonn.) Baker
acácia-de-São-Tomé, acácia-S.Tomé
- Milletia versicolor* Welw. ex Baker
humba, lumbota, mbote, mussumba, musumba,
muzumba, ndumba
- Milletia* sp.
caseco, quiseco, quisécua
- Mimosa pigra* L.
cacue, casanhungo, kakue, kasanhungu
- **Mimosa pudica* L.
ngeve, okasandji, okasanji, so-wafa
- **Mimosa scabrella* Benth.
bracatinga
- Mucuna poggei* Taub.
kahutua, kihuta
- Mucuna pruriens* (L.) DC.
kihu, kihutua, ndongo-a-mujor, ontube
- Mucuna pruriens* (L.) DC. var. *utilis* (Wall. ex
Wight) Baker ex Burck
kaengue, kaiengue, okaiengue-catito
- Mucuna stans* Welw. ex Baker
ayumbi, dizonjila, eyumbi, feijão-maluco,
hainumata, hiumbi, ovayumbi, quila
- Mucuna* sp.
kaengue, kaiengue, mampia
- Mundulea sericea* (Willd.) A.Chev.
oncongo, ongeke, onkhongo, onkongo
- Neonotonia wightii* (Wight & Arn.) J.A.Lackey
lupalanca
- Newtonia buchananii* (Baker f.) G.C.C.Gilbert &
Boutique
nesinga
- ^c*Onobrychis viciifolia* Scop.
sanfeno
- ^c*Ornithopus sativus* Brot.
serradela

- Oxystigma buchholzii* Harms
kibaba-dos-Dembos, mafuta, mufuta,
mutala-menha
- Oxystigma oxyphyllum* (Harms) J.Léonard
kitola-kinfuta, tola-chinfuta, tola-tchinfuta
- Parkia bicolor* A.Chev.
samo, samu, singa
- Parkia filicoidea* Welw. ex Oliv.
canga, jepo, jepu, kanga, mundangoge,
mundangoje, musembe, nganga, okanda, singa
- **Parkinsonia aculeata* L.
espinheiro-de-Jerusalém
- Peltophorum africanum* Sond.
mupalala, ompalala, omupalala, omupalalu
- Pentaclethra eetveldeana* De Wild. & T.Durand
kisalala, kissala, kissalala, nsamu, n'zano,
nzanu, quissalala
- Pentaclethra macrophylla* Benth.
bula-panza, mavulanvanza, mpanza,
mpula-mpanza, mvanza, ovala, owala, vanza
- Pericopsis angolensis* (Baker) Meeuwen
gambo, kaiense, kamaje, kanaji, maco, mako,
maku, muamba, muambo, muambu, muhande,
ngambo, ngambu, omuhale, omuku, omupaku,
pau-ferro
- ^c*Phaseolus coccineus* L.
feijoeiro-escarlate
- **Phaseolus lunatus* L.
feijão-de-lima, feijão-espadinho, kabula,
kabulu
- **Phaseolus vulgaris* L.
feijão, feijão-verde, feijoeiro, feijoeiro-
ordinário, tobe
- Philenoptera nelsii* (Schinz) Schrire
bambambala
- Philenoptera pallescens* (Welw. ex Baker) Schrire
anjumba, caseque, mupanda, muzekezeke,
omupandambale, omupanduambale,
omupandua-mbale
- Physostigma cylindrospermum* (Welw. ex Baker)
Holmes
maxima-ma-muxito, maxima-na-muxito
- Physostigma mesoponticum* Taub.
ipoke, ocipoke, otchipoke, ovipoke
- Piliostigma thonningii* (Schumach.) Milne-Redh.
dolo, itola, malolo-a-makuku, mulolo,
muxakanga, muzakanga, nsanga-saganafinda,
omungola, omutola, omutuionfolo, omututu,
ovitola, umbanga, utola, utola-utito
- Piptadeniastrum africanum* (Hook.f.) Brenan
mesinga, muanzanza, mubanji, mukua, mukuti,
mune-hunza, musengue, musense, musenze,
musingga, musungu, muzenze, muzungu,
nhienge, nhiengo, niengu, nsinga,
nsinga-nsinga, omulyampundy,
omumbalandongo, omundiove,
omuriampundy, pau-mussesse, pau-senze,
singa-singa
- ^c*Pisum sativum* L.
ervilha
- **Prosopis juliflora* (Sw.) DC.
árvore-das-mesquitas
- Pseudarthria hookeri* Wight & Arn.
kaminhima
- Pseudemilia muxiria* (Welw. ex Baker) Verdc.
munjile, muxidi, muxiri, ombundi, ombundji
- Pseudemilia* sp.
cambundi, kambundi, nambundi, okambundi,
olombundi, ombundi, ombundji
- Pseudoeriosema andongense* (Baker) Hauman
ocingala-kanga
- Psophocarpus palustris* Desv.
hala, katchindji, kaxi, mabala, mbala
- Pterocarpus angolensis* DC.
ekumba-luva, girassonde, kaionga, milahonde,
milahondi, mirahonde, mucula, mudilahonde,
mukula, munkaneka (fruit), mutete, muva,
njilasonde, njila-sonde, olondilasonde,
olongoava, omukapu, omuliahonde,
omuliaohonde,
omulia-honde, omulilahonde, omulila-honde,
omupake, omupako, omupaku, omuva,
ondilasonde, ondjilasonde, ondjlilosonde,
onguva, osonde, sangue-de-drago, unguva,
utundasonde
- Pterocarpus lucens* Lepr. ex Guill. & Perr. subsp.
antunesii (Taub.) Rojo
muvinbu, muviu, omuimbe, omupondandyamba,
omuviu, ovina, upondandjamba
- Pterocarpus rotundifolius* (Sond.) Druce
molumba, mulumba, tacula, ulumba
- Pterocarpus soyauxii* Taub.
kivima, ndimbu, necesse, ngula, nkula, nsese,
nsesse, senze, takula
- Pterocarpus tinctorius* Welw.
hula, muangue, mukula, nkula, tacula,
tacula-do-Zenza, takula
- Pterocarpus* sp.
tacula (timber)
- **Pueraria phaseoloides* (Roxb.) Benth.
kudzu-dos-trópicos
- Rhynchosia dekindtii* Harms
kitembu-biokoka, omubanga, omumbanga,
omumbota, omumboto
- Rhynchosia insignis* (O.Hoffm.) R.E.Fr.
oloseke, omuseke, oseke, unjoa
- Rhynchosia laetissima* Welw. ex Baker
kikutu-kia-ufele
- Rhynchosia minima* (L.) DC. var. *minima*
kakundu, okakunde
- Rhynchosia procurrens* (Hiern) K.Schum.
otyingalanganga
- Rhynchosia* sp. [*R. candida* (Welw. ex Hiern) Torre
or *R. minima* (L.) DC.]
kapoke, okakunde
- Rhynchotropis poggei* (Taub.) Harms
otyihu, teupa
- ^c*Robinia pseudoacacia* L.
acácia-bastarda

| | |
|---|--|
| <i>*Samanea saman</i> (Jacq.) Merr. | nkiaka, nquiaca |
| árvore-de-chuva, zaman | |
| <i>Schizolobium parahybum</i> (Vell.) Blake | <i>Tipuana tipu</i> (Benth.) Kuntze |
| bacurubú | tipu |
| <i>Scorodophloeus zenkeri</i> Harms | <i>Trifolium alexandrinum</i> L. |
| mbuta, mbuto, mbutu | bersin, trevo-da-Alexandria |
| <i>Senna didymobotrya</i> (Fresen.) H.S.Irwin & | <i>Trifolium incarnatum</i> L. |
| Barneby | trevo-encarnado |
| okati | <i>Trifolium pratense</i> L. |
| <i>*Senna obtusifolia</i> (L.) H.S.Irwin & Barneby | trevo-dos-prados, trevo-violeta |
| congula, kongula | <i>Trigonella foenum-graecum</i> L. |
| <i>*Senna occidentalis</i> (L.) Link | fenacho |
| diai, diaia, fedegoso, kibulu-kunde, | <i>Tylosema esculentum</i> (Burch) A.Schreib. |
| mudia-nhoka, mudionhoka, munhanoca, | ombanui, ozombanui |
| murianhoca, murianhoka, ngofe, nhoka-nhoka, | <i>Tylosema fassoglense</i> (Kotschy ex Schweinf.) |
| omuchaca-chaca, omuipaa-nyoka, | Torre & Hillc. |
| omuipanyoka | olumapa, omangangu, onguluve, |
| <i>Senna singueana</i> (Delile) Lock | umbakumbaku |
| omuhanga, omuhangi, ongongololo | <i>Ulex europaeus</i> L. |
| <i>Sesbania bispinosa</i> (Jacq.) W.Wight | tojo |
| eyendje, kayendje, yendje | <i>Uraria picta</i> (Jacq.) Desv. |
| <i>Sesbania macrantha</i> Welw. ex E.Phillips & Hutch. | kaiala-ka-moxi, kamuxi-kaiala, kasembe, |
| omungundo, omungundu | moana-samba |
| <i>Sesbania pachycarpa</i> DC. subsp. <i>dinteriana</i> | <i>Vicia articulata</i> Hornem. |
| J.B.Gillett | ervilhaca-parda |
| ungondhe | <i>Vicia benghalensis</i> L. |
| <i>Sphenostylis stenocarpa</i> (Hochst. ex A.Rich.) | ervilhaca |
| Harms | <i>*Vicia faba</i> L. |
| hamba-hamba, ohamba, olohamba | fava-cavalinha, faveira |
| <i>Styphnolobium japonicum</i> (L.) Schott | <i>Vicia narbonensis</i> L. |
| acácia-do-Japão, árvore-dos-pagodes | faveta-de-Beja |
| <i>Tamarindus indica</i> L. | <i>*Vicia sativa</i> L. |
| tamarindeiro | ervilhaca |
| <i>Tephrosia elegans</i> Schumach. | <i>Vigna angularis</i> (Willd.) Ohwi & H.Ohashi |
| otyingangantei | feijão-adzuki |
| <i>Tephrosia huillensis</i> Welw. ex Baker var. | <i>Vigna antunesii</i> Harms |
| <i>grandiflora</i> Baker | alota-kakunde, elota-kakunde, |
| ondangala | ovalota-kakunde, ulota-kunde |
| <i>Tephrosia lurida</i> Sond. var. <i>lurida</i> | <i>*Vigna mungo</i> (L.) Hepper |
| omumpamena | grão-de-pulha, mungo, urd |
| <i>Tephrosia melanocalyx</i> Welw. ex Baker | <i>Vigna platyloba</i> Welw. ex Hiern |
| otyingangantei | atendende, etelendende, etendende, |
| <i>Tephrosia paniculata</i> Welw. ex Baker | ovatendende |
| onjile | <i>Vigna radiata</i> (L.) R.Wilczek |
| <i>Tephrosia purpurea</i> (L.) Pers. | feijão-mung |
| musongo, okapoke | <i>Vigna ramanniana</i> Rossberg |
| <i>Tephrosia radicans</i> Welw. ex Baker | uvava |
| mucucundola | <i>Vigna reticulata</i> Hook.f. |
| <i>Tephrosia rigidula</i> Welw. ex Baker | ondangala |
| uangandu | <i>Vigna stenophylla</i> Harms |
| <i>Tephrosia vogelii</i> Hook.f. | sensenvu |
| cafoto, calembi, caliassengue, colembé, | <i>*Vigna subterranea</i> (L.) Verdc. |
| ingongo, kadia-sasa, kafoto, kalembé, | bambarra, ginguba-de-cambambe, |
| kaliasasa, kasamba, kingandu, mata-peixe, | jinguba-ia-kabambi, kaiala, kaseka, kaseke, |
| mbuala, okaheleje, okalembe, otulembe | lingomene, makongo, mbanga, nkunkoto, |
| <i>Tessmannia dawei</i> J.Léonard | okabanga, tonjo, vielo, vielu |
| dingi | <i>Vigna unguiculata</i> (L.) Walp. |
| <i>Tetrapleura tetrapтера</i> (Schumach. & Thonn.) | akunde, dikunde (sing.), ekunde, |
| Taub. | feijão-da-China, feijão-falante, |
| muaca, muaka, muanza, mussako, mussuemba, | feijão-macundi, keze, makunde, ovakunde |

Vigna unguiculata (L.) Walp. subsp. *dekindiana*
(Harms) Verdc.

alota-emutu, elota-emutu, elota-mutu,
entele-kunde, ovalota-emutu

Vigna vexillata (L.) A.Rich.
omutunu

FAGACEAE

^c*Castanea sativa* Mill.

castanheiro

^c*Quercus robur* L.

carvalho-roble-alvarinho

^c*Quercus suber* L.

sobreiro

FLACOURTIACEAE (Salicaceae)

Buchnerodendron speciosum Gürke
kasakua, olosakwa, osakwa

Dovyalis macrocalyx (Oliv.) Warb.

omukanyakalenga, omukuluvende, omunungo,
onkulavendu

Dovyalis sp.

omunjavui

Homalium letestui Pellegr.

n'coba-nhungo

Homalium longistylum Mast.

kinakiti, nenhungo

Homalium stipulaceum Welw. ex Mast.

lubanzu, nzau

Homalium viridiflorum Exell

njeba, teba

Oncoba dentata Oliv.

chichi, dibixi, kibende, kikuaku

Oncoba mannii Oliv.

zanzula

Oncoba spinosa Forssk.

msaxi, mutoxi

Oncoba welwitschii Oliv.

kaiengue-kuakua, kikuaku, kuakua, musisi,
xixe, xixi-onene

Poggea gossweileri Exell

n'gchila-cumba, nzila-nkumbi

Scolopia zeyheri (Nees) Harv.

omunungu

FUMARIACEAE (Papaveraceae)

**Fumaria muralis* Sond. ex Koch
fumaria-das-paredes

GENTIANACEAE

Anthocleista nobilis G.Don

kipukulu-pukulu, kuliasumba, minungu,
munanza

Anthocleista vogelii Planch.

mungulungulu

Faroa amara Gilg ex Baker

otyinkhili, otyinkiri

Faroa salutaris Welw.

fel-da-terra-de-flor-roxa, omuyohe,
otyikalameva

Sebaea brachiphylla Griseb.

elongo, fel-da-terra,
fel-da-terra-de-flor-amarela, omuliandynoi,
omuliandyuhohi, omuriandynoi, omuriandyoi,
omuriandyuhohi, omuviandynai

Sebaea chironioides Gilg

ongahe

Sebaea primuliflora (Welw.) Sileshi

omuyohe

Swertia welwitschii Engl.

fel-da-terra, fel-da-terra-de-flor-branca

GERANIACEAE

^c*Pelargonium capitatum* (L.) L'Hér.

malva-de-cheiro, malva-rosa

Pelargonium luridum (Andrews) Sweet

ojingambrilo, okali, otuli, ucari, ukali

Pelargonium sp.

sardinheiras

GESNERIACEAE

^c*Saintpaulia ionantha* H.Wendl.

violeta-de-Usambara

GISEKIACEAE

Gisekia africana (Lour.) Kuntze

lande, tchiria-ngulo

Gisekia pharnaceoides L.

kandombe, lande

GNETACEAE

Gnetum africanum Welw.

nkoko

HERNANDIACEAE

Gyrocarpus americanus Jacq. subsp. *africanus*

Kubitki

muxiria, omutyile

HUMIRIACEAE

Sacoglottis gabonensis (Baill.) Urb.

n'coca, niuka

HYACINTHACEAE (Asparagaceae)

Albuca abyssinica Jacq.

omukeri, ononkeho

Schizocarphus nervosus (Burch.) Van der Merwe
ikabudjula

Scilla simiarum Baker

ocisekele, umbangalala

HYDNORACEAE

Hydnora africana Thunb.

diximbo, diximbu, dixinde, mamoke, nkutu,
ximbo, xinde

HYPERICACEAE

Harungana madagascariensis Lam. ex Poir.

mutule, mutune, mutunu, muzangola,

| |
|---|
| pau-mutune, tuno, tunu |
| <i>Psorospermum baumii</i> Engl. |
| kamhotela-kabox |
| <i>Psorospermum febrifugum</i> Spach |
| itopota-vaso, kabui, kabulambia, katuem, katunu, mbulambia, mubota, muhoto, munhungue-ua-hamua, mupota, mutune, okatchiopota-wasokanene, okotyopotavaso, omuliondelle, omulombo, omunhomboki, omupota, omupumgahila, omuriondere, ovitopota-vaso, utapatambaka, utiupotovaso, utopotavaso, utopota-vaso, utopotavaso-katito, utopotavaso-unene, utsyopotavaso |
| <i>Psorospermum mechowii</i> Engl. |
| acunla-cunla, akulakula, akula-kula, ekula-kula, ikula-kula, kitumbulo, muvota, muzata, okamya-katito, okulakula, olomya-katito, omia-jitito, omia-yitito, omya-katito, ovakula-kula, tuta-ria-mbole, ukulakula, ukula-kula |

HYPOXIDACEAE

| |
|--|
| <i>Curculigo pilosa</i> (Schumach. & Thonn.) Engl. |
| itina-kanguluve, ocitinakanguluve, |
| otchiñga-nguluve, otchitina-kanguluve, |
| ovitina-kanguluve |
| <i>Hypoxis obtusa</i> Burch. ex Ker Gawl. |
| omumbongue-bongue, otyindindo, otyindindu |
| <i>Hypoxis polystachya</i> Welw. ex Baker |
| itina-kanguluve, ocitinakanguluve, |
| ocitina-kanguluve, olukombo, |
| otchiñga-nguluve, otchitina-kanguluve, |
| ovitina-kanguluve |

ICACINACEAE

| |
|--|
| <i>Apodytes dimidiata</i> E.Mey. ex Arn. |
| figueira-brava, omundiambi, omundyambi, otyinkundu-natena |

IRIDACEAE

| |
|---|
| <i>Gladiolus benguellensis</i> Baker |
| mutemboandongo |
| <i>Gladiolus dalenii</i> Van Geel subsp. <i>dalenii</i> |
| kanguadi, ocipesipe |
| <i>Gladiolus pallidus</i> Baker |
| omumbili |
| <i>Gladiolus</i> sp. |
| isipe-sipe, ocipesipe, otchisipesipe, otchisipe-sipe, ovisipe-sipe |
| ^c <i>Iris pumila</i> L. |
| lírio-holandês |
| <i>Lapeirousia schimperi</i> (Asch. & Klatt) Milne-Redh. |
| oluntombo |

IRVINGIACEAE

| |
|---|
| <i>Irvingia gabonensis</i> (Aubry-Lecomte ex O'Rorke) |
| Baill. |

meba, muiba, musosomba

Irvingia grandifolia (Engl.) Engl.

metessa, mutala-menha

Irvingia robur Mildbr.

nkuma

Irvingia smithii Hook.f.

muhuli, musonsombua, muzonzombua,

ntadi-ntadi

Klainedoxa gabonensis Pierre ex Engl.

kuma-kuma, kurkuma, muapa, muhapa,

nkuma-kuma, nkurkuma

IXONANTHACEAE

| |
|---|
| <i>Phyllocosmus lemaireanus</i> (De Wild. & T.Durand) |
| T.Durand & H.Durand |
| mucuco, tchicuco, xikuku |

JUGLANDACEAE

| |
|--------------------------------------|
| ^c <i>Juglans regia</i> L. |
| nogueira-vulgar |

LAMIACEAE

| |
|---|
| <i>Aeollanthus pubescens</i> Benth. |
| kapiana, luana, okapiana |
| <i>Alvesia rosmarinifolia</i> Welw. |
| alecrim-do-mato, koiaoia |
| <i>Clerodendrum buchneri</i> Gürke |
| omumenga |
| <i>Clerodendrum capitatum</i> (Willd.) Schumach. & Thonn. |
| tanda-mbale |
| <i>Clerodendrum formicarum</i> Gürke |
| kadisumbule |
| <i>Clerodendrum</i> sp. |
| omufilamapongo |
| <i>Haumaniastrum caeruleum</i> (Oliv.) P.A.Duvign. & Plancke |
| otyiliatadimba |
| <i>Haumaniastrum minor</i> (Briq.) A.J.Paton |
| otyimpuiu |
| <i>Haumaniastrum praealtum</i> (Briq.) P.A.Duvign. & Plancke var. <i>praealtum</i> |
| omuvatu |
| <i>Haumaniastrum sericeum</i> (Briq.) A.J.Paton |
| otyipahu, otyipohu |
| <i>Holostylon robustum</i> (Hiern) G.Taylor |
| apumbisa-muku, epumbisa, epumbisamuka, epumbisa-muku, ovapumbisa-muku, pombiça-muco, pombisa-muco, tambahembe |
| <i>Hoslundia opposita</i> Vahl |
| hundua, mahundu, omundulu |
| * <i>Hyptis pectinata</i> (L.) Poit. |
| kimbumbo, kimbungu, otyikonyankuvi |
| ^c <i>Lavandula angustifolia</i> Mill. |
| alfazema |
| <i>Leonotis leonurus</i> (L.) R.Br. |
| omupaya, omupoya |
| <i>Leonotis nepetifolia</i> (L.) R.Br. |
| efue, efwe, maluva-a-ndjila, maluva-a-ndyila, maluva-a-njila, maluvo-a-nsongo |

Mentha aquatica L.
 hortelã-pimenta
^c*Mentha × rotundifolia* (L.) Huds.
 hortelã
Mentha sp.
 hortelã-brava, hortelã-pimenta, jululo,
 olondjululu, olundjululu, ondjululu,
 ovondjululu
Ocimum americanum L.
 kakange, kamuelele, mangericão-branco,
 muelele, oluna-na, olu-na-na, omuelele,
 omunyda, omunyoa, omuyoa
^{*}*Ocimum basilicum* L.
 lika, mangericão, njilika, nxilika
Ocimum filamentosum Forssk.
 mangerico
Ocimum gratissimum L. subsp. *gratissimum*
 kimbuma, mangericão-do-mato,
 mansudi-enkale, manzazi, mbuma
^c*Ocimum minimum* L.
 mangericão
^c*Origanum majorana* L.
 mangerona-branca
Plectranthus esculentus N.E.Br.
 jitamba (pl.), lonamba, mutamba, ounkala,
 ounkola, tamba (sing.), ukala, ukolu
Plectranthus laxiflorus Benth.
 kitamba, kitombe
Plectranthus mirabilis (Briq.) Launert
 gitamba-jadamba
Plectranthus tenuicaulis (Hook.f.) J.K.Morton
 huka-huka, omupo
Pogostemon mutamba (Hiern) G.Taylor
 itamba, jitamba, mutamba, tambo
Premna angolensis Gürke
 mongongo, mugongue, mungangue,
 mungongo, munguenze, musalengue,
 pau-munguengue
Premna sp.
 musalengue
^c*Rosmarinus officinalis* L.
 alecrim
Rothea myricoides (Hochst.) Steane & Mabb.
 subsp. *myricoides*
 omufilamapongo
Rothea myricoides (Hochst.) Steane & Mabb. var.
^{dumalis} (Hiern) R.Fern.
 omufilamapongo
^c*Satureja montana* L.
 nevada
^c*Thymus vulgaris* L.
 tomilho
Tinnea antiscorbutica Welw.
 catete-bula, katete-bula, katete-mbula,
 tete-mbula
Tinnea eriocalyx Welw.
 katoletole, nhundu
Vitex angolensis Gürke
 muvomba

Vitex doniana Sweet
 kikamba, mahampote, mambombote,
 mpalabidjike, muxilo, muxilu-xilu, osenosino,
 tchikamba, txikamba, usilonsilo, xilonga-longa

Vitex longipetiolata Gürke
 mpalabidzike
Vitex madiensis Oliv.
 isilo-silo, mbumba-sasa, muxilu-xilu,
 olosilosilo, ovisilo-silo, sino-sino,
 uchilom-chilom, usilo-silo, usilusilo,
 usilu-silu, usyosilo, xilo-xilo
Vitex madiensis Oliv. subsp. *madiensis*
 muxiluxilu, omucilu-cilu
Vitex madiensis Oliv. subsp. *milanjiensis* (Britten)
 F.White
 mutuatua, muxilu-xilu
Vitex mombassae Vatke
 muxilu-xilu
Vitex rivularis Gürke
 kezu-matone
Vitex sp.
 tchicamba

LAURACEAE

^{*}*Cassytha filiformis* L.
 alawava, muavava, oluavava, olwavava,
 otchivava, ovalwavava, uso
^{*}*Cinnamomum burmanni* (Nees & T.Nees) Blume
 falsa-canforeira
^c*Cinnamomum camphora* (L.) J.Presl
 canforeira
^{*}*Cinnamomum verum* J.Presl
 caneira
^c*Persea americana* Mill.
 abacate, abacateiro, abakati, apakati, ombakate

LECYTHIDACEAE

Napoleonaea gossweileri Baker f.
 mole, muole, omole, pori
Petersianthus macrocarpus (P.Beauv.) Liben
 dekolambunda, minzu, miuza, nfunzu

LEEACEAE (Vitaceae)

Leea guineensis G.Don
 inchinda

LILIACEAE

^c*Lilium candidum* L.
 açucena
^c*Phormium tenax* J.R.Forst. & G.Forst.
 linho-de-Nova-Zelândia

LINACEAE

Hugonia platysepala Welw. ex Oliv.
 mudiaseis, omuntola, otyi-oya
^{*}*Linum usitatissimum* L.
 linho

LOBELIACEAE (Campanulaceae)

Lobelia columnaris Hook.f.
ulombi

LORANTHACEAE

Agelanthus falcifolius (Sprague) Polhill & Wiens
indjambala, ocikanda-dagala, ocimjambala,
otchindjambala, otchindjambela, ovindjambala
Globimetula braunii (Engl.) Danser
kipuia-xamutundu
Phragmanthera glaucocarpa (Peyr.) Balle
atyambulu, etwimbulu, etyambulu, odjisombo,
omanda, otyihambela, otyihambelu, otyimphu,
ovatyambulu

LYTHRACEAE

Ammannia prieuriana Guill. & Perr.
cuendula
°*Lagerstroemia speciosa* (L.) Pers.
catupinaca-das-serras
°*Lawsonia inermis* L.
camphire-da-bíblia, hena
Nesaea passerinoides (Welw. ex Hiern) Koehne
omuke
Nesaea rigidula (Sond.) Koehne
m'pupa, otyirianvantita
Rotala myriophylloides Welw. ex Hiern
ebongebonge, etapa
Rotala nummularia Welw. ex Hiern
otyoho
Rotala repens (Hochst.) Koehne
omuke
Rotala thymoides Exell
ebongebonge, embonge-mbonge, etapa

MALPIGHIAEAE

°*Galphimia hirsuta* Cav.
ramo-de-ouro

MALVACEAE

Abelmoschus esculentus (L.) Moench
kiabo, kingombo, quiabos
Abelmoschus moschatus (L.) Medik.
kingombo, quingombo
Abutilon mauritianum (Jacq.) Medik.
kapianeka, konga-mbumba, konga-nbumba,
malvas, pianeka
Gossypium anomalum Wawra
muquete
°*Gossypium barbadense* L.
algodão-cor-de-ganga, algodão-de-penacho,
algodão-de-pinha, algodoeiro-caravónica,
mujila, uanda
Gossypium herbaceum L.
algodoeiro, algodoeiro-do-Turquestão, atesu,
etesu, ovatesu, ovotele, utele
°*Gossypium hirsutum* L.
algodoeiro-coração, algodoeiro-hopi,
algodoeiro-triunfo

°*Gossypium purpurascens* Poir.

algodoeiro-de-Porto-Rico

Gossypium sp.

mujinha, muxi-ua-mujinha

Hibiscus acetosella Welw. ex Hiern

azeda, use-ua-ngoje

Hibiscus asper Hook.f.

cangoa

Hibiscus calyphyllus Cav.

kibosa-kia-iala

Hibiscus cannabinus L.

linho-de-Gombo, ulo, ulo-amarelo, ulo-branco,
ulo, ulu (tubercl), use

Hibiscus diversifolius Jacq.

unsa-mandiankaiu

°*Hibiscus mutabilis* L.

rosa-da-China

Hibiscus rhodanthus Gürke

onulu

Hibiscus rosa-sinensis L.

cardeal

Hibiscus sabdariffa L.

azendas, kise, txise, use, utetia

Hibiscus sp.

cânhamo-de-Gambo

Pavonia burchellii (DC.) R.A.Dyer

otyihilamba

Sida cordifolia L.

kahembia-humbia, kongo-mbumba, otyikei

Sida rhombifolia L.

jinzunzu (pl.), mufungu, muzunzu, nzunzu,
zunu

Sida rigida (G.Don) D.Dietr.

nzunzu

Urena lobata L.

kakibosa, kanvunvu, kavuvu, kibodi, kibosa,
kibosa-kia-ufelete, mukunga-ngula, nkolokoso,
posa, punga-kalokoso, sanga-posa

Wissadula rostrata (Schumach. & Thonn.) Hook.f.

cahémbia-émhbia, hembia, kahembia,
kahembia-hembia

MARANTACEAE

Ataenidia conferta (Benth.) Milne-Redh.

mazazela, súbi, subi-io-nene

Halopegia azurea (K.Schum.) K.Schum.

mvemba

Hypselodelphys violacea (Ridl.) Milne-Redh.

masambulala, nsusembe, nzinzimbe

°*Maranta arundinacea* L.

araruta

Marantochloa cuspidata (Roscoe) Milne-Redh.

buhi, jingoa, nsubi, subi-io-fele

Marantochloa purpurea (Ridl.) Milne-Redh.

súbi

Megaphrynum macrostachyum (K.Schum.) Milne-Redh.

matielatiela, mukele-kele, munguiti,

nkiela-nkiela

| | |
|--|---|
| <i>Sarcophrynum prionogonium</i> (K.Schum.) | <i>Melastomastrum segregatum</i> (Benth.) A.Fern. & R.Fern. |
| K.Schum. | kaputshitenga |
| lefuba | <i>Memecylon exellii</i> A.Fern. & R.Fern. |
| <i>Thalia geniculata</i> L. | mutolo |
| ngoa | <i>Memecylon flavovirens</i> Baker |
| <i>Thaumatococcus daniellii</i> (Benn.) Benth. var. | crimilhongombe, mukuangu, muquango, |
| <i>daniellii</i> | musela, musele, muzela-cuango, muzele |
| nkitumbi | <i>Memecylon laurentii</i> De Wild. |
| <i>Trachyphrynum braunianum</i> (K.Schum.) Baker | gongonhe, ngongombe |
| kambungo, musombe | <i>Memecylon myrianthum</i> Gilg |
| | caiongo |
| MELASTOMATACEAE | <i>Memecylon</i> sp. |
| <i>Antherotoma debilis</i> (Sond.) Jacq.-Fél. | cosanza |
| gecorcia, itemu-ua-mutenga, omphai-iantyima, | <i>Ochthocharis dicellandrodes</i> (Gilg) C.Hansen & |
| tshimuku-tshamutshana | Wickens |
| <i>Calvoa angolensis</i> A.Fern. & R.Fern. | tshizabula |
| kisapula, tshizavula | <i>Tristemma mauritianum</i> J.F.Gmel. |
| <i>Cincinnobotrys acaulis</i> (Cogn.) Gilg | divuvuma, masuela, mazuela-banzambi |
| aredima-quissupa | <i>Warneckea sapinii</i> (De Wild.) Jacq.-Fél. |
| <i>Dichaetanthera corymbosa</i> (Cogn.) Jacq.-Fél. | muito, musele, mutone-tone, vinseli (fruit) |
| tchissobula | |
| <i>Dinophora spenneroides</i> Benth. | MELIACEAE |
| diodio, mazuela-manzambe | <i>Carapa procera</i> DC. |
| <i>Dissotis brazzae</i> Cogn. | mbukulu, mbula-ndobi, mebukulo, |
| beija-flor, mutomatoma, odjisipadjonjo | mucaça-ncumbi, mucasa-n'cundi, |
| <i>Dissotis castroi</i> A.Fern. & R.Fern. | mukasa-kumbi, n-caça-ncumbi |
| dembi | <i>Ekebergia benguelensis</i> Welw. ex C.DC. |
| <i>Dissotis falcipila</i> Gilg | omunthinta, omunthinthia |
| tshilunga-tsha-tshimulcu, tshimuco | <i>Ekebergia capensis</i> Sparrm. |
| <i>Dissotis multiflora</i> (Sm.) Triana | n'gilica-ia-muchito |
| bisselele | <i>Entandrophragma angolense</i> (Welw. ex C.DC.) |
| <i>Dissotis princeps</i> (Kunth) Triana | C.DC. |
| otchisipandjongo | indianuno, kalunji, kibaba-da-queta, kibemuxi, |
| <i>Dissotis princeps</i> (Kunth) Triana var. <i>candolleana</i> | kimviti, kinviti, kitiva, lifuku, lifuma, lifuti, |
| (Cogn.) A.Fern. & R.Fern. | lufuma, mamao, mupapala, ngimbe-muxi, |
| jubulu, tshizabula-tsha-tenga | njimba-muxi, quibaba, quibaba-da-Queta, |
| <i>Dissotis rhinanthifolia</i> (Brenan) A.Fern. & R.Fern. | susu, susua, undianunu, vialunji, vuiti |
| var. <i>exellii</i> A.Fern. & R.Fern. | <i>Entandrophragma candollei</i> Harms |
| itemo | lifuco, lifuki, lifuku, undianunu (timber) |
| <i>Dissotis rhinanthifolia</i> (Brenan) A.Fern. & R.Fern. | <i>Entandrophragma cylindricum</i> (Sprague) Sprague |
| var. <i>rhinanthifolia</i> | lifuma, lifuti, linvuti |
| muhenda | <i>Entandrophragma ekebergioides</i> (Harms) Sprague |
| <i>Dissotis sizenandii</i> Cogn. | mahoni, mutaco, omumbili, omutaku (timber), |
| mutone-tone | onambili, onambiri |
| <i>Dissotis sizenandii</i> Cogn. var. <i>brevipilosa</i> A.Fern. | <i>Entandrophragma utile</i> (Dawe & Sprague) Sprague |
| & R.Fern. | indianuno, indianuno, lifuti |
| tchieque | <i>Entandrophragma</i> sp. |
| <i>Dissotis sizenandii</i> Cogn. var. <i>sizenandii</i> | cedro-mogno |
| muton-uton | <i>Khaya anthotheca</i> (Welw.) C.DC. |
| <i>Dissotis thollonii</i> Cogn. ex Büttner | baba, indianuno, kibaba, kibaba-da-Queta, |
| muton-uton, tshilunga-tsha-tshimuku | kibaba-de-Mussengue, muhumbu, quibaba, |
| <i>Dissotis welwitschii</i> Cogn. | quibaba-do-Hungo, quibaba-de-Mussengue, |
| otyingo | quibaba-do-Mussengue |
| <i>Heterotis canescens</i> (E.Mey. ex Graham) Jacq.-Fél. | <i>Khaya ivorensis</i> A.Chev. |
| tshimuku | acajou-du-Gabon, indianuno, lituti, ndola, |
| <i>Heterotis decumbens</i> (P.Beauv.) Jacq.-Fél. | n'dola, undianunu |
| ndende-ia-menha | * <i>Melia azedarach</i> L. |
| <i>Lijndenia jasminoides</i> (Gilg) Borhidi | alumbombola, alumbombolo, amargoseira, |
| kazanza | amargoseira-dubia, bombolo, conteira, denga, |

| | |
|---|---|
| lilás-do-cabo, mbombolo, mbombolo-ia-putu, mbombolo-la-putu, mumbombolo, mumbombolo-ia-mputo, mumbombolo-ia-mputo, ndenga, olombombola, olombombolo, olumbombola, olumbombolo, ombumbulu, otchimbombolo-tchovimbo, otchimbombolo-tchov'usenge, ovalumbombola, ovalumbombolo, sicomora, sicomoro-bastardo, sincomoro-bastardo, umbombolo | ^c <i>Artocarpus altilis</i> (Parkinson) Fosberg árvore-de-pão, fruta-pão |
| ^c <i>Swietenia mahogani</i> (L.) Jacq. mogno-americano | ^c <i>Artocarpus heterophyllus</i> Lam. jaca, jaqueira |
| <i>Trichilia emetica</i> Vahl mafura, mafureira, mafurreira, mafuta | ^c <i>Castilla elastica</i> Sessé ex Cerv. caucho |
| <i>Trichilia gilgiana</i> Harms kisoko, kukatando, quisoco | <i>Dorstenia benguellensis</i> Welw. kakyo-kolui |
| <i>Trichilia prieureana</i> A.Juss. njila-nkunzu, pau-cahique | <i>Dorstenia psilurus</i> Welw. mabundu |
| <i>Trichilia welwitschii</i> C.DC. kaxike, nguimba, olosusu, osusu, pau-cachique, pau-caxique, susu | ^c <i>Ficus carica</i> L. figueira, figueira-vulgar |
| <i>Turraeanthus africanus</i> (Welw. ex C.DC.) Pellegr. quisiahima | <i>Ficus cordata</i> Thunb. subsp. <i>cordata</i> mulemba, omulemba-nbunja, vele |
| MELIANTHACEAE | <i>Ficus craterostoma</i> Warb. ex Mildbr. & Burret kuiu, kuyu, mungo-kuyu |
| <i>Bersama abyssinica</i> Fresen. kapasa | <i>Ficus cyathistipula</i> Warb. omupinja |
| MENISPERMACEAE | ^c <i>Ficus elastica</i> Roxb. figueira-da-borracha |
| <i>Chasmanthera welwitschii</i> Troupin njinde | <i>Ficus exasperata</i> Vahl kikuso, kuakasa, lima, lixa, lueke, mukuahaza, mukuakasa, okalakasa, otuyikuyu, otykuyu |
| <i>Cissampelos mucronata</i> A.Rich. añati, ekahu, eñati, enyati, kaluvangu, kinhati, mukoko, nhati, omukombekombe, omukombe-kombe, ovañati | <i>Ficus glumosa</i> Delile kuiu, ukanda |
| <i>Stephania abyssinica</i> (Quart.-Dill. & A.Rich.) Walp. enyativi-o-milola, evimbui | <i>Ficus lutea</i> Vahl kibeba |
| <i>Tiliacora chrysobotrya</i> Welw. ex Ficalho abutua, butua, mbutua, njile, xile | <i>Ficus mucoso</i> Welw. ex Ficalho kuiu, kuyu, mukuzu, uelungu |
| <i>Triclisia sacleuxii</i> (Pierre) Diels mucôco | <i>Ficus ottoniifolia</i> (Miq.) Miq. subsp. <i>lucanda</i> (Ficalho) C.C.Berg huanda, kanda, lukanda |
| MESEMBRYANTHEMACEAE (Aizoaceae) | <i>Ficus ovata</i> Vahl dijita, ditando, litando |
| ^c <i>Carpobrotus acinaciformis</i> (L.) L.Bolus chorão-gordo | <i>Ficus persicifolia</i> Welw. ex Warb. kasa-ka-lemba, kisa-kalemba, kisosa-lemba |
| MOLLUGINACEAE | <i>Ficus petersii</i> Warb. ocitombe, olialite |
| <i>Corbicaria decumbens</i> (Forssk.) Exell chiongo | <i>Ficus polita</i> Vahl ukuiu |
| <i>Glinus oppositifolius</i> (L.) A.DC. var. <i>lanatus</i> Hauman e'haha | <i>Ficus psilopoga</i> Welw. ex Ficalho incendeira, milemba (pl.), mulemba, sande, tanga |
| MORACEAE | ^c <i>Ficus religiosa</i> L. figueira-dos-pagodes |
| <i>Antiaris toxicaria</i> Lesch. subsp. <i>welwitschii</i> (Engl.) C.C.Berg var. <i>welwitschii</i> kapadjika, kilulu, mutapi, ndua, ndula, ndulu, ntulu | <i>Ficus sansibarica</i> Warb. subsp. <i>macrosperma</i> (Mildbr. & Burret) C.C.Berg kisole, kisolio, kisolo, omuholo, omuhondo, omukongua |
| | <i>Ficus sur</i> Forssk. kata-kuzu, kikuius, kuiu, muenia, mukuakaza, nbunzu-kunzu, nquilili, okalakasa, okalakaza, omuenda |
| | <i>Ficus sycomorus</i> L. subsp. <i>gnaphalocarpa</i> (Miq.) C.C.Berg mukusu, mukuzu, okuyu, omukuyu, omukuyumbua, uelungo, ufu |
| | <i>Ficus thonningii</i> Blume barbas-de-mulemba (roots), incendeira, kuiu, lemba, mulemba, nsanda, tanga |

Ficus sp.

akuyu (fruit), ekuyu (fruit), ikuyu (tree), ilemba, mulemba, omulemba, ovakuyu (fruit), ovikuyu (tree), ovilemba, ukuyu (tree), ulemba, ulembanhoha, ulemba-ñoha

Milicia excelsa (Welw.) C.C.Berg

amoreira, kamba, kambula, makamba, mona, moreira, mucamba-camba, mukamba-kamba, mukuma, nkamba, sanga

^c*Morus alba* L. var. *multicaulis* (Perr.) Loudon
amoreira-branca, amoreira-multicaule

Morus mesozygia Stapf

mupole

^c*Morus nigra* L.

amoreira-negra, amoreira-preta

Musanga cecropioides R.Br.

mulela, musanga, musenga, nesenga, nsanga, nsenga

Myrianthus arboreus P.Beauv.

dijikala-kala, dimbangalala, mbuba, mbumba, mupalapanga, muxibiri, muzubidi, pernambuco, umbukusu, vuiba

Treculia africana Decne. ex Trécul

disanha, isa-quente, musanha, mutali

Treculia obovoidea N.E.Br.

nvava

Trilepisium madagascariense DC.

muguengue-ia-muxito, muholo, munkenhe, nsekenhe, okakuana

MORINGACEAE

^{*}*Moringa oleifera* Lam.

mumpinia, mungua

Moringa ovalifolia Dinter & A.Berger

moringueiro

MUSACEAE

Ensete ventricosum (Welw.) Cheesman

bananeira-brava, kilala-ngoma, kilankuma

^c*Musa acuminata* Colla

ahondyo-olumbombo (root), amela-ahondyo (leaf), amela-hondi (leaf), amela-kahondyo (leaf), banana-congo, banana-damasco, banana-de-sobremesa, banana-gros-michel, banana-maçã, banana-macaco, banana-prata, bananeira, bananeira-camburi, bananeira-ouro, bananeira-roxa, camburi, congo-damasco, dihongo-dia-kambudi, dihonjo-kia-kambudi, dikondo, ehondyo-olumbombo (root), emela-ahondyo (leaf), figos-de-Índia, folha-de-banana (leaf), gros-michel, kibu-kia-dionjo, maçã, nsiba, ohopa-yehondyo (infl.), olohopa-yehondyo (infl.), ouro, ovahondyo-olumbombo (root), ovamela-ahondyo (leaf), ponta-de-cacho-de-banana (infl.), prata, siba

^c*Musa ×paradisiaca* L.

ahondyo, banana, banana-pão, bananeira-roxa, beta, dihonjo-dia-kaloko-loko, dihonjo-dia-ka-loko-loko,

dihonjo-dia-ka-mona-ngana, dihonjo-dia-kiala-kiango, dihonjo-dia-mbuije, dihonjo-dia-mona-ngana, dihonjo-dia-sakala, dionjo-dia-kialakiango, donjila, ehondyo, hondi, keleka, kiala, kieluka, kielula, lomba, mbilu, mbomo, mbuka, ntuba, ohondyo, ovahondyo, plátano

MYRICACEAE

Morella serrata (Lam.) Killick

omhundye, omilondoke, omuialaydongue, omupondenayunga

MYRISTICACEAE

Coelocaryon preussii Warb.

kubilombo

^c*Myristica fragans* L.

noz-moscada

Pycnanthus angolensis (Welw.) Warb.

kibilongo, kilombo, lomba, lombo, longo, mbandanzaji (seed), melevantango, mukula-suku, mulomba, mulombo, mulongo-longo, mundungu-nkola, mutuje

Staudia kamerunensis Warb. var. *gabonensis*

(Warb.) Fouilloy

memenga, memengue, menga-menga, menhunga, somye-menga

MYROTHAMNACEAE

Myrothamnus flabellifolius Welw.

alecrim-das-paredes, buadili, cachinde-candange, candembe-do-Congo, candembe-dorio, caxinde-ca-ndange, indembe, kandembe, kaxinde-ka-ndanji, koloto, ndembe, okandembe, ondembi, otyiengati, otyingeti, ovindembe, quitapo, undembe

MYRSINACEAE (Primulaceae)

Maesa lanceolata Forssk.

omukuka

Maesa welwitschii Gilg

kanza

Myrsine africana L.

cauiaua, cauia-uia, cauviga-wiga, kauia-uia, kauyauya, kisangua, nakalitamba, okawiya, okawiyawiya, okawiya-wiya, omumphu, omupunduka, otuwiya, otuwiya-wiya, otyinthiki, otyintiki

MYRTACEAE

^c*Eucalyptus citriodora* Hook.

eucalipto-limoeiro

^c*Eucalyptus paniculata* Sm.

eucalipto-vermelho

^c*Eucalyptus* sp.

eucalipto, okalipi

^c*Eugenia brasiliensis* Lam.

grumixameira

Eugenia malangensis (O.Hoffm.) Nied.

atete, cabolle-bolle, etete, kandonji, katete,

kombo, mubuta, mucumanganhe, mussambia,
 mussoma-kambanda, mutomatoma, okatete,
 omuyoko, otyilianvantita, otyiriambandye,
 otyirianvantita, ovatete, oviliambandye,
 oviriambandye, tchicuco
^c*Eugenia uniflora* L.
 pitanga (fruit), pitangueira
^c*Melaleuca quinquenervia* (Cav.) S.T.Blake
 arbusto-de-cajeput
^c*Psidium guajava* L.
 angaiava, gaiava, goiaba (fruit), goiabeira,
 guajava, langaiava, lumbutu, mangaiava,
 olongayawa, ongayawa, ongayaywa,
 ongojaya, umbutu, ungaiava
^{*}*Psidium guineense* Sw.
 araçá (fruit), araçaseiro
Syzygium benguellense (Welw. ex Hiern) Engl.
 muhombo, musombo, mussombo, ohombo,
 okahombo, olahombo, omuhombo
Syzygium cordatum Hochst. ex C.Krauss
 mukhandji, mukungu, mussombo,
 muzela-kuangu, ocuru-curi, usombo
Syzygium guineense (Willd.) DC.
 akuma-kuma, akuna-kuna, alusombo (fruit),
 cunacuna, ikumbi, isombo (tree), jambo,
 kisalalende, msapa, muhombo, mukenia,
 musombe, mussombo, okana-kuma,
 okumakuma, olomuinho, olosombo (fruit),
 olusombo (fruit), omuhombo, ovalusombo
 (fruit), ovikumbi, ovisombo (tree), quizo,
 sengalele, tungu, ukumbi, usombo (tree),
 usombo-do-mato
Syzygium guineense (Willd.) DC. subsp.
^{afromontanum} F.White
 mussombo, zela
Syzygium guineense (Willd.) DC. subsp. *barotsense*
F.White
 mu'hombo, omuhombo
Syzygium guineense (Willd.) DC. subsp. *guineense*
muhombo, munduculuco, muquenia,
mussombo, olomwinho, ukunlankunia,
usombo, utchindje
Syzygium guineense (Willd.) DC. subsp. *huillense*
(Hiern) F.White
 mulungu, mumbhana, mundukuluku,
muosombo, muphaua, nohombo, okuma-kuma,
omuhombo, umonte, usombo, usombo
Syzygium guineense (Willd.) DC. subsp.
^{macrocarpum} (Engl.) F.White
 aculacula, culacunda, kissabamena, mexexe,
mussombo, ucunha-cunha
Syzygium guineense (Willd.) DC. subsp.
^{urophyllum} (Welw. ex Hiern) Amshoff
 mussombo
Syzygium ×intermedium Engl. & Brehmer
 mundikuluku
^c*Syzygium jambos* (L.) Alston
jamboeiro

NYCTAGINACEAE

^{*}*Boerhavia diffusa* L.
 bate-bate, ditumbate (pl.), embate-bate,
 erva-tostão, itumbate, mutambate, ukuliungu,
 uliangulo, ulyangulo
^{*}*Mirabilis jalapa* L.
 boas-noites, maravilha-de-Perú

NYMPHAEACEAE

Nymphaea heudelotii Planch.
 ndumbu-a-maza, omandiabole
Nymphaea lotus L.
 mateleje, mbandu (sing.), njimbandu (pl.),
Nymphaea nouchali Burm.f. var. *caerulea*
(Savigny) Verdc.
 mandiabole, munganje
Nymphaea sulphurea Gilg
 ndumba-ia-maza

OCHNACEAE

Ochna arenaria De Wild. & T.Durand
 mufuco, musengu, olomya-yo'veñala,
 omia-yenyalá, omya-yo'veñala,
 omya-yo'veñala
Ochna hiernii (Tiegh.) Exell
 oumhe-oumhe
Ochna pulchra Hook.
 fuku, muembate, omiajoposi-jitito, omukhu,
 ondyihori, ondyihovi, tutu-ombula
Ochna pygmaea Hiern
 musehaseha, olomya-inene, omia-yohui,
 omya-inene
Ochna sp.
 omia, omundyne
Ouratea lundensis Cavaco ?
 cikanje-je-kanvula, kajika-mutunda
Rhabdophyllum welwitschii Tiegh.
 mufuka

OLACACEAE

Coula edulis Baill.
 enkumanu, enkumunu, n'cumano, n'cumunu,
 ukumune, uncumunu
Diogoa zenkeri (Engl.) Exell & Mendonça
 lubanzu, nkome
Ongokea gore (Hua) Pierre
 boleko, isanu, limuna, messano, ngore (fruit),
 nsanu, sanu
Strombosia pustulata Oliv.
 likunji, lumbambanji
Ximenia americana L.
 alumeke, ameixeira-do-Brasil, epanyene,
 imeke, imge, inge, lumeke, muhije, muhinji,
 mujeke, munjake, mupiambia, nduki, nganzi,
 ngaze, olomeke, olomenga-menga,
 olosambiambia, olumeke, omuminga,
 omunthombo, omupeke, omutombo,
 onambeke, onompheke (fruit),
 otlusambiambia, ovalomeke, ovalumeke,

ovimeke, oyipeke, tambuti, umeke, umpeke,
umpeque, ygaze
Ximenia caffra Sond.
mupeke, omingua, omunbyu, omuninga

OLEACEAE

Chionanthus africanus (Welw. ex Knobl.) Stearn
kizanza-tauxila, matanga-tanga
^c*Fraxinus excelsior* L.
freixo
Jasminum angolense Welw. ex Baker
okalondo, okalundo-okasupi, ponjoloi
^c*Ligustrum japonicum* Thunb.
alfenheiro-do-Japão
Olea capensis L. subsp. *welwitschii* (Knobl.) Friis
& P.S.Green
mutatanga, takanga, tanga
Olea europaea L. subsp. *africana* (Mill.) P.S.Green
omundyambi, omundyendyengua, omunjambe
^{*}*Olea europaea* L. subsp. *europaea*
oliveira
^c*Olea europaea* L. subsp. *oleaster* (Hoffmanns. &
Link) Negodi
zambujeiro
Schrebera alata (Hochst.) Welw.
omulika
Schrebera trichoclada Welw.
katundu, mubandugangu

OLINIACEAE (Penaeaceae)
Olinia rochetiana A.Juss.
nsala

ONAGRACEAE

Epilobium hirsutum L.
omumpianema
^c*Fuchsia ×hybrida* Hort. ex Siebert & Voss
brincos-de-princesa
Ludwigia abyssinica A.Rich.
telej, tshimbimbi-tsha-sheta
Ludwigia adscendens (L.) H.Hara subsp. *diffusa*
(Forssk.) P.H.Raven
mukele-ua-meia
Ludwigia erecta (L.) H.Hara
mdoa
Ludwigia octovalvis (Jacq.) P.H.Raven
munlolu
^{*}*Oenothera tetraptera* Cav.
boa-tarde

ORCHIDACEAE

Ansellia africana Lindl.
ansellia-do-Maiombe, orquídea-das-matabeiras
Eulophia schweinfurthii Kraenzl.
hali, hoale, kalondia, ohale, olohale
Polystachya mauritiana Spreng.
omumphunda-comuti, omuti-ie-omphunda
Vanilla imperialis Kraenzl.
baunilha-brava

**Vanilla planifolia* Jacks. ex Andrews
baunilha

OROBANCHACEAE

Buchnera henriquesii Engl.
omuhombo, otyilangaladhimba
Sopubia cana Harv.
otyengueté
Sopubia lanata Engl.
kalootola, kalotola, mutomatoma, ohilili,
ohililili, ololahilili, oluhilili
Sopubia lanata Engl. var. *densiflora* (Skan)
O.J.Hansen
ondjolela

OXALIDACEAE

Biophytum helena Buscal. & Muschl.
kadikonga, kaionga, kalikongo
Biophytum jessenii R.Knuth
alulu, calulo, elulu, lulo, okalulu, ovalulu

PANDANACEAE

Pandanus candelabrum P.Beauv.
mfuba, zi-fuba
Pandanus welwitschii Rendle
kisadi, mifa
Pandanus sp.
amangalala, emangalala, muhanda,
olomangalala, olumangalala, omangalala,
ovamangalala

PAPAVERACEAE

^{*}*Argemone mexicana* L.
papoula, papoula-do-México
^{*}*Papaver somniferum* L.
dormideira

PASSIFLORACEAE

Adenia cissampeloides (Planch. ex Hook.) Harms
chitantanda, n'molle
Adenia lobata (Jacq.) Engl.
dimbui, kunungandu, mibilu, mobilo, mobiro,
mibilu, mubiu, muvilu, pau-cobra
Adenia lobata (Jacq.) Engl. subsp. *rumicifolia*
(Engl. & Harms) Lye
dumbui, kanungandu, kumungandu (sap),
mobiro, mibilu, muvilu, pau-cobra,
pau-de-cobra, vilu
Barteria fistulosa Mast.
m'zinze
Barteria nigritana Hook.f.
nsinza
Basananthe baumii (Harms) W.J.de Wilde var.
caerulescens (A.Fern. & R.Fern.) W.J.de Wilde
tshito
Paropsia brazzaeana Baill.
caiongo, mangalala, muanga, muangai,
mubanga, mufanganga, muhangu, muvanga,
omutiombo, uvanga

Paropsia guineensis Oliv.

lebanga, m'biembia

**Passiflora edulis* Sims

granadila-real, maracujá, maracujá-de-garapa,
maracujá-roxo, olomaracuja, omaracuja

**Passiflora foetida* L.

martírios-fétidos

^c*Passiflora quadrangularis* L.

maracujá-melão

PEDALIACEAE

Ceratotheca integribracteata Engl.

kifokoso, kifokoto

Linariopsis prostrata Welw.

lingombo

Sesamum indicum L.

gergelim, kasakua, nguila, njila, okoto,
olosakwa, osakwa, uanjila, ukoto, utolo

PHYTOLACCACEAE

^c*Phytolacca dioica* L.

bela-sombra

Phytolacca dodecandra L'Hér.

mutonga-tonga, omutonga-tonga, tonga,
tonga-tonga

PINACEAE (Araucariaceae and Pinaceae)

^c*Araucaria excelsa* (Lamb.) R.Br.

pinheiro-da-ilha-Norfolk

^c*Pinus canariensis* Sweet ex C.K.Spreng.

pinheiro-das-Canárias

^c*Pinus halepensis* Mill.

pinheiro-de-Alepo

^c*Pinus pinea* L.

pinheiro-manso

PIPERACEAE

Piper guineense Schumach. & Thonn.

hefu (fruit), jihefo, jiheso, muhefu, njihefo,
njiheso

^c*Piper nigrum* L.

pimenteira-preta

Piper umbellatum L.

lemba-toka, muzua-dila, zua-dila

PITTOSPORACEAE

Pittosporum cacondense Exell & Mendonça
kiomukete

Pittosporum viridiflorum Sims

muriankuele, omuhayna, omuhiankele,
omuliankhuele, omunyankuele,
omunyankuere, omuriankuere, omuriankuele,
omuriankuere, otyigangantei, otyingangantei

PLANTAGINACEAE

^c*Plantago lagopus* L.

língua-de-ovelha

PLUMBAGINACEAE

Plumbago zeylanica L.

jangone, kadinga-puna, ndondo-ia-dindu,
olondondo-ia-ndundu, ona,
ondondo-ia-ndundu, otyinuhuvulu, otyinulu,
thyndio

POACEAE

Andropogon gabonensis Stapf

titutu

Andropogon gayanus Kunth

bunlo, kota-kota, sola, tete-ialikota

Andropogon schirensis Hochst. ex A.Rich.

iole-iole

Aristida junciformis Trin. & Rupr. subsp.

welwitschii (Rendle) Melderis

apusu, apusu-ov'eñala, kipusu, otchipusu

Aristida meridionalis Henrard

mucassulua

^c*Arundo donax* L.

cana

**Avena brevis* Roth

aveinha

^c*Avena sativa* L.

aveia

**Axonopus compressus* (Sw.) P.Beauv.

capim-era-tapete, capim-grama, erva-tapete

^c*Bambusa bambos* (L.) Voss

bambú-estreito

^c*Bambusa vulgaris* Schrad. ex J.C.Wendl.

bambú-vulgar

Brachiaria brizantha (A.Rich.) Stapf

capim-ocinde, kamuxi, ocinde-linene

Brachiaria mutica (Forssk.) Stapf

capim-do-Pará

^c*Chimonobambusa quadrangularis* (Franceschi)

Makino

bambú-quadrangular

Chloris gayana Kunth

capim-Rhodes

^c*Chrysopogon zizanioides* (L.) Roberty

capim-de-boma, capim-vetiver

**Coix lacryma-jobi* L.

capim-lágrima-de-Nossa-Senhora,

lágrimas-de-Nossa-Senhora

**Cymbopogon citratus* (DC.) Stapf

belgata, citronela, matitiiti, mosambe,

olondembi, ondembi

Cymbopogon densiflorus (Steud.) Stapf

avulu, evulu, kaxinde, kiangu, musoso,

ohota-hota, onkhotankhota, onkhota-nkhota,

onkotankota, ovavulu, saku, saku-saku

Cynodon dactylon (L.) Pers.

caconde, capim-de-cavalos, capim-de-cavalos,

capim-grama, escalracho, escalrracho, grama,

okakepa, okakondo, olukepa, otukepa,

otiywena, usila

^c*Dendrocalamus longispathus* (Kurz) Kurz

bambú-verde

| | |
|---|---|
| <i>Digitaria milanjiana</i> (Rendle) Stapf | ongululu-ngumbi |
| kakondo-ka-ufele | |
| <i>Diheteropogon filifolius</i> (Nees) Clayton | <i>Oryza barthii</i> A.Chev. |
| olongelenge, ongelenge, onguerengue | arroz-bravo, ombundu |
| <i>Echinochloa crus-pavonis</i> (Kunth) Schult. | ^c <i>Oryza sativa</i> L. |
| capim-do-Bengo, sunga | arroz |
| <i>Echinochloa pyramidalis</i> (Lam.) Hitchc. & Chase | <i>Oxytenanthera abyssinica</i> (A.Rich.) Munro |
| mulanje-ambinda, oljungue, songue | alumbungu, bambú-africano, bambú-indígena, lumbungu, olombungu, olumbungu, ombungu, otcimbungo, ovalumbungu, quiambungo |
| * <i>Eleusine coracana</i> (L.) Gaertn. | <i>Panicum maximum</i> Jacq. |
| aluku, capim-coracana, kaluku, luco, luku, milheiro, nachnim, naxenim, okaluku, oluku, osoka, otuluku, ovaluku, pé-de-galinha | capim-da-Guiné, capim-Guiné, kota-kota, mbulu-ia-toto, oceka, ohotahota, ohota-hota, olohota-hota, onkota-nkota, otcheka, quicanda-palanca |
| <i>Eleusine indica</i> (L.) Gaertn. | <i>Panicum repens</i> L. |
| capim-pé-de-galinha | escalracho |
| <i>Eragrostis prolifera</i> (Sw.) Steud. | <i>Paspalum conjugatum</i> P.J.Bergius |
| disangalala (sing.), masangalala (pl.), sangalala, sangalele | capim-gordo |
| <i>Eragrostis superba</i> Poir. | <i>Paspalum dilatatum</i> Poir. |
| kambambi, mbambi, mbambi-kani, nakambambi, okambambi, olombambi, ombambi, otumbambi | capim-pasto-miel |
| ^c <i>Eragrostis tef</i> (Zuccagni) Trotter | ^c <i>Paspalum notatum</i> Flüggé |
| capim-teff | erva-de-Alabama |
| <i>Heteropogon contortus</i> (L.) Roem. & Schult. | ^c <i>Paspalum paniculatum</i> L. |
| capim-osoke | capim-grama-da-Guiné |
| <i>Heteropogon</i> sp. | <i>Paspalum scrobiculatum</i> L. |
| hoque | likamba |
| ^c <i>Holcus lanatus</i> L. | * <i>Paspalum urvillei</i> Steud. |
| erva-lanar | capim-bunheiro |
| ^c <i>Hordeum vulgare</i> L. | <i>Pennisetum glaucum</i> (L.) R.Br. |
| cevada | asango, asangu, esango, esangu, masango, masangu, masangu-a-mbuka, massango, massango-ambuka, massango-barbado, massango-liso, ohue, ohuwe, omuhangu, onyenga, ovasango, ovasangu, painço, painço-barbado, painço-liso |
| <i>Hyparrhenia diplandra</i> (Hack.) Stapf | <i>Pennisetum macrourum</i> Trin. |
| dilangala, mosake, musoke, osoke, sokia | tandu |
| <i>Hyparrhenia familiaris</i> (Steud.) Stapf | <i>Pennisetum polystachion</i> (L.) Schult. |
| soso | capim-luhele, kinute |
| <i>Hyparrhenia rufa</i> (Nees) Stapf | <i>Pennisetum purpureum</i> Schumach. |
| musoke, soko | capim-elefante, madeanga, madianga, marianga |
| <i>Hyparrhenia variabilis</i> Stapf | <i>Pennisetum robustum</i> Stapf & C.E.Hubb. |
| avulu, capim-evulu, evulu, kimbulu, ovavulu | massango, massangu, milho-painço, painço |
| <i>Hyperthelia dissoluta</i> (Nees ex Steud.) Clayton | <i>Pennisetum</i> sp. |
| katengo, okatengo | massango-barbado, massango-liso |
| <i>Imperata cylindrica</i> (L.) Raeusch. | ^c <i>Phalaris aquatica</i> L. |
| mbamba, munangu, senu, sonhi, tembe | capim-tuvumba-das-Canárias |
| ^c <i>Kikuyuochloa clandestina</i> (Hochst. ex Chiov.) H.Scholz | ^c <i>Phalaris canariensis</i> L. |
| capim-kikuyu | alpista |
| <i>Lolium perenne</i> L. | ^c <i>Phleum pratense</i> L. |
| capim-azevem | capim-rabo-de-gato, capim-timóteo, rabo-de-gato |
| ^c <i>Lolium temulentum</i> L. | <i>Phragmites mauritianus</i> Kunth |
| joio | caniço, humbu, ntete |
| <i>Loudetia simplex</i> (Nees) C.E.Hubb. | ^c <i>Phyllostachys castillonis</i> Hort. ex Mitford |
| lukomba | bambú-estriado |
| <i>Melinis angolensis</i> Rendle | ^c <i>Phyllostachys viridis</i> (Rob.A.Young) McClure |
| capim-de-cavalo | bambú-japonês |
| <i>Melinis minutiflora</i> P.Beauv. | |
| capim-gordura, capim-melado, evantonkala, lekamboma, ohulungumbe-inene | |
| <i>Melinis repens</i> (Willd.) Zizka | |
| capim-favorita, capim-favorito, lusonde, ohulungumbe, oloholungumbe, | |

Pogonarthria squarrosa (Roem. & Schult.) Pilg.
kaxixi
Rottboellia cochinchinensis (Lour.) Clayton
nsongo, nsonso
**Saccharum officinarum* L.
cana-de-açúcar, cana-sacarina, muangue,
okambongo-kowenge, osukili
^c*Secale cereale* L.
centeio
Setaria homonyma (Steud.) Chiov.
kako, ohulungumbe-yocalundu,
ohulungumbe-yokalundu
Setaria megaphylla (Steud.) T.Durand & Schinz
capim-buffalo-grass, muselele, omacelele,
omucelele
Setaria welwitschii Rendle
ndingu, sese
**Sorghum bicolor* (L.) Moench
cereal-fartura, masa-ma-mbala, masambala,
massambala, massa-mbala, mbala,
milho-míudo, omaha, omasambala, ovasa,
sorgo, sorgo-massambala, trigo-fartura
Sorghum bicolor (L.) Moench subsp. *drummondii*
(Nees ex Steud.) de Wet ex Davidse
masambala
Sorghum sp.
massambala-branco, massambala-rubro,
massango
Stenotaphrum secundatum (Walter) Kuntze
capim-de-Santo-Agostinho
Stipagrostis uniplumis (Licht.) De Winter
mucassulua
^c*Thamnochalamus falconeri* Munro
bambú-dos-Himalaias
Tricholaena monachne (Trin.) Stapf & C.E.Hubb.
baba-ngombe, colungumbe, kabuehue,
massango-míudo, nzizi
^c*Triticum aestivum* L.
trigo
^c*Zea luxurians* (Durieu & Asch.) R.M.Bird
téosinte
**Zea mays* L.
apumu-epungu (cob), apungu, apungu-osovo
(seedling), epumu-epungu (cob), epungu,
epungu-osovo (seedling), espiga-de-milho
(cob), kasovo (seedling), kivala,
maçaroca-de-milho (cob), masa (pl.), masasi,
milho, milho-ordinário, mupungo,
ovapumu-epungu (cob), ovapungu,
ovapungu-osovo (seedling), rebento-de-milho
(seedling)
^c*Zea mays* L. subsp. *mexicana* (Schrad.) H.H.Iltis
capim-teocinte

PODOCARPACEAE

Podocarpus milanjianus Rendle
pinho-de-muxito

PODOSTEMACEAE

Angolaea fluitans Wedd.
otchilambahombo

POLYGALACEAE

Heterosamara carrisoana (Exell & Mendonça)
Paiva

muchito

Polygala gomesiana Welw. ex Oliv.

kanando-kanvolui, kangandu-kanvolui,
olondamba, olondamba-lyv'olwi, ondamba,
ondamba-lyv'olwi

Polygala kalaxariensis Schinz

omunakola, omunue-nomukulu, otyinthumbua

Polygala welwitschii Chodat subsp. *pygmaea*
(Gürke) Paiva

omundimbu

Securidaca longipedunculata Fresen.

itata, mbuaze, mudjaja, muipangonga, mutata,
mututungu, omuhoho, omuipanganga,
omuipanyoka, omusasa, omutimumene, ovitata,
utata

POLYGONACEAE

**Antigonon leptopus* Hook. & Arn.
coralita, rosa-de-S.Miguelito

^c*Coccocloba uvifera* (L.) L.

uva-da-praia

^c*Fagopyrum esculentum* Moench
sarraceno, trigo-sarraceno

Oxygonum acetosella Welw.

azedas-bravas

Persicaria madagascariensis (Meisn.) S.Ortiz &
Paiva

kimboa-kia-menha, lumboa

**Rumex abyssinicus* Jacq.

azedinha-brava, iamba, ndjamba, njamba,
olondjamba, ondjamba, utietiembolongo

PORTULACACEAE

**Portulaca oleracea* L.

beldroega, beldroegas, imbandu, jimbembe
(pl.), mbandu, mbembe (sing.), njimbandu,
otchimbandu, ovimbandu

Talinum portulacifolium (Forssk.) Asch. ex
Schweinf.

kakombaiala, kalata

PRIMULACEAE

**Anagallis arvensis* L.
murrião-vermelho

PROTEACEAE

Faurea discolor Welw.

anjungi, omuhahé, omuvalahahe, onjuke

Faurea intermedia Engl. & Gilg
omuhahé

Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
enjunga, kambuke, kandjundje,

mudjunge-endjunge, nuhahe, olondjunge,
omuhahé, omunjungui, ondjunge, ondsunge,
onjuke, onjunge, undjungue, unjunge
Faurea saligna Harv.
aiela-aiela, eyelayela, eyelayela-litito,
munjinji, oielia-iela, okayela-yela, olele-lela,
onjuke, otuyela-yela, ujetungondinje,
undjetungondindje
Protea angolensis Welw.
etlianguhi, evava, ipungwandembe,
katchipumbandende, mbamba-njilu,
ocinpungandembe, ocipungandembe,
okapungandembe, otchipumbandembe,
otchipungwandembe
Protea dekindtiana Engl.
omufim, otikutiku
Protea paludosa (Hiern) Engl.
otyimumbula
Protea welwitschii Engl.
munjenje-van-donga, omunjungue-vandonga,
onjungue-vandonga

PTAEROXYLACEAE (Rutaceae)

Ptaeroxylon obliquum (Thunb.) Radlk.
bungululo, bungurulu, imbungululu,
kimbungululu, mumbundulo, mumbundululu,
olombungululu, ombungululu,
ombungululu-yesendje, omumbungululu,
omumbungululu, omungai, ovimbungululu,
paco, paku, pão-paco, pau-paco, umbungululu,
umbungurulu

PUNICACEAE (Lythraceae)

^c*Punica granatum* L.
romeira

RANUNCULACEAE

Clematis chrysocarpa Welw. ex Oliv.
epekepeke, epeke-peke, mavilulo, omalavilulu,
omala-vilulu, omalavilulu-vanene,
omalavilulu-vayanda, omavilulo, omola-vilulu
Clematis commutata Kuntze
otylilisa, otyiririsa, otyiririssa
Clematis simensis Fresen.
omalavinlunto, ondeyea
Clematis villosa DC.
otyinganganteya, otyingangateya
Clematis welwitschii Hiern ex Kuntze
otendulu
Ranunculus multifidus Forssk.
dunda, ndunda, ompiapia, ondunda

RHAMNACEAE

Berchemia discolor (Klotzsch) Hemsl.
munbe, munjinji, muxinji, omuve, ukekete
Maesopsis eminii Engl.
luanseke, luanseque, mungeia, mussobe,
muzuma, ndunga, sana, sane, seinha, sena
Rhamnus prinoides L'Hér.
ekomba-nyengo, ekombonyengo, mufululo,

onyango
Ziziphus abyssinica Hochst. ex A.Rich.
lende, macieira-brava, mukekete, muxinku,
ocoquete, okokete, omakunakahuta, omukalu,
omukekete, omuketete, omungungumbala,
omuquequete, omutena, omutzinku, tende
(fruit)
Ziziphus mucronata Willd.
hekete, ihelekete, mukekete, mungueia,
omukalu, omuketete, omutena, ovihelekete,
uhelekete, uheleketwa

RHIZOPHORACEAE

Rhizophora mangle L.
mangue-da-praia, mangue-roxo
Rhizophora racemosa G.Mey.
mangue-da-praia, mangue-roxo, mavunga,
mema, miengo, muema

ROSACEAE

Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr.
enkatata, enkhataata, ndete
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr. var.
angolensis (Weim.) Brenan
enkhataata, mugilo, n'tete, olumiti
^c*Crataegus curvisepala* Lindm.
pilreteiro
^c*Cydonia oblonga* L.
marmeiro, marmelo-galego
^{*}*Eriobotrya japonica* (Thunb.) Lindl.
nespereira, nespereira-do-Japão
^c*Fragaria ×ananassa* (Weston) Duchesne
morangueiro-do-Chile
^c*Fragaria vesca* L.
morangueiro
^c*Malus pumila* Mill.
macieira
^c*Malus sylvestris* Mill.
macieira-brava
^c*Mespilus germanica* L.
nespereira
Prunus africana (Hook.f.) Kalkman
mugimba-dengue, munjimbe-ndende
^c*Prunus armeniaca* L.
damasqueiro
^c*Prunus avium* (L.) L.
cerejeira
^c*Prunus cerasus* L.
gingeira
^c*Prunus ×domestica* L.
ameixieira
^c*Prunus dulcis* (Mill.) D.A.Webb
amendoeira
^c*Prunus persica* (L.) Batsch
pessegueiro
^c*Prunus salicifolia* Kunth
capulin
^c*Prunus salicina* Lindl.
ameixieira-do-Japão

| | |
|--|--|
| ^c <i>Pyrus communis</i> L. pereira | <i>Calanda rubricaulis</i> K.Schum. var. <i>pubescens</i> Figueiredo tumbo, usso |
| ^c <i>Rosa gallica</i> L. roseira | <i>Calanda rubricaulis</i> K.Schum. var. <i>rubricaulis</i> demba, dembo, uço, usso |
| <i>Rubus apetalus</i> Poir. ovinco | <i>Calycosiphonia spathocalyx</i> (K. Schum.) Robbr. katete-ua-muchito |
| <i>Rubus pinnatus</i> Willd. calumbi, kalumbi, minjia, musono, musuno, muzunu, otyinkhu, otyinku, ovinkhu | <i>Calycosiphonia</i> sp. m'bula |
| <i>Rubus rigidus</i> Sm. amora-do-mato, calumbi, musomo, otchiinco, ovinkhu, vitimberi | <i>Chazaliella parviflora</i> (R.D.Good) Verdc. mediandondo, n'diandon'do |
| ^c <i>Sorbus domestica</i> L. sorveira | <i>Chazaliella wildemaniana</i> (T.Durand ex De Wild.) E.M.A.Petit & Verdc. café-do-mato-de-folha-larga |
| RUBIACEAE | <i>Chazaliella</i> sp. A n'londa, quinomba |
| <i>Afrocanthium lactescens</i> (Hiern) Lantz eholi-holi, omuholi-holi | <i>Chazaliella</i> sp. C kindodo, nelonda |
| <i>Aidia micrantha</i> (K.Schum.) Bullock ex F.White var. <i>zenkeri</i> (S.Moore) E.M.A.Petit bango, café-do-mato, lubanza | ^c <i>Cinchona</i> sp. casca-de-Perú, quineira |
| <i>Aidia ochroleuca</i> (K.Schum.) E.M.A.Petit café-do-mato, sanha-lubango, senha, senha-lebango, senha-lubango, senha-m'bango | ^c <i>Coffea arabica</i> L. cafezeiro, muriambambe |
| <i>Amphiasma benguellense</i> (Hiern) Bremek. bangongo, kafuxi, lufite, mundimba, muridueue, omufiki, txipulambilá | ^c <i>Coffea arabica</i> L. var. <i>maragogype</i> A.Froehner cafezeiro-maragogipe |
| <i>Ancylanthos rubiginosus</i> Desf. eholi-holi, embridahamanga, kanjunjo, muhongolo, muhorihi, mundiloldilo, mundilolo, muriabinja, muriacassoi, mussocha, muxoro, ndilondilon, nondilodilo, no'ndilo-ndilo, nondilondilon, nondirondiro, omhbu-embu, omuholi-holi, omundilodilo, omundilondilo, omundilo-dilo, omundilo-ndilo, omundiropiro, omunkhenia-khenia, onjolele, româzeira-do-mato, serndanda, tshingoma, tshissangu-ua-tshana | <i>Coffea canephora</i> Pierre ex A.Froehner cafezeiro-Cazengo, cafezeiro-robusta, mudia-mbambi, muri-a-sexi, muxiria-sexi, muxi-ua-kafe |
| <i>Anthospermum ternatum</i> Hiern omulova, omulovei | <i>Coffea liberica</i> Hiern cafezeiro-da-Libéria |
| <i>Anthospermum ternatum</i> Hiern subsp. <i>randii</i> (S.Moore) Puff otyriamate-nene | <i>Coffea mayombensis</i> A.Chev. luvambala |
| <i>Aoranthe castaneofulva</i> (S.Moore) Somers letzeletze | <i>Corynanthe paniculata</i> Welw. luenga, mangue-branco, mangue-de-monte, mangue-do-monte, muenga, paco-de-Golungo, paco-do-Golungo, saia, sanha, sanha-m'vungo, senha |
| <i>Aoranthe nalaensis</i> (De Wild.) Somers mudiangongo | <i>Craterispermum cerinanthurum</i> Hiern mufuba, ndane, tanhe |
| <i>Bertiera aethiopica</i> Hiern chochonho, chochono, musschasseha | <i>Craterispermum schweinfurthii</i> Hiern mtotolo, muiemaiema, mussenga, mut'hotolo, mutololo, mutotolo, tahue |
| <i>Bertiera racemosa</i> (G.Don) K. Schum. var. <i>elephantina</i> N.Hallé n'sassa | <i>Cremaspora triflora</i> (Thonn.) K.Schum. subsp. <i>triflora</i> mukulakula |
| <i>Brenania brieyi</i> (De Wild.) E.M.A.Petit muandi | <i>Crossopteryx febrifuga</i> (Afzel. ex G.Don) Benth. mubale, mucafui, muhaiu, muhala, mulenga, munguengueleguete, musese, mussesse, okanina-hombo, okaningahombo, okaninga-hombo, otuninga-hombo |
| <i>Breonadia salicina</i> (Vahl) Hepper & J.R.I.Wood mahambu, mangueira-brava, muambalulu, muhambu, muhombo, mumbualulu, munhibualulu, omuhamba, omuhombo, omukuiu-embua, pau-de-óleo, pau-óleo | <i>Cuviera longiflora</i> Hiern capita, gapita |
| | <i>Dictyandra arborescens</i> Welw. ex Hook.f. mungilo, mungolo-ua-moxi |
| | <i>Diodia flavescens</i> Hiern otchirima, txihuna |
| | <i>Fadogia cienkowskii</i> Schweinf. hinji, kaningi, munhinghi (pl.), munjinje, ninghi (sing.), ningi, okanangi, oloningi, ovininghe |

| | |
|--|--|
| <i>Fadogia cienkowskii</i> Schweinf. var. <i>cienkowskii</i> | <i>Heinsia crinita</i> (Afzel.) G.Taylor subsp. <i>crinita</i> |
| chilingue, munhinghi, ninghi, oningi, oviningi, oviningue, oviningui, tchimingue, tshifuko-tsha-hashi | kanuka, kashinda-ihutu, muvinzu-vinzu, quifilo, tsamona |
| <i>Fadogia cienkowskii</i> Schweinf. var. <i>lanceolata</i> | <i>Hymenocoleus scaphus</i> (K.Schum.) Robbr. |
| Robyns | milando |
| tchifuica, tchifuifua | <i>Hymenodictyon floribundum</i> (Hochst. & Steud.) Rob. |
| <i>Fadogia fuchsoides</i> Welw. ex Oliv. | mujala, omuliatiyimeme, omulia-tyimeme, omulyatyne, omupepe, omuria-tyimeme, omuryatymeme, omutchiatchimeme, ondambi-yov'olwi, quihalaquita, tshibuia |
| cacupo, enynghi-enene, kashila, okanyuango | |
| <i>Fadogia gossweileri</i> Robyns | <i>Keetia acuminata</i> (De Wild.) Bridson |
| mussakalala | muchinga |
| <i>Fadogia homblei</i> De Wild. | <i>Keetia gracilis</i> (Hiern) Bridson |
| kafuku, tchiningue, tshingoma | mu-holi-holi, mumbocoio, mumbokoio |
| <i>Fadogia lactiflora</i> Welw. ex Hiern | <i>Keetia hispida</i> (Benth.) Bridson |
| tiningui | kisanga-kia-mjila, quinomba |
| <i>Fadogia stenophylla</i> Welw. ex Hiern | <i>Keetia venosa</i> (Oliv.) Bridson |
| orininghi | buti, caheto, casapola, cassapulamenbe, kassapalamema, muhete, mundiahombo, mupanda, tshissokela |
| <i>Gaertnera bracteata</i> E.M.A.Petit var. <i>glabrifolia</i> | <i>Kohautia angolensis</i> Bremek. ixna |
| E.M.A.Petit | <i>Kohautia caespitosa</i> Schnizl. subsp. <i>brachyloba</i> |
| itemu-iaku-meia | (Sond.) D.Mantell otylalankhondo |
| <i>Gaertnera paniculata</i> Benth. | <i>Kohautia cuspidata</i> (K.Schum.) Bremek. raliamato |
| tshihende-hende, tshikunji, tshilunga-tsha-mulengu | <i>Kohautia cynanchica</i> DC. katuba |
| ^c <i>Gardenia augusta</i> (L.) Merr. | <i>Kohautia huillensis</i> Bremek. cacunde |
| jasmino-de-Cabo | <i>Kohautia subverticillata</i> (K.Schum.) D.Mantell subsp. <i>subverticillata</i> olomite, omufiki |
| <i>Gardenia imperialis</i> K.Schum. | <i>Kohautia virgata</i> (Willd.) Bremek. otylalankhondu |
| utota | <i>Leptactina angolensis</i> (Hutch.) Bullock ex I.Nogueira ciliatu, tsa-tsi |
| <i>Gardenia imperialis</i> K.Schum. subsp. <i>imperialis</i> | <i>Leptactina benguellensis</i> (Welw. ex Benth. & Hook.f.) R.D.Good asangalala, matondombua, mufuifua, okaniga-hombo (fruit), olonganga, omala-vasusu, omalavate-vasusu, omola-vasusu, onganga |
| kajiua, lumono-ua-muchito, mucabula-uumul, mumbula, tshissessu, utota | <i>Leptactina liebrechtsiana</i> De Wild. & T. Durand tshififa, tshififi |
| <i>Gardenia ternifolia</i> Schumach. & Thonn. | <i>Leptactina pynaertii</i> De Wild. café-do-mato |
| mundae | <i>Massularia acuminata</i> (G.Don) Bullock ex Hoyle lubanje-zau |
| <i>Gardenia ternifolia</i> Schumach. & Thonn. subsp. | <i>Morinda angolensis</i> (R.D.Good) F.White tchijilangene |
| <i>jovis-tonantis</i> (Welw.) Verdc. | <i>Morinda lucida</i> Benth. mutalatango, netumbi, ngole-muxi, n'gongoure, ngongouve, n'tumbi |
| dai, mukindinji, mulabi, mulala, mulo-njazi, mundai, mundjalala, ndai, n-day, ndi, n'gui, omuhalali, omulabi, omulavi, omundyalala, omuyalavi, otchilavi, saie, undai, unday-de-Huña | <i>Morinda morindoides</i> (Baker) Milne-Redh. konga-bululu, mujimina-caia-ua-muchito, nyna-ia-finda, tchirierie |
| <i>Gardenia thunbergia</i> L.f. | |
| omulavi | |
| <i>Gardenia volkensii</i> K.Schum. subsp. <i>spathulifolia</i> | |
| (Stapf & Hutch.) Verdc. | |
| muialabe, muialovi, muielavi, mulavi, mulovi, ochilavi, omuialavi, omulavi, otchilava, tchilabi | |
| <i>Geophila afzelii</i> Hiern | |
| mababata | |
| <i>Geophila obvallata</i> (Schumach. & Thonn.) F.Didr. | |
| subsp. <i>pilosa</i> Figueiredo | |
| matelego | |
| <i>Geophila renaris</i> De Wild. & T.Durand | |
| mababata, mabata | |
| <i>Hallea ledermannii</i> (K.Krause) Verdc. | |
| gulo-maze | |
| <i>Hallea stipulosa</i> (DC.) J.-F. Leroy | |
| mangama, mbuku, mbuluku-ia-maza, milongo (pl.), mohambo, muhambu, muie, mulangu, mulungu, mungo, mungu, muvuma, m'vuko, mvuku, nangama, vonkou, vuku | |

| | | |
|---|---|--|
| <i>Multidentia crassa</i> (Hiern) Bridson & Verdc. var. <i>crassa</i> | endiundu, muhole, uololonga | <i>Pausinystalia macroceras</i> (K.Schum.) Pierre ex Beille |
| <i>Mussaenda arcuata</i> Poir. | cabale-bale, canhalende, kabolebole, kabole-bole, kassassala-ua-itemo, maeleambura, malembecile, malembesela, mucoso, muzali-ua-mushito, okaniadjila, olovaso-ongombe, omupandela, ovasongombeovolui, ovasongombe-ovului, ovaso-ongombe, quissinhassinha, tshinjinda | sanha, sanha-mevungo, sania, senha |
| <i>Mussaenda elegans</i> Schumach. & Thonn. | | <i>Pavetta canescens</i> DC. |
| | mufulor | okanhumbu |
| <i>Mussaenda erythrophylla</i> Schumach. & Thonn. | | <i>Pavetta gossweileri</i> Bremek. |
| | aleluia, diluia, dilula, mugonga-ua-muxito | katiotandi |
| <i>Mussaenda rivularis</i> Welw. ex Hiern var. <i>rivularis</i> | ngulu | <i>Pavetta lasiopeplus</i> K.Schum. |
| | | camucundja, chihoni, mulapanende, mulapenente |
| <i>Nauclea diderrichii</i> (De Wild.) Merr. | | <i>Pavetta nitidula</i> Welw. ex Hiern |
| | mpelenga, negulo, n'gulo, ngulu-maza, ngulu-muaza, nyulu-maza, pelenga | itemo-ua-tenga, muongo, mucumbi, mutondo-ua-mushitu, tshififi |
| <i>Nauclea vanderguchtii</i> (De Wild.) E.M.A. Petit | gulumaze, ngulu | <i>Pavetta radicans</i> Hiern |
| | | otchinhe |
| <i>Nauclea</i> sp. | musele | <i>Pavetta schumanniana</i> F.Hoffm. ex K.Schum. |
| | | otyiinge, otyilinge, otyingue, otyinye, otynge, tchenhe, tchingnhe, tchinhe |
| <i>Oldenlandia goreensis</i> (DC.) Summerh. var. <i>goreensis</i> | itanda-tanda-ua-tenga | <i>Pseudomussaenda monteiroi</i> (Wernham) Wernham |
| | | otyinki, tiengu, tihandiatu |
| <i>Oldenlandia herbacea</i> (L.) Roxb. | cachamo, omite | <i>Psychotria brassii</i> Hiern |
| | | mazuela-banzambi |
| <i>Oldenlandia lancifolia</i> (Schumach.) DC. var. <i>scabridula</i> Bremek. | mucubira | <i>Psychotria dermatophylla</i> (K.Schum.) E.M.A.Petit |
| | | quitotoco |
| <i>Oldenlandia rosulata</i> K.Schum. | olumite, otyiriaiumito | <i>Psychotria eminiana</i> (Kuntze) E.M.A.Petit var. <i>eminiana</i> |
| | | mbundua, munku, obando, pemba, quiahalu, quissapo |
| <i>Otiophora caerulea</i> (Hiern) Bullock | omuhaina, omuhaine, tshihuna | <i>Psychotria gilletii</i> De Wild. |
| | | muquequete, mutotolo |
| <i>Otiophora scabra</i> Zucc. | omuombo, omupo | <i>Psychotria peduncularis</i> (Salisb.) Steyermark. |
| | | magungo, mangungu, munda |
| <i>Otiophora scabra</i> Zucc. subsp. <i>diffusa</i> (Verdc.) | Puff | <i>Psychotria succulenta</i> (Hiern) E.M.A.Petit |
| | iambu-iamu-meia | dtjimbanda, mussenga |
| <i>Otiophora scabra</i> Zucc. subsp. <i>scabra</i> | omuhombo, omupo | <i>Psychotria welwitschii</i> (Hiern) Bremek. |
| | | enkuku |
| <i>Otomeria elatior</i> (A.Rich. ex DC.) Verdc. | mululu, nhululo, omuhashi, omurianthite | <i>Psychotria</i> sp. |
| | | ilavi, oclilavi, otchilavi, ovilavi |
| <i>Oxyanthus unilocularis</i> Hiern | chipuculo | <i>Psydrax kraussioides</i> (Hiern) Bridson |
| | | ucaxe |
| <i>Oxyanthus</i> sp. | ivenda-nguluve, ovendanguluve, ovivenda-nguluve, uvenda-nguluve | <i>Psydrax livida</i> (Hiern) Bridson |
| | | chilavi, moacola, omimbulukufua, o'muculumbende, omufina, omuhakola, tchiola |
| <i>Pachystigma micropyren</i> Verdc. | lutuhu | <i>Psydrax mutimushii</i> Bridson subsp. <i>mutimushii</i> |
| | | mutangula |
| <i>Pauridiantha callicarpoides</i> (Hiern) Bremek. | n'goluanda | <i>Psydrax palma</i> (K.Schum.) Bridson |
| | | mulombo, mulumbu, n'teta |
| <i>Pausinystalia johimbe</i> (K.Schum.) Pierre ex Beille | chikualhe, chikuali, tchicuali, tchikualhe, xikualhe | <i>Psydrax parviflora</i> (Afzel.) Bridson subsp. <i>parviflora</i> |
| | | mucalacache, muhunza-hunza, mulanguela, mulemba-ngongo, mussenga-matumbo |
| | | <i>Psydrax subcordata</i> (DC.) Bridson var. <i>subcordata</i> |
| | | kazimbando, malanguela-ngombe, mbambala, muhunza-hunza, mulanjela-ngombe |
| | | <i>Psydrax virgata</i> (Hiern) Bridson |
| | | cabenda, mudia-a-njila, mafumankila |
| | | <i>Pygmaeothamnus chamaedendrum</i> (Kuntze) |
| | | Robyns mefuca |

| | |
|---|---|
| <i>Pygmaeothamnus zeyheri</i> (Sond.) Robyns var. <i>rogersii</i> Robyns embu-ombu, vimbungu | <i>Spermacoce radiata</i> (DC.) Hiern quisossongue |
| <i>Pygmaeothamnus zeyheri</i> (Sond.) Robyns var. <i>zeyheri</i> mumbumbo, tchintui, tchiuca | <i>Tapiphllum molle</i> Robyns ocamigahombo, susso |
| <i>Rothmannia engleriana</i> (K.Schum.) Keay isole, munhico, ovisole, usole | <i>Tapiphllum psammophilum</i> (S.Moore) Robyns cacombocombo, kaninji, okaninji, tchimingue |
| <i>Rothmannia engleriana</i> (K.Schum.) Keay var. <i>engleriana</i> kapadjika, meneku, munhico, mussoli, musudi-loli, omuhosi, omuintala, usole | <i>Tarenna grandiflora</i> (Benth.) Hiern chicuaco, chimaco, massuela |
| <i>Rothmannia engleriana</i> (K.Schum.) Keay var. <i>ternifolia</i> (Ficalho & Hiern) Somers bau, euntiqui, hupo, ipo, munego, munhico, omuintala, omunduyundyu, ongombe, opu, ovipo, pu, toto, upo, usole, ypo | <i>Tricalysia angolensis</i> A.Rich. ex DC. acapande, jululu, muchalati, mutualale, tchissangua |
| <i>Rothmannia hispida</i> (K.Schum.) Fagerl. goquinha, quinomba, tchinomba | <i>Tricalysia bequaertii</i> De Wild. café-do-mato |
| <i>Rothmannia liebrechtsiana</i> (De Wild. & T.Durand) Keay chinombe | <i>Tricalysia buxifolia</i> Hiern var. <i>australis</i> Robbr. mulapanente, mumpianena, omupianema |
| <i>Rothmannia lujae</i> (De Wild.) Keay kenomba, kinomba, quinombo | <i>Tricalysia cacondensis</i> Hiern candombe, chiningueningue, muatschissengue, ojamba, onjamba, ovimugui, tongonoche, xindeia, xiteta |
| <i>Rothmannia macrocarpa</i> (Hiern) Keay gapita, kajiuá | <i>Tricalysia coriacea</i> (Benth.) Hiern subsp. <i>nyassae</i> (Hiern) Bridson camuxito, muango-ua-mushito, mutangula, mutotolo, muzaza |
| <i>Rothmannia urcelliformis</i> (Hiern) Bullock ex Robyns mukolo, njilu, nkolo | <i>Tricalysia crepiniana</i> De Wild. & T.Durand café-macaco |
| <i>Rothmannia whitfieldii</i> (Lindl.) Dandy fikicha, kariotcha | <i>Tricalysia elliotii</i> (K.Schum.) Hutch. & Dalziel var. <i>centrafricana</i> Robbr. falso-cafeeiro, musando |
| <i>Rytigynia rubiginosa</i> (K.Schum.) Robyns kasapula-mambe | <i>Tricalysia griseiflora</i> K.Schum. var. <i>benguellensis</i> (Welw. ex Hiern) Robbr. mumpianene, omutengualitiko |
| <i>Rytigynia umbellulata</i> (Hiern) Robyns muchodenhaté | <i>Tricalysia nogueirae</i> Robbr. membe, mulingo, mundoge |
| <i>Sabicea dinklagei</i> K.Schum. calimboli, murimbue | <i>Tricalysia pallens</i> Hiern café-do-mato, muvele, sissinhessinha |
| <i>Sabicea venosa</i> Benth. chamuna, xamuna | <i>Tricalysia welwitschii</i> K.Schum. fimbuco, mundia-salale |
| <i>Sarcocephalus latifolius</i> (Sm.) E.A.Bruce dijole, negulo, ngulu, n'tumbi | <i>Vangueria cyanescens</i> Robyns munculumbende, ombu, omupo |
| <i>Sarcocephalus pobeguini</i> Hua ex Pellegr. munangamba | <i>Vangueria infausta</i> Burch. subsp. <i>infausta</i> kontombende, muculumbende |
| <i>Schizocolea linderi</i> (Hutch. & Dalziel) Bremek. an'sula, ca-n'zula | <i>Vangueria infausta</i> Burch. subsp. <i>rotundata</i> (Robyns) Verdc. muculumbembe |
| <i>Schumanniphyton hirsutum</i> (Hiern) R.D.Good paco, pumpundje | <i>Vangueria madagascariensis</i> J.F.Gmel. vanger, voa |
| <i>Schumanniphyton magnificum</i> (K.Schum.) Harms var. <i>magnificum</i> dai | <i>Vangueria proschii</i> Briq. olumbumbu, omumbu |
| <i>Sericanthe andongensis</i> (Hiern) Robbr. subsp. <i>andongensis</i> var. <i>andongensis</i> kapupupula-ua-mushito | <i>Vangueria sp.</i> alumbumbu, olumbumbu, olvalumbumbu |
| <i>Sericanthe suffruticosa</i> (Hutch.) Robbr. tshissangú | <i>Vangueriopsis lanciflora</i> (Hiern) Robyns djundjum, embudahonanga, mandjunju, mu-hore, mundjundju, munjunje, mussola, omhbú-embu, omundiundiú |
| <i>Sherbournia bignoniiflora</i> (Welw.) Hua cajiua, ca-vundo-vundo | RUTACEAE |
| <i>Spermacoce dibrachiata</i> Oliv. imbimbasheta, kokuto, namafufo, olococco-do-mato, songo | ^c <i>Chloroxylon swietenia</i> (Roxb.) DC. pau-setim |
| | * <i>Citrus ×aurantiifolia</i> (Christm.) Swingle limeira |

**Citrus ×aurantium* L.
laranjeira-azedá
°*Citrus bergamia* Rissó
laranjeira-bergamota
°*Citrus ×limon* (L.) Burm.f.
elimau, elimau-uti, limão (fruit), limoeiro
°*Citrus maxima* (Burm.) Merr.
pomelo
°*Citrus medica* L.
cidreira, cidreira-mão-de-Budha,
limoeiro-azedo
°*Citrus ×microcarpa* Bunge
limoeiro-do-Japão
°*Citrus ×paradisi* Macfad.
toranja
°*Citrus reticulata* Blanco
tangerineira
°*Citrus ×sinensis* (L.) Osbeck
alalandja, alalandja-uti (tree), elalandja,
elalandja-uti (tree), kalalandja, laranjeira,
nakalandja, okalandja, ovalalandja,
ovalalandja-uti (tree)
Clausena anisata (Willd.) Hook.f. ex Benth.
kakuanza, kalalanza, mukuakua, makuasa
Fagaropsis angolensis (Engl.) Dale
kaxikala-kunga, pangu-ia-muxito, xikala-kunga
°*Murraya paniculata* (L.) Jack
buxo-da-China, jasmim-da-laranjeira
°*Ruta montana* L.
arrudão
Zanthoxylum gilletii (De Wild.) P.G.Waterman
disende-sende, limbelokuta, lisumba, ndundo,
ndunga, n'dungo, ngulungo, ngulungu,
paco-balo, paco-balú, pau-pacobala
Zanthoxylum leprieurii Guill. & Perr.
kafuma, mungandu, munjidi, paku-balú
Zanthoxylum pilosiusculum (Engl.) P.G.Waterman
cacuata
Zanthoxylum rubescens Planch. ex Hook.f.
kalunguena, paku-balú
Zanthoxylum sp.
kiluka

SALICACEAE

°*Populus nivea* Willd.
choupo
°*Salix babylonica* L.
salgueiro-chorão
Salix mucronata Thunb.
salgueiro-indígena

SALVADORACEAE

Salvadora persica L.
kimbungu, mukandi, muxi-ua-kimbungu,
omukambi

SANTALACEAE

Osyris lanceolata Hochst. & Steud.
munhinhiki, omuhinike, omuhinyinyiki,
omuhyninyiki, omunhinhine

°*Santalum album* L.
sandalo
Thesium cinereum A.W.Hill
kangue, luanji, lukangue

SAPINDACEAE

Allophylus africanus P.Beauv.
teba
Blighia unijugata Baker
jimbulungunja (pl.), kaxik, kaxika, kisimba,
njala-lanji, pau-cachique
Blighia welwitschii (Hiern) Radlk.
mukikiana
Cardiospermum corindum L.
ondiyivi
Cardiospermum grandiflorum Sw.
mufuena, ondyiri
Cardiospermum halicacabum L.
odyivi, ondyivi
Chytranthus carneus Radlk.
mbimbiti, mebimbite, pessegueiro-do-mato
Deinbollia laurifolia Baker
muene-muene
Eriocoelum petiolare Radlk.
ngela-kusu
Haplocoelum foliolosum (Hiern) Bullock
liancho
Lepisanthes senegalensis (Juss. ex Poir.) Leenah.
njilavaiu, olondjelavayo, ondjavayu,
ondjelavayo, ondjlavayo-yitito
°*Litchi chinensis* Sonn.
litchi
Pancovia golungensis (Hiern) Exell & Mendonça
kari, mbamba-huri-huri
Pancovia sp.
chifuza
Pappea capensis Eckl. & Zeyh.
omumbimba, ontongo-tongo
Paullinia pinnata L.
heketyo, mogi
Radikofera calodendron Gilg
mpiti
Zantha golungensis Hiern
dizaku, mutoco, mutoko, queseladi, quiximba

SAPOTACEAE

Baillonella toxisperma Pierre
kungulu, muabi (seed)
Chrysophyllum africanum A.DC.
mulonze, mutatangu
Chrysophyllum bangweolense R.E.Fr.
ikuñambambi, ovikuñambambi, ukuñambambi,
ukunhambambi
Chrysophyllum subnudum Baker
kalolonji
Chrysophyllum welwitschii Engl.
jinjinji, jumbundu
Englerophytum magalismontanum (Sond.)
T.D.Penn.
ifilanganga, matombote, muave, mucungu,

mukukalala, mukungu, munsacala, musakalala, mutambote, muvangu, muvungu, omucungu, omukungu, omutomboti, omutumboti, ovifilanganga, sacala, ufilanganga, upilasongo, upirasongo, usambia

^c*Manilkara bidentata* (A.DC.) A.Chev.
balata

Manilkara frondosa (Hiern) H.J.Lam
cafequesu, kafekesu, kafekezu, muaku

Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
cafequesu-de-monte, kafekezu-ka-mulundu,
kasua-iangu, manga-brava, minu, mumbetubia,
ndimi, nima, ninua, omucilumutyila, omuhila,
omukelekele, omukele-kele, omumbetubia,
omuntyavele, quisunhunga, umbetulia

^c*Manilkara zapota* (L.) P.Royen
sapotilha

Omphalocarpum elatum Miers
musala, nsala

Omphalocarpum lecomteanum Pierre ex Engl.
nsala

Pouteria superba (Vermoesen) L.Gaut.
mukali

Synsepalum brevipes (Baker) T.D.Penn.
musaka, mussaca, nsasa, saka

Synsepalum cerasiferum (Welw.) T.D.Penn.
cala, dizaku, kala, lukuma, lungu, okala

Tridesmostemon omphalocarpoides Engl.
tatangu

SAXIFRAGACEAE

^c*Hydrangea macrophylla* (Thunb.) Ser.
hortensia

SCROPHULARIACEAE

^c*Antirrhinum majus* L.
bocas-de-lobo

Aptosimum decumbens Schinz
omeho-onyoko

Scoparia dulcis L.
ndumbo, ondumbu

SIMAROUBACEAE

^c*Ailanthus excelsa* Roxb.
árvore-celeste

Quassia africana (Baill.) Baill.
linduli-nduli, nsimbikale

Quassia undulata (Guill. & Perr.) D.Dietr.
minguili, mungolo-ngolo, munhanje,
omuñandje

SMILACACEAE

Smilax anceps Willd.
ikwalu, imbua-ia-kaiona, jiposa, luposa,
mukalabeba, mukalele, ocikualu, otchikwalu,
otchikwalu-tchov'epya,
otchikwalu-tchov'otchumbo, ovikwalu,
salsaparrilha, salsa-parilha-de-Angola, ucualo,
ukwalu, xila-xila

SOLANACEAE

^c*Capsicum annuum* L.
omundungu, pimentão, pimenteira-doce,
pimento

**Capsicum frutescens* L.
alundungu, dungu-ia-kaleketa, jindungo,
jindungu, jindungueiro, molungo, mpile-mpile,
mu-ndungu, muxi-ua-ndungu, ndungo (pl.),
ndungu (fruit), ndungu (pl.), ndungu-ia-
kahombo (fruit), ndungu-ia-kaleketa (fruit),
olondungu, olundungu, omundungu, ondungo-
viakalakata, ovalundungu, pimentão-de-
Caiena,
pimenteira-jindungo, piri-piri, tchindungu

**Capsicum* sp.
malagueta

Cyphomandra betacea (Cav.) Sendtn.
árvore-do-tomate

**Datura metel* L.
burbiaca, cornucópia, jila-andundo, jila-
andundo, kimbota, la-andundo, mutambela,
mutumbela, njila-andundo, njila-ndundu,
trombetão-roxo, trombetões-roxos (pl.)

**Datura stramonium* L.
andjululu, capano, endjululu, enjululu,
estramónio, figueira-do-inferno, mfula,
olombindi, ombindi, ombindji, ovandjululu

**Lycopersicon esculentum* Mill.
amatya, amatya-amela (leaf), ematya,
ovamatya, tomate (fruit), tomateiro

**Nicandra physalodes* (L.) Gaertn.
maçã-de-Perú

^c*Nicotiana alata* Link & Otto
tabaco-ornamental

^c*Nicotiana glauca* Graham
charuto-de-rei

**Nicotiana rustica* L.
otyitabakomboma

^c*Nicotiana tabacum* L.
akaya, ekaya, kasandje, kasandji, katasala,
likanha (pl.), makanha, okasandji, okasangi,
ovakaya, tabaco

**Physalis angulata* L.
alquequenje-amarelo, kabuabuata,
omutipa-tipa, omutyipatipa

**Physalis peruviana* L.
gituiquila, ocazuazua, okasuasua

**Schwenckia americana* L.
kasuanza, suanza

Solanum aculeastrum Dunal var. *albifolium*
(C.H.Wright) Bitter

alusaka-kolondjila, asonsa, asosa (fruit), esosa
(fruit), isosa, jindondolo, kalosaka-kolondjila,
kasaka, mundondolo, ndondolo,
okalosaka-kolondjila, okambulutu, okasaka,
okasaka-tita, olosaka-kolondjila,
olusaka-kolondjila, ovalusaka-kolondjila,
ovasosa (fruit), ovisosa, sosa, usaka-saka,
usosa

| | |
|--|--|
| * <i>Solanum aethiopicum</i> L. | otchimandalo |
| ikeka, jinjilu, keka-ndjilu, keka-njilu, kingonge, losaku, mamote (pl.), mukeka, nbolongua, njilu, nzilu, otchykeka, ovikeka, tunga | ^c <i>Guazuma ulmifolia</i> Lam. guacima |
| * <i>Solanum americanum</i> Mill. ? disue | <i>Melhania velutina</i> Forssk. oxincomba |
| <i>Solanum anomalam</i> Thonn. | <i>Nesogordonia leplaei</i> (Vermoesen) Capuron kiseniungo, kisumungu, quiseniungo |
| anzilu, jituetue (pl.), kanjunguluila, okandjungulwila, okanjunguluila, otchunguluila, otundjungulwila, tuetue (sing.) | <i>Sterculia purpurea</i> Exell amulenda, bondo-ia-mulende, kibonde-kia-mulembu, malembe, mbondo-ia-mulende, mulembu, mulende, quibondo-ia-mulemba, umbupu |
| <i>Solanum incanum</i> L. | <i>Sterculia quinqueloba</i> (Garcke) K.Schum. dendendlamo, m'anga, ndende-ndlamu, omutengue |
| anululu, catululu, dinjiu, dissaca, gindundulu, jimbulungu, jinjilu (pl.), jiti-ia-kalunga (sing.), jtititia-kalunga (sing.), jititi-ja-kalunga, kalokola-dimi, kanyandjila, massossa, matumbiriri, matunda, mbulungu, mbulungungu, mutumbiriri, njila, njila- ndndu, njilo, njilu, nululu, okañandjila, okanhangila-katita, okanyandjila, okanyangwil-kauhangila-katita, oloñandjila, olusaka-kolondjila, omatunda, omundumbiri, omunthumbili, omunthumbilili, omunthumbiriri, omutumbilili, oñandjila, sossa, tumbiriri, xiu | <i>Sterculia setigera</i> Delile chixe, muxixe, muxixi, omuakola, omuhake, omutengue |
| <i>Solanum macrocarpon</i> L. | <i>Sterculia subviolacea</i> K.Schum. musa, mussa |
| jinjilu, kinjilu | <i>Sterculia tragacantha</i> Lindl. bondo-ia-mulende, cabonda, diolofo, jigajiga, kabondo, kibondo, kibondo-ia-menha, kimbondo-ia-menha, mbondo-ia-menha, mbondo-ia-mulemba, mundende, musisi, susua, suswa, vuvunga, vuvungu |
| * <i>Solanum mauritianum</i> Scop. | <i>Sterculia</i> sp. melende |
| mulubu | ^c <i>Theobroma cacao</i> L. cacaeiro |
| * <i>Solanum melongena</i> L. | <i>Waltheria indica</i> L. njinji, otyikenyena, otyinkenyena |
| beringela | |
| * <i>Solanum nigrum</i> L. | STRELITZIACEAE |
| erva-moira, olosua-wovolwi, oloswa-wov'olwi, oswa-wov'olwi | ^c <i>Ravenala madagascariensis</i> Sonn. árvore-do-viajante |
| ^c <i>Solanum tuberosum</i> L. | |
| batateira | STRYCHNACEAE (Loganiaceae) |
| | <i>Strychnos aculeata</i> Soler. njembe, nzembe |
| STERCULIACEAE (Malvaceae) | <i>Strychnos cocculoides</i> Baker amwi, apolem, dibole, emwi, imwi-katito (tree), likolo, maboca, maboke, maboke (pl.), muhale, okamwi-katito, olomwi-katito (tree), olumwi-katito (tree), omuhaha, omuhahandyia, omuhahandyua, omuhandyua, omuhito, omuhitu, omui, omui-katito, omui-utito, omulekehe (fruit), omulondo, omuni, omuniomungati, omwi, omwi-katito (tree), ovamwi, ovimwi-katito (tree), umui-utito, upole |
| <i>Cola acuminata</i> (P.Beauv.) Schott & Endl. | <i>Strychnos floribunda</i> Gilg insia, musalangala |
| cola (fruit), coleira (tree), dikezu, mikezu (tree), mukezu (pl.), nkasa-nkumbi | <i>Strychnos gossweileri</i> Exell disa-dia-hungu, disa-dia-lungu, kavalo, omunonke |
| <i>Cola ballayi</i> Cornu ex Heckel | <i>Strychnos henningsii</i> Gilg mutolo, omuhananu, omungangu, tolo |
| nkasa-nkola, nkaso | |
| <i>Cola brevipes</i> K.Schum. | |
| numbi | |
| <i>Cola lateritia</i> K.Schum. | |
| namia | |
| <i>Cola verticillata</i> (Thonn.) Stapf ex A.Chev. | |
| macazo | |
| <i>Cola welwitschii</i> Exell & Mendonça ex R.Germ. | |
| mabuinguidi, mabinguiri, munenda-mbondo, omoso | |
| <i>Dombeya burgessiae</i> Gerrard ex Harv. | |
| borla, mutuhu-tuhu, mututu | |
| <i>Dombeya quinqueseta</i> (Delile) Exell | |
| huku, huku-huku, kuku, kuku-kuku, mututu, ohucu, ohuku, olohu, omunthunthu-nopohi, omutuhu-tuhu, omutuntun-nopohi | |
| <i>Dombeya rotundifolia</i> (Hochst.) Planch. | |
| cututu, katutu, mututhu, mututu, natutu, | |

- Strychnos pungens* Soler.
 maboke (pl.), maboke-venenos, muhuma, mukuvangolo, mulabi, mulambu, munhunganzamba, munjimba, mupuaka-ompuaka, mutanga, mutunga, omuhahandya, omuha-handya, omuhito, omuhitu, omukulangolo, ukulangola
- Strychnos spinosa* Lam.
 amoim, diboke (sing.), imui, imwi, ipu, likolo-kolo, maboca, maboke (pl.), mabole (pl.), mabume (pl.), makolangolo, mbumba, muboke, ombumba, omuhito, ovipu, ovopu, upu
- Strychnos* sp.
 amwi, atende-mupa (fruit), emwi (fruit), epole, etende-mupa (fruit), imwi (tree), itende-mupa (tree), maboke (fruit), mucala, mucolo, olomwi (tree), olumwi (tree), olutuo, olutwo, omui-inene, omwi (fruit), omwi (tree), ovamwi (fruit), ovatende-mupa (fruit), ovimwi (tree), ovitende-mupa (tree), umui, upole, upu, utende'mupa, utende-mupa (tree)
- TAMARICACEAE**
Tamarix usneoides E.Mey. ex Bunge
 cedro-dos-colonos, tarafe
- THEACEAE**
^c*Camellia sinensis* (L.) Kuntze
 chá
Ficalhoa laurifolia Hiern
 omuhamika
- THYMELAEACEAE**
Gnidia chrysantha Gilg
 umba
Gnidia dekindtiana Gilg
 omusa, omuvovo
Gnidia fruticulosa Gilg
 otipulombila
Gnidia kraussiana Meisn. var. *kraussiana*
 etyila-dio-mbulu
- TILIACEAE** (Malvaceae)
Ancistrocarpus densispinosus Oliv.
 indundula
Clappertonia ficifolia Decne.
 amumundu-kiana, kuriatanguvu, lupunga, mutuia-tuia, punga-saiangua, xise
^c*Corchorus capsularis* L.
 juta-da-Índia
Corchorus olitorius L.
 diximane, kixanana, mulembu
Corchorus tridens L.
 diximane, kixanana, kixanana-kia-ufele
Corchorus trilocularis L.
 mata-kim, mataquim
Corchorus sp.
 ekwanana, inana, kijanana, kixanana, kuanana, kwanana, okanana, okwanana, otchinana, otchyanana, ovonana, ovyanana, ukwanana
- Glyphaea brevis* (Spreng.) Monach.
 likokombe
- Grewia angolensis* Welw. ex Mast.
 tamba
- Grewia avellana* Hiern
 macopacopa
- Grewia bicolor* Juss.
 omuale
- Grewia carpinifolia* Juss.
 omakuakanjombe, tamba
- Grewia cyclopetala* Wawra & Peyr.
 mutamba, omukekete
- Grewia flavesrens* Juss.
 muhe
- Grewia floribunda* Mast.
 matamba, omunamba
- Grewia newtonii* Burret
 nama, olonama, omukopa-kopa, onama
- Grewia welwitschii* Burret
 itamba (pl.), mutamba, omanama, tamba, umanama, vulu
- Grewia* sp.
 atamba, etamba, etamba-kovongongo, etamba-liongongo, etamba-lyov'olwi, etamba-lyov'otchikala, katamba, mbolo-mbolo, mumpapu, munhe, omukulukufua, omulembula-kongulu, omumbolebole, omumbole-bole, onkhulukufua, ovatamba, tamba
- Triumfetta annua* L.
 kibosa, otyitumbaveto
- Triumfetta cordifolia* A.Rich.
 kibosa, posa, punga, pungatete
- Triumfetta cordifolia* A.Rich. var. *tomentosa*
 Sprague
 m'pum, quibosa
- Triumfetta dekindtiana* Engl.
 canvonvu
- Triumfetta geoides* Welw. ex Mast.
 chindiace, indysi, ocindiasi, omuhaticolo, otchindysi, ovindysi
- Triumfetta macrocoma* K.Schum.
 enkuu
- Triumfetta orthacantha* Welw. ex Mast.
 quibosa
- Triumfetta rhomboidea* Jacq.
 kibosa, olunga, quibosa
- Triumfetta setulosa* Mast.
 kibosa, kibosa-kia-unene, omuhamika
- TRAPACEAE**
Trapa natans L. var. *bispinosa* (Roxb.) Makino
 castanha-de-água (fruit), eluna, vandeia, vondeia
- TYPHACEAE**
Typha capensis (Rohrb.) N.E.Br.
 ipipa, ocipipa, otchipipa, otchipipa-tchov'olwi,

ovipipa, speiser-sissi, tabua

ULMACEAE

Celtis africana Burm.f.

mutuje, omundihiala, omuniakalenga,
omuthompi, omutiompi

^c*Celtis australis* L.

agreia, lamigueiro, lodão-bastardo

Celtis gomphophylla Baker

kalitete, kisivokele, mutuje

Celtis mildbraedii Engl.

hongolo

Celtis mildbraedii Engl. ?

kabende-kaxikelela, kikete, mongolo,
quibaba-roxa

Celtis philippensis Blanco

cabende-caxiquelela, hongolo

Celtis zenkeri Engl.

kabenda, kabenda-kazelele, kihete

Celtis sp.

itet-a-hopá, nongolo, ohongolo, okahongolo,
olohongolo, omuxakatapua, oviteta-hopá,
utehopá, utetahopá, uteta-hopá

Chaetacme aristata Planch.

hisu, ominyamba, omuhinde, omungendya,
omunyamba

Holoptelea grandis (Hutch.) Mildbr.

lianguiti, liankiti

Trema orientalis (L.) Blume

kipesi, kipexi, kipukulo, kituense, maiapa,
mubokuboku, mugudisosola, musamba-samba,
nakapesi, nsengue-nsengue, omuniakalenga,
qipexi, tjinomonomo

URTICACEAE

^c*Boehmeria nivea* (L.) Gaudich.

ortiga-branca, ramie

Girardinia diversifolia (Link) Friis

lunhi

Laporteaa mooreana (Hiern) Chew

kibia

Laporteaa ovalifolia (Schumach. & Thonn.) Chew

kixixima

Obetia carruthersiana (Hiern) Rendle

epanda, landeja

Pilea angolensis (Hiern) Rendle

kaxinde-ka-nzanji, nsaji, nzanji (pl.)

^c*Pilea microphylla* (L.) Liebm.

bago-de-arroz

^c*Pilea serpyllifolia* (Poir.) Wedd.

bago-de-arroz

Pouzolzia denudata De Wild. & T.Durand

kibia

Urera thonneri De Wild. & T.Durand

jihefu, kikala

VELLOZIACEAE

Xerophyta capillaris Baker

asengwe, esengue, esengwe, olukombo,
ovasengwe, ukengue

Xerophyta sp.

asenge, esengdjé, olesenge, olosenge, osenge,
ovasenge, sengue, usenge

VERBENACEAE

^c*Aloysia citriodora* Palau

bela-luísia, limonete, lúcia-lima

**Duranta erecta* L.

omumbulumbumba, omumphianena,
omumpianena, otyimphanena, otyimpianena,
violetira-do-Brasil

**Lantana camara* L.

lantano

Lantana rugosa Thunb.

epungulunyanda, esesela-ovituiyu-tuiyu,
esesera-ovituiyutuiyu, indembe, mukixi,
omahola-hakandiangue, otchindembe,
otyituitui, otyitui-tui, ovindembe

^c*Lippia javanica* (Burm f.) Spreng.

efilampepe, olondambi-yov'olwi, omphepo,
omuanke, omupepe, ondambi-yolui,
ondambi-yov'olwi

Lippia plicata Baker

banji, eliandele, kabongapuna, kambimbi,
kapungupungu, kapungu-pungu, lubanji,
mangue, muhunga-tuma,
mukundu-ua-ngundua, ndemba, ndembe,
omuanke

Lippia sp.

okandembi, okandembi-katito, olondembi,
ondembi

Stachytarpheta indica (L.) Vahl

kaxinda-ka-menza, xinda-ka-menza

^c*Stachytarpheta mutabilis* (Jacq.) Vahl

muhoio, omuhoio, omuhoyo

^c*Tectona grandis* L.f.

teca

VIOLACEAE

Rinorea brachypetala (Turcz.) Kuntze

kitese, mevesi-mebate, tese

^c*Viola odorata* L.

violeta

^c*Viola tricolor* L.

amor-perfeito

VITACEAE

Ampelocissus abyssinica (Hochst. ex A.Rich.)

Planch.

luquelo

Ampelocissus dekindtiana Gilg

ehalanyanga, ehalanyienga, ehalanyanga

Ampelocissus dissecta (Baker) Planch.

kixibua, quinjujuan, quixibua, xinjujuan

Ampelocissus poggei Gilg & M.Brandt

muculolo, tauhi

Cissus diffusiflora (Baker) Planch.

calamate

Cissus guerkeana (Büttner) T.Durand & Schinz

vinkongo

Cissus oliveri (Engl.) Gilg
mulembueje
Cissus quadrangularis L.
dilengue-diaxito, lubambu
Cissus rubiginosa (Welw. ex Baker) Planch.
lumbuiji, mucucola-n'bundo, mucuta-veado,
munzoia, ticuta-ngolongo
Cyphostemma chloroleucum (Welw. ex Baker)
Desc. ex Wild & R.B.Drumm.
indjwandjwa, kinguanjua, ocinjuanjua,
olondjwandjwa, ondjwandjwa,
otchindjua-ndjua, otchindjwandjwa,
otchingwangwa, ovindjwandjwa, undjwandjwa
Cyphostemma junceum (Webb) Desc. ex Wild &
R.B.Drumm. subsp. *jatrophoides* (Welw. ex Baker)
Verdc.
kikama, omumbaluva
Cyphostemma stipulaceum (Baker) Desc.
cacula
Cyphostemma uter (Exell & Mendonça) Desc.
odre-do-deserto
Cyphostemma violaceo-glandulosum (Gilg) Desc.
otchinjoaojoao
Rhoicissus tridentata (L.f.) Wild & R.B.Drumm.
subsp. *cuneifolia* (Eckl. & Zeyh.) Urton
mucololo
**Vitis vinifera* L.
videira

WELWITSCHIACEAE

Welwitschia mirabilis Hook.f.
onthumba

ZAMIACEAE

Encephalartos laurentianus De Wild.
mbundu-nguma
Encephalartos poggei Asch.
kixilu

ZINGIBERACEAE

Aframomum alboviolaceum (Ridl.) K.Schum.
atundo, atundu, atundua, atundwa, djingenga,
jinguengue, kinguengue, lunguengue,
nguenga-ia-mukao, ocinguenga, ocitando,
ocitandu, tundu-ia-malone
Aframomum angustifolium (Sonn.) K.Schum.
sacalaséne
Aframomum daniellii (Hook.f.) K.Schum.
insame, kibo-kia-muhetu, mutundo, ndongo,
tenga-kanga
Aframomum laurentii (De Wild. & T.Durand)
K.Schum.
asisa, esisa, ovasiswa, sisa
Aframomum melegueta K.Schum.
dongos-de-Congo, dongos-do-Congo,
iasasama, iaxixima-mukanu, malagueta,
mukua-ua-ndungu-ia-Kongo (dried fruit),
mundungu-ua-Kongo, ndongo,
ndongo-ia-Kongo, ndongua-ia-Kongo,
ndungua-ia-Kongo-iasasama,
ndungu-ia-Kongo, ndungu-ia-Kongo (seed),
ngenga-ia-Kongo (seed)
Aframomum sp.
nsika, tumadolulu, ukisia-nsisa
**Curcuma longa* L.
açafraõ-da-Índia, açafroeira
Curcuma sp.
açafroa
^*Elettaria cardamomum* Maton
cardamomo
Renealmia macrocolea K.Schum.
kibu-kia-iala
Siphonochilus aethiopicus (Schweinf.) B.L.Burtt
etaka-dia-ombue, etakoliombwe, oluntambo
^*Zingiber officinale* Roscoe
gingibre, gingibre, njibidi

ZYGOPHYLLACEAE

Tribulus terrestris L.
abrolhos

LIST OF COMMON NAMES

Abbreviations

Languages, in brackets language names as cited in sources: B – Bolo [Libolo]; C – Cokwe [Catxioco, Chokwe, Kioko, Quioco]; Kh – Khwe [Bushman]; Kik – Kikongo [Fiote]; Kim – Kimbundu [Mbundo, Negola]; Kw – Kwadi [Curoca]; Luc – Lucazi [Luchasi]; Lui – Luimbi [Luimbe]; Luv – Luvale [Luena]; Ma – Mashi [Camaxe, Kamaxe]; Mbu – Mbunda; Mbw – Mbwela [Amboela]; Nd – Ndonga [Xindonga]; Nk – Nkumbi [Lukhumbi]; Nya – Nyaneka [Chilengue-Humbe, Handa, Humbe, Lunhaneca, Lunhaneca, Lunianeca, Lunyaneca, Lunyaneka, Muhila, Muhumbe, Muila, Mumuila, Muquilegue, Muquipungo, Olunhianeca, Olunyaneka, Quilengue, Quipungo]; Nye – Nyemba [Ganguela]; O – Oshiwambo [Cuanhama, Xikuhanhama]; P – Portuguese; R – Ruund [Lunda]; Sa – Sama [Quissama]; So – Songo [Bassongo]; U – Umbundu; Z – Zemba [Tjiherero].

R = references in chronological order; in square brackets synonym or name under which cited, language, region or dialect. pl.= plural; sing.=singular

A

abacate (P)

Persea americana Mill. (Lauraceae). R: 3 [*Persea gratissima* Gaertn.]

abacateiro (P)

Persea americana Mill. (Lauraceae). R: 49

abacaxi (P)

Ananas comosus (L.) Merr. (Bromeliaceae). R: 49

abakati (U)

Persea americana Mill. (Lauraceae). R: 3 [*Persea gratissima* Gaertn.]

abesika (Kik)

Polyscias fulva (Hiern) Harms (Araliaceae). R: 50
[*Polyscias ferruginea* (Hiern) Harms], 3

abóbora-almiscarada (P)

Cucurbita moschata Duchesne ex Lam.
(Cucurbitaceae). R: 49

abóbora-carneira (P)

Lagenaria siceraria (Molina) Standl.
(Cucurbitaceae). R: 49, 50 [*Lagenaria vulgaris* Ser.], 3

abóbora-chila (P)

Cucurbita ficifolia Bouché (Cucurbitaceae). R: 49

abóbora-menina (P)

Cucurbita maxima Duchesne ex Lam.
(Cucurbitaceae). R: 49, 50, 3

abóbora-porqueira (P)

Cucurbita pepo L. (Cucurbitaceae). R: 49, 3

abrolhos (P)

Tribulus terrestris L. (Zygophyllaceae). R: 49

abutua

Tiliacora chrysobotrya Welw. ex Ficalho
(Menispermaceae). R: 57, 3

acácia (P)

Leucaena leucocephala (Lam.) de Wit (Fabaceae). R: 49 [*Leucaena glauca* Benth.]

acácia-asiática (P)

Falcataria moluccana (Miq.) Barneby &

J.W.Grimes (Fabaceae). R: 49 [*Albizia moluccana* Miq.]

acácia-bastarda (P)

Robinia pseudoacacia L. (Fabaceae). R: 49

acácia-da-Arábia (P)

Acacia nilotica (L.) Willd. ex Delile (Fabaceae). R: 49 [*Acacia arabica* Willd. var. *nilotica* Benth.]

acácia-da-Austrália (P)

Acacia longifolia (Andrews) Willd. (Fabaceae). R: 49

acácia-de-São-Tomé (P)

Millettia thonningii (Schumach. & Thonn.) Baker (Fabaceae). R: 33, 6

acácia-dealbata (P)

Acacia dealbata Link (Fabaceae). R: 49

acácia-do-Japão (P)

Styphnolobium japonicum (L.) Schott (Fabaceae). R: 49 [*Sophora japonica* L.]

acácia-mimosa (P)

Acacia mearnsii De Wild. (Fabaceae). R: 49
[*Acacia mollissima* sensu auct. non Willd. (1809)]
Acacia pycnantha Benth. (Fabaceae). R: 49

acácia-rubra (P)

Delonix regia (Bojer ex Hook.) Raf. (Fabaceae). R: 49

acácia-S.Tomé (P)

Millettia thonningii (Schumach. & Thonn.) Baker (Fabaceae). R: 49

acácia-siras (P)

Albizia lebbeck (L.) Benth. (Fabaceae). R: 49

açafrão-da-Índia (P)

Curcuma longa L. (Zingiberaceae). R: 49, 50
[*Curcuma domestica* Valeton]

açafroa

Curcuma sp. (Zingiberaceae). R: 57

açafroeira (P)

Curcuma longa L. (Zingiberaceae). R: 49, 50
[*Curcuma domestica* Valeton]

acajou-du-Gabon

Khaya ivorensis A.Chev. (Meliaceae). R: 49
[Luango]

-
- acapande** (Nya)
Tricalysia angolensis A.Rich. ex DC. (Rubiaceae).
 R: 47 [Muila]
- acelga** (P)
Beta vulgaris L. var. *cicla* (L.) Moq.
 (Chenopodiaceae). R: 49
- açucena** (P)
Hippeastrum vittatum (L'Hér.) Herb.
 (Amaryllidaceae). R: 49
Lilium candidum L. (Liliaceae). R: 49
- aculacula**
Syzygium guineense (Willd.) DC. subsp.
macrocarpum (Engl.) F.White (Myrtaceae). R: 1
- acunla-cunla**
Psorospermum mechowii Engl. (Hypericaceae).
 R: 3
- afungo-mufungo** (C)
Anisophyllea quangensis Engl. ex Henriq.
 (Anisophylleaceae). R: 50 [*Anisophyllea buettneri*
 Engl., Kioko]
- agreia** (P)
Celtis australis L. (Ulmaceae). R: 49
- agrião-de-água** (P)
Nasturtium officinale R.Br. (Brassicaceae). R: 49
- ahelele** (U)
Indigofera antunesiana Harms (Fabaceae). R: 3
- ahondyo** (U)
Musa ×paradisiaca L. (Musaceae). R: 3 [*Musa
 paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- ahondyo-olumbombo** (root) (U)
Musa acuminata Colla (Musaceae). R: 3 [*Musa
 paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- aiela-aiela** (U)
Faurea saligna Harv. (Proteaceae). R: 50 [U], 3
- aipo** (P)
Apium graveolens L. (Apiaceae). R: 8
- aipo-rábano** (P)
Apium graveolens L. var. *dulce* (Mill.) DC.
 (Apiaceae). R: 49
- ajoue** (Nya)
Adenocarpus mannii (Hook.f.) Hook.f.
 (Fabaceae). R: 50 [*Adenocarpus benguellensis*
 Welw. ex Baker, Lunyaneka]
- akasa** (U)
Brachystegia tamarindoides Welw. ex Benth.
 (Fabaceae). R: 3
- akaya** (U)
Nicotiana tabacum L. (Solanaceae). R: 3
- akopoka-mbunda** (U)
Droogmansia megalantha (Taub.) De Wild.
 (Fabaceae). R: 3
- akova** (U)
Vernonia gerberiformis Oliv. & Hiern subsp.
macrocyanus (O.Hoffm.) C.Jeffrey (Asteraceae).
 R: 3
- akulakula**
Psorospermum mechowii Engl. (Hypericaceae).
 R: 3
- akula-kula** (U)
Psorospermum mechowii Engl. (Hypericaceae).
- R: 3
- akuma-kuma** (U)
Syzygium guineense (Willd.) DC. (Myrtaceae).
 R: 50 [U], 3
- akuna-kuna**
Syzygium guineense (Willd.) DC. (Myrtaceae).
 R: 3
- akunde** (U)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 50, 3
- akuyu** (fruit) (U)
Ficus sp. (Moraceae). R: 3
- alalandja** (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- alalandja-uti** (tree) (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- alcaçus-branco** (P)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
 49 [*Chlorocodon whitei* Hook.f.]
- alcaçus-do-mato** (P)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
 49 [*Chlorocodon whitei* Hook.f.]
- alecrim** (P)
Rosmarinus officinalis L. (Lamiaceae). R: 49
- alecrim-das-paredes** (P)
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 57, 49, 55
- alecrim-do-mato** (P)
Alvesia rosmarinifolia Welw. (Lamiaceae). R: 50
- aleluia** (P)
Mussaenda erythrophylla Schumach. & Thonn.
 (Rubiaceae). R: 49
- alface** (P)
Lactuca sativa L. (Asteraceae). R: 49 [*Lactuca
 sativa* L.]
- alface-de-água** (P)
Pistia stratiotes L. (Araceae). R: 50, 3
- alfafa-arbórea** (P)
Atriplex nummularia Lindl. (Chenopodiaceae).
 R: 49
- alfalfa** (P)
Medicago sativa L. (Fabaceae). R: 49
- alfarrobeira** (P)
Ceratonia siliqua L. (Fabaceae). R: 49
- alfazema** (P)
Lavandula angustifolia Mill. (Lamiaceae). R: 49
 [*Lavandula spica* L. var. *angustifolia* (Ging.)
 Briq.]
- alfenheiro-do-Japão** (P)
Ligustrum japonicum Thunb. (Oleaceae). R: 49
- algodão-cor-de-ganga** (P)
Gossypium barbadense L. (Malvaceae). R: 49
 [*Gossypium maritimum* Tod.]
- algodão-de-penacho** (P)
Gossypium barbadense L. (Malvaceae). R: 49
- algodão-de-pinha** (P)
Gossypium barbadense L. (Malvaceae). R: 49
- algodoeiro** (P)
Gossypium herbaceum L. (Malvaceae). R: 3
- algodoeiro-caravónica** (P)
Gossypium barbadense L. (Malvaceae). R: 49

- algodoero-coração (P)**
Gossypium hirsutum L. (Malvaceae). R: 49
 [*Gossypium punctatum* Schumach. & Thonn.]
- algodoero-de-Porto-Rico (P)**
Gossypium purpurascens Poir. (Malvaceae). R: 49
- algodoero-do-Turquestão (P)**
Gossypium herbaceum L (Malvaceae). R: 49
 [*Gossypium herbaceum* L. var. *wightiana* Watt.;
 this variety was not found in the literature]
- algodoero-hopi (P)**
Gossypium hirsutum L. (Malvaceae). R: 49
 [*Gossypium punctatum* Schumach. & Thonn.]
- algodoero-triunfo (P)**
Gossypium hirsutum L. (Malvaceae). R: 49
- alho (P)**
Allium sativum L. (Alliaceae). R: 3
- alho-ordinário (P)**
Allium sativum L. (Alliaceae). R: 49
- alho-porro (P)**
Allium porrum L. (Alliaceae). R: 49
- alho-verde (P)**
Allium schoenoprasum L. (Alliaceae). R: 49
- alindili (U)**
Canarium schweinfurthii Engl. (Burseraceae).
 R: 3
- almeidina (P)**
Euphorbia carunculifera L.C.Leach subsp.
carunculifera (Euphorbiaceae). R: Mendes 1375
- almeidinha (P)**
Euphorbia tirucalli L. (Euphorbiaceae). R: 49
 [*Euphorbia rhipsaloides* Lem.]
- aloe-fedorenta (P)**
Furcraea foetida (L.) Haw. (Agavaceae). R: 49
 [*Furcraea gigantea* Vent.]
- alota-emutu (U)**
Vigna unguiculata (L.) Walp. subsp. *dekindtiana*
 (Harms) Verdc. (Fabaceae). R: 3 [*Vigna huillensis*
 Welw. ex Baker]
- alota-kakunde (U)**
Vigna antunesii Harms (Fabaceae). R: 3 [*Vigna*
hundtii Rossberg]
- alpista (P)**
Phalaris canariensis L. (Poaceae). R: 49
- alquequenje-amarelo (P)**
Physalis angulata L. (Solanaceae). R: 49
- aluhelele-linene (U)**
Indigofera antunesiana Harms (Fabaceae). R: 3
- aluhengô (fruit) (U)**
Anisophyllea boehmii Engl. (Anisophylleaceae).
 R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
- aluhulyungu (U)**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae).
 R: 3
- aluku (U)**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 3
- alulu (U)**
Biophytum jessenii R.Knuth (Oxalidaceae). R: 3
- alumbala (U)**
Combretum platypetalum Welw. ex M.A.Lawson
 subsp. *baumii* (Engl. & Gilg) Exell
- (Combretaceae). R: 3
- alumbalala (U)**
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 3
- alumbalu (U)**
Combretum platypetalum Welw. ex M.A.Lawson
 subsp. *baumii* (Engl. & Gilg) Exell
 (Combretaceae). R: 3
- alumbombola (U)**
Melia azedarach L. (Meliaceae). R: 3
- alumbombolo (U)**
Melia azedarach L. (Meliaceae). R: 3
- alumbumbu (U)**
Vangueria sp. (Rubiaceae). R: 3
- alumbungu (U)**
Oxytenanthera abyssinica (A.Rich.) Munro
 (Poaceae). R: 3
- alumeke (U)**
Ximenia americana L. (Olacaceae). R: 3
- alunamba (U)**
Dicliptera sp. (Acanthaceae). R: 3
- alundawu (U)**
Cyperus articulatus L. (Cyperaceae). R: 3
- alundungu**
Capsicum frutescens L. (Solanaceae). R: 3
- alungengete (U)**
Sclerocroton oblongifolius (Müll.Arg.) Kruijt &
 Roebers (Euphorbiaceae). R: 3 [*Sapium*
oblongifolium (Müll.Arg.) Pax]
- alungongwila (fruit) (U)**
Lannea sp. (Anacardiaceae). R: 3
- alungupa (U)**
Arachis hypogaea L. (Fabaceae). R: 3
- alungwengwe (U)**
Agave sisalana Perrine (Agavaceae). R: 3
- alusaka-kolondjila (U)**
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 3
- alusombo (fruit) (U)**
Syzygium guineense (Willd.) DC. (Myrtaceae).
 R: 3
- aluswa (U)**
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
 R: 3
- aluvili (U)**
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
 (Ericaceae). R: 3 [*Philippia benguelensis* (Welw.
 ex Engl.) Britten]
- aluvonga (U)**
Aeschynomene angolense Rossberg (Fabaceae).
 R: 3
- Chamaecrista mimosoides* (L.) Greene (Fabaceae).
 R: 3 [*Cassia mimosoides* L.]
- aluwawa (U)**
Stomatianthes africanus (Oliv. & Hiern) R.M.King
 & H.Rob. (Asteraceae). R: 3 [*Eupatorium*
africanum Oliv. & Hiern]
- alwavava (U)**
Cassytha filiformis L. (Lauraceae). R: 3

-
- amangalala** (U)
Pandanus sp. (Pandanaceae). R: 3
- amaranto-branco** (P)
Celosia argentea L. (Amaranthaceae). R: 49
- amargoseira** (P)
Melia azedarach L. (Meliaceae). R: 49, 3
- amargoseira-dubia** (P)
Melia azedarach L. (Meliaceae). R: 50 [*Melia dubia* Cav.]
- amatya** (U)
Lycopersicon esculentum Mill. (Solanaceae). R: 3
- amatya-amela** (leaf)
Lycopersicon esculentum Mill. (Solanaceae). R: 3
- ambale**
Baphia massaiensis Taub. subsp. *ovata* (Schinz)
 Brummitt var. *cornifolia* (Harms) Soladoye
 (Fabaceae). R: 62 [*Baphia massaiensis* Taub.
 subsp. *cornifolia* (Harms) Brummitt]
- ambinga** (U)
Strophanthus sp. (Apocynaceae). R: 3
- ambrósia-das-boticas** (P)
Chenopodium schraderianum Schult.
 (Chenopodiaceae). R: 49 [*Chenopodium botrys*
sensu auct. non L. (1753)]
- ameixieira** (P)
Prunus ×domestica L. (Rosaceae). R: 49 [*Prunus domestica* L. var. *cereola* L.]
- ameixieira-do-Brasil** (P)
Ximenia americana L. (Olacaceae). R: 49, 3
- ameixieira-do-Japão** (P)
Prunus salicina Lindl. (Rosaceae). R: 49
- amela-ahondyo** (leaf) (U)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- amela-hondi** (leaf)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- amela-kahondyo** (leaf)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- amendoeira** (P)
Prunus dulcis (Mill.) D.A.Webb (Rosaceae). R: 49
 [Amygdalus communis L.]
- amendoeira-da-China** (P)
Aleurites moluccana (L.) Willd. (Euphorbiaceae). R: 49 [*Aleurites triloba* J.R.Forst. & G.Forst.]
- amendoeira-da-Índia** (P)
Terminalia catappa L. (Combretaceae). R: 49,
 11, 59
- amendoeira-de-óleo-tung** (P)
Aleurites moluccana (L.) Willd. (Euphorbiaceae). R: 50 [*Aleurites triloba* J.R.Forst. & G.Forst.], 3
- amendoim** (P)
Arachis hypogaea L. (Fabaceae). R: 49, 3
- amoim** (U)
Strychnos spinosa Lam. (Strychnaceae). R: 52
- amora-do-mato** (P)
Rubus rigidus Sm. (Rosaceae). R: 49
- amoreira** (P)
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R:
- 49, 50 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.], 3
- amoreira-branca** (P)
Morus alba L. var. *multicaulis* (Perr.) Loudon
 (Moraceae). R: 49 [*Morus multicaulis* Perr.]
- amoreira-multicaule** (P)
Morus alba L. var. *multicaulis* (Perr.) Loudon
 (Moraceae). R: 50 [*Morus multicaulis* Perr.]
- amoreira-negra** (P)
Morus nigra L. (Moraceae). R: 50
- amoreira-preta** (P)
Morus nigra L. (Moraceae). R: 49
- amor-perfeito** (P)
Viola tricolor L. (Violaceae). R: 49
- amulenda**
Sterculia purpurea Exell (Sterculiaceae). R: 13
 [Ambundo]
- amumundu-kiana** (C)
Clappertonia ficiifolia Decne. (Tiliaceae). R: 50
 [Kioko]
- amwi** (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3
 [U]
Strychnos sp. (Strychnaceae). R: 3
- anafe-da-Sibéria** (P)
Melilotus albus Medik. (Fabaceae). R: 49
- anafe-menor** (P)
Melilotus indicus (L.) All. (Fabaceae). R: 49
- ananax** (P)
Ananas comosus (L.) Merr. (Bromeliaceae). R: 50
- ananazeiro** (P)
Ananas comosus (L.) Merr. (Bromeliaceae). R: 49
- añati** (U)
Cissampelos mucronata A.Rich.
 (Menispermaceae). R: 3
- anato** (P)
Bixa orellana L. (Bixaceae). R: 49
- andandua** (Kim)
Spathodea campanulata P.Beauv. (Bignoniaceae). R: 50
- andjulu** (U)
Datura stramonium L. (Solanaceae). R: 3
- anduko** (U)
Brachystegia spiciformis Benth. (Fabaceae). R: 3
- anduku** (U)
Brachystegia spiciformis Benth. (Fabaceae). R: 50, 3
- andunda** (U)
Dracaena surculosa Lindl. (Dracaenaceae). R: 50
- andundu** (Nye)
Brachystegia bakeriana Hutch. & Burtt Davy
 (Fabaceae). R: 50 [Ganguela]
- angaiava**
Psidium guajava L. (Myrtaceae). R: 59 [Bié,
 Cuanza Sul, Huambo]
- angariaria**
Garcinia mannii Oliv. (Clusiaceae). R: 3
- angoti** (U)
Cryptosepalum verdickii De Wild. (Fabaceae). R: 50

- angunda**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 2 [*Erythrina tomentosa* R.Br. ex A.Rich.]
- anileira (P)**
Indigofera suffruticosa Mill. (Fabaceae). R: 50
- anileira-asiática (P)**
Indigofera tinctoria L. (Fabaceae). R: 50
- anileiro (P)**
Indigofera hendecaphylla Jacq. (Fabaceae). R: 49
 [*Indigofera endecaphylla* Jacq.]
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3
 [*Indigofera hendecaphylla* Jacq. in syn. of
Indigofera spicata Forssk.]
Indigofera suffruticosa Mill. (Fabaceae). R: 49
Indigofera tinctoria L. (Fabaceae). R: 49
- aninka (U)**
Helichrysum stenopterum DC. (Asteraceae). R: 3
 [*Helichrysum hochstetteri* (Sch.Bip.) Hook.f.]
- anjumba (U)**
Philenoptera pallescens (Welw. ex Baker) Schrire (Fabaceae). R: 50 [*Lonchocarpus pallescens* Welw. ex Baker]
- anjungi (U)**
Faurea discolor Welw. (Proteaceae). R: 50
- ansellia-do-Maiombe (P)**
Ansellia africana Lindl. (Orchidaceae). R: 50
 [*Ansellia nilotica* N.E.Br.]
- an'sula**
Schizocolea linderi (Hutch. & Dalziel) Bremek. (Rubiaceae). R: 47
- antinum (Nye)**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
 [*Euclea lanceolata* E.Mey. ex A.DC., Ganguela]
- anululu**
Solanum incanum L. (Solanaceae). R: 59
 [Benguela – Bocoio]
- anundu (U)**
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [*Berlinia baumii* Harms], 3
 [*Julbernardia baumii* (Harms) Troupin]
- anzilu (Kik)**
Solanum anomalum Thonn. (Solanaceae). R: 50
- apakati (U)**
Persea americana Mill. (Lauraceae). R: 3 [*Persea gratissima* Gaertn.]
- apangwe (U)**
Cannabis sativa L. (Cannabaceae). R: 3
- apolem (U)**
Strychnos cocculoides Baker (Strychnaceae). R: 52
- apumbisa-muku (U)**
Holostylon robustum (Hiern) G.Taylor (Lamiaceae). R: 3
- apumu-epungu (fruit)**
Zea mays L. (Poaceae). R: 3
- apungu (U)**
Zea mays L. (Poaceae). R: 3
- apungu-osovo (seedling) (U)**
Zea mays L. (Poaceae). R: 3
- apusu (U)**
Aristida junciformis Trin. & Rupr. subsp. *welwitschii* (Rendle) Melderis (Poaceae). R: 3
- apusu-ov'eña**
Aristida junciformis Trin. & Rupr. subsp. *welwitschii* (Rendle) Melderis (Poaceae). R: 3
- araçá (P)**
Psidium guineense Sw. (Myrtaceae). R: 49
 [*Psidium cattleyanum* sensu auct. non Sabine (1821)], 50
- araçá (fruit) (P)**
Psidium guineense Sw. (Myrtaceae). R: 1
- araçaseiro (P)**
Psidium guineense Sw. (Myrtaceae). R: 49
 [*Psidium cattleyanum* sensu auct. non Sabine (1821)]
- aralia (P)**
Polyscias guilfoylei (Bull.) Bailey var. *laciniata* Bailey (Araliaceae). R: 49
- araruta (P)**
Maranta arundinacea L. (Marantaceae). R: 49, 50
- arbusto-de-cajetup (P)**
Melaleuca quinquenervia (Cav.) S.T.Blake (Myrtaceae). R: 49 [*Melaleuca leucadendron* (L.) L.]
- aredima-quissupa**
Cincinnobotrys acaulis (Cogn.) Gilg (Melastomataceae). R: 41 [*Amphiblemma acaule* Cogn.]
- arghan (P)**
Aechmea magdalena (André) André ex Baker (Bromeliaceae). R: 49 [*Bromelia magdalena* (André) C.H.Wright]
- arnato (P)**
Bixa orellana L. (Bixaceae). R: 49
- arroz (P)**
Oryza sativa L. (Poaceae). R: 49
- arroz-bravo (P)**
Oryza barthii A.Chev. (Poaceae). R: 49, 50
 [*Oryza staphii* Roschew.]
- arroz-do-Perú (P)**
Chenopodium quinoa Willd. (Chenopodiaceae). R: 49
- arrudão (P)**
Ruta montana L. (Rutaceae). R: 49
- árvore-celeste (P)**
Ailanthus excelsa Roxb. (Simaroubaceae). R: 49
- árvore-coral (P)**
Jatropha multifida L. (Euphorbiaceae). R: 49
- árvore-da-borracha-do-Golfo-da-Guiné (P)**
Funtumia elastica (Preuss) Stapf (Apocynaceae). R: 49
- árvore-da-fortuna (P)**
Polyscias guilfoylei (Bull.) Bailey var. *laciniata* Bailey (Araliaceae). R: 49
- árvore-das-mesquitas (P)**
Prosopis juliflora (Sw.) DC. (Fabaceae). R: 49
- árvore-da-vida (P)**
Platycladus orientalis (L.) Franco (Cupressaceae). R: 49 [*Thuja orientalis* L.]

- árvore-de-chuva (P)**
Samanea saman (Jacq.) Merr. (Fabaceae). R: 49
 [*Pithecellobium saman* (Jacq.) Benth.]
- árvore-de-pão (P)**
Artocarpus altilis (Parkinson) Fosberg
 (Moraceae). R: 49 [*Artocarpus incisa* L.f.]
- árvore-do-diabo (P)**
Hura crepitans L. (Euphorbiaceae). R: 49
- árvore-dos-pagodes (P)**
Styphnolobium japonicum (L.) Schott (Fabaceae). R: 49 [*Sophora japonica* L.]
- árvore-do-tomate (P)**
Cyphomandra betacea (Cav.) Sendtn.
 (Solanaceae). R: 58
- árvore-do-viajante (P)**
Ravenala madagascariensis Sonn. (Strelitziaceae). R: 49
- asangala (U)**
Rhus wellmanii Engl. (Anacardiaceae). R: 3
- asangalala (U)**
Rhus wellmanii Engl. (Anacardiaceae). R: 50
Leptactina benguellensis (Welw. ex Benth. & Hook.f.) R.D.Good (Rubiaceae). R: 52
- asangalala (fruit) (U)**
Rhus wellmanii Engl. (Anacardiaceae). R: 3
- asango (U)**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Stapf & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Stapf & C.E.Hubb.]
- asangu (U)**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Stapf & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Stapf & C.E.Hubb.]
- asenge (U)**
Xerophyta sp. (Velloziaceae). R: 3
- asengwe (U)**
Xerophyta capillaris Baker (Velloziaceae). R: 3
- asisa (U)**
Aframomum laurentii (De Wild. & T.Durand)
 K.Schum. (Zingiberaceae). R: 3
- asonhwa**
Cucumis anguria L. (Cucurbitaceae). R: 3
- asonsa**
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 3
- asoñwa (U)**
Cucumis anguria L. (Cucurbitaceae). R: 3
- asonyua**
Cucumis anguria L. (Cucurbitaceae). R: 3
Cucumis anguria L. ? (Cucurbitaceae). R: 50
 [*Cucumis ficifolius* sensu auct. non A.Rich. (1847); U]
- asosa (U)**
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 50 [*Solanum albifolium* C.H.Wright]
- asosa (fruit) (U)**
Solanum aculeastrum Dunal var. *albifolium*
- (C.H.Wright) Bitter (Solanaceae). R: 3
- assangala**
Rhus wellmanii Engl. (Anacardiaceae). R: 3
- atamba (U)**
Grewia sp. (Tiliaceae). R: 3
- atanga (U)**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 3
- ateira (P)**
Annona reticulata L. (Annonaceae). R: 49
Annona squamosa L. (Annonaceae). R: 49
- atende-mupa (fruit) (U)**
Strychnos sp. (Strychnaceae). R: 3
- atendende (U)**
Vigna platyloba Welw. ex Hiern (Fabaceae). R: 3
- atesu (U)**
Gossypium herbaceum L (Malvaceae). R: 3
- atete (U)**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 50 [*Eugenia angolensis* Engl.], 3
- atokdo-a-kandimba (U)**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 50 [*Maba fragrans* Hiern ex Greves], 3
- atondo-akandimba (U)**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 3
- atondokandimba**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 3
- atumba-ndjali (U)**
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3
 [*Indigofera hendecaphylla* Jacq. in syn. of *Indigofera spicata* Forssk.]
- atundo**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 3
- atundu**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 3
- atundua**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 3
- atundwa (U)**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 3
- atutulo-atito**
Helichrysum nudifolium (L.) Less. (Asteraceae). R: 3
- atyambulu (U)**
Chenopodium ambrosioides L. (Chenopodiaceae). R: 3
Phragmanthera glaucocarpa (Peyr.) Balle (Loranthaceae). R: 3
- austrália (P)**
Acacia melanoxylon R.Br. (Fabaceae). R: 49
- aveia (P)**
Avena sativa L. (Poaceae). R: 49
- aveinha (P)**
Avena brevis Roth (Poaceae). R: 50 [*Avena brevis* Roth var. *uniflora* Drouet]

aveleira (P)
Corylus avellana L. (Betulaceae). R: 49

avimbili
Canarium schweinfurthii Engl. (Burseraceae). R: 3

avulu (U)
Cymbopogon densiflorus (Steud.) Stapf (Poaceae). R: 3
Hyparrhenia variabilis Stapf (Poaceae). R: 3

awangulungu (U)
Cryptolepis oblongifolia (Meisn.) Schltr. (Apocynaceae). R: 3 [*Cryptolepis welwitschii* Schltr.]

ayendje
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 3 [*Cassia kirkii* Oliv.]

ayolo (U)
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 3

ayolo (fruit) (U)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 3

ayolo-ayolo (U)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 50 [*Annona nana* Exell var. *oblonga* Robyns & Ghesq.]

ayukula (U)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3

ayumbi (U)
Mucuna stans Welw. ex Baker (Fabaceae). R: 3

azeda (P)
Hibiscus acetosella Welw. ex Hiern (Malvaceae). R: 50

azendas (P)
Hibiscus sabdariffa L. (Malvaceae). R: 49

azendas-bravas (P)
Oxygonum acetosella Welw. (Polygonaceae). R: 49, 50

azedinha-brava (P)
Rumex abyssinicus Jacq. (Polygonaceae). R: 49

B

baba (Kim)
Khaya anthotheca (Welw.) C.DC. (Meliaceae). R: 3

baba-ngombe (Kim)
Tricholaena monachne (Trin.) Stapf & C.E.Hubb. (Poaceae). R: 50 [*Tricholaena delicatula* Stapf & C.E.Hubb.]

babassú (P)
Attalea speciosa Mart. ex Spreng. (Arecaceae). R: 49 [*Orbignya speciosa* (Mart. ex Spreng.) Barb.Rodr. var. *martiana* Barb.Rodr.]

bacurubú (P)
Schizolobium parahybum (Vell.) Blake (Fabaceae). R: 49 [*Schizolobium excelsum* Vogel]

bafurreira (P)
Ricinus communis L. (Euphorbiaceae). R: 50

bago-de-arroz (P)
Pilea microphylla (L.) Liebm. (Urticaceae). R: 49 [*Pilea muscosa* Lindl.]
Pilea serpyllifolia (Poir.) Wedd. (Urticaceae). R: 49

balanzalala (Kik)
Dioscorea dumetorum (Kunth) Pax (Dioscoreaceae). R: 49, 50

balata (P)
Manilkara bidentata (A.DC.) A.Chev. (Sapotaceae). R: 49 [*Mimusops balata* (Aubl.) C.F.Gaertn.]

balsamina-de-purga (P)
Momordica balsamina L. (Cucurbitaceae). R: 49

balsamina-longa (P)
Momordica charantia L. (Cucurbitaceae). R: 50, 3

bamba (Kik)
Croton mubango Müll.Arg. (Euphorbiaceae). R: 50

bambambala (Nya)
Philenoptera nelsii (Schinz) Schrire (Fabaceae). R: 50 [*Lonchocarpus nelsii* (Schinz) Heering & A.T.Grimme; Lunyaneka]

bambarra (P)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 49 [*Voandzeia subterranea* (L.) DC.]

bambu
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3

bambú-africano (P)
Oxytenanthera abyssinica (A.Rich.) Munro (Poaceae). R: 2

bambú-dos-Himalaias (P)
Thamnochalamus falconeri Munro (Poaceae). R: 49 [*Arundinaria falconeri* (Munro) Benth. & Hook.f.]

bambú-estreito (P)
Bambusa bambos (L.) Voss (Poaceae). R: 49 [*Bambusa arundinacea* (Retz.) Willd.]

bambú-estriado (P)
Phyllostachys castillonis Hort. ex Mitford (Poaceae). R: 49

bambú-indígena (P)
Oxytenanthera abyssinica (A.Rich.) Munro (Poaceae). R: 49

bambú-japonês (P)
Phyllostachys viridis (Rob.A.Young) McClure (Poaceae). R: 49 [*Phyllostachys mitis* (Lour.) Rivière & C. Rivière]

bambú-quadrangular (P)
Chimonobambusa quadrangularis (Franceschi) Makino (Poaceae). R: 49 [*Bambusa quadrangularis* Franceschi]

bambú-verde (P)
Dendrocalamus longispathus (Kurz) Kurz (Poaceae). R: 49

bambú-vulgar (P)
Bambusa vulgaris Schrad. ex J.C.Wendl. (Poaceae). R: 49

banana (P)
Musa ×paradisiaca L. (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]

- banana-anã** (P)
Unknown (Musaceae). R: 49 [*Musa nana* Lour.; unplaced name]
- banana-Congo** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- banana-damasco** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- banana-de-sobre Mesa** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- banana-gros-michel** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- banana-maçã** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- banana-macaco** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- banana-pão** (P)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* var. *paradisiaca* L.], 50, 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- banana-prata** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- bananeira** (P)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- bananeira-anã** (P)
Unknown (Musaceae). R: 50 [*Musa nana* Lour.; unplaced name]
- bananeira-brava** (P)
Ensete ventricosum (Welw.) Cheesman (Musaceae). R: 49 [*Musa ventricosa* Welw.]
- bananeira-camburi** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- bananeira-ouro** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- bananeira-roxa** (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.], 50 [*Musa paradisiaca* L. var. *sanguinea* (Welw. ex Baker) K.Schum.]
- bango**
Aidia micrantha (K.Schum.) Bullock ex F.White var. *zenkeri* (S.Moore) E.M.A.Petit (Rubiaceae). R: 46
- bangongo**
Amphiasma benguellense (Hiern) Bremek. (Rubiaceae). R: 47 [Mucubal]
- banji** (Kim)
Lippia plicata Baker (Verbenaceae). R: 3 [*Lippia adoensis* Hochst. ex Schauer var. *multicaulis* Hiern]
- barba-de-barata** (P)
Caesalpinia pulcherrima (L.) Sw. (Fabaceae).
- R: 49 [from Brazil]
- barbas-de-mulemba** (roots) (P)
Ficus thonningii Blume (Moraceae). R: 57, 49
- batata-doce** (P)
Ipomoea batatas (L.) Lam. (Convolvulaceae). R: 49
- batateira** (P)
Solanum tuberosum L. (Solanaceae). R: 49
- bate-bate** (Kim)
Boerhavia diffusa L. (Nyctaginaceae). R: 50
- bau**
Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 47
- baunilha** (P)
Vanilla planifolia Jacks. ex Andrews (Orchidaceae). R: 49, 50
- baunilha-brava** (P)
Vanilla imperialis Kraenzl. (Orchidaceae). R: 50
- beija-flor** (P)
Dissotis brazzae Cogn. (Melastomataceae). R: 52
- bela** (Kim)
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae). R: 3
- bela-luísa** (P)
Aloysia citriodora Palau (Verbenaceae). R: 49 [*Lippia citriodora* (Lam.) Kunth]
- bela-sombra** (P)
Phytolacca dioica L. (Phytolaccaceae). R: 49
- beldroega** (P)
Portulaca oleracea L. (Portulacaceae). R: 49, 3
- beldroegas** (P)
Portulaca oleracea L. (Portulacaceae). R: 50
- belgata** (P)
Cymbopogon citratus (DC.) Stapf (Poaceae). R: 49, 50, 3
- benje**
Guibourtia arnoldiana (De Wild. & T.Durand) J.Léonard (Fabaceae). R: 2; M.E.F.A. 671
- beringela** (P)
Solanum melongena L. (Solanaceae). R: 49 [*Solanum insanum* L.]
- bersin** (P)
Trifolium alexandrinum L. (Fabaceae). R: 49
- bertalha** (P)
Anredera cordifolia (Ten.) Steenis (Basellaceae). R: 49 [*Boussingaultia baselloides* sensu auct. non Kunth (1825); from Brazil?]
- beta** (Kik)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.], 50
- betata** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49
- beterraba** (P)
Beta vulgaris L. (Chenopodiaceae). R: 49
- bimba**
Aeschynomene elaphroxylon (Guill. & Perr.) Taub. (Fabaceae). R: 57, 59 [Bengo, Cuanza Sul, Benguela, Namibe]

- bimono**
Ricinus communis L. (Euphorbiaceae). R: 59
 [Huíla – Oncócuia]
- binda**
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 49 [*Lagenaria vulgaris* Ser.],
 45
- bisonha**
Dioscorea dumetorum (Kunth) Pax
 (Dioscoreaceae). R: 49
- bisonia** (Kik)
Dioscorea dumetorum (Kunth) Pax
 (Dioscoreaceae). R: 50
- bissele**
Dissotis multiflora (Sm.) Triana
 (Melastomataceae). R: 41
- boas-noites** (P)
Mirabilis jalapa L. (Nyctaginaceae). R: 49
- boa-tarde** (P)
Oenothera tetraptera Cav. (Onagraceae). R: 49,
 42
- bocas-de-lobo** (P)
Antirrhinum majus L. (Scrophulariaceae). R: 49
- boleko**
Ongokea gore (Hua) Pierre (Olacaceae). R: 50
 [from DRC]
- bolsa-de-pastor** (P)
Capsella bursapastoris (L.) Medik.
 (Brassicaceae). R: 49
- bombardeira** (P)
Calotropis procera (Aiton) W.T.Aiton
 (Apocynaceae). R: 49
- bombolo**
Melia azedarach L. (Meliaceae). R: 24, 57 [*Melia bombolo* Welw.], 2[*Melia bombolo* Welw.]
- bombonaje** (P)
Carludovica palmata Ruiz & Pav.
 (Cyclanthaceae). R: 49 [from Brazil]
- bombonassa** (P)
Carludovica palmata Ruiz & Pav.
 (Cyclanthaceae). R: 49 [from Brazil]
- bondi**
Crotalaria bondii Baker f. ex Torre (Fabaceae).
 R: 61
- bondo-ia-mulende**
Sterculia purpurea Exell (Sterculiaceae). R: 49
 [Cuanza Sul, Cuanza Norte]
Sterculia tragacantha Lindl. (Sterculiaceae). R: 2
- bons-dias** (P)
Ipomoea purpurea (L.) Roth (Convolvulaceae).
 R: 49
- borla** (P)
Dombeya burgessiae Gerrard ex Harv.
 (Sterculiaceae). R: 49 [*Dombeya sparmanniooides*
 (Hiern) K.Schum.]
- borracha-da-trepadeira-das-Ganguelas** (P)
Landolphia camptoloba (K.Schum.) Pichon
 (Apocynaceae). R: 49 [*Carpodinus gracilis* Stapf]
- borracha-de-chana** (P)
Landolphia thollonii Dewèvre (Apocynaceae).
- R: 49 [*Landolphia chylorrhiza* (K.Schum.) Stapf]
- borracha-do-leste-de-Luanda** (P)
Landolphia owariensis P.Beauv. (Apocynaceae).
 R: 49
- borragem** (P)
Borago officinalis L. (Boraginaceae). R: 49
- borututu**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 59 [Zaire, Bengo, Cuanza
 Norte, Huíla], 52 [P]
- bossango**
Costus lucanusianus J.Braun & K.Schum.
 (Costaceae). R: 49
- boto**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- bracatinga** (P)
Mimosa scabrella Benth. (Fabaceae). R: 49
 [*Mimosa bracaatinga* Hoehne]
- brincos-de-princesa** (P)
Fuchsia ×hybrida Hort. ex Siebert & Voss
 (Onagraceae). R: 49 [*Fuchsia speciosa* Hort. ex
 Bailey]
- brócolos** (P)
Brassica oleracea L. var. *botrytis* DC.
 (Brassicaceae). R: 49 [*Brassica oleracea* L. var.
botrytis DC.]
- brututo**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 2
- brututu**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 59 [Cuanza Sul], 52 [U]
- buabua**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Dembos]
- buadili**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 55
- bugalho** (P)
Prangos trifida (Mill.) Herrnst. & Heyn
 (Apiaceae). R: 49 [*Cachrys laevigata* Lam., nom.
 illeg.], 8 [*Cachrys trifida* Mill.]
- buhí** (Kik)
Marantochloa cuspidata (Roscoe) Milne-Redh.
 (Marantaceae). R: 50 [*Marantochloa flexuosa*
 (Benth.) Hutch.]
- bula-panza**
Pentaclethra macrophylla Benth. (Fabaceae).
 R: 49 [Congo]
- bulungu**
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- bumba-riachole**
Trochomeria macrocarpa (Sond.) Hook.f. subsp.
vitifolia R.Fern. & A.Fern. (Cucurbitaceae). R: 45
- bumbo-ngongo**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
 (Sond.) Kokwaro (Anacardiaceae). R: 58
 [*Sclerocarya birrea* (A.Rich.) Hochst.;
 Moçâmedes]

- bungo-bungo**
Anisophyllea quangensis Engl. ex Henriq.
 (Anisophylleaceae). R: 56 [*Anisophyllea fruticulosa* Engl. & Gilg]
- bungu** (Kim)
Erythrina abyssinica Lam. ex DC. (Fabaceae).
 R: 3
- bungululo**
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 3
- bungurulu**
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 58 [South]
- bunlo**
Andropogon gayanus Kunth (Poaceae). R: 2
- burbiaca** (P)
Datura metel L. (Solanaceae). R: 49 [*Datura fastuosa* L.], 49, 3
- burmubulo**
Momordica foetida Schumach. (Cucurbitaceae).
 R: 45
- burungu**
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- burututo**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 3
- bussepundi**
Balanites wilsoniana Dawe & Sprague var.
mayumbensis (Exell) Sands (Balanitaceae). R: 2
 [*Balanites mayumbensis* Exell]
- buti**
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
- butua**
Tiliacora chrysobotrya Welw. ex Ficalho
 (Menispermaceae). R: 57, 3
- buxo-da-China** (P)
Murraya paniculata (L.) Jack (Rutaceae). R: 49
 [*Chalcas exotica* (L.) Millsp.]
- buxo-indígena** (P)
Buxus benguellensis Gilg (Buxaceae). R: 49
 [*Buxus benguellensis* Gilg var. *hirta* Hutch.]
- buza-pundi** (Kik)
Balanites wilsoniana Dawe & Sprague var.
mayumbensis (Exell) Sands (Balanitaceae). R: 50
 [*Balanites mayumbensis* Exell]
- C**
- cabaça** (P)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 49, 50 [*Lagenaria vulgaris* Ser.], 45, 3
- cabale-bale**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- cabela**
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
 R: 57, 3
- cabenda**
Psydrax virgata (Hiern) Bridson (Rubiaceae).
- R: 47
- cabende-caxiquelela**
Celtis philippensis Blanco (Ulmaceae). R: 2
 [*Celtis prantlii* Priemer ex Engl.]
- cabilango** (Kim)
Burkea africana Hook. (Fabaceae). R: 63
- cabolle-bolle**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 1
- cabonda**
Sterculia tragacantha Lindl. (Sterculiaceae). R: 13
 [Ambundo]
- caboya** (P)
Furcraea foetida (L.) Haw. (Agavaceae). R: 49
 [*Furcraea gigantea* Vent.]
- cabuja** (P)
Furcraea foetida (L.) Haw. (Agavaceae). R: 49
 [*Furcraea gigantea* Vent.]
- cacanti**
Maranthes glabra (Oliv.) Prance
 (Chrysobalanaceae). R: 54 [*Maranthes glabra* (Oliv.) Prance var. *gillettii* (De Wild.) Mendes]
- cacaueiro** (P)
Theobroma cacao L. (Sterculiaceae). R: 49
- cachamo**
Oldenlandia herbacea (L.) Roxb. (Rubiaceae). R:
 47 [Quilengues Musos, Quilengues Humbes]
- cachinde-candange**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 57
- cacombo** (Nya)
Tapiphllum psammophilum (S.Moore) Robyns
 (Rubiaceae). R: 47 [Quipungo]
- cacome**
Phoenix reclinata Jacq. (Arecaceae). R: 2
- cacondo**
Cynodon dactylon (L.) Pers. (Poaceae). R: 3
- cacuata** (C)
Zanthoxylum pilosiusculum (Engl.) P.G.Waterman
 (Rutaceae). R: 20 [*Fagara pilosiuscula* Engl.;
 Quioco]
- cacue**
Mimosa pigra L. (Fabaceae). R: 60
- cacula** (C)
Cyphostemma stipulaceum (Baker) Desc.
 (Vitaceae). R: 28 [*Cissus stipulacea* (Baker)
 Planch.; Quioco]
- cacunde**
Chamaecrista mimosoides (L.) Greene (Fabaceae).
 R: 63 [*Cassia mimosoides* L.; Kim]
Kohautia huillensis Bremek. (Rubiaceae). R: 47
- cacungo**
Brachystegia russelliae I.M.Johnst. (Fabaceae). R:
 Barbosa & Moreno 12255
- cacupo**
Fadogia fuchsoides Welw. ex Oliv. (Rubiaceae).
 R: 47
- caete** (P)
 Undetermined (Marantaceae). R: 49 [from Brazil]

- café-do-mato (P)**
Aidia micrantha (K.Schum.) Bullock ex F.White
 var. *zenkeri* (S.Moore) E.M.A.Petit (Rubiaceae). R: 46
- Aidia ochroleuca* (K.Schum.) E.M.A.Petit (Rubiaceae). R: 46
- Leptactina pynaertii* De Wild. (Rubiaceae). R: 46
- Tricalysia bequaertii* De Wild. (Rubiaceae). R: 46
- Tricalysia pallens* Hiern (Rubiaceae). R: 46
- café-do-mato-de-folha-larga (P)**
Chazaliella wildemaniana (T.Durand ex De Wild.) E.M.A.Petit & Verdc. (Rubiaceae). R: 46
- café-macaco (P)**
Tricalysia crepiniana De Wild. & T.Durand (Rubiaceae). R: 46
- cafequesu**
Manilkara frondosa (Hiern) H.J.Lam (Sapotaceae). R: 57 [*Mimusops frondosa* Hiern]
- cafequesu-de-monte**
Manilkara obovata (Sabine & G.Don) J.H.Hemsl. (Sapotaceae). R: 57 [*Mimusops welwitschii* Engl.]
- cafezeiro (P)**
Coffea arabica L. (Rubiaceae). R: 49
- cafezeiro-Cazengo (P)**
Coffea canephora Pierre ex A.Froehner (Rubiaceae). R: 49 [*Coffea canephora* Pierre ex A.Froehner var. *welwitschii* (Pierre ex De Wild.) A.Chev.]
- cafezeiro-da-Libéria (P)**
Coffea liberica Hiern (Rubiaceae). R: 49
- cafezeiro-maragogipe (P)**
Coffea arabica L. var. *maragogype* A.Froehner (Rubiaceae). R: 49
- cafezeiro-robusta (P)**
Coffea canephora Pierre ex A.Froehner (Rubiaceae). R: 49 [*Coffea canephora* Pierre ex A.Froehner var. *kouilouensis* Pierre]
- cafoto**
Tephrosia vogelii Hook.f. (Fabaceae). R: 61
- cahalacatchana**
Cucumis sagittatus Wawra & Peyr. (Cucurbitaceae). R: 45
- cahémbia-émhbia**
Wissadula rostrata (Schumach. & Thonn.) Hook.f. (Malvaceae). R: 57 [*Wissadula amplissima* (L.) R.E.Fr. var. *rostrata* (Schumach. & Thonn.) R.E.Fr.]
- cahenge**
Aeschynomene fluitans Peter (Fabaceae). R: 3
- caheto**
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
- caiongo**
Memecylon myrianthum Gilg (Melastomataceae). R: 41 [So]
Paropsia brazzaeana Baill. (Passifloraceae). R: 44 [Lui, So]
- caiota (P)**
Sechium edule (Jacq.) Sw. (Cucurbitaceae). R: 49
- caja-manga (P)**
Spondias dulcis Park. (Anacardiaceae). R: 49
- [Spondias cytherea Sonn.]**
- cajaseiro (P)**
Spondias mombin L. (Anacardiaceae). R: 49
- cajazeiro**
Spondias mombin L. (Anacardiaceae). R: 58
- cajiuá**
Sherbournia bignoniflora (Welw.) Hua (Rubiaceae). R: 47
- caju (fruit peduncle)**
Anacardium occidentale L. (Anacardiaceae). R: 57, 49, 30, 2
- calala**
Synsepalum cerasiferum (Welw.) T.D.Penn. (Sapotaceae). R: 2 [*Afrosersalisia cerasifera* (Welw.) Aubrév. ex Heine]
- calabaceiro (P)**
Crescentia cujete L. (Bignoniaceae). R: 49
- calabiri**
Catophractes alexandri D.Don (Bignoniaceae). R: 10
- calalandia**
Hymenostegia laxiflora (Benth.) Harms (Fabaceae). R: 57 [*Cynometra laxiflora* Benth.], 63 [Kim]
- calamate**
Cissus diffusiflora (Baker) Planch. (Vitaceae). R: 28
- calaviri**
Catophractes alexandri D.Don (Bignoniaceae). R: 10
- cal'chiche (R)**
Manotes expansa Sol. ex Planch. (Connaraceae). R: 32 [*Manotes pruinosa* Gilg; Lunda]
- calembi**
Tephrosia vogelii Hook.f. (Fabaceae). R: 2
- caliassengue**
Tephrosia vogelii Hook.f. (Fabaceae). R: Monteiro & Murta 1905
- calimboli**
Sabicea dinklagei K.Schum. (Rubiaceae). R: 47
- caliopsis (P)**
Coreopsis tinctoria Nutt. (Asteraceae). R: 49
- calôlo**
Phoenix reclinata Jacq. (Arecaceae). R: 57
- caluhia**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- calulo**
Biophytum jessenii R.Knuth (Oxalidaceae). R: 3
- calumbi**
Rubus pinnatus Willd. (Rosaceae). R: 53 [*Rubus pinnatus* Willd. subsp. *afrrotropicus* Engl.]
Rubus rigidus Sm. (Rosaceae). R: 58 [Malange]
- ca-lume (R)**
Manotes expansa Sol. ex Planch. (Connaraceae). R: 32 [*Manotes pruinosa* Gilg; Lunda]
- calungo (Kw)**
Acanthosicyos horridus Welw. ex Hook.f.

- (Cucurbitaceae). R: 45 [Curoca]
- calusange**
Commiphora africana (A.Rich.) Engl.
(Burseraceae). R: 23 [Mbundo; Kim]
Steganotaenia araliacea Hochst. (Apiaceae). R:
57 [*Peucedanum fraxinifolium* (Hochst.) Hiern]
- cambundi**
Pseudeminia sp. (Fabaceae). R: 3
- cambungu**
Landolphia camptoloba (K.Schum.) Pichon
(Apocynaceae). R: 58 [*Carpodinus gracilis* Stapf;
Moxico (Teixeira de Sousa), Cuando Cubango]
- cambungué**
Carica papaya L. (Caricaceae). R: 59 [Huambo –
Cassongue]
- camburi** (P)
Musa acuminata Colla (Musaceae). R: 50 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]
- cambuta** (P)
Unknown (Musaceae). R: 49, 50 [*Musa nana*
Lour.; unplaced name]
- camengo** (U)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
(Fabaceae). R: 63 [*Cryptosepalum arboreum*
Baker f.]
- campaína-amarela** (P)
Merremia tuberosa Rendle (Convolvulaceae). R:
49
- campeche** (P)
Haematoxylum campechianum L. (Fabaceae). R:
49
- camphire-da-bíblia** (P)
Lawsonia inermis L. (Lythraceae). R: 49
- camuanga**
Albizia adianthifolia (Schumach.) W.Wight
(Fabaceae). R: 60
- camucundja**
Pavetta lasiopeplus K.Schum. (Rubiaceae). R: 47
[Mundimba]
- camuto**
Cucurbita maxima Duchesne ex Lam.
(Cucurbitaceae). R: 3
- camuxito**
Tricalysia coriacea (Benth.) Hiern subsp. *nyassae*
(Hiern) Bridson (Rubiaceae). R: 47
- cana** (P)
Arundo donax L. (Poaceae). R: 49
- cana-da-Índia** (P)
Canna indica L. (Cannaceae). R: 49, 50
- cana-de-açúcar** (P)
Saccharum officinarum L. (Poaceae). R: 3
- canafistula** (P)
Cassia fistula L. (Fabaceae). R: 49
Cassia psilocarpa Welw. (Fabaceae). R: 50
- canamba**
Dicliptera sp. (Acanthaceae). R: 3
- canamelela**
Bidens biternata (Lour.) Merr. & Sherff
(Asteraceae). R: 3
- cana-sacarina** (P)
Saccharum officinarum L. (Poaceae). R: 49, 50, 3
- candembe-do-Congo** (P)
Myrothamnus flabellifolius Welw.
(Myrothamnaceae). R: 3
- candembe-do-rio** (P)
Myrothamnus flabellifolius Welw.
(Myrothamnaceae). R: 3
- candombe**
Tricalysia cacondensis Hiern (Rubiaceae). R: 47
- caneleira** (P)
Cinnamomum verum J.Presl (Lauraceae). R: 49,
50 [*Cinnamomum zeylanicum* Blume]
- canengu** (C)
Mukia maderaspatana (L.) M.Roem.
(Cucurbitaceae). R: 45 [Quioco]
- canforeira** (P)
Cinnamomum camphora (L.) J.Presl (Lauraceae).
R: 49, 50
- canga**
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R:
60 [U], 2
- cangoa** (C)
Hibiscus asper Hook.f. (Malvaceae). R: 12
[*Hibiscus malangensis* Baker f.; Quioco]
- cangola** (Nya)
Cucumis sagittatus Wawra & Peyr.
(Cucurbitaceae). R: 45 [Quilengues]
- canhalende**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- câhamo** (P)
Cannabis sativa L. (Cannabaceae). R: 49, 50, 3
- cânhamo-de-gambo** (P)
Hibiscus sp. (Malvaceae). R: 49
- cânhamo-sunn** (P)
Crotalaria juncea L. (Fabaceae). R: 49
- canhoca**
Albizia adianthifolia (Schumach.) W.Wight
(Fabaceae). R: 2
- caniço** (P)
Phragmites mauritianus Kunth (Poaceae). R: 49,
50, 2
- canua**
Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 45 [Mundimba]
- canvonvu** (C)
Triumfetta dekindtiana Engl. (Tiliaceae). R: 14
[Quioco]
- ca-n'zula**
Schizocolea linderi (Hutch. & Dalziel) Bremek.
(Rubiaceae). R: 47
- capanga**
Dialium englerianum Henriq. (Fabaceae). R: 59
[Lunda Norte – Dundo, Dala]
- capano**
Datura stramonium L. (Solanaceae). R: 3
- capilangolo**
Burkea africana Hook. (Fabaceae). R: 3
- capim-azevem** (P)
Lolium perenne L. (Poaceae). R: 49

- capim-buffalo-grass (P)**
Setaria megaphylla (Steud.) T.Durand & Schinz
(Poaceae). R: 49
- capim-bunheiro (P)**
Paspalum urvillei Steud. (Poaceae). R: 49
- capim-coracana (P)**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 49, 3
- capim-da-Guiné (P)**
Panicum maximum Jacq. (Poaceae). R: 50 [from Brazil]
- capim-de-boma (P)**
Chrysopogon zizanioides (L.) Roberty (Poaceae). R: 50 [*Vetiveria zizanioides* (L.) Nash]
- capim-de-cavalo (P)**
Cynodon dactylon (L.) Pers. (Poaceae). R: 49, 3
Melinis angolensis Rendle (Poaceae). R: 49
- capim-de-cavalos (P)**
Cynodon dactylon (L.) Pers. (Poaceae). R: 50
- capim-de-Santo-Agostinho (P)**
Stenotaphrum secundatum (Walter) Kuntze
(Poaceae). R: 49
- capim-do-Bengo (P)**
Echinochloa crus-pavonis (Kunth) Schult.
(Poaceae). R: 49, 50
- capim-do-Pará (P)**
Brachiaria mutica (Forssk.) Stapf (Poaceae). R: 49
- capim-elefante (P)**
Pennisetum purpureum Schumach. (Poaceae). R: 49, 2
- capim-erva-tapete (P)**
Axonopus compressus (Sw.) Beauv. (Poaceae). R: 49
- capim-evulu (P)**
Hyparrhenia variabilis Stapf (Poaceae). R: 49
[*Hyparrhenia spectabilis* Stapf]
- capim-favorita (P)**
Melinis repens (Willd.) Zizka (Poaceae). R: 49
[*Rhynchelytrum repens* (Willd.) C.E.Hubb.]
- capim-favorito (P)**
Melinis repens (Willd.) Zizka (Poaceae). R: 50, 3
[*Rhynchelytrum repens* (Willd.) C.E.Hubb.]
- capim-gordo (P)**
Paspalum conjugatum P.J.Bergius (Poaceae). R: 49
- capim-gordura (P)**
Melinis minutiflora P.Beauv. (Poaceae). R: 49
[*Melinis minutiflora* P.Beauv. forma *inermis* Stapf & C.E.Hubb.; this forma was not found in the literature], 2
- capim-grama (P)**
Axonopus compressus (Sw.) Beauv. (Poaceae). R: 49, 50
Cynodon dactylon (L.) Pers. (Poaceae). R: 49
- capim-grama-da-Guiné (P)**
Paspalum paniculatum L. (Poaceae). R: 49
- capim-Guiné (P)**
Panicum maximum Jacq. (Poaceae). R: 49
- capim-kikuyu (P)**
Kikuyuochloa clandestina (Hochst. ex Chiov.) H.Scholz (Poaceae). R: 49 [*Pennisetum clandestinum* Hochst. ex Chiov.]
- capim-lágrima-de-Nossa-Senhora (P)**
Coix lacryma-jobi L. (Poaceae). R: 49
- capim-luhele (P)**
Pennisetum polystachion (L.) Schult. (Poaceae). R: 49
- capim-melado (P)**
Melinis minutiflora P.Beauv. (Poaceae). R: 50
[from Brazil]
- capim-ocinde (P)**
Brachiaria brizantha (A.Rich.) Stapf (Poaceae). R: 49
- capim-osoke (P)**
Heteropogon contortus (L.) Roem. & Schult. (Poaceae). R: 49
- capim-pasto-miel (P)**
Paspalum dilatatum Poir. (Poaceae). R: 49
- capim-pé-de-galinha (P)**
Eleusine indica (L.) Gaertn. (Poaceae). R: 49
- capim-rabo-de-gato (P)**
Phleum pratense L. (Poaceae). R: 49
- capim-Rhodes (P)**
Chloris gayana Kunth (Poaceae). R: 49
- capim-teff (P)**
Eragrostis tef (Zuccagni) Trotter (Poaceae). R: 49
[*Eragrostis abyssinica* (Jacq.) Link]
- capim-teocinte (P)**
Zea mays L. subsp. *mexicana* (Schrad.) H.H.Iltis (Poaceae). R: 49 [*Euchlaena mexicana* Schrad.]
- capim-timóteo (P)**
Phleum pratense L. (Poaceae). R: 49
- capim-tuvumba-das-canárias (P)**
Phalaris aquatica L. (Poaceae). R: 49 [*Phalaris tuberosa* L.]
- capim-vetiver (P)**
Chrysopogon zizanioides (L.) Roberty (Poaceae). R: 49, 50 [*Vetiveria zizanioides* (L.) Nash]
- capirangau**
Burkea africana Hook. (Fabaceae). R: 2
- capita**
Cuviera longiflora Hiern (Rubiaceae). R: 46
- capoque (U)**
Afzelia bipindensis Harms (Fabaceae). R: 63
- capota**
Dialium englerianum Henriq. (Fabaceae). R: 63
[Malange], 59 [Malange – Rio Camossaio]
- capulin**
Prunus salicifolia Kunth (Rosaceae). R: 49
[*Prunus capuli* Spreng.]
- cará (P)**
Dioscorea alata L. (Dioscoreaceae). R: 49 [from Brazil]
Dioscorea bulbifera L. (Dioscoreaceae). R: 49, 50
[from Brazil]
Ipomoea batatas (L.) Lam. (Convolvulaceae). R: 49
- cará-de-inhame (P)**
Dioscorea alata L. (Dioscoreaceae). R: 49, 50
[from Brazil]

- cará-de-S.Tomé (P)**
Dioscorea bulbifera L. (Dioscoreaceae). R: 49, 50
 [from Brazil]
- cará-de-sapateiro (P)**
Dioscorea bulbifera L. (Dioscoreaceae). R: 49, 50
 [from Brazil]
- caraguata (P)**
Cryptanthus zonatus (Vis.) Beer (Bromeliaceae). R: 49 [from Brazil]
- caraguata-acanga (P)**
Bromelia pinguin L. (Bromeliaceae). R: 49
- caramboleiro (P)**
Averrhoa carambola L. (Averrhoaceae) R: 49
- carandas (P)**
Carissa spinarum L. (Apocynaceae). R: 49
 [Carissa edulis (Forssk.) Vahl]
- carapicha-do-Mato-Grosso (P)**
Acanthospermum hispidum DC. (Asteraceae). R: 50 [from Brazil]
- cardamomo (P)**
Elettaria cardamomum Maton (Zingiberaceae). R: 49, 50 [*Elettaria repens* sensu auct. non (Sonn.) Baill. (1884)]
- cardeal (P)**
Hibiscus rosa-sinensis L. (Malvaceae). R: 49
- carqueja (P)**
Litogyne gariepina (DC.) Anderb. (Asteraceae). R: 49 [*Epaltes gariepina* (DC.) Steetz]
- carrapateira (P)**
Ricinus communis L. (Euphorbiaceae). R: 50
- carrapicho-do-Mato-Grosso (P)**
Acanthospermum hispidum DC. (Asteraceae). R: 49
- carvalho (P)**
Combretum imberbe Wawra (Combretaceae). R: 49, 50
- carvalho-roble-alvarinho (P)**
Quercus robur L. (Fagaceae). R: 49
- casação (P)**
Dalechampia scandens L. (Euphorbiaceae). R: 50
Tragia benthamii Baker (Euphorbiaceae). R: 50
- casanhungo**
Mimosa pigra L. (Fabaceae). R: 60 [Quilolo]
- casapola (C)**
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
- casca (P)**
Erythrophleum letestui A.Chev. (Fabaceae). R: 50
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- casca-de-Perú (P)**
Cinchona sp. (Rubiaceae). R: 49
- caseco**
Millettia sp. (Fabaceae). R: 57 [*Millettia rhodantha* Baill.]
- caseque**
Millettia sp. (Fabaceae). R: 57 [*Millettia rhodantha* Baill.]
Philenoptera pallescens (Welw. ex Baker) Schrire ? (Fabaceae). R: 57 [*Lonchocarpus pallescens* Welw. ex Baker ?]
- cassa (P)**
Erythrophleum letestui A.Chev. (Fabaceae). R: 50
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- cassabola**
- cassano**
Bulbine abyssinica A.Rich. (Asphodelaceae). R: 3
- cassapulamenbe**
Markhamia tomentosa (Benth.) K.Schum. (Bignoniaceae). R: 10
- casse-quesa**
Cnestis corniculata Lam. (Connaraceae). R: 32
 [Cnestis grandiflora Gilg]
- cassoneira (P)**
Euphorbia carunculifera L.C.Leach subsp. *carunculifera* (Euphorbiaceae). R: Mendes 1375
Euphorbia tirucalli L. (Euphorbiaceae). R: 49, 50
 [Euphorbia rhipsaloides Lem.]
- castanha-de-água (fruit) (P)**
Trapa natans L. var. *bispinosa* (Roxb.) Makino (Trapaceae). R: 50 [*Trapa bispinosa* Roxb.]
- castanha-de-caju (fruit)**
Anacardium occidentale L. (Anacardiaceae). R: 57
- castanheiro (P)**
Castanea sativa Mill. (Fagaceae). R: 49
- castanheiro-da-Guiana (P)**
Pachira aquatica Aubl. (Bombacaceae). R: 49
- ca-tanta**
Cogniauxia podolaena Baill. (Cucurbitaceae). R: 45
- catchiba (Luv)**
Baphia massaiensis Taub. subsp. *obovata* (Schinz) Brummitt var. *whitei* (Brummitt) Soladoye (Fabaceae). R: 62 [*Baphia whitei* Brummitt; Luena]
- catete-bula**
Tinnea antiscorbutica Welw. (Lamiaceae). R: 57, 3
- catulu**
Vernonia calulu Hiern (Asteraceae). R: 50, 3
- catunga-tem (R)**
Indigofera hirsuta L. (Fabaceae). R: 61 [Lunda]
- catupinaca-das-serras (P)**
Lagerstroemia speciosa (L.) Pers. (Lythraceae). R: 49
- catululu**
Solanum incanum L. (Solanaceae). R: 59 [Cunene]
- caucho (P)**
Castilla elastica Sessé ex Cerv. (Moraceae). R: 49
 [Castilloa elastica Cerv.]
- cauiauaia**
Myrsine africana L. (Myrsinaceae). R: 3
- cauia-uia**
Myrsine africana L. (Myrsinaceae). R: 3
- cauviga-wiga**
Myrsine africana L. (Myrsinaceae). R: 3
- cavalinha (P)**
Equisetum ramosissimum Desf. (Equisetaceae). R: 49

- cavassa**
Crotalaria sapinii De Wild. (Fabaceae). R: 61
- ca-vundo-vundo**
Sherbournia bignoniflora (Welw.) Hua
 (Rubiaceae). R: 47
- caxinde-ca-ndange**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 55
- cazembi** (Kim)
Acacia pentagona (Schumach.) Hook.f.
 (Fabaceae). R: 60 [*Acacia pentaptera* Welw.]
- cebola** (P)
Allium cepa L. (Alliaceae). R: 49, 3
- cedro** (U)
Cupressus lusitanica Mill. (Cupressaceae). R: 3
- cedro-de-Goa** (P)
Cupressus lusitanica Mill. (Cupressaceae). R: 49
- cedro-de-Monterey** (P)
Cupressus macrocarpa Hartw. (Cupressaceae). R: 49
- cedro-do-Arizona** (P)
Cupressus arizonica Greene (Cupressaceae). R: 49
- cedro-do-Buçaco** (P)
Cupressus lusitanica Mill. (Cupressaceae). R: 49, 3
- cedro-dos-colonos** (P)
Tamarix usneoides E.Mey. ex Bunge
 (Tamaricaceae). R: 49
- cedro-mogno** (P)
Entandrophragma sp. (Meliaceae). R: 49
- celga** (P)
Beta vulgaris L. var. *cicla* (L.) Moq.
 (Chenopodiaceae). R: 49
- cenoura** (P)
Daucus carota L. (Apiaceae). R: 49, 8
- centeio** (P)
Secale cereale L. (Poaceae). R: 49, 3
- cereal-fartura** (P)
Sorghum bicolor (L.) Moench (Poaceae). R: 49
 [*Sorghum vulgare* Pers.]
- cerejeira** (P)
Prunus avium (L.) L. (Rosaceae). R: 49
- cevada** (P)
Hordeum vulgare L. (Poaceae). R: 49
- cevadilha** (P)
Nerium oleander L. (Apocynaceae). R: 49
- chá** (P)
Camellia sinensis (L.) Kuntze (Theaceae). R: 49
 [*Thea sinensis* L.]
- chalotas** (P)
Allium cepa L. var. *aggregatum* G.Don
 (Alliaceae). R: 49 [*Allium ascalonicum* L.]
- chambanda**
Crotalaria ononoides Benth. (Fabaceae). R: 3
- chamuna**
Sabicea venosa Benth. (Rubiaceae). R: 47
- chapéu-de-Napoleão** (P)
Cascabela thevetia (L.) Lippold (Apocynaceae). R: 49 [*Thevetia neriifolia* Juss. ex Steud.]
- charuto-de-rei** (P)
Nicotiana glauca Graham (Solanaceae). R: 49
- chene-limbo**
Terminalia superba Engl. & Diels
 (Combretaceae). R: 49
- cherimolia** (P)
Annona cherimola Mill. (Annonaceae). R: 49
- chicacaia**
Gilbertiodendron ogoouense (Pellegr.) J.Léonard
 (Fabaceae). R: *Gossweiler* 7948
- chicharo** (P)
Lathyrus sativus L. (Fabaceae). R: 49
- chicharos-míudos** (P)
Lathyrus cicera L. (Fabaceae). R: 49
- chichi** (Kim)
Oncoba dentata Oliv. (Flacourtiaceae). R: 50
 [*Lindackeria dentata* Gilg]
- chicuaco**
Tarenna grandiflora (Benth.) Hiern (Rubiaceae). R: 46
- chicuala**
Stereospermum harmsianum K.Schum.
 (Bignoniaceae). R: 10
- chicuinda**
Dialium gossweileri Baker f. (Fabaceae). R: *Gossweiler* 6001
- chicuinge** (Kik)
Dialium gossweileri Baker f. (Fabaceae). R: 63
- chicungo** (C)
Brachystegia spiciformis Benth. (Fabaceae). R: 63
 [Quioco]
- chifute**
Bauhinia mendoncae Torre & Hillc. (Fabaceae). R: 2
- chifuza**
Pancovia sp. (Sapindaceae). R: 29
- chihoni** (O)
Pavetta lasiopeplus K.Schum. (Rubiaceae). R: 47
 [Cuanhama]
- chikualhe**
Pausinystalia johimbe (K.Schum.) Pierre ex Beille
 (Rubiaceae). R: 46
- chikuali**
Pausinystalia johimbe (K.Schum.) Pierre ex Beille
 (Rubiaceae). R: 46
- chikumbi-lombe**
Maranthes gabunensis (Engl.) Prance
 (Chrysobalanaceae). R: 2
- chilavi** (O)
Psydrax livida (Hiern) Bridson (Rubiaceae). R: 47
 [Cuanhama]
- chilingue** (Nya)
Fadogia cienkowskii Schweinf. var. *cienkowskii*
 (Rubiaceae). R: 47 [Olunyaneka]
- chimaco**
Tarenna grandiflora (Benth.) Hiern (Rubiaceae). R: 46
- chimbinda**
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 45

- chimbinga**
Strophanthus sp. (Apocynaceae). R: 3
- chimbondo**
Lagenaria breviflora (Benth.) Roberty
 (Cucurbitaceae). R: 45
- chindiace**
Triumfetta geoides Welw. ex Mast. (Tiliaceae).
 R: 3
- chiningueningue** (Nya)
Tricalysia cacondensis Hiern (Rubiaceae). R: 47
 [Muquipungo]
- chinombe**
Rothmannia liebrechtsiana (De Wild. &
 T.Durand) Keay (Rubiaceae). R: 46
- chiongo**
Corbicichonia decumbens (Forssk.) Exell
 (Molluginaceae). R: 48
- chipuculo**
Oxyanthus unilocularis Hiern (Rubiaceae). R: 47
- chirombo**
Senecio latifolius DC. (Asteraceae). R: 3
- chisafó**
Dacryodes pubescens (Vermoesen) H.J.Lam
 (Burseraceae). R: 23 [*Pachylobus pubescens*
 Vermoesen]
- chitantanda** (C)
Adenia cissampeloides (Planch. ex Hook.) Harms
 (Passifloraceae). R: 44 [*Adenia reticulata* (De
 Wild. & T.Durand) Engl.; Quioco]
- chixe**
Sterculia setigera Delile (Sterculiaceae). R: 57, 13
 [Ambundo]
- chochonho**
Bertiera aethiopica Hiern (Rubiaceae). R: 46
- chochono**
Bertiera aethiopica Hiern (Rubiaceae). R: 46
- chorão-gordo** (P)
Carpobrotus acinaciformis (L.) L.Bolus
 (Mesembryanthemaceae). R: 49
 [*Mesembryanthemum acinaciforme* L.]
- chorões-dos-jardins** (P)
Amaranthus caudatus L. (Amaranthaceae).
 R: 49, 50
- choupo** (P)
Populus nivea Willd. (Salicaceae). R: 49 [*Populus*
alba L. var. *nivea* Aiton]
- chuchu** (P)
Sechium edule (Jacq.) Sw. (Cucurbitaceae). R: 49
- cia**
Markhamia zanzibarica (Bojer ex DC.) K.Schum.
 (Bignoniaceae). R: 10
- ciala-ciala** (C)
Costus spectabilis (Fenzl) K.Schum. (Costaceae).
 R: 50 [Kioko]
- cidreira** (P)
Citrus medica L. (Rutaceae). R: 49
- cidreira-mão-de-Budha** (P)
Citrus medica L. (Rutaceae). R: 49 [*Citrus medica*
 L. var. *sarcodactylis* (Hoola van Nooten) Swingle]
- cielele** (C)
Ricinodendron heudelotii (Baill.) Heckel subsp.
africanum (Müll.Arg.) J.Léonard (Euphorbiaceae).
 R: 50 [*Ricinodendron africanum* Müll.Arg.;
 Kioko]
- ciengo** (U)
Brachystegia russelliae I.M.Johnst. (Fabaceae).
 R: 50
- cikanje-je-kanvula** (C)
Ouratea lundensis Cavaco ? (Ochnaceae). R: 50
 [*Ouratea* sp.; Kioko]
- cikatu**
Ozoroa benguellensis (Engl.) R.Fern.
 (Anacardiaceae). R: 50 [*Heeria benguellensis*
 Engl.; U], 3
- ciliatu**
Leptactina angolensis (Hutch.) Bullock ex
 I.Nogueira (Rubiaceae). R: 47
- cilueia** (U)
Alternanthera sessilis (L.) R.Br. ex DC.
 (Amaranthaceae). R: 50
- cipreste-amarelo** (P)
Thuja plicata Donn ex D.Don (Cupressaceae).
 R: 49
- citronela** (P)
Cymbopogon citratus (DC.) Stapf (Poaceae). R:
 49, 3
- cizirão-de-Torres** (P)
Lathyrus clymenum L. (Fabaceae). R: 49
- cóca** (P)
Erythroxylum coca Lam. (Erythroxylaceae). R: 49
- cochochi**
Lonchocarpus sericeus (Poir.) Kunth ex DC.
 (Fabaceae). R: 62
- coongo**
Afzelia pachyloba Harms (Fabaceae). R: M.E.F.A.
 485
- cocongua** (Kik)
Afzelia pachyloba Harms (Fabaceae). R: 63
- cocos** (P)
Caladium bicolor (Aiton) Vent. (Araceae). R: 49
- codeço-bastardo** (P)
Laburnum anagyroides Medik. (Fabaceae). R: 49
- coentre** (P)
Coriandrum sativum L. (Apiaceae). R: 49
- cola** (fruit)
Cola acuminata (P.Beauv.) Schott & Endl.
 (Sterculiaceae). R: 57
- coleira** (P)
Cola acuminata (P.Beauv.) Schott & Endl.
 (Sterculiaceae). R: 57, 49, 50
- coleme**
Tephrosia vogelii Hook.f. (Fabaceae). R: 61
- colombro** (P)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris*
 Ser.], 3
- coloquinta** (P)
Lagenaria breviflora (Benth.) Roberty

- (Cucurbitaceae). R: 49 [*Adenopus breviflorus* Benth.]
- coloquintida (P)**
Acanthosicyos naudinianus (Sond.) C.Jeffrey
 (Cucurbitaceae). R: 49, 50 [*Citrullus colocynthis* sensu auct. non (L.) Schrad. (1838)]
- colungumbe**
Tricholaena monachne (Trin.) Stapf & C.E.Hubb.
 (Poaceae). R: 2
- conambaia (P)**
Epiphyllum phyllanthus (L.) Haw. (Cactaceae). R: 49 [*Epiphyllum hookeri* Haw.; from Brazil]
- congo-damasco (P)**
Musa acuminata Colla (Musaceae). R: 50 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- congura**
Lannea sp. (Anacardiaceae). R: 3
- congula (Kik)**
Senna obtusifolia (L.) H.S.Irwin & Barneby
 (Fabaceae). R: 63 [*Cassia tora* sensu auct. non L. (1753)]
- conteira (P)**
Melia azedarach L. (Meliaceae). R: 49
- coqueiro (P)**
Cocos nucifera L. (Arecaceae). R: 49, 2
- coqueiro-brasileiro (P)**
Syagrus romanzoffiana (Cham.) Glassman
 (Arecaceae). R: 49 [*Cocos romanzoffiana* Cham.]
- coração-de-boi (P)**
Annona reticulata L. (Annonaceae). R: 49
- coralita (P)**
Antigonon leptopus Hook. & Arn. (Polygonaceae). R: 49
- cornichão (P)**
Lotus corniculatus L. (Fabaceae). R: 49
- cornucópia (P)**
Datura metel L. (Solanaceae). R: 49 [*Datura fastuosa* L.], 3
- cosanza**
Memecylon sp. (Melastomataceae). R: 57
 [*Memecylon polyanthemos* Hook.f.]
- cosmea (P)**
Cosmos bipinnatus Cav. (Asteraceae). R: 49
- couve (P)**
Brassica oleracea L. (Brassicaceae). R: 49
- couve-de-Bruxelas (P)**
Brassica oleracea L. var. *gemmifera* DC.
 (Brassicaceae). R: 49 [*Brassica oleracea* L. var. *gemmifera* DC.]
- couve-de-nabo (P)**
Brassica oleracea L. var. *gongylodes* L.
 (Brassicaceae). R: 49
- couve-flor (P)**
Brassica oleracea L. var. *botrytis* DC.
 (Brassicaceae). R: 49 [*Brassica oleracea* L. var. *botrytis* DC.]
- couve-galega (P)**
Brassica oleracea L. var. *acephala* (DC.) Schübeler & Martens (Brassicaceae). R: 49
- couve-lombarda (P)**
Brassica oleracea L. var. *sabauda* L.
 (Brassicaceae). R: 49
- couve-tronchuda (P)**
Brassica oleracea L. var. *sabauda* L.
 (Brassicaceae). R: 49
- cravo-da-Índia (P)**
Tagetes erecta L. (Asteraceae). R: 49
- cravo-do-mato (P)**
Erythrocephalum dianthiflorum (Welw.) O.Hoffm. (Asteraceae). R: 49
- cravos (P)**
Dianthus caryophyllus L. (Caryophyllaceae). R: 49
- crimilhongombe**
Memecylon flavovirens Baker (Melastomataceae). R: 41
- crisântemo (P)**
Chrysanthellum indicum DC. (Asteraceae). R: 49
- crisântemo-anual (P)**
Ismelia versicolor Cass. (Asteraceae). R: 49
 [*Chrysanthemum carinatum* Schousb.]
- crista-de-galo (P)**
Amaranthus tricolor L. (Amaranthaceae). R: 49
 [*Amaranthus gangeticus* L.]
Celosia argentea L. (Amaranthaceae). R: 49
 [*Celosia cristata* L.]
- croton (P)**
Codiaeum variegatum (L.) Blume ex A.Juss.
 (Euphorbiaceae). R: 49
- cuchara**
Crescentia alata Kunth (Bignoniaceae). R: 49
- cuendula**
Ammannia prieuriana Guill. & Perr. (Lythraceae). R: 36
- culacunda**
Syzygium guineense (Willd.) DC. subsp. *macrocarpum* (Engl.) F.White (Myrtaceae). R: 1
- cunacuna**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 3
- curauá (P)**
Aechmea magdalena (André) André ex Baker (Bromeliaceae). R: 49 [*Bromelia magdalena* (André) C.H.Wright]
- cututu**
Dombeya rotundifolia (Hochst.) Planch. (Sterculiaceae). R: 13 [*Dombeya cuanensis* (Hiern) Welw. ex K.Schum.]

D

- dai**
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 47
Schumanniphytum magnificum (K.Schum.) Harms var. *magnificum* (Rubiaceae). R: 47
- dalias (P)**
Dahlia ×pinnata Cav. (Asteraceae). R: 49 [*Dahlia*

- rosea* Cav.]
- damasqueiro** (P)
Prunus armeniaca L. (Rosaceae). R: 49
- dambedembi**
Brachystegia russelliae I.M.Johnst. (Fabaceae). R:
Teixeira 10935
- dau**
Markhamia tomentosa (Benth.) K.Schum.
(Bignoniaceae). R: 10
- dekolambunda**
Petersianthus macrocarpus (P.Beauv.) Liben
(Lecythidaceae). R: 49 [*Combretodendron*
africanum Exell; Cazengo], 50 [*Combretodendron*
africanum Exell; Kim]
- demba**
Calanda rubricaulis K.Schum. var. *rubricaulis*
(Rubiaceae). R: 47
- dembi**
Dissotis castroi A.Fern. & R.Fern.
(Melastomataceae). R: 41
- dembo**
Calanda rubricaulis K.Schum. var. *rubricaulis*
(Rubiaceae). R: 47
- dende-guma** (Kim)
Anchomanes difformis (Blume) Engl. (Araceae).
R: 50 [*Anchomanes dubius* Schott]
- dendem**
Elaeis guineensis Jacq. (Arecaceae). R: 57
- dendendlamo** (B)
Sterculia quinqueloba (Garcke) K.Schum.
(Sterculiaceae). R: 13 [Libolo]
- dendo**
Diospyros dendo Welw. ex Hiern (Ebenaceae).
R: 57
- dendu-grande** (P)
Diospyros dendo Welw. ex Hiern (Ebenaceae).
R: 50
- denga**
Melia azedarach L. (Meliaceae). R: 49 [*Melia*
dubia Cav.; Cuanza Sul], 24, 2 [*Melia bombo*
Welw.]
- dexima**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- diai** (C)
Senna occidentalis (L.) Link (Fabaceae). R: 50
[*Cassia occidentalis* L.; Kioko]
- diaia** (C)
Senna occidentalis (L.) Link (Fabaceae). R: 63
[*Cassia occidentalis* L.; Quioco]
- diamba** (P)
Cannabis sativa L. (Cannabaceae). R: 57 [P], 49
[P], 50 [Kim]
- diambua-muana**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- dianza**
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 50
[Kim], 3
Albizia gummifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 49 [Cazengo]
- dianza** (Kik)
Albizia gummifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50
- dianze**
Albizia adianthifolia (Schumach.) W.Wight
(Fabaceae). R: 60
- diba** (sing.) (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- dibala** (Kim)
Macaranga angolensis (Müll.Arg.) Müll.Arg.
(Euphorbiaceae). R: 50
Macaranga schweinfurthii Pax (Euphorbiaceae).
R: 50 [*Macaranga rosea* Pax]
- diba-malau** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- diba-matundaba** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- dibinde** (Kik)
Croton brieysi De Wild. (Euphorbiaceae). R: 50
- dibixi** (Kim)
Oncoba dentata Oliv. (Flacourtiaceae). R: 50
[*Lindackeria dentata* Gilg]
- diboke** (sing.) (Kim)
Strychnos spinosa Lam. (Strychnaceae). R: 50
- dibile** (Nye)
Strychnos cocculoides Baker (Strychnaceae). R:
50 [*Strychnos schumanniana* Gilg; Ganguela]
- diboto** (C)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
(Apocynaceae). R: 50 [*Diplorhynchus angolensis*
Büttner; Kioko]
- dibu** (Kik)
Cyperus papyrus L. (Cyperaceae). R: 50
- dibula** (Kim)
Bidens grandis Sherff (Asteraceae). R: 50
- die** (sing.) (Kim)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- die-dia-kalunga** (Kim)
Dracaena parviflora Baker (Dracaenaceae). R: 50
- dihoa** (Kik)
Tabernanthe iboga Baill. (Apocynaceae). R: 50
[*Tabernanthe subsessilis* Stapf]
- dihongo-dia-kambudi** (Kik)
Musa acuminata Colla (Musaceae). R: 49 [*Musa*
sapientum L.]
- dihonjo-dia-kaloko-loko** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 50
- dihonjo-dia-ka-loko-loko** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa*
sapientum L. var. *paradisiaca* L.]
- dihonjo-dia-ka-mona-ngana** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa*
sapientum L. var. *paradisiaca* L.]
- dihonjo-dia-kiala-kiango** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa*
sapientum L. var. *paradisiaca* L.]
- dihonjo-dia-mbuije** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa*
sapientum L. var. *paradisiaca* L.], 50

- dihonjo-dia-mona-ngana** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 50
- dihonjo-dia-sakala** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.], 50
- dihonjo-kia-kambudi** (Kim)
Musa acuminata Colla (Musaceae). R: 50 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- dihuise** (Kim)
Elaeis guineensis Jacq. (Arecaceae). R: 50
- dijikala-kala** (C)
Myrianthus arboreus P.Beauv. (Moraceae). R: 50
 [Kioko]
- dijita** (Kim)
Ficus ovata Vahl (Moraceae). R: 50
- dijole** (Kim)
Sarcocephalus latifolius (Sm.) E.A.Bruce
 (Rubiaceae). R: 50 [*Nauclea latifolia* Sm.]
- dikanza**
Lablab purpureus (L.) Sweet (Fabaceae). R: 49
 [*Lablab vulgaris* Savi; Ambrizete]
- dikasa-kasa** (Kim)
Albizia gummosa (J.F.Gmel.) C.A.Sm.
 (Fabaceae). R: 50
- dikaxi** (Kim)
Combretum celastroides Welw. ex M.A.Lawson
 subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
 (Combretaceae). R: 50 [*Combretum laxiflorum*
 Welw. ex M.A.Lawson]
Combretum cinereopetalum Engl. & Diels
 (Combretaceae). R: 50
Combretum molle R.Br. ex G.Don
 (Combretaceae). R: 50 [*Combretum welwitschii*
 Engl. & Diels]
- dikezu** (Kim)
Cola acuminata (P.Beauv.) Schott & Endl.
 (Sterculiaceae). R: 50
- dikondo** (Kik)
Musa acuminata Colla (Musaceae). R: 50 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- dikonge**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Dembos]
- dikongue**
Manihot glaziovii Müll.Arg. (Euphorbiaceae). R:
 49 [Dembos]
- dikumbele** (Kim)
Gloriosa superba L. (Colchicaceae). R: 50
- dikunde** (sing.) (Kim)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 50
- dila-dia-sanji** (Kim)
Merremia pterygocaulos (Choisy) Hallier f.
 (Convolvulaceae). R: 50
- dilangala** (Kik)
Hyparrhenia diplandra (Hack.) Stapf (Poaceae).
 R: 50
- dilengue-diaxitó** (Kim)
Cissus quadrangularis L. (Vitaceae). R: 52
- dilolo** (Kim)
Annona stenophylla Engl. & Diels subsp. *cuneata*
 (Oliv.) N.Robson (Annonaceae). R: 50 [*Annona cuneata* (Oliv.) R.E.Fr.]
- dilolo-ambulo**
Annona stenophylla Engl. & Diels subsp. *cuneata*
 (Oliv.) N.Robson (Annonaceae). R: 50 [*Annona cuneata* (Oliv.) R.E.Fr.; Kim], Welwitsch 745
- dilonga** (Nye)
Commelina welwitschii C.B.Clarke
 (Commelinaceae). R: 50 [Ganguela]
- diluia** (P)
Mussaenda erythrophylla Schumach. & Thonn.
 (Rubiaceae). R: 49 [P], 50 [Kim]
- dilula**
Mussaenda erythrophylla Schumach. & Thonn.
 (Rubiaceae). R: 49 [Cuanza Norte]
- dilumba** (Nye)
Pasaccardoa baumii O.Hoffm. (Asteraceae). R:
 50 [Ganguela]
- dilunga-dia-sanji** (Kim)
Combretum zeyheri Sond. (Combretaceae). R: 50
 [*Combretum tinctorum* Welw. ex M.A.Lawson]
- diluvu** (Kim)
Ipomoea prismatosyphon Welw.
 (Convolvulaceae). R: 50 [*Ipomoea prismatosyphon* Welw. var. *buchneri* (Peter)
 Britten]
- diluwu** (Kim)
Ipomoea prismatosyphon Welw.
 (Convolvulaceae). R: 52
- dimanongote** (U)
Helichrysum kraussii Sch.Bip. (Asteraceae). R: 50
 [*Helichrysum steetzii* (Vatke) O.Hoffm.]
- dimbangalala**
Myrianthus arboreus P.Beauv. (Moraceae). R: 49
 [Congo]
- dimbui** (U)
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 50
 [U], 58 [Huila (Caonda)]
- dingi**
Tessmannia dawei J.Léonard (Fabaceae). R: 63
- dinhangua** (Kim)
Cucurbita maxima Duchesne ex Lam.
 (Cucurbitaceae). R: 50
- dinhungo**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 45
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.;
 Kim]
- dinhungu** (fruit) (Kim)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.]
- dinhungu-nhungu** (Kim)
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.]
- dinju**
Solanum incanum L. (Solanaceae). R: 50 [Kioko],
 59 [Lunda Norte]

- diodio**
Dinophora spenneroides Benth.
 (Melastomataceae). R: 41
- dioko-amputo**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- dioko-dia-nzanza**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- dioko-tantome**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- diolofo** (Kik)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50
- diongo** (U)
Euphorbia strangulata N.E.Br. (Euphorbiaceae). R: 50
- dionjo-dia-kialakiango** (Kim)
Musa ×paradisiaca L. (Musaceae). R: 50
- dipupu** (Kim)
Cucumeropsis mannii Naudin (Cucurbitaceae). R: 50 [Cucumeropsis edulis Cogn.]
- diroma**
Xylopia staudtii Engl. & Diels (Annonaceae). R: Gossweiler 7992
- disa-dia-hima** (Kim)
Anchomanes difformis (Blume) Engl. (Araceae). R: 50 [Anchomanes dubius Schott]
- disa-dia-hungu** (Kik)
Strychnos gossweileri Exell (Strychnaceae). R: 50
- disa-dia-lungu** (Kik)
Strychnos gossweileri Exell (Strychnaceae). R: 50
- disalula** (Kim)
Ipomoea prismatosiphon Welw. (Convolvulaceae). R: 50 [Ipomoea prismatosiphon Welw. var. *buchneri* (Peter Britten)]
- disangalala** (sing.) (Kim)
Eragrostis prolifera (Sw.) Steud. (Poaceae). R: 50 [Eragrostis fascicularis Trin.]
- disanha**
Treculia africana Decne. ex Trécul (Moraceae). R: 57, 49 [Kim], 50 [Kim]
- disanza** (Kim)
Tragia benthamii Baker (Euphorbiaceae). R: 50
- disende-sende** (Kik)
Zanthoxylum gilletii (De Wild.) P.G.Waterman (Rutaceae). R: 50 [Fagara macrophylla Engl.]
- dissaca**
Solanum incanum L. (Solanaceae). R: 59 [Kuvango]
- disue**
Solanum americanum Mill. (Solanaceae). R: 57 [Solanum nodiflorum Jacq.]
Solanum americanum Mill. ? (Solanaceae). R: 50 [Solanum tinctorium Welw.; Kim]
- ditando** (Kim)
Ficus ovata Vahl (Moraceae). R: 50
- ditanga** (Kim)
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 49 [Citrullus vulgaris Schrad. ex Eckl. & Zeyh. Kim], 45 [Kim]
- Lagenaria breviflora** (Benth.) Roberty (Cucurbitaceae). R: 45
- ditanga** (fruit) (Kim)
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [Citrullus vulgaris Schrad. ex Eckl. & Zeyh.]
- ditangalese**
Lagenaria breviflora (Benth.) Roberty (Cucurbitaceae). R: 45
- ditanga-sese** (sing.) (Kim)
Lagenaria breviflora (Benth.) Roberty (Cucurbitaceae). R: 50 [Adenopus breviflorus Benth.]
- ditangue**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 45
- ditchondo-ria-mpata**
Dialium englerianum Henriq. (Fabaceae). R: 59 [Lunda Norte – Dundo, Dala]
- diteke**
Bixa orellana L. (Bixaceae). R: 50 [Kim], 3 [Cuanza Norte, Cazengo]
- ditenda**
Millettia drastica Welw. ex Baker (Fabaceae). R: 61
- ditenha**
Dioscorea dumetorum (Kunth) Pax (Dioscoreaceae). R: 49 [Kim], 50 [Kim]
Millettia drastica Welw. ex Baker (Fabaceae). R: 50 [Kim], 3 [Cazengo]
- diteva** (Kik)
Hyphaene guineensis Schumach. & Thonn. (Arecaceae). R: 50
- ditombe** (Kim)
Raphia matombe De Wild. (Arecaceae). R: 50, 3 [Raphia gossweileri Burret]
- ditombe** (sing.) (Kim)
Raphia textilis Welw. (Arecaceae). R: 50
- ditumbate** (pl.) (Kim)
Boerhavia diffusa L. (Nyctaginaceae). R: 50
- dituta-dia-nvula** (Kim)
Kalanchoe welwitschii Britten (Crassulaceae). R: 50
- ditute** (sing.) (Kim)
Saba comorensis (Bojer ex A.DC.) Pichon (Apocynaceae). R: 50 [Landolphia florida Benth.]
- dituti-dia-ufele** (Kim)
Ancylobotrys scandens (Schumach. & Thonn.) Pichon (Apocynaceae). R: 50 [Landolphia scandens (Schumach. & Thonn.) Didr.]
- ditxondo-ria-mpata**
Dialium englerianum Henriq. (Fabaceae). R: 50 [Baluba]
- divimo** (Kik)
Xylopia staudtii Engl. & Diels (Annonaceae). R: 50
- divota** (Kim)
Leptoderris nobilis (Welw. ex Baker) Dunn (Fabaceae). R: 50

- divuvuma**
Tristemma mauritianum J.F.Gmel.
 (Melastomataceae). R: 41 [*Tristemma incompletum* R.Br.]
- dixamba** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- dixiabu** (sing.) (Kim)
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.]
- diximane** (Kim)
Corchorus olitorius L. (Tiliaceae). R: 50
Corchorus tridens L. (Tiliaceae). R: 50
- diximbo**
Hydnora africana Thunb. (Hydnoraceae). R: 3
- diximbu**
Hydnora africana Thunb. (Hydnoraceae). R: 50
 [*Hydnora longicollis* Welw., Kim], 3
- dixinde** (Kim)
Hydnora africana Thunb. (Hydnoraceae). R: 50
 [*Hydnora longicollis* Welw.], 3
- dizaku**
Synsepalum cerasiferum (Welw.) T.D.Penn.
 (Sapotaceae). R: 50 [*Chrysophyllum disaco* Hiern,
 Kim]
Zanha golungensis Hiern (Sapindaceae). R: 49
 [Cazengo, Cuanza Norte], 50 [Kim]
- dizamba**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [NE Lunda]
- dizembula** (Kim)
Solanecio mannii (Hook.f.) C.Jeffrey
 (Asteraceae). R: 50, 3 [*Crassocephalum multicorymbosum* (Klatt) S.Moore]
- dizombole** (Kim)
Leptoderris nobilis (Welw. ex Baker) Dunn
 (Fabaceae). R: 50
- dizonjila** (Kim)
Mucuna stans Welw. ex Baker (Fabaceae). R: 50
- djifi** (Kim)
Sansevieria cylindrica Bojer ex Hook.
 (Dracaenaceae). R: 50
- djimāmā**
Carica papaya L. (Caricaceae). R: 59 [Huambo –
 Bocoio]
- djimbelia** (Kim)
Aloe zebrina Baker (Asphodelaceae). R: 50 [*Aloe platyphylla* Baker]
- djimbungué**
Carica papaya L. (Caricaceae). R: 59 [Cuanza
 Sul]
- djingenga** (Kim)
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 50
- djionde** (C)
Phyllanthus ovalifolius Forssk. (Euphorbiaceae).
 R: 50 [*Phyllanthus guineensis* Pax; Kioko]
- djundjum** (Nya)
Vangueriopsis lanciflora (Hiern) Robyns
- dolo**
Piliostigma thonningii (Schumach.) Milne-Redh.
 (Fabaceae). R: 2
- dombiri** (Z)
Momordica welwitschii Hook.f. (Cucurbitaceae).
 R: 45 [Tjiherero]
- dongaluta**
Dolichos dongaluta Baker (Fabaceae). R: 62
- dongos-de-Congo**
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 57 [*Amomum melegueta* Roscoe]
- dongos-do-Congo** (P)
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 49, 50, 3
- donjila** (Kik)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.], 50
- dormideira** (P)
Papaver somniferum L. (Papaveraceae) R: 49
- dracena** (P)
Cordyline fruticosa (L.) Goeppert (Agavaceae). R:
 49 [*Cordyline terminalis* Kunth var. *metallica*
 Hort.]
Dracaena fragrans (L.) Ker Gawl.
 (Dracaenaceae). R: 49
- dtjimbanda**
Psychotria succulenta (Hiern) E.M.A.Petit
 (Rubiaceae). R: 47
- dulu-epanda**
Senecio sp. (Asteraceae). R: 3
- dumbiri**
Momordica charantia L. (Cucurbitaceae). R: 45
 [Muquilengue, Quilengue; Nya; Humbo; Muso]
- dumbui**
Adenia lobata (Jacq.) Engl. subsp. *rumpicifolia*
 (Engl. & Harms) Lye (Passifloraceae). R: 44
 [*Adenia rumpicifolia* Engl. & Harms]
- dunda**
Pimpinella huillensis Welw. ex Engl. (Apiaceae).
 R: 8 [Muila; Nya]
Ranunculus multifidus Forssk. (Ranunculaceae).
 R: 50 [*Ranunculus pubescens* Thunb.;
 Lunyaneka], 3
- dungu-ia-kaleketa** (Kim)
Capsicum frutescens L. (Solanaceae). R: 50
- dunze** (Kim)
Alchornea cordifolia (Schumach. & Thonn.)
 Müll.Arg. (Euphorbiaceae). R: 50
- durazia** (P)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- durião** (P)
Durio zibethinus Murray (Bombacaceae). R: 49
- E**
- ébano** (P)
Diospyros virginata (Gürke) Brenan (Ebenaceae).
 R: 3

- Diospyros* sp. (Ebenaceae). R: 49
- ébano-de-tamboco** (P)
Diospyros dendo Welw. ex Hiern (Ebenaceae). R: 50
- ebongebonge**
Rotala myriophylloides Welw. ex Hiern (Lythraceae). R: 36
Rotala thymoides Exell (Lythraceae). R: 50 [Lunyaneka]
- ecula-otiqui**
Kalanchoe lanceolata (Forssk.) Pers. (Crassulaceae). R: 40 [Mucubal]
- efilampepe** (Nya)
Lippia javanica (Burm f.) Spreng. (Verbenaceae). R: 50 [*Lippia asperifolia* A.Rich. ex Marthe; Lunyaneka]
- efiti** (Nya)
Helichrysum kraussii Sch.Bip. (Asteraceae). R: 3 [*Helichrysum steetzii* (Vatke) O.Hoffm.]
- efue** (Nya)
Leonotis nepetifolia (L.) R.Br. (Lamiaceae). R: 3
- efwe** (Nya)
Leonotis nepetifolia (L.) R.Br. (Lamiaceae). R: 3
- e'haha**
Glinus oppositifolius (L.) A.DC. var. *lanatus* Hauman (Molluginaceae). R: 48
- ehalanyanga** (Nya)
Ampelocissus dekindtiana Gilg (Vitaceae). R: 3
- ehalanyienda** (Nya)
Ampelocissus dekindtiana Gilg (Vitaceae). R: 3
- ehalanynga** (Nya)
Ampelocissus dekindtiana Gilg (Vitaceae). R: 50 [Lunyaneka]
- ehama**
Terminalia prunioides M.A.Lawson (Combretaceae). R: 3
- ehelele** (U)
Indigofera antunesiana Harms (Fabaceae). R: 3
- ehenio** (U)
Cucumis metuliferus E.Mey. ex Naudin (Cucurbitaceae). R: 50
- ehikihala** (Nya)
Boophone disticha (L.f.) Herb. (Amaryllidaceae). R: 50 [*Boophone toxicaria* (L.f. ex Aiton) Herb.; Lunyaneka]
- ehilanthonbe** (Nya)
Dioscorea quartiniana A.Rich. (Dioscoreaceae). R: 49 [Lunyaneka]
- eholi-holi** (Nya)
Afrocanthium lactescens (Hiern) Lantz (Rubiaceae). R: 3 [*Canthium lactescens* Hiern]
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 3 [*Ancylanthos fulgidus* Welw. ex Hiern]
- ehondyo** (U)
Musa ×paradisiaca L. (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- ehondyo-olumbombo** (root) (U)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- ehongo** (Nya)
Macledium poggei (O.Hoffm.) S.Ortiz (Asteraceae). R: 50 [*Dicoma sessiliflora* sensu auct. non Harv. (1865); Lunyaneka]
- eiolo**
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 50 [*Annona cuneata* (Oliv.) R.E.Fr.; U], 3
- ekahu**
Cissampelos mucronata A.Rich. (Menispermaceae). R: 3
- ekakaholua** (Nya)
Vernonia gerberiformis Oliv. & Hiern subsp. *macrocyanus* (O.Hoffm.) C.Jeffrey (Asteraceae). R: 50 [*Vernonia macrocyanus* O.Hoffm.; Lunyaneka], 3
- ekalakaha**
 Unplaced (Asteraceae). R: 3 [*Mollera ramosa* O.Hoffm.]
- ekalakaho** (Nya)
 Unplaced (Asteraceae). R: 3 [*Mollera ramosa* O.Hoffm.]
- ekangona**
Senecio coronatus (Thunb.) Harv. (Asteraceae). R: 3 [*Senecio lasiorhizus* DC.]
- ekapa** (U)
Ipomoea batatas (L.) Lam. (Convolvulaceae). R: 50
- ekasa** (U)
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 3
- ekatolokanga** (Nya)
Asparagus benguellensis Baker (Asparagaceae). R: 50 [Lunyaneka]
- ekaya** (U)
Nicotiana tabacum L. (Solanaceae). R: 3
- ekhangwa**
Helichrysum kraussii Sch.Bip. (Asteraceae). R: 50 [*Helichrysum steetzii* (Vatke) O.Hoffm.; Lunyaneka], 3 [*Helichrysum steetzii* (Vatke) O.Hoffm.]
- ekimba**
Dialium gossweileri Baker f. (Fabaceae). R: 3
- ekomba-nyengo** (Nya)
Rhamnus prinoides L'Hér. (Rhamnaceae). R: 3
- ekombokonyengo**
Rhamnus prinoides L'Hér. (Rhamnaceae). R: 3
- ekomokomo** (Kik)
Pentarrhinum abyssinicum Decne. subsp. *angolense* (N.E.Br.) Liede & Nicholas (Apocynaceae). R: 50 [*Pentarrhinum insipidum* sensu auct. non E.Mey. (1838)]
- ekopoka-mbunda** (U)
Droogmansia megalantha (Taub.) De Wild. (Fabaceae). R: 3
- ekopokambundu** (U)
Droogmansia megalantha (Taub.) De Wild. (Fabaceae). R: 50 [U], 3
- ekova** (U)
Vernonia gerberiformis Oliv. & Hiern subsp.

- macrocyanus** (O.Hoffm.) C.Jeffrey (Asteraceae).
R: 3
- ekula-kula** (U)
Psorospermum mechowii Engl. (Hypericaceae).
R: 3
- ekulo-otyiqui**
Combretum oxystachyum Welw. ex M.A.Lawson
(Combretaceae). R: 11
- ekumba** (Nya)
Phoenix reclinata Jacq. (Arecaceae). R: 3
- ekumba-luva** (Nya)
Pterocarpus angolensis DC. (Fabaceae). R: 3
- ekunde** (U)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 3
- ekuyu** (fruit) (U)
Ficus sp. (Moraceae). R: 3
- ekwa** (fruit) (Nya)
Adansonia digitata L. (Bombacaceae). R: 3
- ekwanana**
Corchorus sp. (Tiliaceae). R: 3
- elalandja** (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- elalandja-uti** (tree) (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- elalanku** (Kik)
Cordia africana Lam. (Boraginaceae). R: 50
[*Cordia abyssinica* R.Br.]
- elanga**
Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 49 [*Citrullus vulgaris* Schrad.
ex Eckl. & Zeyh.; South of Angola]
- elingue** (Kik)
Cucurbita maxima Duchesne ex Lam.
(Cucurbitaceae). R: 50
- eliande** (U)
Lippia plicata Baker (Verbenaceae). R: 52
- eliko** (Nya)
Pachycarpus lineolatus (Decne.) Bullock
(Apocynaceae). R: 50 [*Asclepias lineolata* Schltr.;
Lunyaneka], 3
- elilo** (Nya)
Diospyros kirkii Hiern (Ebenaceae). R: 3
Diospyros kirkii Hiern ? (Ebenaceae). R: 50
[*Diospyros latifolia* Gürke; Lunyaneka]
- elimau** (U)
Citrus ×limon (L.) Burm.f. (Rutaceae). R: 3
- elimau-uti** (U)
Citrus ×limon (L.) Burm.f. (Rutaceae). R: 3
- elimiliombua** (U)
Trichodesma ambacense Welw. (Boraginaceae).
R: 52
Trichodesma arenicola Gürke (Boraginaceae).
R: 52
- elindili** (U)
Canarium schweinfurthii Engl. (Burseraceae). R:
3
- elongo** (Nya)
Sebaea brachyphylla Griseb. (Gentianaceae). R:
50 [*Sebaea multinodis* N.E.Br.; Lunyaneka]
- elota-emutu** (U)
Vigna unguiculata (L.) Walp. subsp. *dekindtiana*
(Harms) Verdc. (Fabaceae). R: 3 [*Vigna huillensis*
Welw. ex Baker]
- elota-kakunde** (U)
Vigna antunesii Harms (Fabaceae). R: 50, 3
[*Vigna hundtii* Rossberg]
- elota-mutu**
Vigna unguiculata (L.) Walp. subsp. *dekindtiana*
(Harms) Verdc. (Fabaceae). R: 50 [*Vigna huillensis*
huillensis Welw. ex Baker; U], 3 [*Vigna huillensis*
Welw. ex Baker]
- elulu** (U)
Biophytum jessenii R.Knuth (Oxalidaceae). R: 3
- elume-liompunguhiko** (Nya)
Cleome hirta (Klotzsch) Oliv. (Capparaceae). R: 3
- elume-liompunguliko** (Nya)
Cleome hirta (Klotzsch) Oliv. (Capparaceae). R: 3
- elumeliotyifiti** (Nya)
Dicoma elegans Welw. ex O.Hoffm. (Asteraceae).
R: 3
- elume-liotyifiti** (Nya)
Dicoma elegans Welw. ex O.Hoffm. (Asteraceae).
R: 3
- elume-ngongo** (male)
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
(Sond.) Kokwaro (Anacardiaceae). R: 50
[*Sclerocarya* sp.; Lunyaneka], 3 [*Sclerocarya* sp.]
- elumetiofifi** (Nya)
Dicoma elegans Welw. ex O.Hoffm. (Asteraceae).
R: 50 [Lunyaneka], 3
- eluna** (So)
Trapa natans L. var. *bispinosa* (Roxb.) Makino
(Trapaceae). R: 43 [Bassongo]
- elyamba**
Cannabis sativa L. (Cannabaceae). R: 3
- emandola** (U)
Steganotaenia araliacea Hochst. (Apiaceae). R:
50 [U], 8 [U], 3
- emangalala** (U)
Pandanus sp. (Pandanaceae). R: 3
- ematya** (U)
Lycopersicon esculentum Mill. (Solanaceae). R: 3
- embate-bate** (Kim)
Boerhavia diffusa L. (Nyctaginaceae). R: 50
- embinga** (U)
Strophanthus sp. (Apocynaceae). R: 3
- embondeiro** (P)
Adansonia digitata L. (Bombacaceae). R: 52
- embonge-mbonge**
Rotala thymoides Exell (Lythraceae). R: 3
- emboto** (U)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
[*Euclea lanceolata* E.Mey. ex A.DC.]
- embridahamanga** (O)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 50
[*Ancylanthos fulgidus* Welw. ex Hiern;
Xikuhanhamo]
- embudahonanga** (U)
Vangueriopsis lanciflora (Hiern) Robyns

- (Rubiaceae). R: 47
- embu-ombu** (U)
Pygmaeothamnus zeyheri (Sond.) Robyns var.
rogersii Robyns (Rubiaceae). R: 47
- emela-ahondyo** (leaf) (U)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- emkumku** (Nya)
Vernonia auriculifera Welw. ex Hiern
(Asteraceae). R: 50 [Lunyaneka]
- emunha-notcha** (O)
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; Xikuhanama]
- emwi** (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3
- emwi** (fruit) (U)
Strychnos sp. (Strychnaceae). R: 3
- enanhangu** (Kik)
Pentadesma butyracea Sabine (Clusiaceae). R: 50
[*Pentadesma leptonema* Pierre]
- eñati** (U)
Cissampelos mucronata A.Rich.
(Menispermaceae). R: 3
- endianuno**
Entandrophragma utile (Dawe & Sprague)
Sprague (Meliaceae). R: 24
- endiundu**
Multidentia crassa (Hiern) Bridson & Verdc. var.
crassa (Rubiaceae). R: 47
- endjululu** (U)
Datura stramonium L. (Solanaceae). R: 3
- engangu** (fruit) (Nya)
Bauhinia petersiana Bolle subsp. *macrantha* (Oliv.) Brummitt & J.H.Ross (Fabaceae). R: 3
[*Perlebia macrantha* (Oliv.) A.Schmitz subsp. *serpae* (Ficalho & Hiern) A.Schmitz]
- enganji** (U)
Crotalaria spinosa Hochst. ex Benth. (Fabaceae). R: 50
- engo**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 58 [Huila], 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
Anisophyllea buchneri Engl. & Brehmer (Anisophylleaceae). R: 50 [U]
- engoña**
Cannabis sativa L. (Cannabaceae). R: 3
- enhanhafi** (O)
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [Xikuhanama]
- enhanhafi** (U)
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- enika**
Helichrysum subglomeratum Less. (Asteraceae). R: 50 [Lunyaneka], 3
- eninga** (Nya)
Helichrysum stenopterum DC. (Asteraceae). R: 50, 3 [*Helichrysum hochstetteri* (Sch.Bip.) Hook.f.; Lunyaneka], 3 [*Helichrysum hochstetteri* (Sch.Bip.) Hook.f.; U]
- enjululu** (U)
Datura stramonium L. (Solanaceae). R: 50
- enjunga** (U)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 50 [*Faurea speciosa* Welw.]
- enkatata**
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr. (Rosaceae). R: 50 [Lunyaneka], 3
- enkau** (Kik)
Laccosperma secundiflorum (P.Beauv.) Kuntze (Arecaceae). R: 50 [*Ancistrophyllum secundiflorum* Wendl.]
- enkazuso**
Pteleopsis diptera Engl. & Diels (Combretaceae). R: 49 [Cazengo]
- enkenha** (U)
Ozoroa insignis Delile (Anacardiaceae). R: 50
[*Heeria insignis* (Delile) Kuntze]
- enkhatalata** (Nya)
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr. var. *angolensis* (Weim.) Brenan (Rosaceae). R: 53, 3 [Lunhaneca]
- enkuku** (Nya)
Psychotria welwitschii (Hiern) Bremek. (Rubiaceae). R: 50 [*Grumilea welwitschii* Hiern; Lunyaneka]
Triumphetta macrocoma K.Schum. (Tiliaceae). R: 50 [Lunyaneka]
- enkumanu** (Kik)
Coula edulis Baill. (Olacaceae). R: 50
- enkumunu**
Coula edulis Baill. (Olacaceae). R: 49 [Maiombe]
- ensanve** (Kik)
Uapaca heudelotii Baill. (Euphorbiaceae). R: 50
- entele-kunde** (Nya)
Vigna unguiculata (L.) Walp. subsp. *dekindtiana* (Harms) Verdc. (Fabaceae). R: 50 [*Vigna dekindtiana* Harms; Lunyaneka]
- enthilili** (Nya)
Artemisia afra Jacq. ex Willd. (Asteraceae). R: 3
- enthuve** (Nya)
Ipomoea prismatosyphon Welw. (Convolvulaceae). R: 3
- Ipomoea verbascoidea* Choisy (Convolvulaceae). R: 3
- entilili** (Nya)
Artemisia afra Jacq. ex Willd. (Asteraceae). R: 50 [Lunyaneka]
Seriphium cinereum L. (Asteraceae). R: 50 [*Stoebe cinerea* (L.) Thunb.; Lunyaneka]
- entuve**
Ipomoea prismatosyphon Welw. (Convolvulaceae). R: 50 [*Ipomoea prismatosyphon* Welw. var. *buchneri* (Peter) Britten; Lunyaneka], 3
- Ipomoea verbascoidea* Choisy (Convolvulaceae). R: 50 [Lunyaneka], 3

- enyati** (Nya)
Cissampelos mucronata A.Rich.
 (Menispermaceae). R: 50, 3 [Lunyaneka]
- enyativi-o-milola** (Nya)
Stephania abyssinica (Quart.-Dill. & A.Rich.)
 Walp. (Menispermaceae). R: 50 [Lunyaneka]
- enynghi** (Nya)
 Unplaced (Rubiaceae). R: 50, 3 [*Fadogia dekindtii*
 K.Schum.; Lunyaneka]
- enynghi-enene** (Nya)
Fadogia fuchsoides Welw. ex Oliv. (Rubiaceae).
 R: 50 [Lunyaneka]
- epanda** (U)
Obetia carruthersiana (Hiern) Rendle
 (Urticaceae). R: 50
- epandji**
Cannabis sativa L. (Cannabaceae). R: 3
- epangue** (Nya)
Aeschynomene fulgida Welw. ex Baker
 (Fabaceae). R: 50, 62 [Lunyaneka]
Cannabis sativa L. (Cannabaceae). R: 50, 3
 [Lunyaneka]
- epangwe** (U)
Cannabis sativa L. (Cannabaceae). R: 3
- epanji**
Cannabis sativa L. (Cannabaceae). R: 50 [U], 3
- epanyene**
Ximenia americana L. (Olacaceae). R: 49, 50
 [Lunyaneka], 3
- epekepeke** (Nya)
Clematis chrysocarpa Welw. ex Oliv.
 (Ranunculaceae). R: 50 [*Clematopsis chrysocarpa*
 (Welw. ex Oliv.) Hutch.; Lunyaneka]
- epeke-peke** (Nya)
Clematis chrysocarpa Welw. ex Oliv.
 (Ranunculaceae). R: 3 [*Clematopsis chrysocarpa*
 (Welw. ex Oliv.) Hutch.]
- epole**
Strychnos sp. (Strychnaceae). R: 3
- epondo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilosporus*
 Welw. ex Ficalho & Hiern; Lunyaneka], 3
- epondololuta**
Steganotaenia araliacea Hochst. (Apiaceae). R:
 50, 8 [Lunyaneka, Lunhaneca], 3
- epumbisa**
Holostylon robustum (Hiern) G.Taylor
 (Lamiaceae). R: 3
- epumbisamuka** (U)
Holostylon robustum (Hiern) G.Taylor
 (Lamiaceae). R: 50 [U], 3
- epumbisa-muku** (U)
Holostylon robustum (Hiern) G.Taylor
 (Lamiaceae). R: 3
- epumu-epungu** (fruit)
Zea mays L. (Poaceae). R: 3
- epungu** (U)
Zea mays L. (Poaceae). R: 3
- epungulunyanda**
Lantana rugosa Thunb. (Verbenaceae). R: 50
 [*Lantana salviifolia* Jacq.; U], 3 [*Lantana
 salviifolia* Jacq.]
- epungu-osovo** (seedling) (U)
Zea mays L. (Poaceae). R: 3
- erikho** (Z)
Fockea multiflora K.Schum. (Apocynaceae). R:
 50 [*Fockea schinzii* N.E.Br.; Tjiherero]
- eriko** (Nya)
Pachycarpus lineolatus (Decne.) Bullock
 (Apocynaceae). R: 3
- erva-conteira** (P)
Canna indica L. (Cannaceae). R: 49
- erva-de-Alabama** (P)
Paspalum notatum Flüggé (Poaceae). R: 49
- erva-de-Santa-Maria** (P)
Chenopodium ambrosioides L. (Chenopodiaceae).
 R: 49, 50, 3
- erva-de-São-José** (P)
Succisa pratensis Moench (Dipsacaceae). R: 3
- erva-doce** (P)
Pimpinella anisum L. (Apiaceae). R: 8
- erva-formigueira** (P)
Chenopodium ambrosioides L. (Chenopodiaceae).
 R: 49, 50, 3
- erva-isqueira** (P)
Prangos trifida (Mill.) Herrnst. & Heyn
 (Apiaceae). R: 49 [*Cachrys laevigata* Lam., nom.
 illeg.]
- erva-lanar** (P)
Holcus lanatus L. (Poaceae). R: 49
- erva-moira** (P)
Solanum nigrum L. (Solanaceae). R: 49, 3
- erva-tapete** (P)
Axonopus compressus (Sw.) Beauv. (Poaceae).
 R: 50
- erva-tostão** (P)
Boerhavia diffusa L. (Nyctaginaceae). R: 49, 50, 3
- ervilha** (P)
Pisum sativum L. (Fabaceae). R: 49
- ervilhaca** (P)
Vicia benghalensis L. (Fabaceae). R: 49 [*Vicia
 atropurpurea* Desf.]
Vicia sativa L. (Fabaceae). R: 49 [*Vicia sativa* L.
 var. *obovata* Ser.]
- ervilhaca-parda** (P)
Vicia articulata Hornem. (Fabaceae). R: 49 [*Vicia
 monanthos* (L.) Desf.]
- ervilha-do-Congo** (P)
Cajanus cajan (L.) Millsp. (Fabaceae). R: 49, 50
- esangala** (U)
Rhus wellmanii Engl. (Anacardiaceae). R: 3
- esangalala** (fruit) (U)
Rhus wellmanii Engl. (Anacardiaceae). R: 3
- esango** (U)
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Stapf &
 C.E.Hubb.; *Pennisetum echinurus* (K.Schum.)
 Stapf & C.E.Hubb.]

- esangu** (U)
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
[*Pennisetum typhoides* (Burm.f.) Stapf & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Stapf & C.E.Hubb.]
- escabiosa** (P)
Succisa pratensis Moench (Dipsacaceae). R: 3
- escalracho** (P)
Cynodon dactylon (L.) Pers. (Poaceae). R: 3
Panicum repens L. (Poaceae). R: 49
- escalrracho** (P)
Cynodon dactylon (L.) Pers. (Poaceae). R: 50
- eschimo**
Chrysobalanus icaco L. subsp. *icaco*
(Chrysobalanaceae). R: 54 [*Chrysobalanus orbicularis* Schumach.]
- escubilombe**
Maranthes gabunensis (Engl.) Prance
(Chrysobalanaceae). R: 54
- esema** (Kik)
Cassia absus L. (Fabaceae). R: 50
- esengdjé**
Xerophyta sp. (Velloziaceae). R: 3
- esengue**
Xerophyta capillaris Baker (Velloziaceae). R: 3
- esengwe** (U)
Xerophyta capillaris Baker (Velloziaceae). R: 3
- esequela**
Acacia goetzei Harms subsp. *microphylla* Brenan (Fabaceae). R: 60 [*Acacia gossweileri* Baker f.; U], *Gossweiler* 1740
- esesela-ovituiyu-tuiyu** (Nya)
Lantana rugosa Thunb. (Verbenaceae). R: 3
- esesera-ovituiyutuiyu** (Nya)
Lantana rugosa Thunb. (Verbenaceae). R: 3
- esisá** (U)
Aframomum laurentii (De Wild. & T.Durand) K.Schum. (Zingiberaceae). R: 3
- esoñwa** (U)
Cucumis anguria L. (Cucurbitaceae). R: 3
- esosa** (fruit) (U)
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- espargo** (P)
Asparagus officinalis L. (Asparagaceae). R: 49
- espargos-de-jardim** (P)
Asparagus aethiopicus L. (Asparagaceae). R: 49
[*Asparagus sprengeri* Regel]
- esparguta** (P)
Spergula arvensis L. (Caryophyllaceae). R: 49
- espiga-de-milho** (fruit) (P)
Zea mays L. (Poaceae). R: 3
- espinafre-da-Holanda** (P)
Spinacia oleracea L. (Chenopodiaceae). R: 49
- espinafre-da-Nova-Zelândia** (P)
Tetragonia tetragonoides (Pall.) Kuntze (Aizoaceae). R: 49 [*Tetragonia expansa* Murray]
- espinheiro** (P)
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 49 [*Acacia albida* Delile]
- espinheiro-da-Virginia** (P)
Gleditschia triacanthos L. (Fabaceae). R: 49
- espinheiro-de-Jerusalém** (P)
Parkinsonia aculeata L. (Fabaceae). R: 49
- espinheiro-preto** (P)
Acacia polyacantha Willd. subsp. *campylacantha* (Hochst. ex A.Rich.) Brenan ? (Fabaceae). R: 49
[*Acacia caffra* sensu auct. non (Thunb.) Willd. (1806)]
- espinheiro-unha-de-gato** (P)
Acacia reficiens Wawra (Fabaceae). R: 49, 3
- espirradeira** (P)
Nerium oleander L. (Apocynaceae). R: 49
- esponja-vegetal** (P)
Luffa cylindrica M.Roem. (Cucurbitaceae). R: 49
- esponjeira** (P)
Acacia farnesiana (L.) Willd. (Fabaceae). R: 49
- estramónio** (P)
Datura stramonium L. (Solanaceae). R: 49, 50, 3
- estrela-do-norte** (P)
Eucharis ×grandiflora Planch. & Linden (Amaryllidaceae). R: 49
- etaka-dia-ombue**
Siphonochilus aethiopicus (Schweinf.) B.L.Burtt (Zingiberaceae). R: 50 [*Kaempferia aethiopica* (Schweinf.) Ridl.; Lunyaneka], 3 [*Kaempferia aethiopica* (Schweinf.) Ridl.]
- etakoliombwe** (Nya)
Siphonochilus aethiopicus (Schweinf.) B.L.Burtt (Zingiberaceae). R: 3 [*Kaempferia aethiopica* (Schweinf.) Ridl.]
- etamba** (U)
Grewia sp. (Tiliaceae). R: 3
- etamba-kovongongo**
Grewia sp. (Tiliaceae). R: 3
- etamba-liongongo**
Grewia sp. (Tiliaceae). R: 3
- etamba-lyov'olwi**
Grewia sp. (Tiliaceae). R: 3
- etamba-lyov'otchikala**
Grewia sp. (Tiliaceae). R: 3
- etanga**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.; Lunyaneka], 3 [U]
- etangalulu** (Nya)
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 3
- etangambombo** (U)
Adenodolichos rhomboideus (O.Hoffm.) Harms (Fabaceae). R: 50
- etapa**
Rotala myriophyloides Welw. ex Hiern (Lythraceae). R: 36
Rotala thymoides Exell (Lythraceae). R: 50, 3
- etelendende**
Vigna platyloba Welw. ex Hiern (Fabaceae). R: 3
- etende** (Nya)
Pycnocoma dentata Hiern (Euphorbiaceae). R: 50
[Lunyaneka]

- etende-mupa** (fruit) (U)
Strychnos sp. (Strychnaceae). R: 3
- etendende** (U)
Vigna platyloba Welw. ex Hiern (Fabaceae). R: 50, 3, 62
- etenga**
Cannabis sativa L. (Cannabaceae). R: 3
- etesu** (U)
Gossypium herbaceum L (Malvaceae). R: 3
- etete** (U)
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 3
- etikutiku** (Nya)
Thunbergia huillensis S.Moore (Acanthaceae). R: 3
- etiku-tiku** (Nya)
Thunbergia huillensis S.Moore (Acanthaceae). R: 50, 3 [Lunyaneka]
- etlianguhí** (Kim)
Protea angolensis Welw. (Proteaceae). R: 50
- etome**
Phoenix reclinata Jacq. (Arecaceae). R: 50
 [Lunyaneka], 3
- etondo-akandimba** (U)
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 3
- etue-lio-ntemu** (Nya)
Vernonia cleanthoides O.Hoffm. (Asteraceae). R: 50 [Lunyaneka]
- etulutulu-linene** (U)
Vernonia praemorsa Muschl. (Asteraceae). R: 50
 [Vernonia castellana S.Moore]
- etulu-tulu-linene**
Vernonia praemorsa Muschl. (Asteraceae). R: 3
- etulutulu-litito** (U)
Helichrysum nudifolium (L.) Less. (Asteraceae). R: 50
- etulu-tulu-litito**
Helichrysum nudifolium (L.) Less. (Asteraceae). R: 3
- etumbandjali**
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3
 [Indigofera hendecaphylla Jacq. in syn. of
Indigofera spicata Forssk.]
- etumba-ndjali** (U)
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3
 [Indigofera hendecaphylla Jacq. in syn. of
Indigofera spicata Forssk.]
- etunda**
Boscia sp. (Capparaceae). R: 3
- etuntu** (Nya)
Geigeria acicularis O.Hoffm. (Asteraceae). R: 50, 3 [Lunyaneka]
- etutulu-linene**
Vernonia praemorsa Muschl. (Asteraceae). R: 3
- etwimbulu**
Phragmanthera glaucocarpa (Peyr.) Balle (Loranthaceae). R: 3
- etyambulu** (U)
Chenopodium ambrosioides L. (Chenopodiaceae).
- R: 3
Phragmanthera glaucocarpa (Peyr.) Balle (Loranthaceae). R: 3
- etyila-dio-mbulu** (Nya)
Gnidia kraussiana Meisn. var. *kraussiana* (Thymelaeaceae). R: 50 [*Lasiosiphon kraussii* Meisn.; Lunyaneka]
- eucalipto** (P)
Eucalyptus sp. (Myrtaceae). R: 49
- eucalipto-limoeiro** (P)
Eucalyptus citriodora Hook. (Myrtaceae). R: 49
 [*Eucalyptus maculata* Hook. var. *citriodora* Hook.; this combination was not found in the literature]
- eucalipto-vermelho** (P)
Eucalyptus paniculata Sm. (Myrtaceae). R: 49
- euntiqui** (Nya)
Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 47 [Muila]
- eu-vau-va**
Momordica charantia L. (Cucurbitaceae). R: 45
- eva** (U)
Cocos nucifera L. (Arecaceae). R: 3
- evangono** (Nya)
Eriosema terniflorum Hiern ex Baker f. var. *terniflorum* (Fabaceae). R: 50 [*Eriosema antunesii* Harms; Lunyaneka]
- evantonkala** (Kik)
Melinis minutiflora P.Beauv. (Poaceae). R: 49
 [*Melinis minutiflora* P.Beauv. forma *inermis* Stapf & C.E.Hubb.; this forma was not found in the literature], 50
- evava** (U)
Protea angolensis Welw. (Proteaceae). R: 50 [U], 3
- evimbuí** (U)
Stephania abyssinica (Quart.-Dill. & A.Rich.) Walp. (Menispermaceae). R: 50
- evukuvuku** (Nya)
Vernonia auriculifera Welw. ex Hiern (Asteraceae). R: 50 [Lunyaneka]
- evulu**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae). R: 50 [Ganguela; Nye], 3 [U]
Hyparrhenia variabilis Stapf (Poaceae). R: 3 [U]
- eyanga-ohimi** (Nya)
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R: 3 [*Euphorbia candelabrum* Welw. ex Hiern, nom. illeg.]
- eyelayela**
Faurea saligna Harv. (Proteaceae). R: 3
- eyelayela-litito**
Faurea saligna Harv. (Proteaceae). R: 3
- eyendje**
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 3 [*Cassia kirkii* Oliv.; U]
Sesbania bispinosa (Jacq.) W.Wight (Fabaceae). R: 3

eyendje-katito
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 3 [Cassia kirkii Oliv.]

eyendje-lyv'olwi
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 3 [Cassia kirkii Oliv.]

eyolo (U)
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 3

eyolo (fruit) (U)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 3

eyona (Nya)
Ipomoea verbascoidea Choisy (Convolvulaceae). R: 3

eyono
Ipomoea verbascoidea Choisy (Convolvulaceae). R: 50 [Lunyaneka], 3

eyukula (U)
Crassocephalum crepidioides (Benth.) S.Moore (Asteraceae). R: 50
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3

eyumbi (U)
Mucuna stans Welw. ex Baker (Fabaceae). R: 50, 3

F

falo
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Dembos]

falsa-canforeira (P)
Cinnamomum burmanni (Nees & T.Nees) Blume (Lauraceae). R: 49, 50

falso-cafeeiro (P)
Tricalysia elliotii (K.Schum.) Hutch. & Dalziel var. *centrafricana* Robbr. (Rubiaceae). R: 47

fava-cavalinha (P)
Vicia faba L. (Fabaceae). R: 49

faveira (P)
Vicia faba L. (Fabaceae). R: 49

faveta-de-beja (P)
Vicia narbonensis L. (Fabaceae). R: 49

fedegoso (P)
Senna occidentalis (L.) Link (Fabaceae). R: 49, 50 [Cassia occidentalis L.]

fegalote (C)
Anisophyllea quangensis Engl. ex Henriquez (Anisophylleaceae). R: 50 [Anisophyllea buettneri Engl.; Kioko]

feijão (P)
Phaseolus vulgaris L. (Fabaceae). R: 3

feijão-adzuki (P)
Vigna angularis (Willd.) Ohwi & H.Ohashi (Fabaceae). R: 49 [Phaseolus angularis (Willd.) W.Wright]

feijão-cutelinho (P)
Lablab purpureus (L.) Sweet (Fabaceae). R: 49 [*Lablab vulgaris* Savi], 50 [*Dolichos lablab* L.]

feijão-da-China (P)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 49

feijão-de-lima (P)
Phaseolus lunatus L. (Fabaceae). R: 33

feijão-espadinho (P)
Phaseolus lunatus L. (Fabaceae). R: 49

feijão-falante (P)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 3

feijão-macundi (P)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 50

feijão-maluco (P)
Mucuna stans Welw. ex Baker (Fabaceae). R: 2

feijão-mung (P)
Vigna radiata (L.) R.Wilczek (Fabaceae). R: 49 [*Phaseolus aureus* Roxb.]

feijão-verde (P)
Phaseolus vulgaris L. (Fabaceae). R: 3

feijoeiro (P)
Phaseolus vulgaris L. (Fabaceae). R: 50

feijoeiro-escarlate (P)
Phaseolus coccineus L. (Fabaceae). R: 49 [*Phaseolus multiflorus* Willd.]

feijoeiro-feiticeiro (P)
Canavalia ensiformis (L.) DC. (Fabaceae). R: 49
Canavalia virosa (Roxb.) Wight & Arn. (Fabaceae). R: 49 [*Canavalia gladiata* sensu auct. non (Jacq.) DC. (1825)]

feijoeiro-ordinário (P)
Phaseolus vulgaris L. (Fabaceae). R: 49

fel-da-terra (P)
Sebaea brachiphylla Griseb. (Gentianaceae). R: 50 [*Sebaea multinodis* N.E.Br.]
Swertia welwitschii Engl. (Gentianaceae). R: 49 [*Swertia stellaroides* Ficalho ex Hiern]

fel-da-terra-de-flor-amarela (P)
Sebaea brachiphylla Griseb. (Gentianaceae). R: 57, 3

fel-da-terra-de-flor-branca (P)
Swertia welwitschii Engl. (Gentianaceae). R: 57 [*Swertia stellaroides* Ficalho ex Hiern]

fel-da-terra-de-flor-roxa (P)
Faroea salutaris Welw. (Gentianaceae). R: 57, 49, 50

fenacho (P)
Trigonella foenum-graecum L. (Fabaceae). R: 49

figado-de-Perú (P)
Dioscorea bulbifera L. (Dioscoreaceae). R: 49, 50 [from Brazil]

figos-de-Índia (P)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]

figueira (P)
Ficus carica L. (Moraceae). R: 50, 3

figueira-brava (P)
Apodytes dimidiata E.Mey. ex Arn. (Icacinaceae). R: 57, 49

figueira-da-borracha (P)
Ficus elastica Roxb. (Moraceae). R: 49

figueira-da-Índia (P)
Opuntia ficus-indica (L.) Mill. (Cactaceae).

R: 49, 3 [*Opuntia vulgaris* Mill.]
Terminalia catappa L. (Combretaceae). R: 59
figueira-do-inferno (P)
Datura stramonium L. (Solanaceae). R: 50, 3
figueira-dos-pagodes (P)
Ficus religiosa L. (Moraceae). R: 49
figueira-vulgar (P)
Ficus carica L. (Moraceae). R: 49
fikicha
Rothmannia whitfieldii (Lindl.) Dandy
(Rubiaceae). R: 47
filodendro (P)
Monstera deliciosa Liebm. (Araceae). R: 49
fimbuco (Kik)
Tricalysia welwitschii K.Schum. (Rubiaceae). R: 46 [Fiote]
fingu (Kim)
Abrus canescens Welw. ex Baker (Fabaceae). R: 50
finigu (Kim)
Abrus melanospermus Hassk. subsp.
melanospermus (Fabaceae). R: 50 [*Abrus pulchellus* Wall. ex Thwaites]
flamboyante (P)
Delonix regia (Bojer ex Hook.) Raf. (Fabaceae). R: 49
flor-de-cera (P)
Hoya carnosa (L.f.) R.Br. (Apocynaceae). R: 49
flor-do-anjinho (P)
Catharanthus roseus (L.) G.Don (Apocynaceae). R: 49 [*Lochnera rosea* (L.) Reichb.]
flores-de-Páscoa (P)
Euphorbia pulcherrima Willd. ex Klotzsch
(Euphorbiaceae). R: 49
folha-de-banana (leaf) (P)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
forma-molar (P)
Elaeis guineensis Jacq. (Arecaceae). R: 50
frangipaneiro-branco (P)
Plumeria rubra L. (Apocynaceae). R: 49
[*Plumeria acutifolia* Poir.]
fregatota
Anisophyllea quangensis Engl. ex Henriq.
(Anisophylleaceae). R: 56
freixo (P)
Fraxinus excelsior L. (Oleaceae). R: 49
fruta-conde (P)
Annona squamosa L. (Annonaceae). R: 49
fruta-de-conta (P)
Abrus precatorius L. (Fabaceae). R: 49
fruta-pão (P)
Artocarpus altilis (Parkinson) Fosberg
(Moraceae). R: 49 [*Artocarpus incisa* L.f.]
fruta-pinha (P)
Annona squamosa L. (Annonaceae). R: 49
fukamahonje (Kim)
Combretum camporum Engl. (Combretaceae). R: 3

fuku (C)
Ochna pulchra Hook. (Ochnaceae). R: 50 [Kioko]
fuku-a-moxi (Kim)
Strophanthus amboensis (Schinz) Engl. & Pax
(Apocynaceae). R: 50 [*Strophanthus intermedius* Pax]
fulundundu (Kik)
Garcinia livingstonei T.Anderson (Clusiaceae). R: 50 [*Garcinia angolensis* Vesque]
fumaria-das-paredes (P)
Fumaria muralis Sond. ex Koch (Fumariaceae). R: 49
fumbalele (Nye)
Diospyros pseudomespilus Mildbr. subsp.
undabunda (Hiern ex Greves) F.White
(Ebenaceae). R: 50 [*Diospyros undabunda* Hiern ex Greves; Ganguela]
funga-funga (C)
Anisophyllea quangensis Engl. ex Henriq.
(Anisophylleaceae). R: 50 [*Anisophyllea fruticulosa* Engl. & Gilg; Kioko]
funhika (C)
Synadenium angolense N.E.Br. (Euphorbiaceae). R: 50 [Kioko]
fuse (Kim)
Entada gigas (L.) Fawc. & Rendle (Fabaceae). R: 50

G

gaiava
Psidium guajava L. (Myrtaceae). R: 59 [Namibe]
gambo (P)
Pericopsis angolensis (Baker) Meeuwen
(Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.]
ganja
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 2 [*Swartzia madagascariensis* Desv.]
gapita
Cuviera longiflora Hiern (Rubiaceae). R: 46
Rothmannia macrocarpa (Hiern) Keay (Rubiaceae). R: 46
gecorcia
Antherotoma debilis (Sond.) Jacq.-Fél.
(Melastomataceae). R: 41 [*Dissotis debilis* (Sond.) Triana var. *debilis*]
gelele-grande (P)
Asparagus laricinus Burch. (Asparagaceae). R: 3
[*Asparagus angolensis* Baker]
gelele-pequeno (P)
Asparagus laricinus Burch. (Asparagaceae). R: 3
[*Asparagus angolensis* Baker]
gengibre (P)
Zingiber officinale Roscoe (Zingiberaceae). R: 49
gergelim (P)
Sesamum indicum L. (Pedaliaceae). R: 49, 50, 3

- gia**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- gibaio** (Kik)
Gilbertiodendron ogoouense (Pellegr.) J.Léonard (Fabaceae). R: 63
- gibota** (Nya)
Catha edulis Forssk. (Celastraceae). R: 50
 [Lunyaneka]
- giesteira-das-vassouras** (P)
Cytisus scoparius (L.) Link (Fabaceae). R: 49
- gighia**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- gihia**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- gindundulu**
Solanum incanum L. (Solanaceae). R: 59
 [Malange]
- gingeira** (P)
Prunus cerasus L. (Rosaceae). R: 49
- gingibre** (P)
Zingiber officinale Roscoe (Zingiberaceae). R: 50
- ginguba-de-cambambe** (P)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 49
 [Voandzeia subterranea (L.) DC.]
- ginguiu** (U)
Fockea multiflora K.Schum. (Apocynaceae). R: 50 [*Fockea schinzii* N.E.Br.]
- gipepe**
Monodora myristica (Gaertn.) Dunal (Annonaceae). R: 57
- gipepe-de-Songo**
Monodora angolensis Welw. (Annonaceae). R: 57
- girassol** (P)
Helianthus annuus L. (Asteraceae). R: 49
- girassonde**
Pterocarpus angolensis DC. (Fabaceae). R: 2, 3
- gitamba-jadamba** (Kim)
Plectranthus mirabilis (Briq.) Launert (Lamiaceae). R: 52 [*Ascocarydion mirabile* (Briq.) G.Taylor]
- gitiquila**
Physalis peruviana L. (Solanaceae). R: 58
 [Luanda]
- goiaba** (P)
Psidium guajava L. (Myrtaceae). R: 3
- goiaba** (fruit) (P)
Psidium guajava L. (Myrtaceae). R: 1
- goiabeira** (P)
Psidium guajava L. (Myrtaceae). R: 49, 50, 2, 3
- golo**
Terminalia brachystemma Welw. ex Hiern (Combretaceae). R: 11, 3
- golungo** (Kim)
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- gombe**
Coccinia barteri (Hook.f.) Keay (Cucurbitaceae). R: 45
- gongo**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro (Anacardiaceae). R: 58
 [*Sclerocarya birrea* (A.Rich.) Hochst.; Cuando Cubango]
- gongonhe**
Memecylon laurentii De Wild. (Melastomataceae). R: 41 [*Memecylon mayumbense* Exell]
- goquinha**
Rothmannia hispida (K.Schum.) Fagerl. (Rubiaceae). R: 46
- grama** (P)
Cynodon dactylon (L.) Pers. (Poaceae). R: 49, 50, 3
- granadila-real** (P)
Passiflora edulis Sims (Passifloraceae). R: 49
- grão-de-bico** (P)
Cicer arietinum L. (Fabaceae). R: 49
- grão-de-pulha** (P)
Vigna mungo (L.) Hepper (Fabaceae). R: 49
 [*Phaseolus mungo* L.]
- gravanço** (P)
Cicer arietinum L. (Fabaceae). R: 49
- groselha-de-Barbados** (P)
Pereskia aculeata Mill. (Cactaceae). R: 49
- gros-michel** (P)
Musa acuminata Colla (Musaceae). R: 50 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- grumixameira** (P)
Eugenia brasiliensis Lam. (Myrtaceae). R: 49, 50, 1
- guacima**
Guazuma ulmifolia Lam. (Sterculiaceae). R: 49
- guajava**
Psidium guajava L. (Myrtaceae). R: 59
- guengue**
Brachystegia russellia I.M.Johnst. (Fabaceae). R: 63
- guiusa-guifusa**
Anthonotha fragrans (Baker f.) Exell & Hillc. (Fabaceae). R: *Gossweiler 7577 I*
- guihia**
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [Kim], 54 [*Parinari pumila* Mildbr.]
- gulo-maze**
Hallea ledermannii (K.Krause) Verdc. (Rubiaceae). R: 46
- gulumaze**
Nauclea vanderguchtii (De Wild.) E.M.A.Petit (Rubiaceae). R: 46
- gumba**
Arachis hypogaea L. (Fabaceae). R: 3
- gumuhumu** (C)
Lefebvreabyssinica A.Rich. (Apiaceae). R: 8
 [*Lefebvreastuhlmannii* Engl.; Quioco]
- gungolume**
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 49 [Pungo Andongo], 50 [Kim]

gususu

Pteleopsis diptera Engl. & Diels (Combretaceae).
R: 49 [Cuanza Norte]

guzusu (Kim)

Pteleopsis diptera Engl. & Diels (Combretaceae).
R: 50

guzuzu

Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
(Combretaceae). R: 2

H**hahi (U)**

Euphorbia subsalsa Hiern (Euphorbiaceae). R: 50

hainumata (Nya)

Mucuna stans Welw. ex Baker (Fabaceae). R: 50
[Lunyaneka]

haka (Kim)

Dicoma anomala Sond. (Asteraceae). R: 50

halá (Kim)

Psophocarpus palustris Desv. (Fabaceae). R: 62

hali

Eulophia schweinfurthii Kraenzl. (Orchidaceae).
R: 3 [*Lissochilus aurantiacus* Rchb.f.]

hamba-hamba

Sphenostylis stenocarpa (Hochst. ex A.Rich.)
Harms (Fabaceae). R: 3

handá (Kik)

Cajanus cajan (L.) Millsp. (Fabaceae). R: 50

hanha

Markhamia zanzibarica (Bojer ex DC.) K.Schum.
(Bignoniaceae). R: 10

hefu (fruit) (Kim)

Piper guineense Schumach. & Thonn.
(Piperaceae). R: 50, 3

heilo (Nya)

Crotalaria cistoides Welw. ex Baker (Fabaceae).
R: 61 [Muila]

hekete

Barleria elegans S.Moore ex C.B.Clarke
(Acanthaceae). R: 52 [Kim]
Ziziphus mucronata Willd. (Rhamnaceae). R: 50
[U], 3

heketyo

Paullinia pinnata L. (Sapindaceae). R: 50, 3
[Lunyaneka], 50 [U]

hembia (Kim)

Wissadula rostrata (Schumach. & Thonn.)
Hook.f. (Malvaceae). R: 3

hengu (Nye)

Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 50 [*Anisophyllea gossweileri* Engl. & Brehmer;
Ganguela]

hena (P)

Lawsonia inermis L. (Lythraceae). R: 49

hera (P)

Hedera helix L. (Araliaceae). R: 49

herbe-a-mal-de-tete

Bryophyllum pinnatum (L.f.) Oken (Crassulaceae).

R: 49 [French]

hete

Acacia sp. (Fabaceae). R: 3

hinji (Kik)

Fadogia cienkowskii Schweinf. (Rubiaceae). R: 50

hisu (U)

Chaetacme aristata Planch. (Ulmaceae). R: 50

hiumbi

Mucuna stans Welw. ex Baker (Fabaceae). R: 62
[Caconda]

hoale

Eulophia schweinfurthii Kraenzl. (Orchidaceae).
R: 3 [*Lissochilus aurantiacus* Rchb.f.]

hoho (Kim)

Elaeis guineensis Jacq. (Arecaceae). R: 49, 50

holokoso (U)

Bidens biternata (Lour.) Merr. & Sherff
(Asteraceae). R: 50

holo-koso

Bidens sp. (Asteraceae). R: 3

homue (Kim)

Isoberlinia angolensis (Welw. ex Benth.) Hoyle &
Brenan (Fabaceae). R: 50 [*Berlinia angolensis*
Welw. ex Benth.], 63

Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 50 [*Berlinia paniculata* Benth.]

hondi

Musa ×paradisiaca L. (Musaceae). R: 3 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]

hongolo

Celtis mildbraedii Engl. (Ulmaceae). R: 2

Celtis mildbraedii Engl. ? (Ulmaceae). R: 50
[*Celtis soyauxii* Engl.; U]

Celtis philippensis Blanco (Ulmaceae). R: 50
[*Celtis prantlii* Priemer ex Engl.; U]

hoque

Heteropogon sp. (Poaceae). R: 2

hortelā (P)

Mentha ×rotundifolia (L.) Huds. (Lamiaceae). R:
49 [*Mentha rotundifolia* (L.) Huds. var. *viridis*
P.Cout.]

hortelā-brava (P)

Mentha sp. (Lamiaceae). R: 3

hortelā-pimenta (P)

Mentha aquatica L. (Lamiaceae). R: 49
Mentha sp. (Lamiaceae). R: 3

hortensia (P)

Hydrangea macrophylla (Thunb.) Ser.
(Saxifragaceae). R: 49 [*Hydrangea opuloides*
(Lam.) K.Koch.]

huanda

Ficus ottonifolia (Miq.) Miq. subsp. *lucanda*
(Ficalho) C.C.Berg (Moraceae). R: 50 [*Ficus*
lucanda Welw. ex Ficalho; Kim], 3

huhu (U)

Sympomia globulifera L.f. (Clusiaceae). R: 50
[*Sympomia gabonensis* (Vesque) Pierre]

huka-huka

Plectranthus tenuicaulis (Hook.f.) J.K.Morton
(Lamiaceae). R: 50 [*Coleus drymophilus*

- G.Taylor; Lunyaneka], 3 [*Coleus drymophilus*
G.Taylor]
- huku**
Dombeya quinqueseta (Delile) Exell
(Sterculiaceae). R: 3
- huku-huku**
Dombeya quinqueseta (Delile) Exell
(Sterculiaceae). R: 3
- hula**
Pterocarpus tinctorius Welw. (Fabaceae). R: 49
[Cuanza Norte], 50 [Kim]
- humba (U)**
Millettia versicolor Welw. ex Baker (Fabaceae).
R: 50
- humbi**
Lannea antiscorbutica (Hiern) Engl.
(Anacardiaceae). R: 50 [U], 3 [U]
Lannea welwitschii (Hiern) Engl. (Anacardiaceae).
R: 50 [U], 3 [U], 2
Sorindeia gossweileri Exell (Anacardiaceae). R: 3
- humbu (Nye)**
Phragmites mauritianus Kunth (Poaceae). R: 50
[Ganguela]
- hundua (U)**
Hoslundia opposita Vahl (Lamiaceae). R: 50
- hupo**
Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 47
- husu (U)**
Garcinia smeathmannii (Planch. & Triana) Oliv.
(Clusiaceae). R: 50 [*Garcinia polyantha* Oliv.]
- I**
- ialanka (Kik)**
Cordia africana Lam. (Boraginaceae). R: 50
[*Cordia abyssinica* R.Br.]
- iamba (U)**
Rumex abyssinicus Jacq. (Polygonaceae). R: 50, 3
- iambu-iamu-meia**
Otiophora scabra Zucc. subsp. *diffusa* (Verdc.)
Puff (Rubiaceae). R: 47
- iandala (U)**
Aloe zebrina Baker (Asphodelaceae). R: 3
- iangua-ia-nzambi (Kim)**
Chenopodium ambrosioides L. (Chenopodiaceae).
R: 50
- iasasama**
Aframomum melegueta K.Schum. (Zingiberaceae).
R: 3
- iaximba-mukanu**
Aframomum melegueta K.Schum. (Zingiberaceae).
R: 50 [Kim], 3 [Dembos]
- icaco**
Spondias mombin L. (Anacardiaceae). R: 58
[Congo]
- icaqueira (P)**
Chrysobalanus icaco L. subsp. *icaco*
- (Chrysobalanaceae). R: 49 [*Chrysobalanus orbicularis* Schumach.]
- ifilanganga (U)**
Englerophytum magalismontanum (Sond.)
T.D.Penn. (Sapotaceae). R: 3 [*Chrysophyllum argyrophyllum* Hiern]
- ihelekeete (U)**
Ziziphus mucronata Willd. (Rhamnaceae). R: 3
- ihulyungu (U)**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae).
R: 3
- ikabudjula (Nye)**
Schizocarphus nervosus (Burch.) Van der Merwe
(Hyacinthaceae). R: 50 [*Scilla rigidifolia* Kunth;
Ganguela]
- ikeka (U)**
Solanum aethiopicum L. (Solanaceae). R: 3
[*Solanum naumannii* Engl.]
- ikengo (tree) (U)**
Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
- ikondo (U)**
Garcinia buchneri Engl. (Clusiaceae). R: 3
- ikova (U)**
Vernonia gerberiformis Oliv. & Hiern subsp.
macrocyanus (O.Hoffm.) C.Jeffrey (Asteraceae).
R: 3
- ikula-kula (U)**
Psorospermum mechowii Engl. (Hypericaceae).
R: 3
- ikumbi (U)**
Syzygium guineense (Willd.) DC. (Myrtaceae).
R: 3
- ikuñambambi (U)**
Chrysophyllum bangweolense R.E.Fr.
(Sapotaceae). R: 3 [*Chrysophyllum caondense* Greves]
- ikuyu (tree) (U)**
Ficus sp. (Moraceae). R: 3
- ikwalu (U)**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax kraussiana* Meisn.]
- ilavi (U)**
Psychotria sp. (Rubiaceae). R: 3
- ilemba (U)**
Ficus sp. (Moraceae). R: 3
- ilembe (C)**
Euphorbia teke Schweinf. ex Pax (Euphorbiaceae).
R: 50 [Kioko]
- ilendula (Kim)**
Phyllanthus pentandrus Schumach. & Thonn.
(Euphorbiaceae). R: 50
- ilombo (U)**
Landolphia foretiana (Pierre ex Jum.) Pichon
(Apocynaceae). R: 3 [*Carpodinus rufinervis* Pierre
ex Stapf]
Senecio latifolius DC. (Asteraceae). R: 3
- ilondo (Kik)**
Alchornea floribunda Müll.Arg. (Euphorbiaceae).
R: 50

- ilongo-longo** (U)
Ageratum conyzoides L. (Asteraceae). R: 3
- ilyanete** (U)
Lactuca andongensis Hiern (Asteraceae). R: 3
 [*Lactuca imbricata* var. *hockii* sensu auct. non (De Wild.) Dethier (1982)]
- imama** (U)
Carica papaya L. (Caricaceae). R: 3
- imandalu** (U)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838)]
- imbalala** (U)
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 3
- imbali-mbali** (U)
Opuntia ficus-indica (L.) Mill. (Cactaceae). R: 3
 [*Opuntia vulgaris* Mill.]
- imbandu** (U)
Portulaca oleracea L. (Portulacaceae). R: 3
- imbangalunda** (U)
Erythrina abyssinica Lam. ex DC. (Fabaceae).
 R: 3
- imbango** (U)
Croton mubango Müll.Arg. (Euphorbiaceae). R: 3
- imbimbiasheta**
Spermacoce dibrachiata Oliv. (Rubiaceae). R: 47
- imbinga** (U)
Strophanthus sp. (Apocynaceae). R: 3
- imbolo-mbolo** (U)
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 3
- imbombo** (U)
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 3
- imbondeiro** (P)
Adansonia digitata L. (Bombacaceae). R: 57, 49,
 50, 2
- imboto** (U)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- imbua-ia-kaiona** (Kim)
Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax kraussiana* Meisn.]
- imbundi** (Nye)
Adenodolichos rhomboideus (O.Hoffm.) Harms
 (Fabaceae). R: 50 [Ganguela]
- imbungululu** (U)
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 3
- imeke** (U)
Ximenia americana L. (Olacaceae). R: 3
- imge** (P)
Ximenia americana L. (Olacaceae). R: 49
- imolo** (U)
Jatropha curcas L. (Euphorbiaceae). R: 3
- imondolwa** (U)
Steganotaenia araliacea Hochst. (Apiaceae). R: 3
- imui**
Strychnos spinosa Lam. (Strychnaceae).
 R: 50 [U], 3
- imupu**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 50 [U], 3
- impupu**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 59 [Malange]
- imwi**
Strychnos spinosa Lam. (Strychnaceae). R: 3
- imwi (tree)** (U)
Strychnos sp. (Strychnaceae). R: 3
- imwi-katito** (tree) (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3
- inana** (U)
Corchorus sp. (Tiliaceae). R: 3
- incendeira** (P)
Ficus psilopoga Welw. ex Ficalho (Moraceae).
 R: 50
- Ficus thonningii* Blume (Moraceae). R: 49
- inchinda** (R)
Leea guineensis G.Don (Leeaceae). R: 28 [Lunda]
- indawu** (U)
Cyperus articulatus L. (Cyperaceae). R: 3
- indembe** (U)
Lantana rugosa Thunb. (Verbenaceae). R: 50, 3
 [*Lantana salviifolia* Jacq.]
- Myrothamnus flabellifolius* Welw.
 (Myrothamnaceae). R: 3
- indianuno**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 24 [Maiombe]
- Entandrophragma utile* (Dawe & Sprague)
 Sprague (Meliaceae). R: 24
- Khaya anthotheca* (Welw.) C.DC. (Meliaceae). R:
 49 [*Khaya nyasica* Stapf ex Baker f.; Maiombe]
- Khaya ivorensis* A.Chev. (Meliaceae). R: 49
 [Maiombe], 24
- indjambala** (U)
Agelanthus falcifolius (Sprague) Polhill & Wiens
 (Loranthaceae). R: 3
- indjole** (U)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- indjwandjwa** (U)
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- indongo** (U)
Vernonia sp. (Asteraceae). R: 3
- indundula** (Kik)
Ancistrocarpus densispinosus Oliv. (Tiliaceae).
 R: 50
- indyasi** (U)
Triumfetta geoides Welw. ex Mast. (Tiliaceae).
 R: 3
- ingalundu** (Kim)
Combretum mossambicense (Klotzsch) Engl.
 (Combretaceae). R: 50 [*Combretum quangense*
 Engl. & Diels]
- inge**
Ximenia americana L. (Olacaceae). R: 50 [U], 3

-
- ingeve** (U)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3
- ingevya** (U)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3
- ingolo** (U)
Terminalia brachystemma Welw. ex Hiern
(Combretaceae). R: 3
- ingondjila** (U)
Lannea sp. (Anacardiaceae). R: 3
- ingonge** (U)
Humularia welwitschii (Taub.) P.A.Duvign. var.
gossweileri (Baker f.) P.A.Duvign. (Fabaceae).
R: 3
- ingongo** (Kik)
Tephrosia vogelii Hook.f. (Fabaceae). R: 50
- ingongwila** (shrub) (U)
Lannea sp. (Anacardiaceae). R: 3
- inhame** (P)
Colocasia esculenta (L.) Schott (Araceae). R: 49
- inhame-coco** (P)
Colocasia esculenta (L.) Schott (Araceae). R: 49
- inhame-da-China** (P)
Dioscorea polystachya Turcz. (Dioscoreaceae). R:
49 [*Dioscorea batatas* Decne.]
- inhame-da-Índia** (P)
Dioscorea alata L. (Dioscoreaceae). R: 49, 50
- insame** (U)
Aframomum daniellii (Hook.f.) K.Schum.
(Zingiberaceae). R: 50
- insia** (Kik)
Strychnos floribunda Gilg (Strychnaceae). R: 50
[*Strychnos welwitschii* Gilg]
- intole** (Kim)
Cyperus nutans Vahl (Cyperaceae). R: 50
- iole-iole** (Kik)
Andropogon schirensis Hochst. ex A.Rich.
(Poaceae). R: 50
- iolo** (U)
Annona stenophylla Engl. & Diels subsp. *nana*
(Exell) N.Robson (Annonaceae). R: 50 [*Annona*
nana Exell var. *oblonga* Robyns & Ghesq.]
- iondinga** (Z)
Corallocarpus welwitschii (Naud.) Hook.f. ex
Welw. (Cucurbitaceae). R: 45 [Tjiherero]
- iondo** (U)
Pseudospondias microcarpa (A.Rich.) Engl.
(Anacardiaceae). R: 50
- ipembe** (U)
Ilex mitis Radlk. (Aquifoliaceae). R: 3
- ipipa** (U)
Typha capensis (Rohrb.) N.E.Br. (Typhaceae).
R: 3
- ipo** (U)
Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 3
- ipoke** (U)
Physostigma mesoponticum Taub. (Fabaceae).
- R: 3
- ipu** (U)
Strychnos spinosa Lam. (Strychnaceae). R: 3
- ipukulu** (pl.) (Nye)
Jatropha curcas L. (Euphorbiaceae). R: 50
[Ganguela]
- ipungwandembe** (U)
Protea angolensis Welw. (Proteaceae). R: 3
- ipupu** (U)
Lonchocarpus sericeus (Poir.) Kunth ex DC.
(Fabaceae). R: 3
- isamba** (U)
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 3
- isanda** (U)
Raphia sp. (Arecaceae). R: 3
- isangu** (U)
Eriosema affine De Wild. (Fabaceae). R: 3
- isanu** (Kik)
Ongokea gore (Hua) Pierre (Olacaceae). R: 50
- isa-quente** (P)
Treculia africana Decne. ex Trécul (Moraceae).
R: 50
- isekwa** (U)
Hippocratea antunesii (O.Hoffm.) Roessler
(Asteraceae). R: 3
- isilo-silo** (U)
Vitex madiensis Oliv. (Lamiaceae). R: 3
- isipe-sipe** (U)
Gladiolus sp. (Iridaceae). R: 3
- isole** (U)
Rothmannia engleriana (K.Schum.) Keay
(Rubiaceae). R: 3
- isoma** (Kim)
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R:
50, 3
- isombo** (tree) (U)
Syzygium guineense (Willd.) DC. (Myrtaceae).
R: 3
- isonge** (U)
Acacia sieberiana DC. (Fabaceae). R: 3
- isoñwa** (U)
Cucumis anguria L. (Cucurbitaceae). R: 3
- isosa** (U)
Solanum aculeastrum Dunal var. *albifolium*
(C.H.Wright) Bitter (Solanaceae). R: 3
- isyá** (tree) (U)
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 3
- itamba**
Grewia welwitschii Burret (Tiliaceae). R: 50
[Kim; pl.]
Pogostemon mutamba (Hiern) G.Taylor
(Lamiaceae). R: 50
- itanda-tanda-ua-tenga**
Oldenlandia gorenensis (DC.) Summerh. var.
gorenensis (Rubiaceae). R: 47
- itata** (U)
Securidaca longipedunculata Fresen.
(Polygalaceae). R: 3

itemo (C)
Dissotis rhinanthifolia (Brenan) A.Fern. & R.Fern. var. *exellii* A.Fern. & R.Fern. (Melastomataceae). R: 41 [Kioko], Araújo 124 [Quioco]

itemo-ua-meia
Drosera madagascariensis DC. (Droseraceae). R: 51

itemo-ua-tenga
Pavetta nitidula Welw. ex Hiern (Rubiaceae). R: 47

itemu-iaku-meia
Gaertnera bracteata E.M.A.Petit var. *glabrifolia* E.M.A.Petit (Rubiaceae). R: 47

itemu-iamu-meia
Drosera affinis Welw. ex Oliv. (Droseraceae). R: 51
Drosera burkeana Planch. (Droseraceae). R: 51

itemu-iamu-ulombu
Drosera affinis Welw. ex Oliv. (Droseraceae). R: 51

itemu-ua-mutenga
Antherotoma debilis (Sond.) Jacq.-Fél. (Melastomataceae). R: 41 [*Dissotis debilis* (Sond.) Triana var. *pusilla* (R.E.Fr.) A.Fern. & R.Fern.]

itendelekkete (U)
Oldfieldia dactylophylla (Welw. ex Oliv.) J.Léonard (Euphorbiaceae). R: 3

itende-mupa (tree) (U)
Strychnos sp. (Strychnaceae). R: 3

iteteta-hopá (U)
Celtis sp. (Ulmaceae). R: 3

itina-kanguluve (U)
Curculigo pilosa (Schumach. & Thonn.) Engl. (Hypoxidaceae). R: 3
Hypoxis polystachya Welw. ex Baker (Hypoxidaceae). R: 3

titó
Cucumis anguria L. (Cucurbitaceae). R: 45
[Bissonhua]

itolá (U)
Piliostigma thonningii (Schumach.) Milne-Redh. (Fabaceae). R: 3

itombo (U)
Manihot esculenta Crantz (Euphorbiaceae). R: 3

itoná (U)
Dalbergia nitidula Welw. ex Baker (Fabaceae). R: 3

itopota-vaso (U)
Psorospermum febrifugum Spach (Hypericaceae). R: 3

itula (pl.) (Kim)
Kotschyia strobilantha (Welw. ex Baker) Dewit & P.A.Duvign. var. *strobilantha* (Fabaceae). R: 50
[*Smithia strobilantha* Welw. ex Baker]

itumba (U)
Crotalaria teixeirae Torre (Fabaceae). R: 3

itumba-ndjeye (U)
Vernonia colorata (Willd.) Drake (Asteraceae). R: 3

itumba-njeie (U)
Vernonia colorata (Willd.) Drake (Asteraceae). R: 50 [U], 3

itumbate (Kim)
Boerhavia diffusa L. (Nyctaginaceae). R: 52

itunda-kalunga (U)
Boscia sp. (Capparaceae). R: 3

itunda-ndjembo (U)
Diplolophium zambesianum Hiern (Apiaceae). R: 3

itunda-sonde (U)
Eriosema sp. (Fabaceae). R: 3

iuoloulu-ua-muiambu
Crotalaria pterospartioides Torre (Fabaceae). R: Barros Machado VII.54-371
Crotalaria tetraptera Torre (Fabaceae). R: Barros Machado VII.54-411

ivenda-nguluve (U)
Oxyanthus sp. (Rubiaceae). R: 3

ixna (Nya)
Kohautia angolensis Bremek. (Rubiaceae). R: 47
[Muquilengue]

iyolo (U)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 3

iyukula (U)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3

J

jaca (P)
Artocarpus heterophyllus Lam. (Moraceae). R: 49
[*Artocarpus integrifolia* L.f.]

jacarandá (P)
Jacaranda mimosifolia D.Don (Bignoniaceae). R: 49 [*Jacaranda ovalifolia* R.Br.]

jafia (U)
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [*Parinari latifolia* Exell]

jakete (U)
Acacia etbaica Schweinf. (Fabaceae). R: 50

jaku-jaku (Kim)
Cyperus articulatus L. (Cyperaceae). R: 50, 3

jambo (Nya)
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 1 [Mumuíla]

jamboiro (P)
Syzygium jambos (L.) Alston (Myrtaceae). R: 49, 50

jangone (Kim)
Plumbago zeylanica L. (Plumbaginaceae). R: 52

jaqueira (P)
Artocarpus heterophyllus Lam. (Moraceae). R: 49
[*Artocarpus integrifolia* L.f.]

jarro (P)
Alocasia sp. (Araceae). R: 49
Caladium sp. (Araceae). R: 49
Spathiphyllum sp. (Araceae). R: 49

- jasmim-da-laranjeira** (P)
Murraya paniculata (L.) Jack (Rutaceae). R: 49
 [*Chalcas exotica* (L.) Millsp.]
- jasmim-mangueira** (P)
Plumeria rubra L. (Apocynaceae). R: 49
- jasmineiro-de-África** (P)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 49 [*Diplorhynchus angolensis* Bütner]
- jasmineiro-do-Cazengo** (P)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 49 [*Diplorhynchus angolensis* Bütner]
- jasmino-de-Cabo** (P)
Gardenia augusta (L.) Merr. (Rubiaceae). R: 49
 [*Gardenia jasminoides* Ellis]
- jepo** (C)
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 60
 [Quioco]
- jepu**
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 49
 [NE Lunda], 50 [Kioko]
- jibaiu** (Kik)
Gilbertiodendron ogoouense (Pellegr.) J.Léonard (Fabaceae). R: 50 [*Macrolobium mayombense* sensu auct. non Pellegr. (1920)]
- jifi** (Kim)
Sansevieria cylindrica Bojer ex Hook. (Dracaenaceae). R: 50
- jifingu** (Kim)
Abrus canescens Welw. ex Baker (Fabaceae). R: 50
Abrus melanospermus Hassk. subsp.
melanospermus (Fabaceae). R: 50 [*Abrus pulchellus* Wall. ex Thwaites]
Abrus precatorius L. (Fabaceae). R: 50
- jigajiga** (B)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 13
 [Libolo]
- jihefo** (Kim)
Piper guineense Schumach. & Thonn. (Piperaceae). R: 50
- jihefu** (Kim)
Urera thonneri De Wild. & T.Durand (Urticaceae). R: 50
- jheso** (Kim)
Piper guineense Schumach. & Thonn. (Piperaceae). R: 50
- jihia** (fruit) (Kim)
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [*Parinari latifolia* Exell]
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.]
- jjapa**
Stereospermum harmsianum K.Schum. (Bignoniaceae). R: 50 [Kioko], 10
- ji-jinje** (Kim)
Cyperus alternifolius L. subsp. *flabelliformis* Kük. (Cyperaceae). R: 50 [Kioko]
- jikakaia** (Kik)
Gilbertiodendron ogoouense (Pellegr.) J.Léonard (Fabaceae). R: 50 [*Macrolobium mayombense* sensu auct. non Pellegr. (1920)]
- jikete** (C)
Palisota schweinfurthii C.B.Clarke (Commelinaceae). R: 50 [Kioko]
- jikidi** (U)
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels (Combretaceae). R: 50
- jikunga** (Kik)
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 50 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.]
- jila-andundo** (Kim)
Datura metel L. (Solanaceae). R: 50 [Kim], 3
- jila-andundu**
Datura metel L. (Solanaceae). R: 49, 3 [Malange, Golungo Alto]
- jilema**
Commiphora angolensis Engl. (Burseraceae). R: 23
- jilendula** (pl.) (Kim)
Phyllanthus reticulatus Poir. (Euphorbiaceae). R: 50
- jiloain**
Zehneria angolensis Hook.f. (Cucurbitaceae). R: 45
- jimbanji** (pl.) (U)
Albizia ferruginea (Guill. & Perr.) Benth. (Fabaceae). R: 50 [*Albizia angolensis* Welw. ex Oliv.]
- jimbanji-mbanji** (pl.) (U)
Albizia gummifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50
- jimbembe** (Kim)
Portulaca oleracea L. (Portulacaceae). R: 50, 3 [pl.]
- jimbinda** (pl.) (Nye)
Lagenaria siceraria (Molina) Standl. (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.; Ganguela]
- jimboa**
Amaranthus caudatus L. (Amaranthaceae). R: 49 [P], 50 [Kim; pl.]
Amaranthus spinosus L. (Amaranthaceae). R: 50 [Kim]
- jimbonde**
Commiphora mollis (Oliv.) Engl. (Burseraceae). R: 50 [U], 3
- jimboto** (pl.)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50 [*Euclea lanceolata* E.Mey. ex A.DC.; U], 3
- jimbula** (pl. fruit) (Kim)
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 50
- jimbulua** (Kim)
Uapaca gossweileri Hutch. (Euphorbiaceae). R: 50

- jimbulungu** (Kim)
Solanum incanum L. (Solanaceae). R: 50
- jimbulungunja** (pl.) (U)
Blighia unijugata Baker (Sapindaceae). R: 50
- jimbunze** (pl.) (C)
Alchornea cordifolia (Schumach. & Thonn.) Müll.Arg. (Euphorbiaceae). R: 50 [Kioko]
- Jimona** (pl.)
Ricinus communis L. (Euphorbiaceae). R: 49
- Jimono** (pl.) (Kim)
Ricinus communis L. (Euphorbiaceae). R: 50
- jindondo** (Kim)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R: 50 [*Chlorocodon whitei* Hook.f.]
- jindondolo**
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 50 [*Solanum albifolium* C.H.Wright; Kioko], 50 [*Solanum albifolium* C.H.Wright; Kim]
- jindungo** (P)
Capsicum frutescens L. (Solanaceae). R: 3
- jindungu** (Kim)
Capsicum frutescens L. (Solanaceae). R: 50, 3
- jindungueiro** (P)
Capsicum frutescens L. (Solanaceae). R: 49
- jingenge** (fruit) (Kim)
Spondias mombin L. (Anacardiaceae). R: 50
- jingimo**
Chrysobalanus icaco L. subsp. *icaco* (Chrysobalanaceae). R: 54 [*Chrysobalanus orbicularis* Schumach.]
- jingingga** (P)
Carissa spinarum L. (Apocynaceae). R: 49
[*Carissa edulis* (Forssk.) Vahl]
- jingoa** (C)
Marantochloa cuspidata (Roscoe) Milne-Redh. (Marantaceae). R: 50 [*Marantochloa flexuosa* (Benth.) Hutch.; Kioko]
- jingongono** (pl.) (Kim)
Carissa spinarum L. (Apocynaceae). R: 50
[*Carissa edulis* (Forssk.) Vahl]
- jinguba**
Arachis hypogaea L. (Fabaceae). R: 49, 3 [Kim], 3 [P], 50 [Kim; fruit]
- jinguba-ia-kabambi** (Kim)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
[*Voandzeia subterranea* (L.) DC.]
- jinguengue**
Aframomum alboviolaceum (Ridl.) K.Schum. (Zingiberaceae). R: 50 [Kim]
Spondias mombin L. (Anacardiaceae). R: 58 [Cuanza Norte]
- jinguengue-nene** (C)
Landolphia thollonii Dewèvre (Apocynaceae). R: 50 [*Landolphia chylorrhiza* (K.Schum.) Stapf; Kioko]
- jinjilu**
Solanum aethiopicum L. (Solanaceae). R: 50
[*Solanum naumannii* Engl.; Kim]
- Solanum macrocarpon** L. (Solanaceae). R: 50 [Kik]
Solanum incanum L. (Solanaceae). R: 50 [Kim; pl.]
- jinjimo**
Chrysobalanus icaco L. subsp. *icaco* (Chrysobalanaceae). R: 58 [*Chrysobalanus orbicularis* Schumach.; Luanda]
- jinjimu** (pl.) (Kim)
Chrysobalanus icaco L. subsp. *icaco* (Chrysobalanaceae). R: 50 [*Chrysobalanus orbicularis* Schumach.]
- jinjinda** (Kim)
Entada gigas (L.) Fawc. & Rendle (Fabaceae). R: 50
- jinjinga**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.]
- jinjinji** (Kim)
Chrysophyllum welwitschii Engl. (Sapotaceae). R: 50
- jinota** (Kik)
Trichoscypha oddonii De Wild. (Anacardiaceae). R: 50 [*Trichoscypha cabindensis* Exell & Mendonça]
- jinzunu**
Sida rhombifolia L. (Malvaceae). R: 3, 50 [Kim; pl.]
- jipepe** (Kim)
Monodora myristica (Gaertn.) Dunal (Annonaceae). R: 50
- jipepe-de-Songo**
Monodora angolensis Welw. (Annonaceae). R: 57
- jipepe-ia-songo** (Kim)
Monodora angolensis Welw. (Annonaceae). R: 50
- jipinhi**
Canavalia virosa (Roxb.) Wight & Arn. (Fabaceae). R: 49 [*Canavalia gladiata* sensu auct. non (Jacq.) DC. (1825)]
- jiposa** (Kim)
Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax kraussiana* Meisn.]
- jipuapua** (Nye)
Cajanus cajan (L.) Millsp. (Fabaceae). R: 50 [Ganguela]
- jiquiri**
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels (Combretaceae). R: 2
- jialisali** (C)
Alstonia congensis Engl. (Apocynaceae). R: 50 [Kioko]
- jisongo-jia-ngoma** (Kim)
Bidens pilosa L. (Asteraceae). R: 50
- jitamba**
Pogostemon mutamba (Hiern) G.Taylor (Lamiaceae). R: 50 [Ganguela; Nye]
Plectranthus esculentus N.E.Br. (Lamiaceae). R: 50 [*Coleus dazo* A.Chev.; Kim; pl.]

jiti-ia-kalunga (sing.)
Solanum incanum L. (Solanaceae). R: 50 [*Solanum panduriforme* E.Mey. ex Dunal; Malange]
jititia-kalunga (sing.) (Kim)
Solanum incanum L. (Solanaceae). R: 50 [*Solanum panduriforme* E.Mey. ex Dunal]
jititi-ja-kalunga (Kim)
Solanum incanum L. (Solanaceae). R: 50 [*Solanum panduriforme* E.Mey. ex Dunal]
jituete (pl.) (Kim)
Solanum anomalum Thonn. (Solanaceae). R: 50
joio (P)
Lolium temulentum L. (Poaceae). R: 49
juaria
Combretum platypetalum Welw. ex M.A.Lawson subsp. *baumii* (Engl. & Gilg) Exell (Combretaceae). R: 11
juanandimba (Nya)
Seriphium cinereum L. (Asteraceae). R: 50 [*Stoebe cinerea* (L.) Thunb.; Lunyaneka]
juandimba
Artemisia afra Jacq. ex Willd. (Asteraceae). R: 50 [Lunyaneka], 3
jubulu
Dissotis princeps (Kunth) Triana var. *candolleana* (Cogn.) A.Fern. & R.Fern. (Melastomataceae). R: 41
jurulo
Mentha sp. (Lamiaceae). R: 3
jululu (Nye)
Tricalysia angolensis A.Rich. ex DC. (Rubiaceae). R: 47 [Ganguela]
jumbo (tree with fruits) (Kik)
Diospyros viridicans Hiern (Ebenaceae). R: 50
jumbundu (Kim)
Chrysophyllum welwitschii Engl. (Sapotaceae). R: 50
junça (P)
Cyperus rotundus L. subsp. *rotundus* (Cyperaceae). R: 49 [*Cyperus rotundus* L. var. *elongatus* Boeck.]
junça-de-conta (P)
Cyperus rotundus L. subsp. *rotundus* (Cyperaceae). R: 50 [*Cyperus rotundus* L. var. *elongatus* Boeck.]
junco (P)
Eremospatha cabrae (De Wild. & T.Durand) De Wild. (Arecaceae). R: 49
junguiu (U)
Adenium boehmianum Schinz (Apocynaceae). R: 50
junquinho-manso (P)
Cyperus usitatus Burch. ex Roem. & Schult. (Cyperaceae). R: 49 [*Cyperus edulis* Dinter]
junquinha-mansa (P)
Cyperus esculentus L. (Cyperaceae). R: 50
justicia (P)
Aphelandra squarrosa Nees (Acanthaceae). R: 49
juta-da-Índia (P)
Corchorus capsularis L. (Tiliaceae). R: 49

K

kababa (Kim)
Guibourtia carrisoana (M.A.Exell) J.Léonard var. *gossweileri* (M.A.Exell) J.Léonard (Fabaceae). R: 50 [*Guibourtia gossweileri* (M.A.Exell) Torre & Hillc.]
kabakaxi (Kim)
Balanites angolensis (Welw.) Welw. ex Mildbr. & Schltr. (Balanitaceae). R: 50
kabanganji (U)
Balanites angolensis (Welw.) Welw. ex Mildbr. & Schltr. (Balanitaceae). R: 50
kabaxi (Kim)
Balanites angolensis (Welw.) Welw. ex Mildbr. & Schltr. (Balanitaceae). R: 50
kabela (Kim)
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae). R: 50, 3
kabenda
Celtis zenkeri Engl. (Ulmaceae). R: 49 [Cazengo]
kabenda-kazelele (Kim)
Celtis zenkeri Engl. (Ulmaceae). R: 50
kabende (Kim)
Craibia brevicaudata (Vatke) Dunn subsp. *baptistarum* (Büttner) J.B.Gillett (Fabaceae). R: 50 [*Craibia baptistarum* (Büttner) Dunn]
kabende-kaxikelela (Kim)
Celtis mildbraedii Engl. ? (Ulmaceae). R: 50 [*Celtis soyauxii* Engl.]
kabilango
Burkea africana Hook. (Fabaceae). R: 49 [Pungo Andongo]
kabilangu (Kim)
Burkea africana Hook. (Fabaceae). R: 50, 3
kabolebole (Kim)
Mussaenda arcuata Poir. (Rubiaceae). R: 50
kabole-bole
Mussaenda arcuata Poir. (Rubiaceae). R: 47
kabondo (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50
kabongapuna
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia adoensis* Hochst. ex Schauer var. *multicaulis* Hiern; Kim], 3 [*Lippia adoensis* Hochst. ex Schauer var. *multicaulis* Hiern; Malange]
kabuabuata (Kim)
Physalis angulata L. (Solanaceae). R: 50
kabubula (C)
Chaetocarpus africanus Pax (Euphorbiaceae). R: 50 [Kioko]
kabuehue (Kim)
Tricholaena monachne (Trin.) Stapf & C.E.Hubb. (Poaceae). R: 50 [*Tricholaena delicatula* Stapf & C.E.Hubb.]
kabui (Kim)
Psorospermum febrifugum Spach (Hypericaceae). R: 50

kabula (Kim)
Phaseolus lunatus L. (Fabaceae). R: 49

kabulambia (Kim)
Psorospermum febrifugum Spach (Hypericaceae). R: 50

kabulu (Kim)
Phaseolus lunatus L. (Fabaceae). R: 50

kadiangu (U)
Cajanus cajan (L.) Millsp. (Fabaceae). R: 50

kadia-sasa (Nye)
Tephrosia vogelii Hook.f. (Fabaceae). R: 50
[Ganguela]

kadidila (Kik)
Piptostigma fasciculatum (De Wild.) Boutique ex R.E.Fr. (Annonaceae). R: 50 [*Brieya fasciculata* De Wild.]

kadieete (Kim)
Margaritaria discoidea (Baill.) G.L.Webster var. *discoidea* (Euphorbiaceae). R: 50 [*Phyllanthus discoideus* (Baill.) Müll.Arg.]

kadiekele (Kim)
Ozoroa insignis Delile (Anacardiaceae). R: 50
[*Heeria insignis* (Delile) Kuntze]

kadi-kadi (Kik)
Alchornea cordifolia (Schumach. & Thonn.) Müll.Arg. (Euphorbiaceae). R: 50

kadikonga (C)
Biophytum helenae Buscal. & Muschl. (Oxalidaceae). R: 50 [*Biophytum sensitivum* sensu auct. non (L.) DC. (1824); Kioko]

kadinga-puna (Kim)
Plumbago zeylanica L. (Plumbaginaceae). R: 50

kadisumbule (Kim)
Clerodendrum formicarum Gürke (Lamiaceae). R: 50

kaengue
Mucuna pruriens (L.) DC. var. *utilis* (Wall. ex Wight) Baker ex Burck (Fabaceae). R: 49
[*Stizolobium deerlingianum* Bort]
Mucuna sp. (Fabaceae). R: 50 [Kioko]

kafekesu
Manilkara frondosa (Hiern) H.J.Lam (Sapotaceae). R: 49 [*Mimusops frondosa* Hiern; Cuanza Norte]

kafekezu (Kim)
Manilkara frondosa (Hiern) H.J.Lam (Sapotaceae). R: 50 [*Mimusops frondosa* Hiern]

kafekezu-ka-mulundu (Kim)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl. (Sapotaceae). R: 50 [*Mimusops welwitschii* Engl.]

kafoto (Kim)
Tephrosia vogelii Hook.f. (Fabaceae). R: 50 [Kim; U], 3

kafufula (Kim)
Antidesma membranaceum Müll.Arg. (Euphorbiaceae). R: 50

kafufuta (Kik)
Albizia ferruginea (Guill. & Perr.) Benth. (Fabaceae). R: 50 [*Albizia angolensis* Welw. ex Oliv.]

kafuku
Fadogia homblei De Wild. (Rubiaceae). R: 47

kafukutu
Trichodesma physalooides (Fenzl) A.DC. (Boraginaceae). R: 3

kafuma (Kim)
Zanthoxylum leprieurii Guill. & Perr. (Rutaceae). R: 50 [*Fagara angolensis* Engl.]

kafuma-fuma (C)
Ceiba pentandra (L.) Gaertn. (Bombacaceae). R: 50 [Kioko]

kafuxi (C)
Amphiasma benguellense (Hiern) Bremek. (Rubiaceae). R: 50 [*Oldenlandia benguellensis* Hiern; Kioko]

kahembia (Kim)
Wissadula rostrata (Schumach. & Thonn.) Hook.f. (Malvaceae). R: 50 [*Wissadula amplissima* (L.) R.E.Fr. var. *rostrata* (Schumach. & Thonn.) R.E.Fr.], 3

kahembia-hembia
Wissadula rostrata (Schumach. & Thonn.) Hook.f. (Malvaceae). R: 3

kahembia-humbia (Kim)
Sida cordifolia L. (Malvaceae). R: 50

kahenjila (Kim)
Antidesma membranaceum Müll.Arg. (Euphorbiaceae). R: 50

kahumbula
Emilia coccinea (Sims) G.Don (Asteraceae). R: 50
[*Emilia sagittata* sensu auct. non (Vahl) DC. (1838); U], 3 [*Emilia sagittata* sensu auct. non (Vahl) DC. (1838)]

kahutua (Kim)
Mucuna poggei Taub. (Fabaceae). R: 50

kaiala (C)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
[*Voandzeia subterranea* (L.) DC.; Kioko]

kaiala-ka-moxi (Kim)
Uraria picta (Jacq.) Desv. (Fabaceae). R: 50

kaiengue
Mucuna pruriens (L.) DC. var. *utilis* (Wall. ex Wight) Baker ex Burck (Fabaceae). R: 3 [*Mucuna deerlingiana* (Bort) Merr.]
Mucuna sp. (Fabaceae). R: 50 [Kioko]

kaiengue-kuakua (Kik)
Oncoba welwitschii Oliv. (Flacourtiaceae). R: 50
[*Caloncoba welwitschii* (Oliv.) Gilg]

kaiense (U)
Aeschynomene fulgida Welw. ex Baker (Fabaceae). R: 52
Pericopsis angolensis (Baker) Meeuwen (Fabaceae). R: 52

kaionga (Kim)
Biophytum helenae Buscal. & Muschl. (Oxalidaceae). R: 50 [*Biophytum sensitivum* sensu auct. non (L.) DC. (1824)]
Pterocarpus angolensis DC. (Fabaceae). R: 50

kajana (C)
Eremospatha cuspidata (G.Mann & H.Wendl.)

- H.Wendl. (Arecaceae). R: 50 [Kioko]
- kajika-mutunda** (C)
Ouratea lundensis Cavaco ? (Ochnaceae). R: 50
 [*Ouratea* sp.; Kioko]
- kajiuá**
Gardenia imperialis K.Schum. subsp. *imperialis*
 (Rubiaceae). R: 47
Rothmannia macrocarpa (Hiern) Keay
 (Rubiaceae). R: 50 [*Randia myrmecophylla* De
 Wild.; Kioko]
Voacanga thouarsii Roem. & Schult.
 (Apocynaceae). R: 50 [*Voacanga obtusa*
 K.Schum.; Kioko]
- kakange** (U)
Ocimum americanum L. (Lamiaceae). R: 52
- kakasala** (Kik)
Flueggea virosa (Roxb. ex Willd.) Voigt
 (Euphorbiaceae). R: 50
- kakenze** (Kim)
Brachystegia spiciformis Benth. (Fabaceae). R: 50
 [*Brachystegia hockii* sensu auct. non De Wild.
 (1913)]
- kaki** (P)
Diospyros kaki L.f. (Ebenaceae). R: 49
- kakibosa** (Kim)
Urena lobata L. (Malvaceae). R: 50
- kakiteku** (Nya)
Cassia absus L. (Fabaceae). R: 50 [Lunyaneka]
- kako** (U)
Setaria homonyma (Steud.) Chiov. (Poaceae). R:
 50, 3 [*Setaria kialaensis* Vanderyst]
- kakoba**
Stereospermum harmsianum K.Schum.
 (Bignoniaceae). R: 50 [Kioko], 10
- kakombaiala** (Kim)
Talinum portulacifolium (Forssk.) Asch. ex
 Schweinf. (Portulacaceae). R: 50
- kakome** (Nd)
Phoenix reclinata Jacq. (Arecaceae). R: 50
 [Xindonga]
- kakondo-ka-ufele** (Kim)
Digitaria milanjiana (Rendle) Stapf (Poaceae).
 R: 50
- kakong'atú** (Kim)
Commiphora africana (A.Rich.) Engl.
 (Burseraceae). R: 50
- kakongo**
Afzelia pachyloba Harms (Fabaceae). R: 2 [*Afzelia*
 zenkeri Harms]
- kakuala** (Kim)
Anchomanes difformis (Blume) Engl. (Araceae).
 R: 50 [*Anchomanes dubius* Schott]
- kakuanza** (Kim)
Clausena anisata (Willd.) Hook.f. ex Benth.
 (Rutaceae). R: 50
- kakue**
Cryptosepalum maraviense Oliv. (Fabaceae). R:
 50 [*Cryptosepalum curtisiorum* I.M.Johnst.; U]
Mimosa pigra L. (Fabaceae). R: 50 [Kioko]
- kakuema** (C)
Monanthotaxis lucidula (Oliv.) Verdc.
 (Annonaceae). R: 50 [*Popowia lucidula* (Oliv.)
 Engl. & Diels; Kioko]
- kakumbi** (Kim)
Lannea ambacensis (Hiern) Engl.
 (Anacardiaceae). R: 50
- kakunde** (Kim)
Chamaecrista mimosoides (L.) Greene (Fabaceae).
 R: 50 [*Cassia mimosoides* L.]
- kakundu**
Rhynchosia minima (L.) DC. var. *minima*
 (Fabaceae). R: Teixeira 683
- kakyō-kolui** (U)
Dorstenia benguellensis Welw. (Moraceae). R: 50
- kala** (U)
Synsepalum cerasiferum (Welw.) T.D.Penn.
 (Sapotaceae). R: 50 [*Sersalisia cerasifera* (Welw.)
 Engl.]
- kalalandja**
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- kalalanza** (Kim)
Clausena anisata (Willd.) Hook.f. ex Benth.
 (Rutaceae). R: 50
Hymenostegia laxiflora (Benth.) Harms
 (Fabaceae). R: 50
- kalata** (Kim)
Talinum portulacifolium (Forssk.) Asch. ex
 Schweinf. (Portulacaceae). R: 50
- kalembe**
Tephrosia vogelii Hook.f. (Fabaceae). R: 50
 [Kim], 3, 52 [U]
- kaletete** (Kim)
Margaritaria discoidea (Baill.) G.L.Webster var.
discoidea (Euphorbiaceae). R: 50 [*Phyllanthus*
discoideus (Baill.) Müll.Arg.]
- kaliasasa**
Tephrosia vogelii Hook.f. (Fabaceae). R: 50
- kalikongo** (C)
Biophytum helenae Buscal. & Muschl.
 (Oxalidaceae). R: 50 [*Biophytum sensitivum* sensu
 auct. non (L.) DC. (1824); Kioko]
- kalisia** (U)
Tragia okanya Pax (Euphorbiaceae). R: 50
- kalitangi**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 3
- kalitete** (Kim)
Celtis gomphophylla Baker (Ulmaceae). R: 50
 [*Celtis durandii* Engl.]
- kalohumbula**
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838)]
- kalokola-dimi** (Kim)
Solanum incanum L. (Solanaceae). R: 50
- kalola** (U)
Lactuca schulzeana Büttner (Asteraceae). R: 50
 [*Lactuca macroseris* Hiern]

- kalolonji** (Kik)
Chrysophyllum subnudum Baker (Sapotaceae). R: 50 [*Chrysophyllum brieyi* De Wild.]
- kalondau**
Cyperus articulatus L. (Cyperaceae). R: 3
- kalondia**
Eulophia schweinfurthii Kraenzl. (Orchidaceae). R: 50 [*Lissochilus aurantiacus* Rchb.f.; U], 3
- kalootola** (U)
Sopubia lanata Engl. (Orobanchaceae). R: 50
- kalosaka-kolondjila**
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- kalotola**
Sopubia lanata Engl. (Orobanchaceae). R: 3
- kaluhia** (Kim)
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [*Parinari latifolia* Exell]
- kaluku**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 3
- kalulu** (Kim)
Vernonia calulu Hiern (Asteraceae). R: 50, 3
- kalumbi** (Kim)
Capparis sepiaria L. var. *subglabra* (Oliv.) De Wolf (Capparaceae). R: 50 [*Capparis subglabra* (Oliv.) Gilg & Gilg-Ben.]
Rubus pinnatus Willd. (Rosaceae). R: 50
- kalunamba**
Dicliptera sp. (Acanthaceae). R: 3
- kalundukia** (Kim)
Diospyros heterotricha (Welw. ex Hiern) F.White (Ebenaceae). R: 50 [*Royena heterotricha* (Welw. ex Hiern) B.L.Burtt]
- kalunguena** (Kim)
Zanthoxylum rubescens Planch. ex Hook.f. (Rutaceae). R: 50 [*Fagara welwitschii* Engl.]
- kalunji** (Kik)
Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 50
- kalusanje** (Kim)
Commiphora angolensis Engl. (Burseraceae). R: 50
- kalusanji** (Kim)
Steganotaenia araliacea Hochst. (Apiaceae). R: 50, 8
- kalusanji-kafele**
Lefebvreia grantii (Kingston ex Oliv.) S.Droop (Apiaceae). R: 50 [*Lefebvreia welwitschii* Engl.; Kim], 3 [*Peucedanum angolense* (Welw. ex Ficalho) Cannon; Cuanza Norte]
- kalutete** (Kim)
Bridelia ferruginea Benth. (Euphorbiaceae). R: 50
Margaritaria discoidea (Baill.) G.L.Webster var. *discoidea* (Euphorbiaceae). R: 50 [*Phyllanthus discoideus* (Baill.) Müll.Arg.]
- kaluvangu** (U)
Cissampelos mucronata A.Rich. (Menispermaceae). R: 50
- kaluvili**
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv. (Ericaceae). R: 3 [*Philippia benguelensis* (Welw. ex Engl.) Britten]
- kaluwawa**
Stomatianthes africanus (Oliv. & Hiern) R.M.King & H.Rob. (Asteraceae). R: 3 [*Eupatorium africanum* Oliv. & Hiern]
- kaluweti** (U)
Chamaecrista mimosoides (L.) Greene (Fabaceae). R: 3 [*Cassia mimosoides* L.]
- kaluya** (U)
Parinari capensis Harv. (Chrysobalanaceae). R: 3 [*Parinari pumila* Mildbr.]
- kaluywa**
Parinari capensis Harv. (Chrysobalanaceae). R: 3 [*Parinari pumila* Mildbr.]
- kamaje**
Pericopsis angolensis (Baker) Meeuwen (Fabaceae). R: 49 [*Afrormosia angolensis* (Baker) De Wild.; Huíla]
- kamba** (U)
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R: 50 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.], 3
- kambalala-musuna** (Kim)
Bridelia ferruginea Benth. (Euphorbiaceae). R: 50
- kambaleila** (Kim)
Bridelia micrantha (Hochst.) Baill. (Euphorbiaceae). R: 50
- kambalela** (Kim)
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 50 [Kim]
Bridelia ferruginea Benth. (Euphorbiaceae). R: 50 [Kim]
Bridelia scleroneura Müll.Arg. subsp. *angolensis* (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50 [*Bridelia angolensis* Müll.Arg.; U], 3 [*Bridelia angolensis* Müll.Arg.]
- kambambi**
Eragrostis superba Peyr. (Poaceae). R: 3
- kambimbi** (C)
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia adoensis* Hochst. ex Schauer var. *multicaulis* Hiern; Kioko]
- kambinda**
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Lunda]
- kambolo** (Kim)
Gymnosporia senegalensis (Lam.) Loes. (Celastraceae). R: 50 [*Maytenus senegalensis* (Lam.) Exell]
- kambombo**
Rhus natalensis Bernh. (Anacardiaceae). R: 3
- kambonjo** (Kim)
Palisota schweinfurthii C.B.Clarke (Commelinaceae). R: 50
- kambuke** (U)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 50 [*Faurea speciosa* Welw.]
- kambula**
Milicia excelsa (Welw.) C.C.Berg (Moraceae).

- R: 49 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.; Baixo Maiombe], 50 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.; Kik]
- kambumba** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
- kambumbi** (Kim)
Kigelia africana (Lam.) Benth. (Bignoniaceae). R: 50 [*Kigelia angolensis* Welw. ex Sprague]
- kambumbu**
Rhus wellmanii Engl. (Anacardiaceae). R: 3
- kambundi**
Pseudeminia sp. (Fabaceae). R: 3
- kambundu**
Rhus wellmanii Engl. (Anacardiaceae). R: 50 [U], 3
- kambungo** (C)
Trachyphrynum braunianum (K.Schum.) Baker (Marantaceae). R: 50 [*Hybophrynum braunianum* K.Schum.; Kioko]
- kambungu**
Landolphia camptoloba (K.Schum.) Pichon (Apocynaceae). R: 50 [*Carpodinus gracilis* Stapf; Ganguela; Nye]
Ozoroa benguellensis (Engl.) R.Fern. (Anacardiaceae). R: 50 [*Heeria benguellensis* Engl.]; U], 3
- kambuta** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
Manihot sp. (Euphorbiaceae). R: 3 [Kioko]
- kamengu** (U)
Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 50 [*Cryptosepalum arboreum* Baker f.]
- kamhotela-kabox** (Kim)
Psorospermum baumii Engl. (Hypericaceae). R: 52
- kaminhima** (Kim)
Pseudarthria hookeri Wight & Arn. (Fabaceae). R: 50
- kamuanza** (Kim)
Albizia gummiifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50
- kamuasa** (Kim)
Monotes caloneurus Gilg (Dipterocarpaceae). R: 50
- kamuelele** (Kim)
Ocimum americanum L. (Lamiaceae). R: 50, 52, 3
[*Ocimum canum* Sims]
- kamulengue-lengue**
Bridelia micrantha (Hochst.) Baill. (Euphorbiaceae). R: 3
- kamutu**
Cucurbita maxima Duchesne ex Lam. (Cucurbitaceae). R: 3
- kamuxi** (Kim)
Brachiaria brizantha (A.Rich.) Stapf (Poaceae). R: 50
- kamuxi-kaiala** (Kim)
Uraria picta (Jacq.) Desv. (Fabaceae). R: 50
- kanadi**
Dioscorea minutiflora Engl. (Dioscoreaceae). R: 50 [Kim]
Dioscorea praehensilis Benth. (Dioscoreaceae). R: 49 [Cazengo], 50 [Kim]
- kanaji** (C)
Pericopsis angolensis (Baker) Meeuwen (Fabaceae). R: 50 [*Arormosia angolensis* (Baker) De Wild.; Kioko]
- kanando-kanvolui**
Polygala gomesiana Welw. ex Oliv. (Polygalaceae). R: 3
- kanda** (Kim)
Ficus ottonifolia (Miq.) Miq. subsp. *lucanda* (Ficalho) C.C.Berg (Moraceae). R: 3
- kandembe**
Myrothamnus flabellifolius Welw. (Myrothamnaceae). R: 3
- kandende**
Elaeis guineensis Jacq. (Arecaceae). R: 3
- kandeo** (U)
Acacia mellifera (Vahl) Benth. subsp. *detinens* (Burch.) Brenan (Fabaceae). R: 50 [*Acacia detinens* Burch.]
- kandinga** (C)
Jatropha curcas L. (Euphorbiaceae). R: 50 [Kioko]
- kandjonjo** (Nya)
Kyllinga alba Nees subsp. *alba* (Cyperaceae). R: Teixeira 597 [Muquilengue]
- kandjundje**
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 3 [*Faurea speciosa* Welw.]
- kandombe**
Giseckia pharnaceoides L. (Gisekiaceae). R: 48 [Mucubal]
- kandonji**
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 1
- kandua** (Kim)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 50 [*Emilia sagittata* sensu auct. non (Vahl) DC. (1838)]
Gloriosa superba L. (Colchicaceae). R: 50 [*Gloriosa virescens* Lindl.]
Littonia littonioides (Welw. ex Baker) K.Krause (Colchicaceae). R: 50 [*Littonia welwitschii* Benth. & Hook.f.]
- kanga** (U)
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 50
- kangala** (fruit)
Cucumis anguria L. ? (Cucurbitaceae). R: 50 [*Cucumis ficifolius* sensu auct. non A.Rich. (1847)]
- kangandu-kanvolui** (U)
Polygala gomesiana Welw. ex Oliv. (Polygalaceae). R: 50 [U], 3

- kangengo**
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 3 [*Strophanthus intermedius* Pax]
- kangolo**
Terminalia brachystemma Welw. ex Hiern
 (Combretaceae). R: 3
- kangombe**
Argyrolobium aequinoctiale Welw. ex Baker
 (Fabaceae). R: 3
- kangongo**
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 50, 3 [*Strophanthus intermedius* Pax; U]
Strophanthus preussii Engl. & Pax (Apocynaceae). R: 50 [Kim]
- kangonha** (Nye)
Cannabis sativa L. (Cannabaceae). R: 50
 [Ganguela]
- kanguadi** (Kim)
Gladiolus dalenii Van Geel subsp. *dalenii*
 (Iridaceae). R: 50 [*Gladiolus angolensis* Baker]
- kangue** (Kim)
Thesium cinereum A.W.Hill (Santalaceae). R: 3
- kangululu** (Kim)
Aristolochia albida Duch. (Aristolochiaceae). R: 52
- kanhengu** (U)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 50 [*Cryptosepalum arboreum*
 Baker f.]
- kanianguluka**
Phyllanthus glaucophyllus Sond. (Euphorbiaceae). R: 3
- kaningi**
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 3
- kaninji** (Nya)
Tapiphyllo psammophilum (S.Moore) Robyns
 (Rubiaceae). R: 50 [*Fadogia psammophila*
 K.Schum.; Lunyaneka]
- kanjelenjunje** (Nya)
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 50 [*Strophanthus schuchardtii*
 Pax; Lunyaneka]
- kanjiki** (Kim)
Diospyros natalensis (Harv.) Brenan (Ebenaceae). R: 3
- kanjunguluila**
Solanum anomalum Thonn. (Solanaceae). R: 3
- kanjunjo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- kanuka**
Heinsia crinita (Afzel.) G.Taylor subsp. *crinita*
 (Rubiaceae). R: 50 [*Heinsia pulchella* K.Schum.;
 Kioko], 47
- kanumi-numi** (Kim)
Euphorbia tirucallii L. (Euphorbiaceae). R: 50
 [*Euphorbia rhipsaloides* Lem.]
- kanungandu**
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia*
 (Engl. & Harms) Lye (Passifloraceae). R: 3
 [*Adenia ruminicifolia* Engl. & Harms; Cuanza
 Norte]
- kanvunvu** (C)
Urena lobata L. (Malvaceae). R: 50 [Kioko]
- kanyandjila**
Solanum incanum L. (Solanaceae). R: 3 [*Solanum panduriforme* E.Mey. ex Dunal]
- kanyanguluka** (U)
Phyllanthus glaucophyllus Sond. (Euphorbiaceae). R: 3
- kanyanya**
Ricinus communis L. (Euphorbiaceae). R: 3
- kanza** (Kim)
Maesa welwitschii Gilg (Myrsinaceae). R: 50
- kanza-ka-mulende** (Kim)
Canavalia ensiformis (L.) DC. (Fabaceae). R: 50
- kanzanzanza** (Kim)
Maprounea africana Müll.Arg. (Euphorbiaceae). R: 50
- kanzi** (Kik)
Xylopia hypolampra Mildbr. (Annonaceae). R: 50
 [*Xylopia brieyi* De Wild.]
- kapadika** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- kapadjika**
Antiaris toxicaria Lesch. subsp. *welwitschii*
 (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R:
 50 [*Antiaris welwitschii* Engl.; Kioko]
Rothmannia engleriana (K.Schum.) Keay var.
engleriana (Rubiaceae). R: 47
- kapake** (U)
Afzelia bella Harms (Fabaceae). R: 50
- kapama** (C)
Calamus deerratus G.Mann & H.Wendl.
 (Arecaceae). R: 50 [Kioko]
- kapanga**
Dialium englerianum Henriq. (Fabaceae). R: 50
 [Baluba]
- kapasa** (Nye)
Bersama abyssinica Fresen. (Melianthaceae). R:
 50 [Ganguela]
- kapape** (Nye)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
 [Ganguela]
- kapiana** (Kim)
Aeollanthus pubescens Benth. (Lamiaceae). R: 50
 [*Aeollanthus elongatus* Briq.]
- kapianeka** (Kim)
Abutilon mauritianum (Jacq.) Medik. (Malvaceae). R: 50, 3
- kapiangala** (U)
Burkea africana Hook. (Fabaceae). R: 52
- kapindo** (O)
Chamaelitandra henriquesiana (Hallier f.)
 Pichon (Apocynaceae). R: 50 [*Clitandra henriquesiana* (Hallier f.) Stapf; Xikuhanama]

- kapoke (U)**
Rhynchosia candida (Welw. ex Hiern) Torre or *R. minima* (L.) DC. (Fabaceae). R: 50 [*Rhynchosia memnonia* DC.]
- kapuipe**
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.; Kioko; Ganguela]
- kapungupungu (C)**
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia adoensis* Hochst. ex Schauer var. *multicaulis* Hiern; Kioko]
- kapungu-pungu (Kim)**
Lippia plicata Baker (Verbenaceae). R: 52
- kapupula (C)**
Chaetocarpus africanus Pax (Euphorbiaceae). R: 50 [Kioko]
- kapupula-ua-mushito**
Sericanthe andongensis (Hiern) Robbr. subsp. *andongensis* var. *andongensis* (Rubiaceae). R: 47
- kaputshitenga (Luv)**
Melastomastrum segregatum (Benth.) A.Fern. & R.Fern. (Melastomataceae). R: 41 [Luena]
- kari (Kim)**
Pancovia golungensis (Hiern) Exell & Mendonça (Sapindaceae). R: 50 [Spelled 'Pavocina']
- kariotcha**
Rothmannia whitfieldii (Lindl.) Dandy (Rubiaceae). R: 47
- kasa**
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- kasabola**
Allium cepa L. (Alliaceae). R: 3
- kasafu (Kik)**
Dacryodes pubescens (Vermoesen) H.J.Lam (Burseraceae). R: 50 [*Pachylobus pubescens* Vermoesen]
- kasai (C)**
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
- kasaka**
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- kasa-kaianza (Nye)**
Albizia gummifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50 [Ganguela]
- kasa-ka-lemba (Kim)**
Ficus persicifolia Welw. ex Warb. (Moraceae). R: 50
- kasa-kambole (Kim)**
Canavalia ensiformis (L.) DC. (Fabaceae). R: 50
- kasakua**
Buchnerodendron speciosum Gürke (Flacourtiaceae). R: 50 [Kioko]
Sesamum indicum L. (Pedaliaceae). R: 50 [Ganguela]
- kasamba**
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 3
- Tephrosia vogelii** Hook.f. (Fabaceae). R: 50 [Kioko]
- kasandje**
Nicotiana tabacum L. (Solanaceae). R: 3
- kasandji**
Nicotiana tabacum L. (Solanaceae). R: 3
- kasangu (C)**
Cleome gynandra L. (Capparaceae). R: 50 [*Gynandropsis gynandra* (L.) Briq.; Kioko]
- kasanhungu (C)**
Mimosa pigra L. (Fabaceae). R: 50 [Kioko]
- kasapola**
Allium cepa L. (Alliaceae). R: 3
- kasapula-mambe**
Rytigynia rubiginosa (K.Schum.) Robyns (Rubiaceae). R: 47
- kasasa (C)**
Bixa orellana L. (Bixaceae). R: 50 [Kioko]
- kasasu (C)**
Dioscorea cayenensis Lam. (Dioscoreaceae). R: 49, 50 [Kioko; Chitato, NE Lunda]
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
- kasausau**
Dalechampia scandens L. (Euphorbiaceae). R: 50
- kasau-sau (Kim)**
Tragia okanyua Pax (Euphorbiaceae). R: 50
Tragia volubilis L. (Euphorbiaceae). R: 50
- kaseka (P)**
Vigna subterranea (L.) Verdc. (Fabaceae). R: 49 [*Voandzeia subterranea* (L.) DC.]
- kaseke**
Millettia aromatica Dunn (Fabaceae). R: 50 [Kim], 3 [Kim]
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50 [*Voandzeia subterranea* (L.) DC.; Kik]
- kasekele (Kim)**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- kasekuá**
Millettia aromatica Dunn (Fabaceae). R: 3
- kasembe (C)**
Uraria picta (Jacq.) Desv. (Fabaceae). R: 50 [Kioko]
- kashila**
Fadogia fuchsoides Welw. ex Oliv. (Rubiaceae). R: 47
- kashinda-ihutu**
Heinsia crinita (Afzel.) G.Taylor subsp. *crinita* (Rubiaceae). R: 47
- kasikaia-mbuá (U)**
Crotalaria florida Welw. ex Baker (Fabaceae). R: 50
- kasikatu**
Ozoroa benguellensis (Engl.) R.Fern. (Anacardiaceae). R: 3
- kasikidi (U)**
Diospyros hoyleana F.White subsp. *hoyleana* (Ebenaceae). R: 50 [*Maba kamerunensis* Gürke]
- kasinde (U)**
Aeschynomene bracteosa Welw. ex Baker

- (Fabaceae). R: 50
- kasovo** (seedling)
Zea mays L. (Poaceae). R: 3
- kassanga** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- kassapalamema**
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
- kassapola**
Allium cepa L. (Alliaceae). R: 3
- kassassala-ua-itemo**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- kasua-iangu** (Kim)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops welwitschii* Engl.]
- kasuanza** (Kim)
Schenckia americana L. (Solanaceae). R: 50, 3
- kasuseku** (U)
Adenodolichos rhomboideus (O.Hoffm.) Harms
 (Fabaceae). R: 50
- katadi** (U)
Diospyros hoyleana F.White subsp. *hoyleana*
 (Ebenaceae). R: 50 [*Maba kamerunensis* Gürke]
- kata-kuzu** (Kim)
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus*
mallotocarpa Warb.]
- katalangu** (Kim)
Croton angolensis Müll.Arg. (Euphorbiaceae).
 R: 50
- katamba**
Grewia sp. (Tiliaceae). R: 3
- katamba-xita** (Kim)
Dioscorea quartiniana A.Rich. (Dioscoreaceae).
 R: 49, 50 [Cazengo]
- katanda-tanda** (Ma)
Momordica balsamina L. (Cucurbitaceae). R: 45
 [Camaxe]
- katandaxatxi** (C)
Ipomoea ochracea (Lindl.) G.Don
 (Convolvulaceae). R: 50 [Kioko]
- katangula** (Kim)
Baphia sp. (Fabaceae). R: 50
- katanshatshi**
Cucumis hirsutus Sond. (Cucurbitaceae). R: 45
 [Quioco; Luena]
- katapi**
Arachis hypogaea L. (Fabaceae). R: 50 [Kioko;
 Ganguela], 3 [Kioko; Ganguela]
- katasala** (U)
Nicotiana tabacum L. (Solanaceae). R: 3
- katata** (C)
Ipomoea batatas (L.) Lam. (Convolvulaceae). R:
 50 [Kioko]
- katate** (Kim)
Croton gratissimus Burch. var. *gratissimus*
 (Euphorbiaceae). R: 50 [*Croton zambesicus*
 Müll.Arg.]
- katatomuna** (Kim)
Capparis erythrocarplos Isert (Capparaceae). R: 52
- katatula** (U)
Mezoneuron angolense Welw. ex Oliv.
 (Fabaceae). R: 50
- katchimandalu**
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838)]
- katchindji** (C)
Psophocarpus palustris Desv. (Fabaceae). R: 50
 [Kioko]
- katchipumbandende**
Protea angolensis Welw. (Proteaceae). R: 3
- katchisangu**
Eriosema affine De Wild. (Fabaceae). R: 3
- katchisangu-kov'eñaala**
Eriosema affine De Wild. (Fabaceae). R: 3
- katengo** (U)
Hyperthelia dissoluta (Nees ex Steud.) Clayton
 (Poaceae). R: 50 [*Hyparrhenia ruprechtii* Fourn.]
- katete** (Nye)
Croton integrifolius Pax (Euphorbiaceae). R: 50
 [Ganguela]
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 50 [*Eugenia angolensis* Engl.;
 U], 3
- katete-bula** (Kim)
Tinnea antiscorbutica Welw. (Lamiaceae).
 R: 50, 52
- katete-mbula** (Kim)
Tinnea antiscorbutica Welw. (Lamiaceae). R: 3
- katete-ua-muchito**
Calycosiphonia spathicalyx (K.Schum.) Robbr.
 (Rubiaceae). R: 47
- katiotandi** (Kim)
Pavetta gossweileri Bremek. (Rubiaceae). R: 50
 [*Pavetta baconia* sensu auct. non Hiern (1877)]
- kativa** (Nye)
Baphia sp. (Fabaceae). R: 50 [Ganguela]
- katodi**
Solanecio mannii (Hook.f.) C.Jeffrey (Asteraceae).
 R: 50 [*Crassocephalum multicorymbosum* (Klatt)
 S.Moore; Kim], 3 [*Crassocephalum*
multicorymbosum (Klatt) S.Moore; Malange]
- katoka** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- katole-tola** (Kik)
Flueggea virosa (Roxb. ex Willd.) Voigt
 (Euphorbiaceae). R: 50
- katoletole** (U)
Tinnea eriocalyx Welw. (Lamiaceae). R: 52
- katoli**
Solanecio mannii (Hook.f.) C.Jeffrey
 (Asteraceae). R: 50 [*Crassocephalum*
multicorymbosum (Klatt) S.Moore; Kim], 3
 [*Crassocephalum multicorymbosum* (Klatt)
 S.Moore; Malange]
- katoma** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]

- katome (C)**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- katshiua (Luv)**
Baphia massaiensis Taub. subsp. *obovata* (Schinz)
 Brummitt var. *obovata* (Fabaceae). R: 62 [Luena]
- katuba (Nya)**
Kohautia cynanchica DC. (Rubiaceae). R: 47
 [Lunyaneka]
- katuem (Nye)**
Psorospermum febrifugum Spach (Hypericaceae).
 R: 50 [Ganguela]
- katula (Kim)**
Synadenium angolense N.E.Br. (Euphorbiaceae).
 R: 50, 3
- katumbula (Kim)**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus welwitschii*
 Rolfe]
- katunda-sonde (U)**
Eriosema sp. (Fabaceae). R: 50, 3
- katundu (Kim)**
Schrebera trichoclada Welw. (Oleaceae). R: 50
 [Schrebera affinis Lingelsh.]
- katundu-limbu (Kim)**
Steganotaenia araliacea Hochst. (Apiaceae). R: 50
- katundu-lumbu (Kim)**
Steganotaenia araliacea Hochst. (Apiaceae). R: 8
- katunu (Nye)**
Psorospermum febrifugum Spach (Hypericaceae).
 R: 50 [Ganguela]
- katutu (Kim)**
Dombeya rotundifolia (Hochst.) Planch.
 (Sterculiaceae). R: 50 [*Dombeya cuanzensis*
 (Hiern) Welw. ex K.Schum.]
- katutulu (Kim)**
Synadenium angolense N.E.Br. (Euphorbiaceae).
 R: 50, 3
- katxina (Nye)**
Baphia massaiensis Taub. subsp. *obovata* (Schinz)
 Brummitt (Fabaceae). R: 50 [*Baphia henriquesiana* Taub.; Ganguela]
- kauenha (Kim)**
Acanthospermum hispidum DC. (Asteraceae).
 R: 50
- kauia-uia**
Myrsine africana L. (Myrsinaceae). R: 50 [U], 3
- kaunamba**
Dicliptera sp. (Acanthaceae). R: 3
- kauyauya**
Myrsine africana L. (Myrsinaceae). R: 3
- kavalo (Nye)**
Strychnos gossweileri Exell (Strychnaceae). R: 50
 [*Strychnos caespitosa* R.D.Good; Ganguela]
- kavil-malil (Kim)**
Maprounea africana Müll.Arg. (Euphorbiaceae).
 R: 50
- kavola (U)**
Elaeophorbia hiernii Croizat (Euphorbiaceae).
 R: 50
- kavuvu (Nye)**
Urena lobata L. (Malvaceae). R: 50 [Ganguela]
- kaxama**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
 (Sond.) Kokwaro (Anacardiaceae). R: 49
 [*Sclerocarya schweinfurthiana* Schinz; Dirico,
 Baixo Cubango], 50 [*Sclerocarya* sp.; Xindonga]
- kaxi (Kim)**
Psophocarpus palustris Desv. (Fabaceae). R: 50
- kaxik**
Blighia unijugata Baker (Sapindaceae). R: 49
 [*Phialodiscus plurijugatus* Radlk.; Cazengo,
 Cuanza Norte]
- kaxika (Kim)**
Blighia unijugata Baker (Sapindaceae). R: 50
- kaxikala-kunga (Kim)**
Fagaropsis angolensis (Engl.) Dale (Rutaceae). R:
 50, 3
- kaxike (Kim)**
Trichilia welwitschii C.DC. (Meliaceae). R: 50
- kaxima (C)**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- kaxinda-ka-menha (Kim)**
Stachytarpheta indica (L.) Vahl (Verbenaceae). R:
 50 [*Stachytarpheta angustifolia* (Mill.) Vahl], 3
- kaxinde (Kim)**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
 R: 50
- kaxinde-ka-ndanji (Kim)**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 50
Pilea angolensis (Hiern) Rendle (Urticaceae).
 R: 50
- kaxixi (Kim)**
Pogonarthria squarrosa (Roem. & Schult.) Pilg.
 (Poaceae). R: 50
- kaxixila**
Vernonia steeziana Oliv. & Hiern (Asteraceae).
 R: 50 [*Vernonia poskeana* Vatke & Hildebr. var.
chlorolepis (Steez) O.Hoffm.; Kim; U], 3 [Kim]
- kayendje**
Sesbania bispinosa (Jacq.) W.Wight (Fabaceae).
 R: 3
- kazanza (Kim)**
Lijndenia jasminoides (Gilg) Borhidi
 (Melastomataceae). R: 50 [*Memecylon gilgianum*
 Exell]
- kazelenjunje (Nya)**
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 50 [*Strophanthus schuchardtii*
 Pax; Lunyaneka]
- kazembe (Kim)**
Acacia pentagona (Schumach.) Hook.f. ?
 (Fabaceae). R: 50 [*Acacia pennata* Willd.]
- kazeze (Kim)**
Albizia ferruginea (Guill. & Perr.) Benth.
 (Fabaceae). R: 50 [*Albizia angolensis* Welw. ex
 Oliv.]

- kazimbando**
Psydrax subcordata (DC.) Bridson var.
subcordata (Rubiaceae). R: 47
- kazongo** (Nye)
Parinari sp. (Chrysobalanaceae). R: 50 [Ganguela]
- keka-ndjilu** (Kik)
Solanum aethiopicum L. (Solanaceae). R: 3
 [Solanum naumannii Engl.]
- keka-njilu** (Kik)
Solanum aethiopicum L. (Solanaceae). R: 50
 [Solanum naumannii Engl.]
- keleka**
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.; Kik], 50
 [Kioko]
- kenga-ia-nilá**
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 50 [*Maytenus senegalensis* (Lam.) Exell; U], 3
- kengavungu** (Kik)
Voacanga thouarsii Roem. & Schult.
 (Apocynaceae). R: 50 [*Voacanga obtusa* K.Schum.]
- kenomba** (Kik)
Rothmannia lujae (De Wild.) Keay (Rubiaceae).
 R: 50 [*Randia coriacea* K.Schum. ex Hutch. & Dalziel]
- kepati**
Rhigozum brevispinosum Kuntze (Bignoniaceae).
 R: 10
- kesa** (C)
Dioscorea praehensilis Benth. (Dioscoreaceae). R:
 50 [Kioko]
- kewaia**
Boscia microphylla Oliv. (Capparaceae). R: 50
 [U], 3
- keza** (C)
Dioscorea praehensilis Benth. (Dioscoreaceae). R:
 49 [Kioko]
- keze** (C)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 50
 [Kioko]
- kezu-matone** (Kik)
Vitex rivularis Gürke (Lamiaceae). R: 50
- khai**
Cucumis hirsutus Sond. (Cucurbitaceae). R: 45
- khelenge**
Baphia letestui Pellegr. (Fabaceae). R: 62
- khisekko**
Brachylaena sp. (Asteraceae). R: 3
- kiabo**
Abelmoschus esculentus (L.) Moench (Malvaceae).
 R: 50 [*Hibiscus esculentus* L.]
- kiakenza** (Kim)
Brachystegia spiciformis Benth. (Fabaceae). R: 50
- kiakusuka** (Kim)
Dioscorea alata L. (Dioscoreaceae). R: 50
- kiala** (Kik)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.], 50
- kialal**
Dioscorea dumetorum (Kunth) Pax
 (Dioscoreaceae). R: 49
- kialala** (Kik)
Dioscorea dumetorum (Kunth) Pax
 (Dioscoreaceae). R: 50
- kiambungue** (Nye)
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 50 [Ganguela]
- kiangu** (Kik)
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
 R: 50
- kibaba**
Khaya anthotheca (Welw.) C.DC. (Meliaceae). R:
 49 [Cuanza Norte], 50, 3
- kibaba-da-Queta**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 49 [Golungo Alto]
Khaya anthotheca (Welw.) C.DC. (Meliaceae).
 R: 3
- kibaba-de-Mussengue**
Khaya anthotheca (Welw.) C.DC. (Meliaceae). R:
 49 [Golungo Alto], 50 [P], 3 [P]
- kibaba-dos-Dembos** (P)
Oxystigma buchholzii Harms (Fabaceae). R:
 Pereira 2
- kibbia**
Gilbertiodendron ogoouense (Pellegr.) J.Léonard
 (Fabaceae). R: 49 [*Macrolobium mayombense*
 sensu auct. non Pellegr. (1920); Alto Maiombe]
- kiba-kaxi** (Kim)
Balanites angolensis (Welw.) Welw. ex Mildbr. &
 Schltr. (Balanitaceae). R: 50
- kibanga** (Kim)
Kalanchoe welwitschii Britten (Crassulaceae).
 R: 50
- kibeба** (Kim)
Ficus lutea Vahl (Moraceae). R: 50 [*Ficus quibeba*
 Welw. ex Ficalho]
- kibemuxi** (Kim)
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 50
- kibende** (Kik)
Oncoba dentata Oliv. (Flacourtiaceae). R: 50
 [*Lindackeria dentata* Gilg]
- kibeta** (Kik)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
- kibia** (U)
Laportea mooreana (Hiern) Chew (Urticaceae). R:
 50 [*Fleurya mooreana* (Hiern) Rendle]
Pouzolzia denudata De Wild. & T.Durand
 (Urticaceae). R: 50 [*Pouzolzia andongensis* Hiern]
- kibilongo** (Kik)
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 50
- kibinda** (Kim)
Momordica foetida Schumach. (Cucurbitaceae).
 R: 50
- kibinde** (Kik)
Parinari sp. (Chrysobalanaceae). R: 50

kibodi (Kim)
Urena lobata L. (Malvaceae). R: 50

kibo-kia-muhetu (Kim)
Aframomum daniellii (Hook.f.) K.Schum.
(Zingiberaceae). R: 50

kibonde-kia-mulembu (Kim)
Sterculia purpurea Exell (Sterculiaceae). R: 50

kibondo (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50

kibondo-ia-menha (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50

kibosa (Kim)
Triumfetta annua L. (Tiliaceae). R: 50
Triumfetta cordifolia A.Rich. (Tiliaceae). R: 50
Triumfetta rhomboidea Jacq. (Tiliaceae). R: 50
Triumfetta setulosa Mast. (Tiliaceae). R: 50
[*Triumfetta orthacantha* T.Durand & Schinz]
Urena lobata L. (Malvaceae). R: 50

kibosa-kia-iala (Kim)
Hibiscus calyphyllus Cav. (Malvaceae). R: 50

kibosa-kia-muxito (Kim)
Cordia aurantiaca Baker (Boraginaceae). R: 50

kibosa-kia-muxitu (Kim)
Cordia africana Lam. (Boraginaceae). R: 50
[*Cordia abyssinica* R.Br.]

kibosa-kia-ufele (Kim)
Urena lobata L. (Malvaceae). R: 50

kibosa-kia-unene (Kim)
Triumfetta setulosa Mast. (Tiliaceae). R: 50

kibota (Kik)
Berlinia bracteosa Benth. (Fabaceae). R: 50

kibu (Kim)
Lepistemon owariense (P.Beauv.) Hallier f.
(Convolvulaceae). R: 50 [*Lepistemon africanum*
Oliv.]

kibuba (Kim)
Cordia africana Lam. (Boraginaceae). R: 50
[*Cordia abyssinica* R.Br.]

kibudia (C)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
(Apocynaceae). R: 50 [*Diplorhynchus angolensis*
Büttner; Kioko]

kibu-kia-dionjo (Kim)
Musa acuminata Colla (Musaceae). R: 50 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]

kibu-kia-iala (Kim)
Renealmia macrocolea K.Schum. (Zingiberaceae).
R: 50

kibulu-kunde (Kim)
Senna occidentalis (L.) Link (Fabaceae). R: 50
[*Cassia occidentalis* L.]

kididila (Kik)
Piptostigma fasciculatum (De Wild.) Boutique ex
R.E.Fr. (Annonaceae). R: 50 [*Brieya fasciculata*
De Wild.]

kidinga-kia-ngoji (Kim)
Dioscorea dumetorum (Kunth) Pax
(Dioscoreaceae). R: 50

kidingo-kia-kazola (Kim)
Dioscorea bulbifera L. (Dioscoreaceae). R: 50

kidingu-kia-kambonji (Kim)
Ipomoea batatas (L.) Lam. (Convolvulaceae).
R: 50

kidingu-kia-kasalala
Dioscorea alata L. (Dioscoreaceae). R: 49

kidingu-kia-kasalale (Kim)
Dioscorea alata L. (Dioscoreaceae). R: 50

kieke-bungubungu (Kik)
Landolphia camptoloba (K.Schum.) Pichon
(Apocynaceae). R: 50 [*Carpodinus gracilis* Stapf]

kieluka (Kik)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa*
sapientum L. var. *paradisiaca* L.]

kielula (Kik)
Musa ×paradisiaca L. (Musaceae). R: 50

kiengo (Kik)
Dracaena fragrans (L.) Ker Gawl.
(Dracaenaceae). R: 50

kifokoso (Kim)
Ceratotheca integribracteata Engl. (Pedaliaceae).
R: 50

kifokoto (Kim)
Ceratotheca integribracteata Engl. (Pedaliaceae).
R: 50

kifuji (Kim)
Entada gigas (L.) Fawc. & Rendle (Fabaceae).
R: 50

kifula-kia-makiekie (Kik)
Dialium dinklagei Harms (Fabaceae). R: 50
[*Dialium staudtii* Harms]

kifungu
Tarchonanthus camphoratus L. (Asteraceae). R:
50 [Lunyaneka], 3

kifusa (Kik)
Anthonotha fragrans (Baker f.) Exell & Hillc.
(Fabaceae). R: 50 [*Macrolobium fragrans* Baker
f.; Alto Maiombe]
Berlinia auriculata Benth. (Fabaceae). R: 50

kifusa-kifusa
Anthonotha fragrans (Baker f.) Exell & Hillc.
(Fabaceae). R: 49 [*Macrolobium fragrans* Baker
f.; Alto Maiombe]

kifussa-pembe
Angylocalyx pynaertii De Wild. (Fabaceae). R:
Monteiro & Murta 247

kigangumakutu (U)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50

kiguela (Kim)
Dioscorea alata L. (Dioscoreaceae). R: 50

kigungu (C)
Brachystegia russelliae I.M.Johnst. (Fabaceae). R:
50 [Kioko]

kiha-ha-kialondo (Kim)
Leptoderris brachyptera (Benth.) Dunn
(Fabaceae). R: 50

kihalomba (Kim)
Polyscias fulva (Hiern) Harms (Araliaceae). R: 9

kihalombua (Kim)
Polyscias fulva (Hiern) Harms (Araliaceae). R: 50
[*Polyscias ferruginea* (Hiern) Harms]

- kihete**
Celtis zenkeri Engl. (Ulmaceae). R: 49 [Congo]
- kihia (Kim)**
Parinari capensis Harv. (Chrysobalanaceae). R: 50
- kihondjo (Kim)**
Ritchiea capparoides Britten (Capparaceae). R: 52
- kihuta (Kim)**
Mucuna poggei Taub. (Fabaceae). R: 50
- kihutu (Kim)**
Mucuna pruriens (L.) DC. (Fabaceae). R: 50
- kihutua (Kim)**
Mucuna pruriens (L.) DC. (Fabaceae). R: 50
- kijaba**
Stereospermum harmsianum K.Schum. (Bignoniaceae). R: 50 [Kioko], 10
- kijanana**
Corchorus sp. (Tiliaceae). R: 3
- kijeti (Kik)**
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
- kiji-kia-fungu (Kik)**
Anisophyllea quangensis Engl. ex Henriq. (Anisophylleaceae). R: 50 [*Anisophyllea buettneri* Engl.]
- kijimanu**
Canavalia ensiformis (L.) DC. (Fabaceae). R: 50 [Kik]
Canavalia rosea (Sw.) DC. (Fabaceae). R: 50 [*Canavalia obtusifolia* DC.; Kik]
Canavalia virosa (Roxb.) Wight & Arn. (Fabaceae). R: 49 [*Canavalia gladiata* sensu auct. non (Jacq.) DC. (1825)]
- kikakaia**
Dialium tessmannii Harms (Fabaceae). R: 50 [*Dialium mayumbense* Baker f.; Kik]
Gilbertiodendron ogoouense (Pellegr.) J.Léonard (Fabaceae). R: 49 [*Macrolobium mayombense* sensu auct. non Pellegr. (1920); Alto Maiombe], 50 [*Macrolobium mayombense* sensu auct. non Pellegr. (1920); Kik]
- kikala (U)**
Urera thonneri De Wild. & T.Durand (Urticaceae). R: 50
- kikalangu-kibela (Kim)**
Aloe paedogona A.Berger (Asphodelaceae). R: 50
- kikama**
Cyphostemma junceum (Webb) Desc. ex Wild & R.B.Drumm. subsp. *jatrophoides* (Welw. ex Baker) Verdc. (Vitaceae). R: 50 [*Cissus jatrophoides* (Welw. ex Baker) Planch.; Kim], 3 [Kim; U]
- kikamba**
Oldfieldia dactylophylla (Welw. ex Oliv.) J.Léonard (Euphorbiaceae). R: 50 [*Paivaeusa dactylophylla* Welw. ex Oliv.; Ganguela]
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex cuneata* Schumach. & Thonn.; Kioko]
- kikete (Kik)**
Celtis mildbraedii Engl. ? (Ulmaceae). R: 50 [*Celtis soyauxii* Engl.]
- kikia (Kik)**
Parinari capensis Harv. (Chrysobalanaceae). R: 50
- kikimba**
Dialium gossweileri Baker f. (Fabaceae). R: 50 [Kik], 3 [Kik; U]
Diospyros canaliculata De Wild. (Ebenaceae). R: 50 [*Maba nutans* Hiern; Kik]
- kikixi (U)**
Pteleopsis diptera Engl. & Diels (Combretaceae). R: 50
- kikongo**
Brachylaena sp. (Asteraceae). R: 49 [Kim], 50 [Kim], 3
Tarchonanthus camphoratus L. (Asteraceae). R: 50, 3 [Lunyaneka]
- kikua (Kim)**
Dioscorea alata L. (Dioscoreaceae). R: 50
- kikuaku (Kik)**
Oncoba dentata Oliv. (Flacourtiaceae). R: 50 [*Lindackeria dentata* Gilg]
Oncoba welwitschii Oliv. (Flacourtiaceae). R: 50 [*Caloncoba welwitschii* (Oliv.) Gilg]
- kikualu (Kim)**
Berkheya angolensis O.Hoffm. (Asteraceae). R: 50 [*Berkheya andongensis* (Hiern) S.Moore]
- kikuanza (Kik)**
Discoglypremma caloneura (Pax) Prain (Euphorbiaceae). R: 50
- kikuinda**
Dialium gossweileri Baker f. (Fabaceae). R: 49 [Baixo Maiombe]
- kikuinde (Kik)**
Dialium gossweileri Baker f. (Fabaceae). R: 50, 3
- kikuius (Kik)**
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus mallotocarpa* Warb.]
- kikunde (Kim)**
Adenodolichos rhomboideus (O.Hoffm.) Harms (Fabaceae). R: 50
- kikungo (Kik)**
Chaetocarpus africanus Pax (Euphorbiaceae). R: 50
- kikuso**
Ficus exasperata Vahl (Moraceae). R: 50 [Kim], 3 [Cuanza Norte]
- kikutu-kia-ufele (Kim)**
Rhynchosia laetissima Welw. ex Baker (Fabaceae). R: 50
- kilala-ngoma (Kim)**
Ensete ventricosum (Welw.) Cheesman (Musaceae). R: 50 [*Musa ventricosa* Welw.]
- kilankuma (U)**
Ensete ventricosum (Welw.) Cheesman (Musaceae). R: 50 [*Musa ventricosa* Welw.]
- kilendula (Kim)**
Phyllanthus reticulatus Poir. (Euphorbiaceae). R: 50
- kilolo (Kik)**
Annona senegalensis Pers. (Annonaceae). R: 50

- [*Annona arenaria* Thonn.]
- kilombo** (Kik)
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 50
- kilongolongo** (C)
Ageratum conyzoides L. (Asteraceae). R: 50
 [Kioko]
- kilue** (Nye)
Tetraceria masuiana De Wild. & T.Durand
 (Dilleniaceae). R: 50 [Ganguela]
- kiluka** (C)
Zanthoxylum sp. (Rutaceae). R: 50 [*Fagara* sp.;
 Kioko]
- kilulu** (U)
Antiaris toxicaria Lesch. subsp. *welwitschii*
 (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R:
 50 [*Antiaris welwitschii* Engl.]
- kilungo-veva** (C)
Terminalia brachystemma Welw. ex Hiern
 (Combretaceae). R: 50 [Kioko]
- kimbilimbili** (Kim)
Hymenostegia laxiflora (Benth.) Harms
 (Fabaceae). R: 50
- kimbimbi-a-xeta** (Nye)
Crassocephalum crepidioides (Benth.) S.Moore
 (Asteraceae). R: 50 [Ganguela]
- kimboa** (Kik)
Amaranthus caudatus L. (Amaranthaceae). R: 50
- kimboa-kia-menza** (Kim)
Persicaria madagascariensis (Meisn.) S.Ortiz &
 Paiva (Polygonaceae). R: 50 [*Polygonum
 tomentosum* Willd.]
- kimombo** (Kik)
Machaerium lunatum (L.f.) Ducke (Fabaceae). R:
 50 [*Drepanocarpus lunatus* (L.f.) G.Mey.]
- kimbondo-ia-menza** (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 3
- kimbota**
Datura metel L. (Solanaceae). R: 50 [Kim], 3
 [Luanda]
- kimbulu** (Kik)
Hyparrhenia variabilis Stapf (Poaceae). R: 50
 [*Hyparrhenia spectabilis* Stapf]
- kimbuma** (Kim)
Ocimum gratissimum L. subsp. *gratissimum*
 (Lamiaceae). R: 50, 3 [*Ocimum viride* Willd.]
Pseudoconyza viscosa (Mill.) D'Arcy
 (Asteraceae). R: 50, 3 [*Laggera aurita* (L.f.)
 Sch.Bip. ex A.Rich.]
- kimbumbo** (Kim)
Hyptis pectinata (L.) Poit. (Lamiaceae). R: 50
- kimbundu** (Kim)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- kimbungu** (Kim)
Hyptis pectinata (L.) Poit. (Lamiaceae). R: 50
Salvadora persica L. (Salvadoraceae). R: 50
- kimbungululu** (U)
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 50 [U], 3
- kimviti**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 49 [Uíge]
- kinakiti**
Homalium longistylum Mast. (Flacourtiaceae). R:
 37 [*Homalium macropterum* Gilg]
- kindangala** (U)
Commelina diffusa Burm.f. (Commelinaceae).
 R: 50
- kindele-paku** (Kim)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- kindenga** (Kik)
Cordia africana Lam. (Boraginaceae). R: 50
 [*Cordia abyssinica* R.Br.]
- kindingu-kia-kasalala**
Dioscorea alata L. (Dioscoreaceae). R: 49
 [Cazengo]
- kindodo**
Chazaliella sp. C (Rubiaceae). R: 46
- kindombe** (Nya)
Phyllanthus welwitschianus Müll.Arg.
 (Euphorbiaceae). R: 50 [Lunyaneka]
- kindumbiri** (Nya)
Diospyros pallens (Thunb.) F.White (Ebenaceae).
 R: 50 [*Royena pallens* Thunb.; Lunyaneka]
- kindundu** (Kik)
Bridelia atroviridis Müll.Arg. (Euphorbiaceae).
 R: 50
- kindungo-kia-kazola**
Dioscorea bulbifera L. (Dioscoreaceae). R: 49
- kingamba**
Cyperus esculentus L. (Cyperaceae). R: 50 [Kik]
Cyperus usitatus Burch. ex Roem. & Schult.
 (Cyperaceae). R: 49 [*Cyperus edulis* Dinter; P]
- kingamu** (Kik)
Piptostigma fasciculatum (De Wild.) Boutique ex
 R.E.Fr. (Annonaceae). R: 50 [*Brieya fasciculata*
 De Wild.]
- kingandu** (U)
Tephrosia vogelii Hook.f. (Fabaceae). R: 50 [U], 3
- kingolo**
Artobotrys stenopetalus Engl. & Diels
 (Annonaceae). R: Monteiro & Murta 140
- kingolumuka** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- kingombo** (Kim)
Abelmoschus esculentus (L.) Moench (Malvaceae).
 R: 50 [*Hibiscus esculentus* L.]
- kingonge** (Kik)
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- kinguanji** (Kim)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- kinguanjua**
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- kinguengue** (Kim)
Aframomum alboviolaceum (Ridl.) K.Schum.

- (Zingiberaceae). R: 50 [Kim]
Spondias mombin L. (Anacardiaceae). R: 50 [Kik]
- kinhati** (Kim)
Cissampelos mucronata A.Rich.
(Menispermaceae). R: 3
- kinhma-jampata** (C)
Cassia absus L. (Fabaceae). R: 50 [Kioko]
- kinjilu** (U)
Solanum macrocarpon L. (Solanaceae). R: 50
- kinkele** (Kik)
Ricinodendron heudelotii (Baill.) Heckel subsp.
africanum (Müll.Arg.) J.Léonard (Euphorbiaceae).
R: 50 [*Ricinodendron africanum* Müll.Arg.]
- kinkongo**
Carissa spinarum L. (Apocynaceae). R: 50
[*Carissa edulis* (Forssk.) Vahl; Kim], 3 [*Carissa edulis* (Forssk.) Vahl]
- kinomba** (Kik)
Rothmannia lujae (De Wild.) Keay (Rubiaceae).
R: 50 [*Randia coriacea* K.Schum. ex Hutch. &
Dalziel]
- kinute** (Kim)
Pennisetum polystachion (L.) Schult. (Poaceae).
R: 50
- kinviti** (Kik)
Entandrophragma angolense (Welw. ex C.DC.)
C.DC. (Meliaceae). R: 50
- kinvutu** (Kik)
Trichoscypha acuminata Engl. (Anacardiaceae).
R: 50
- kinxi** (Kim)
Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 50 [*Cassia mimosoides* L.]
- kinzonji** (C)
Cajanus cajan (L.) Millsp. (Fabaceae). R: 50
[Kioko; Kim]
- kinzuenze** (Kim)
Albizia gummosa (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50
- kiomukete** (Nya)
Pittosporum cacondense Exell & Mendonça
(Pittosporaceae). R: 50 [Lunyaneka]
- kionzo** (Kik)
Allanblackia floribunda Oliv. (Clusiaceae). R: 50
- kipai**
Capparis tomentosa Lam. (Capparaceae). R: 50
[Lunyaneka], 3
- kipangumakutu**
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3
- kipembe** (Kim)
Ilex mitis Radlk. (Aquifoliaceae). R: 50, 3
- kipesi** (U)
Trema orientalis (L.) Blume (Ulmaceae). R: 3
- kipexi**
Trema orientalis (L.) Blume (Ulmaceae). R: 3
- kipolo** (U)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 50
[*Emilia sagittata* sensu auct. non (Vahl) DC.
(1838)]
- kipuia-xamutundu** (C)
Globimetula braunii (Engl.) Danser
(Loranthaceae). R: 50 [*Loranthus braunii* Engl.;
Kioko]
- kipukulo** (Kim)
Trema orientalis (L.) Blume (Ulmaceae). R: 50
[*Trema guineense* (Schumach. & Thonn.) Ficalho]
- kipukulu-kia-ufela** (Kim)
Vernonia conferta Benth. (Asteraceae). R: 50
- kipukulu-pukulu** (Kim)
Anthocleista nobilis G.Don (Gentianaceae). R: 50
- kipumbulu** (Kim)
Adenodolichos rhomboideus (O.Hoffm.) Harms
(Fabaceae). R: 50 [*Dolichos anchietae* Hiern]
Dolichos splendens Welw. ex Baker (Fabaceae).
R: 50
- kipupu** (U)
Lonchocarpus sericeus (Poir.) Kunth ex DC.
(Fabaceae). R: 50 [U], 3
- kipusu** (Kim)
Aristida junciformis Trin. & Rupr. subsp.
welwitschii (Rendle) Melderis (Poaceae). R: 50
[*Aristida welwitschii* Rendle], 3
- kiringu-kia-mbonzo** (Kim)
Ipomoea batatas (L.) Lam. (Convolvulaceae).
R: 50
- kisadi**
Dioscorea praehensis Benth. (Dioscoreaceae). R:
49 [Dembos], 50
Pandanus welwitschii Rendle (Pandanaceae). R:
50 [Kim]
- kisaso**
Dacryodes pubescens (Vermoesen) H.J.Lam
(Burseraceae). R: 49 [*Pachylobus gossweileri*
Exell; Baixo Maiombe]
- kisatu**
Bixa orellana L. (Bixaceae). R: 50 [Kim], 3 [Kim]
Dacryodes pubescens (Vermoesen) H.J.Lam
(Burseraceae). R: 50 [*Pachylobus pubescens*
Vermoesen; Kik]
- kisa-kalemba** (Kim)
Ficus persicifolia Welw. ex Warb. (Moraceae).
R: 50
- kisala** (Kik)
Bussea gossweileri Baker f. (Fabaceae). R: 50
- kisalala**
Pentaclethra eetveldeana De Wild. & T.Durand
(Fabaceae). R: 2
- kisalalende** (Kim)
Syzygium guineense (Willd.) DC. (Myrtaceae).
R: 50
- kisalisali** (C)
Alstonia congensis Engl. (Apocynaceae). R: 50
[Kioko]
- kisalula** (Kik)
Albizia gummosa (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50
- kisanda**
Raphia sp. (Arecaceae). R: 50 [U], 3

- kisanda-kia-jinguba** (Kim)
Arachis hypogaea L. (Fabaceae). R: 50
- kisanga** (U)
Eriosema albo-griseum Baker f. (Fabaceae). R: 50
- kisanga-kia-mjila** (Kim)
Keetia hispida (Benth.) Bridson (Rubiaceae). R: 50
[*Canthium medusulum* Hiern]
- kisangua**
Desmodium barbatum (L.) Benth. var. *dimorphum* (Welw. ex Baker) B.G.Schub. (Fabaceae). R: 50
[*Desmodium dimorphum* Welw. ex Baker; U]
Myrsine africana L. (Myrsinaceae). R: 50 [Kioko]
- kisapula** (C)
Calvoa angolensis A.Fern. & R.Fern.
(Melastomataceae). R: 50 [*Calvoa orientalis* sensu auct. non Taub. (1894); Kioko]
- kise** (C)
Hibiscus sabdariffa L. (Malvaceae). R: 50 [Kioko]
- kisekebuak** (Kik)
Dioscorea alata L. (Dioscoreaceae). R: 50
- kiseke-buake** (Kik)
Dioscorea alata L. (Dioscoreaceae). R: 49
[Maiombe]
- kiseku** (Kim)
Brachylaena sp. (Asteraceae). R: 50, 3
- kisekua** (Kim)
Millettia aromatica Dunn (Fabaceae). R: 50
- kisemba** (Kim)
Dalbergia hostilis Benth. (Fabaceae). R: 50
- kiseniungo**
Nesogordonia leplaei (Vermoesen) Capuron (Sterculiaceae). R: 49 [*Cistanthera leplaei* Vermoesen; Baixo Maiombe]
- kisesa** (Kik)
Chaetocarpus africanus Pax (Euphorbiaceae). R: 50
- kisimba** (U)
Blighia unijugata Baker (Sapindaceae). R: 50
- kisivokele** (Kik)
Celtis gomphophylla Baker (Ulmaceae). R: 50
[*Celtis durandii* Engl.]
- kisok** (Kik)
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 50 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.]
- kisoko** (Kik)
Trichilia gilgiana Harms (Meliaceae). R: 50
- kisoku**
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 49 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.; Maiombe]
- kisole** (Kim)
Ficus sansibarica Warb. subsp. *macroisperma* (Mildbr. & Burret) C.C.Berg (Moraceae). R: 50
[*Ficus gossweileri* Hutch.]
- kisolio** (U)
Ficus sansibarica Warb. subsp. *macroisperma* (Mildbr. & Burret) C.C.Berg (Moraceae). R: 50
[*Ficus brachylepis* Welw. ex Hiern]
- kisolo** (Kim)
Ficus sansibarica Warb. subsp. *macroisperma* (Mildbr. & Burret) C.C.Berg (Moraceae). R: 50
[*Ficus brachylepis* Welw. ex Hiern]
- kisoma**
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R: 50 [Kim], 3 [Kim]
Euphorbia tirucalli L. (Euphorbiaceae). R: 50
[*Euphorbia rhipsaloides* Lem.; Kioko], 3 [C]
- kisongo**
Gymnosporia senegalensis (Lam.) Loes. (Celastraceae). R: 50 [*Maytenus senegalensis* (Lam.) Exell; U], 3
- kisonje** (U)
Euphorbia strangulata N.E.Br. (Euphorbiaceae). R: 50
- kisosa-lemba** (Kim)
Ficus persicifolia Welw. ex Warb. (Moraceae). R: 50
- kissabamena**
Syzygium guineense (Willd.) DC. subsp. *macrocarpum* (Engl.) F.White (Myrtaceae). R: 1
- kissala**
Pentaclethra eetveldeana De Wild. & T.Durand (Fabaceae). R: 2
- kissalala**
Pentaclethra eetveldeana De Wild. & T.Durand (Fabaceae). R: 2
- kisua** (Kim)
Dichrostachys cinerea (L.) Wight & Arn. subsp. *cinerea* (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.]
- kisumane** (C)
Euphorbia tirucalli L. (Euphorbiaceae). R: 50
[*Euphorbia rhipsaloides* Lem.; Kioko]
- kisumungu** (Kik)
Nesogordonia leplaei (Vermoesen) Capuron (Sterculiaceae). R: 50 [*Cistanthera leplaei* Vermoesen]
- kisunzu**
Dioscorea hirtiflora Benth. (Dioscoreaceae). R: 49
[Quibaxe, Dembos]
- kitamba**
Plectranthus laxiflorus Benth. (Lamiaceae). R: 49
[*Plectranthus urticoides* Baker]
- kitandu** (Kim)
Combretum camporum Engl. (Combretaceae). R: 50 [Kim], 3
- kitangumuna** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
- kitembu-biokoka**
Rhynchosia dekindtii Harms (Fabaceae). R: 50
[Lunyaneka], 3
- kitenda** (Kim)
Millettia drastica Welw. ex Baker (Fabaceae). R: 50, 3
- kitese** (Kim)
Rinorea brachypetala (Turcz.) Kuntze

- (Violaceae). R: 50 [*Rinorea aucuparia* (Welw.) Kuntze]
- kiteta** (U)
Helichrysum benguellense Hiern (Asteraceae). R: 50
- kitetengala** (Z)
Helichrysum benguellense Hiern (Asteraceae). R: 50 [Tjiherero]
- kitiko** (Kim)
Blumea mollis (D.Don) Merr. (Asteraceae). R: 50, 3 [*Blumea lacera* (Burm.f.) DC.]
- kitiva** (Kim)
Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 50
- kitoko**
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50
- kitola**
Gossweilerodendron balsamiferum (Vermoesen) Harms (Fabaceae). R: 49 [Maiombe], 50 [Kik]
- kitola-kinfuta**
Oxystigma oxyphyllum (Harms) J.Léonard (Fabaceae). R: 49 [*Pterygopodium oxyphyllum* Harms; Maiombe], 50 [Kik]
- kitombe** (Kik)
Plectranthus laxiflorus Benth. (Lamiaceae). R: 50 [*Plectranthus urticoides* Baker]
- kitonda** (Kim)
Terminalia sericea Burch. ex DC. (Combretaceae). R: 52
- kitova** (Kim)
Crassocephalum rubens (Jacq.) S.Moore (Asteraceae). R: 50
- kitubi** (Kim)
Mystroxylon aethiopicum (Thunb.) Loes. (Celastraceae). R: 50
- kituense**
Trema orientalis (L.) Blume (Ulmaceae). R: 50 [*Trema guineense* (Schumach. & Thonn.) Ficalho; U], 3
- kituenze** (Kim)
Albizia gummifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50
- kitueza**
Albizia gummifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 49 [Malange]
- kitula** (Kim)
Elaeodendron buchananii (Loes.) Loes. (Celastraceae). R: 50 [*Elaeodendron warneckeii* Loes.]
- kitumbulo** (Kim)
Psorospermum mechowii Engl. (Hypericaceae). R: 50
- kitundu** (Kim)
Ozoroa insignis Delile (Anacardiaceae). R: 50 [*Heeria insignis* (Delile) Kuntze]
- kivala** (C)
Zea mays L. (Poaceae). R: 50 [Kioko]
- kivima** (Kik)
Pterocarpus soyauxii Taub. (Fabaceae). R: 50
- kivinde** (Kik)
Parinari sp. (Chrysobalanaceae). R: 50
Pinacopodium congoense (S.Moore) Exell & Mendonça (Erythroxylaceae). R: 50
- kivua** (Kim)
Momordica foetida Schumach. (Cucurbitaceae). R: 50 [*Momordica schimperiana* Naudin]
- kixanana**
Corchorus olitorius L. (Tiliaceae). R: 50 [Kim]
Corchorus tridens L. (Tiliaceae). R: 49
Corchorus sp. (Tiliaceae). R: 3
- kixanana-kia-ufele** (Kim)
Corchorus tridens L. (Tiliaceae). R: 50
- kixibua** (Kim)
Ampelocissus dissecta (Baker) Planch. (Vitaceae). R: 50
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.]
- kixilu** (C)
Encephalartos poggei Asch. (Zamiaceae). R: 50 [Kioko]
- kixixi** (U)
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels (Combretaceae). R: 50 [*Pteleopsis stenocarpa* Engl. & Diels]
- kixixila** (Kim)
Dicliptera verticillata (Forssk.) C.Chr. ? (Acanthaceae). R: 50 [*Dicliptera umbellata* (Vahl) Juss.]
- kixixima** (Kim)
Laportea ovalifolia (Schumach. & Thonn.) Chew (Urticaceae). R: 50 [*Fleurya podocarpa* Wedd.]
- kizanza-tauxila** (U)
Chionanthus africanus (Welw. ex Knobl.) Stearn (Oleaceae). R: 50 [*Linociera angolensis* Baker]
- kizenze** (Kim)
Cussonia angolensis (Seem.) Hiern (Araliaceae). R: 50, 9
- kizenze** (fruit) (Kim)
Cordia monoica Roxb. (Boraginaceae). R: 50 [*Cordia ovalis* R.Br. ex DC.]
- kizonji** (Kim)
Cajanus cajan (L.) Millsp. (Fabaceae). R: 50
- kizonjila** (Kim)
Lefebvrea grantii (Kingston ex Oliv.) S.Droop (Apiaceae). R: 50 [*Lefebvrea welwitschii* Engl.], 3 [*Peucedanum angolense* (Welw. ex Ficalho) Cannon]
- kizunzu** (Kim)
Dioscorea hirtiflora Benth. (Dioscoreaceae). R: 50
- koiaoaia** (U)
Alvesia rosmarinifolia Welw. (Lamiaceae). R: 52 [*Plectranthastrum rosmarinifolium* (Welw.) B.Mathew]
- kokola** (Kim)
Capparis erythrocarpas Isert (Capparaceae). R: 50
- kokongua** (Kik)
Afzelia pachyloba Harms (Fabaceae). R: 50 [*Afzelia zenkeri* Harms]

- kokuto (U)**
Spermacoce dibrachiata Oliv. (Rubiaceae). R: 52
- koleti (U)**
Acacia etbaica Schweinf. (Fabaceae). R: 50
- kololo (Kim)**
Phoenix reclinata Jacq. (Arecaceae). R: 50
- koloto**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 55
- kombalu (Nya)**
Bulbine asphodeloides (L.) Spreng.
 (Asphodelaceae). R: 50 [Lunyaneka]
- kombaluva**
Kalanchoe brachyloba Welw. ex Britten
 (Crassulaceae). R: 40 [Quilengues Musos,
 Quilengues Humbes]
- kombo (Nye)**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 50 [*Eugenia angolensis* Engl.;
 Ganguela]
- konde (Kik)**
Adansonia digitata L. (Bombacaceae). R: 50
- konde-konde (Kik)**
Picralima nitida (Stapf) T.Durand & H.Durand
 (Apocynaceae). R: 50
- konga-bululu**
Morinda morindoides (Baker) Milne-Redh.
 (Rubiaceae). R: 47 [Chiluba]
- konga-mbumba**
Abutilon mauritianum (Jacq.) Medik. (Malvaceae).
 R: 3
- konga-nbumba (Kim)**
Abutilon mauritianum (Jacq.) Medik. (Malvaceae).
 R: 50
- kongo (Kik)**
Diospyros heterotricha (Welw. ex Hiern) F.White
 (Ebenaceae). R: 50 [*Royena heterotricha* (Welw.
 ex Hiern) B.L.Burtt]
- kongo-mbumba (Kim)**
Sida cordifolia L. (Malvaceae). R: 50
- kongone (Kik)**
Picralima nitida (Stapf) T.Durand & H.Durand
 (Apocynaceae). R: 50
- kongula (Kik)**
Senna obtusifolia (L.) H.S.Irwin & Barneby
 (Fabaceae). R: 50 [*Cassia tora* sensu auct. non L.
 (1753)]
- kontombende**
Vangueria infausta Burch. subsp. *infausta*
 (Rubiaceae). R: 47 [Mucubal]
- kosamba**
Brachystegia tamarindoides Welw. ex Benth.
 (Fabaceae). R: 3
- kota-kota**
Andropogon gayanus Kunth (Poaceae). R: 50
 [*Andropogon gayanus* Kunth var. *squamulatus*
 Stapf; Lunyaneka]
Panicum maximum Jacq. (Poaceae). R: 3
- kotombo (U)**
Trachycalymma pulchellum (Decne.) Bullock
- (Apocynaceae). R: 3 [*Gomphocarpus pulchellus*
 Decne.]
- koxa-nzanza (Kim)**
Erythrococca menyharthii (Pax) Prain
 (Euphorbiaceae). R: 50
- koxola**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Dembos]
- kua (Kik)**
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
 R: 50
- kuakasa (Kim)**
Ficus exasperata Vahl (Moraceae). R: 3
- kuakua (Kik)**
Oncoba welwitschii Oliv. (Flacourtiaceae). R: 50
 [*Caloncoba welwitschii* (Oliv.) Gilg]
- kuanana**
Corchorus sp. (Tiliaceae). R: 3
- kubilombo (C)**
Coelocaryon preussii Warb. (Myristicaceae). R:
 50 [*Coelocaryon klainii* Pierre ex Heckel; Kioko]
- kudzu-dos-trópicos (P)**
Pueraria phaseoloides (Roxb.) Benth. (Fabaceae).
 R: 49
- kuiu (U)**
Ficus craterostoma Warb. ex Mildbr. & Burret
 (Moraceae). R: 3
Ficus glumosa Delile (Moraceae). R: 50 [*Ficus*
glumosoides Hutch.], 3
Ficus mucoso Welw. ex Ficalho (Moraceae). R:
 50, 3
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus*
mallotocarpa Warb.], 3
Ficus thonningii Blume (Moraceae). R: 3
- kukala (C)**
Macaranga schweinfurthii Pax (Euphorbiaceae).
 R: 50 [*Macaranga rosea* Pax; Kioko]
- kukatando (Kik)**
Trichilia gilgiana Harms (Meliaceae). R: 50
- kuku**
Dombeya quinqueseta (Delile) Exell
 (Sterculiaceae). R: 50 [Lunyaneka]
Dombeya quinqueseta (Delile) Exell
 (Sterculiaceae). R: 50 [U], 3
- kuku-kuku**
Dombeya quinqueseta (Delile) Exell
 (Sterculiaceae). R: 50 [U], 3
- kukunha (Kik)**
Pseudospondias microcarpa (A.Rich.) Engl.
 (Anacardiaceae). R: 50
- kula-fukai (Nya)**
Combretum mossambicense (Klotzsch) Engl.
 (Combretaceae). R: 11 [Muquilengue]
- kuliasumba (U)**
Anthocleista nobilis G.Don (Gentianaceae). R: 50
- kulantique**
Combretum platypetalum Welw. ex M.A.Lawson
 subsp. *virgatum* (Welw. ex M.A.Lawson) Exell
 (Combretaceae). R: 11

- kuma-kuma**
Klainedoxa gabonensis Pierre ex Engl.
 (Irvingiaceae). R: 2
- kumbele** (Kim)
Gloriosa superba L. (Colchicaceae). R: 50
- kumbengengele**
Kalanchoe laciniata (L.) DC. (Crassulaceae).
 R: 40
- kumungandu** (sap)
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia*
 (Engl. & Harms) Lye (Passifloraceae). R: 3
 [*Adenia ruminicifolia* Engl. & Harms]
- kunde-kunde** (Kim)
Dioscorea preussii Pax (Dioscoreaceae). R: 50
- kundu-kundu**
Dioscorea preussii Pax (Dioscoreaceae). R: 49
- kungulu** (Kik)
Baillonella toxisperma Pierre (Sapotaceae). R: 50
 [*Mimusops djave* Engl.]
- kunguteke** (Kik)
Chaetocarpus africanus Pax (Euphorbiaceae).
 R: 50
- kunungandu** (Kim)
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 50
- kuriatanguvu** (C)
Clappertonia ficifolia Decne. (Tiliaceae). R: 50
 [Kioko]
- kurkuma** (Kik)
Klainedoxa gabonensis Pierre ex Engl.
 (Irvingiaceae). R: 50
- kushibi**
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 49 [*Copaifera coleosperma* Benth.;
 Ganguelas, Ambuelas]
- kuyu** (U)
Ficus craterostoma Warb. ex Mildbr. & Burret
 (Moraceae). R: 50 [*Ficus mutantifolia* Hutch.]
- kuyu** (U)
Ficus mucoso Welw. ex Ficalho (Moraceae).
 R: 50, 3
- kwanana**
Corchorus sp. (Tiliaceae). R: 3
- L**
- la-andundo** (Kim)
Datura metel L. (Solanaceae). R: 3
- lágrimas-de-Nossa-Senhora** (P)
Coix lacryma-jobi L. (Poaceae). R: 50, 3
- lalanso** (Kik)
Allanblackia floribunda Oliv. (Clusiaceae). R: 50
- lamigueiro** (P)
Celtis australis L. (Ulmaceae). R: 49
- lande**
Gisekia africana (Lour.) Kuntze (Gisekiaceae).
 R: 48
Gisekia pharnaceoides L. (Gisekiaceae). R: 48
- landeja** (U)
Obetia carruthersiana (Hiern) Rendle
- langaiava**
Psidium guajava L. (Myrtaceae). R: 59 [Benguela]
- langela-ni-aluva** (Kim)
Dalbergia pachycarpa (De Wild. & T.Durand)
 Ulbr. ex De Wild. (Fabaceae). R: 50 [*Dalbergia pachycarpa* (De Wild. & T.Durand) Ulbr. ex De Wild. var. *latifoliolata* De Wild.]
- lantano** (P)
Lantana camara L. (Verbenaceae). R: 49
- lantoro** (P)
Leucaena leucocephala (Lam.) De Wit
 (Fabaceae). R: 49 [*Leucaena glauca* Benth.]
- laranjeira** (P)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 49
- laranjeira-azeda** (P)
Citrus ×aurantium L. (Rutaceae). R: 49
- laranjeira-bergamota** (P)
Citrus bergamia Risso (Rutaceae). R: 49
- lebanga** (Kik)
Paropsia guineensis Oliv. (Passifloraceae). R: 44
- lefuba** (Kik)
Sarcophrynum prionogonium (K.Schum.)
 K.Schum. (Marantaceae). R: 50
- lehingah**
Anisophyllea boehmii Engl. (Anisophylleaceae).
 R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
- lekamboma**
Melinis minutiflora P.Beauv. (Poaceae). R: 49
 [*Melinis minutiflora* P.Beauv. forma *inermis* Stapf
 & C.E.Hubb.; this forma was not found in the
 literature], 50 [Kik]
- lemba** (Kim)
Ficus thonningii Blume (Moraceae). R: 3
- lemba-toka** (Kik)
Piper umbellatum L. (Piperaceae). R: 50
- lende**
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 50 [Kik], 58 [Moçâmedes, Serra
 da Chela]
Ziziphus abyssinica Hochst. ex A.Rich.
 (Rhamnaceae). R: 27 [Ambriz], 49 [*Ziziphus mauritiana* sensu auct. non Lam. (1789); Ambriz;
 P]
- lenga** (Kik)
Cucurbita maxima Duchesne ex Lam.
 (Cucurbitaceae). R: 50
- lentilha** (P)
Lens culinaris Medik. (Fabaceae). R: 49 [*Lens esculenta* Moench.]
- letzeletze**
Aoranthe castaneofulva (S.Moore) Somers
 (Rubiaceae). R: 46
- liamba** (P)
Cannabis sativa L. (Cannabaceae). R: 57 [P], 49
 [P], 3 [Kik; P], 50 [Kim]
- liancho**
Haplocoelum foliolosum (Hiern) Bullock
 (Sapindaceae). R: 29

- lianguiti**
Holoptelea grandis (Hutch.) Mildbr. (Ulmaceae).
 R: 49 [Maiombe]
- liankiti** (Kik)
Holoptelea grandis (Hutch.) Mildbr. (Ulmaceae).
 R: 50
- lianza** (Kim)
Tragia benthamii Baker (Euphorbiaceae). R: 50
- libambo**
Duguetia confinis (Engl. & Diels) Chatrou
 (Annonaceae). R: *Cameira* 166
- licandi**
Landolphia parvifolia K.Schum. (Apocynaceae).
 R: 59 [Zaire]
- licongue**
Landolphia owariensis P.Beauv. (Apocynaceae).
 R: 57
- lifuco**
Entandrophragma candollei Harms (Meliaceae).
 R: 24 [Maiombe]
- lifuki** (Kik)
Entandrophragma candollei Harms (Meliaceae).
 R: 50
- lifuku**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 49 [Maiombe], 50 [Kik]
- lifuma**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 49 [*Entandrophragma*
macrophyllum A.Chev.; Maiombe], 50 [Kik], 24
 [Maiombe]
- lifuti**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 50 [Kik]
Entandrophragma cylindricum (Sprague) Sprague
 (Meliaceae). R: 50 [Kik], 49, 24 [Maiombe]
Entandrophragma utile (Dawe & Sprague)
 Sprague (Meliaceae). R: 49 [Maiombe], 50 [Kik], 2
- lihaka** (Kik)
Tabernanthe iboga Baill. (Apocynaceae). R: 50
 [*Tabernanthe subsessilis* Stapf]
- lihoka** (Kik)
Tabernanthe iboga Baill. (Apocynaceae). R: 50
 [*Tabernanthe subsessilis* Stapf]
- lika** (Kim)
Ocimum basilicum L. (Lamiaceae). R: 3
- likamba** (Kik)
Paspalum scrobiculatum L. (Poaceae). R: 50
 [*Paspalum scrobiculatum* L. var. *commersonii*
 Stapf]
- likandi** (Kik)
Landolphia parvifolia K.Schum. (Apocynaceae).
 R: 50
- ikanha** (pl.) (Kim)
Nicotiana tabacum L. (Solanaceae). R: 50
- likokombe** (Kik)
Glyphaea brevis (Spreng.) Monach. (Tiliaceae).
 R: 50
- likolo** (Nye)
Strychnos cocculoides Baker (Strychnaceae). R: 50
 [*Strychnos schumanniana* Gilg; Ganguela]
- likolo-kolo** (Nye)
Strychnos spinosa Lam. (Strychnaceae). R: 50
 [*Strychnos spinosa* Lam. var. *pubescens* Baker;
 Ganguela]
- likongue** (sing.) (Kim)
Landolphia owariensis P.Beauv. (Apocynaceae).
 R: 50
- likunji** (Kik)
Strombosia pustulata Oliv. (Olacaceae). R: 50
 [*Strombosia glaucescens* Engl.]
- lilás-do-Cabo** (P)
Melia azedarach L. (Meliaceae). R: 49, 50
- lima** (P)
Ficus exasperata Vahl (Moraceae). R: 49, 50, 3
- limão** (P)
Citrus ×limon (L.) Burm.f. (Rutaceae). R: 3
- limba**
Terminalia superba Engl. & Diels
 (Combretaceae). R: 2, 11
- limbelokuta** (Kik)
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 50 [*Fagara macrophylla* Engl.]
- limeira** (P)
Citrus ×aurantifolia (Christm.) Swingle
 (Rutaceae). R: 49
- limoeiro** (P)
Citrus ×limon (L.) Burm.f. (Rutaceae). R: 3
- limoeiro-azedo** (P)
Citrus medica L. (Rutaceae). R: 49 [*Citrus limonia*
 (L.) Osbeck]
- limoeiro-do-Japão** (P)
Citrus ×microcarpa Bunge (Rutaceae). R: 49
 [*Citrus mitis* Blanco]
- limonete** (P)
Aloysia citriodora Palau (Verbenaceae). R: 49
 [*Lippia citriodora* (Lam.) Kunth]
- limumbu** (Kik)
Funtumia africana (Benth.) Stapf (Apocynaceae).
 R: 50
- limuna**
Ongokea gore (Hua) Pierre (Olacaceae). R: 49
 [*Ongokea klaineana* Pierre; Dundo, Lunda], 50
 [Kioko]
- linduli-nduli**
Quassia africana (Baill.) Baill. (Simaroubaceae).
 R: 3
- lingombo** (Nye)
Linariopsis prostrata Welw. (Pedaliaceae). R: 50
 [Ganguela]
- lingomene**
Vigna subterranea (L.) Verdc. (Fabaceae). R: 49
 [*Voandzeia subterranea* (L.) DC.; P], 50
 [*Voandzeia subterranea* (L.) DC.; Lunyaneka]
- lingu**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilosopus*
 Welw. ex Ficalho & Hiern; Lunyaneka], 3

- língua-de-ovelha (P)**
Plantago lagopus L. (Plantaginaceae). R: 49
 [*Plantago lagopus* L. var. *lusitanica* (L.) Baill.]
- linhangoa (Kim)**
Cucurbita maxima Duchesne ex Lam.
 (Cucurbitaceae). R: 50
- linho (P)**
Linum usitatissimum L. (Linaceae). R: 49
- linho-câñhamo (P)**
Cannabis sativa L. (Cannabaceae). R: 50
- linho-de-gombo (P)**
Hibiscus cannabinus L. (Malvaceae). R: 49, 3
- linho-de-Nova-Zelândia (P)**
Phormium tenax J.R.Forst. & G.Forst. (Liliaceae). R: 49
- linvuti (Kik)**
Entandrophragma cylindricum (Sprague) Sprague
 (Meliaceae). R: 50
- lipupu (Kim)**
Cucumeropsis mannii Naudin (Cucurbitaceae). R: 50 [*Cucumeropsis edulis* Cogn.]
- lírio-do-Amazonas (P)**
Eucharis grandiflora Lindl. (Amaryllidaceae). R: 49
- lírio-do-palácio (P)**
Hippeastrum aulicum (Ker.Gawl.) Herb.
 (Amaryllidaceae). R: 49
- lírio-holandês (P)**
Iris pumila L. (Iridaceae). R: 49
- lisanza (Kim)**
Tragia benthamii Baker (Euphorbiaceae). R: 50
- lisumba (Kik)**
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 50 [*Fagara macrophylla* Engl.]
- litando (Kim)**
Ficus ovata Vahl (Moraceae). R: 50
- litanga (Nya)**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.; Lunyaneka], 3
- litchi (P)**
Litchi chinensis Sonn. (Sapindaceae). R: 49
 [*Nephelium lappaceum* sensu auct. non L. (1767)]
- lituti (Kik)**
Khaya ivorensis A.Chev. (Meliaceae). R: 50
- lixia (P)**
Ficus exasperata Vahl (Moraceae). R: 49, 3
- lizanza (Kim)**
Dalechampia scandens L. (Euphorbiaceae). R: 50
- lkoeza**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Ambrizete]
- lobo-quiamaza**
Annona glabra L. (Annonaceae). R: 2
- locha (fruit)**
Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 54 [*Parinari curatellifolia* Planch. ex Benth. subsp. *mobola* (Oliv.) R.A.Graham]
- lodão-bastardo (P)**
Celtis australis L. (Ulmaceae). R: 49
- loendro (P)**
Nerium oleander L. (Apocynaceae). R: 49
- loengo (P)**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
- loengo (fruit) (P)**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
Anisophyllea buchneri Engl. & Brehmer
 (Anisophylleaceae). R: 3
- lo'hana**
Corallocarpus bainesii (Hook.f.) A.Meeuse
 (Cucurbitaceae). R: 45
- lohengo**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 50 [*Anisophyllea gossweileri* Engl. & Brehmer; Ganguela], 58 [Huambo, Bié, Moxico, Benguela], 56 [*Anisophyllea gossweileri* Engl. & Brehmer], 3 [*Anisophyllea gossweileri* Engl. & Brehmer], 52 [U]
Anisophyllea buchneri Engl. & Brehmer
 (Anisophylleaceae). R: 50 [U], 3
- lolo-ia-maza (Kik)**
Annona glabra L. (Annonaceae). R: 50 [*Annona palustris* L.]
- lomba**
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* var. *paradisiaca* L.; Kik], 50 [Kik]
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 2
- lomba-lomba (U)**
Diospyros canaliculata De Wild. (Ebenaceae). R: 50 [*Maba nutans* Hiern]
- lombo (Kik)**
Landolphia foretiana (Pierre ex Jum.) Pichon
 (Apocynaceae). R: 3 [*Carpodinus rufinervis* Pierre ex Stapf]
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 50
- lombula**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 50 [U], 58 [Huambo], 3
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3
- lomolo**
Ricinus communis L. (Euphorbiaceae). R: 59
 [Benguela – Bocoio, Canjala]
- lonamba (U)**
Plectranthus esculentus N.E.Br. (Lamiaceae). R: 50 [*Coleus dazo* A.Chev.]
- londeo**
Ozoroa insignis Delile (Anacardiaceae). R: 3
- longale (fruit) (Kw)**
Acanthosicyos horridus Welw. ex Hook.f.
 (Cucurbitaceae). R: 45 [Curoca]
- longo (Kik)**
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 50

- lonzo** (Kik)
Allanblackia floribunda Oliv. (Clusiaceae). R: 50
- losaku** (U)
Solanum aethiopicum L. (Solanaceae). R: 50
[*Solanum naumannii* Engl.; U], 3 [*Solanum naumannii* Engl.]
- losna-da-Humpata** (P)
Artemisia afra Jacq. ex Willd. (Asteraceae). R: 57,
49, 50
- luana** (U)
Aeollanthus pubescens Benth. (Lamiaceae). R: 50
[*Aeollanthus elongatus* Briq.]
- luanji**
Thesium cinereum A.W.Hill (Santalaceae). R: 50
[Kim], 3
- luanseke**
Maesopsis eminii Engl. (Rhamnaceae). R: 49
[Mussorongo, Zaire], 50 [Kik]
- luanseque**
Maesopsis eminii Engl. (Rhamnaceae). R: 27
[Zaire]
- lubambu** (Kim)
Cissus quadrangularis L. (Vitaceae). R: 50
- lubanji** (Kim)
Lippia plicata Baker (Verbenaceae). R: 50, 3
[*Lippia adoensis* Hochst. ex Schauer var.
multicaulis Hiern]
- lubanza**
Aidia micrantha (K.Schum.) Bullock ex F.White
var. *zenkeri* (S.Moore) E.M.A.Petit (Rubiaceae).
R: 46, 47
- lubanze-zau**
Massularia acuminata (G.Don) Bullock ex Hoyle
(Rubiaceae). R: 46
- lubanzu** (Kik)
Diogoa zenkeri (Engl.) Exell & Mendonça
(Olacaceae). R: 50
Homalium stipulaceum Welw. ex Mast.
(Flacourtiaceae). R: 50, 37
- lucanga**
Xylopia hypolampra Mildbr. (Annonaceae). R:
Murta 43
Xylopia quintasii Engl. & Diels (Annonaceae). R:
2
- lucanga-lenombe**
Xylopia lenombe Paiva (Annonaceae). R: Monteiro
& Murta 227
- lucho-mucombe**
Cucumis sagittatus Wawra & Peyr.
(Cucurbitaceae). R: 45
- lúcia-líma** (P)
Aloysia citriodora Palau (Verbenaceae). R: 49
[*Lippia citriodora* (Lam.) Kunth]
- luco** (P)
Eleusine coracana (L.) Gaertn. (Poaceae).
R: 49, 50
- lucungo**
Terminalia mollis M.A.Lawson (Combretaceae).
R: 11
- lueia** (Kik)
Combretum camporum Engl. (Combretaceae).
R: 50
- lueka** (U)
Hymenocardia ulmoides Oliv. (Euphorbiaceae).
R: 50
- lueke** (U)
Ficus exasperata Vahl (Moraceae). R: 50
- luenga** (Kik)
Corynanthe paniculata Welw. (Rubiaceae). R: 50
- luengos**
Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
- lufifi** (Nya)
Psiadia incana Oliv. & Hiern (Asteraceae). R: 50
[Lunyaneka]
Seriphium cinereum L. (Asteraceae). R: 50 [*Stoebe cinerea* (L.) Thunb.; Lunyaneka]
- lufite**
Amphiasma benguellense (Hiern) Bremek.
(Rubiaceae). R: Capelo & Ivens 15
- lufuma** (Kik)
Entandrophragma angolense (Welw. ex C.DC.)
C.DC. (Meliaceae). R: 50
- luhia**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
[Kioko]
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 49 [*Parinari mobola* Oliv.;
Malange], 54 [*Parinari curatellifolia* Planch. ex
Benth. subsp. *mobola* (Oliv.) R.A.Graham], 50
[*Parinari mobola* Oliv.; sing.; Kim]
- luhingalo**
Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
- luhula**
Acanthosicyos naudinianus (Sond.) C.Jeffrey
(Cucurbitaceae). R: 45 [*Citrullus naudinianus*
Hook.f.]
- luhumbu** (Kik)
Funtumia africana (Benth.) Stapf (Apocynaceae).
R: 50
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R:
50 [*Santiriopsis trimera* (Oliv.) Guillaumin ex
Engl.]
- luja**
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 54 [*Parinari curatellifolia*
Planch. ex Benth. subsp. *mobola* (Oliv.)
R.A.Graham]
- lukanda**
Ficus ottonifolia (Miq.) Miq. subsp. *lucanda*
(Ficalho) C.C.Berg (Moraceae). R: 50 [*Ficus lucanda* Welw. ex Ficalho; Kim], 3 [Kim]
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
[Kioko]
Xylopia hypolampra Mildbr. (Annonaceae). R: 50
[*Xylopia brieyi* De Wild. [Kik]]
Xylopia quintasii Engl. & Diels (Annonaceae). R:
50 [Kik]

- Xylopia toussaintii** Boutique (Annonaceae). R: 47
Cameira 96
- lukangue** (Kim)
Thesium cinereum A.W.Hill (Santalaceae). R: 50, 3
- lukomba** (Kim)
Loudetia simplex (Nees) C.E.Hubb. (Poaceae). R: 50
- luku**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 49, 3
- lukuma** (C)
Synsepalum cerasiferum (Welw.) T.D.Penn. (Sapotaceae). R: 50 [*Sersalisia cerasifera* (Welw.) Engl.; Kioko]
- lulo**
Biophytum jessenii R.Knuth (Oxalidaceae). R: 3
- lulu** (Kim)
Vernonia amygdalina Delile (Asteraceae). R: 3
Vernonia calulu Hiern (Asteraceae). R: 3
- lulusinga** (Kik)
Monodora angolensis Welw. (Annonaceae). R: 50
- lumanga**
Aphanocalyx richardsiae (J.Léonard) Wieringa (Fabaceae). R: Santos 1578
- lumbambanji** (Kik)
Strombosia pustulata Oliv. (Olacaceae). R: 50
[*Strombosia glaucescens* Engl.]
- lumboa** (Kim)
Persicaria madagascariensis (Meisn.) S.Ortiz & Paiva (Polygonaceae). R: 50 [*Polygonum tomentosum* Willd.]
- lumbombo** (C)
Leptoderris nobilis (Welw. ex Baker) Dunn (Fabaceae). R: 50 [Kioko]
- lumbota** (Kik)
Milletta versicolor Welw. ex Baker (Fabaceae). R: 50
- lumbote** (Kik)
Markhamia tomentosa (Benth.) K.Schum. (Bignoniaceae). R: 50 [*Markhamia sessilis* Sprague]
- lumbuiji** (Kim)
Cissus rubiginosa (Welw. ex Baker) Planch. (Vitaceae). R: 50
- lumbungu** (Kim)
Oxytenanthera abyssinica (A.Rich.) Munro (Poaceae). R: 50
- lumbutu**
Psidium guajava L. (Myrtaceae). R: 59 [Benguela]
- lume**
Galinsoga parviflora Cav. (Asteraceae). R: 3
- lumeke**
Ximenia americana L. (Olacaceae). R: 49 [South of Angola], 50 [Ganguela]
- lumiombo**
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 49 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.; Maiombe]
- lumono-ua-muchito** (So)
Gardenia imperialis K.Schum. subsp. *imperialis*
- (Rubiaceae). R: 47
- lunga** (Kim)
Rhus longipes Engl. (Anacardiaceae). R: 50
- lunga-dia-sangi** (Kim)
Combretum zeyheri Sond. (Combretaceae). R: 50 [*Combretum tinctorum* Welw. ex M.A.Lawson]
- lungu**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus psilopus* Welw. ex Ficalho & Hiern; Lunyaneka], 3
Monotes africanus A.DC. (Dipterocarpaceae). R: 50 [Kioko]
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [Kim]
Synsepalum cerasiferum (Welw.) T.D.Penn. (Sapotaceae). R: 50 [*Sersalisia cerasifera* (Welw.) Engl.; Kioko]
- lunguengue** (Kim)
Aframomum alboviolaceum (Ridl.) K.Schum. (Zingiberaceae). R: 50
- lunguinea**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 49 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.; Cuango]
- lungunga**
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko, Kim]
- lunhi** (U)
Girardinia diversifolia (Link) Friis (Urticaceae). R: 50 [*Girardinia condensata* Wedd.]
- luniumbo** (Kik)
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 50 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.; Kik], Gossweiler 7606
- lunzala** (C)
Anisophyllea quangensis Engl. ex Henriq. (Anisophylleaceae). R: 50 [*Anisophyllea buettneri* Engl.; Kioko]
- lunzuanza** (Kim)
Combretum paniculatum Vent. (Combretaceae). R: 52
- lupalanca** (Nya)
Neonotonia wightii (Wight & Arn.) J.A.Lackey (Fabaceae). R: 62 [*Glycine javanica* L. subsp. *micrantha* (Hochst. & A.Rich.) F.J.Herm.; Muila]
- luposa** (Kim)
Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax kraussiana* Meisn.]
- lupunga** (C)
Clappertonia ficifolia Decne. (Tiliaceae). R: 50 [Kioko]
- luquelo** (R)
Ampelocissus abyssinica (Hochst. ex A.Rich.) Planch. (Vitaceae). R: 28 [*Ampelocissus cavicaulis* (Baker) Planch.; Lunda]
- lusala-ua-moxitu** (C)
Dialium angolense Welw. ex Oliv. (Fabaceae). R: 50 [Kioko]
- lusanje** (Kim)
Combretum platypetalum Welw. ex M.A.Lawson

subsp. *baumii* (Engl. & Gilg) Exell
(Combretaceae). R: 50 [*Combretum baumii* Engl.
& Gilg]
lusonde (C)
Melinis repens (Willd.) Zizka (Poaceae). R: 50
[*Rhynchelytrum repens* (Willd.) C.E.Hubb.;
Kioko]
lutamba (Kim)
Gloriosa superba L. (Colchicaceae). R: 50
[*Gloriosa virescens* Lindl.]
lutete-lumene (Kik)
Picralima nitida (Stapf) T.Durand & H.Durand
(Apocynaceae). R: 50
luti (Nya)
Droogmansia megalantha (Taub.) De Wild.
(Fabaceae). R: 50 [Lunyaneka]
lutuhu (Luv)
Pachystigma micropyren Verdc. (Rubiaceae). R:
47 [Luena]
luvale
Ricinus communis L. (Euphorbiaceae). R: 59
[Cuanza Sul – Sumbe]
luvambala
Coffea mayombensis A.Chev. (Rubiaceae). R: 46
luvek (timber) (Kik)
Diospyros viridicans Hiern (Ebenaceae). R: 50
luvili
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
(Ericaceae). R: 3 [*Philippia benguelensis* (Welw.
ex Engl.) Britten]
luvinga (Kik)
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
R: 50
luvuka (Kik)
Dioclea reflexa Hook.f. (Fabaceae). R: 50
luzerna (P)
Medicago sativa L. (Fabaceae). R: 49
luzerna-lupulina (P)
Medicago lupulina L. (Fabaceae). R: 49
lyamba (Kim)
Cannabis sativa L. (Cannabaceae). R: 3

M

m'bula
Calycosiphonia sp. (Rubiaceae). R: Brig. Est.
Flor. Maiombe 125
maba (pl.) (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
mababata
Geophila renaris De Wild. & T.Durand
(Rubiaceae). R: 46
Geophila afzelii Hiern (Rubiaceae). R: 46
mabala
Psophocarpus palustris Desv. (Fabaceae). R: 62
mabanga (Kik)
Raphia rostrata Burret (Arecaceae). R: 50
mabangu
Landolphia parvifolia K.Schum. (Apocynaceae).

R: 59 [Lubango]
mabata
Geophila renaris De Wild. & T.Durand
(Rubiaceae). R: 46
maboca
Strychnos cocculoides Baker (Strychnaceae). R:
57, 50 [Lunyaneka]
Strychnos spinosa Lam. (Strychnaceae). R: 57
maboke (P)
Strychnos cocculoides Baker (Strychnaceae). R: 3
Strychnos spinosa Lam. (Strychnaceae). R: 3
Strychnos sp. (Strychnaceae). R: 3
maboke (fruit)
Strychnos sp. (Strychnaceae). R: 3
maboke (pl.)
Strychnos cocculoides Baker (Strychnaceae). R: 50
[*Strychnos schumanniana* Gilg; Kim; Lunyaneka]
Strychnos pungens Soler. (Strychnaceae). R: 50
[Lunyaneka]
Strychnos spinosa Lam. (Strychnaceae). R: 50
[Kim]
maboke-venenoso (P)
Strychnos pungens Soler. (Strychnaceae). R: 3
mabole (pl.) (Kim)
Strychnos spinosa Lam. (Strychnaceae). R: 50
mabondo (Kik)
Sclerosperma mannii H.Wendl. (Arecaceae). R: 50
mabu (Kik)
Cyperus papyrus L. (Cyperaceae). R: 50
mabudia (C)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
(Apocynaceae). R: 50 [*Diplorhynchus angolensis*
Büttner; Kioko]
mabuinguidi (Kim)
Cola welwitschii Exell & Mendonça ex R.Germ.
(Sterculiaceae). R: 50
mabuingui
Cola welwitschii Exell & Mendonça ex R.Germ.
(Sterculiaceae). R: 13
mabulu (Kik)
Raphia sp. (Arecaceae). R: 50
mabume (pl.) (Kik)
Strychnos spinosa Lam. (Strychnaceae). R: 50
mabundu (Kik)
Dorstenia psilurus Welw. (Moraceae). R: 50
mabungu (fruit) (Nya)
Landolphia parvifolia K.Schum. (Apocynaceae).
R: 50 [Lunyaneka]
maçã (P)
Musa acuminata Colla (Musaceae). R: 50 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]
maçã-de-Adão (P)
Tabernaemontana divaricata (L.) R.Br. ex Roem.
& Schult. (Apocynaceae). R: 49
[*Tabernaemontana coronaria* (Jacq.) Willd. var.
florepleno Hort.]
maçã-de-Perú (P)
Nicandra physalodes (L.) Gaertn. (Solanaceae).
R: 49

- maçaroca-de-milho** (fruit) (P)
Zea mays L. (Poaceae). R: 50, 3
- macassala**
Crotalaria retusa L. (Fabaceae). R: 61
- macazo**
Cola verticillata (Thonn.) Stapf ex A.Chev.
 (Sterculiaceae). R: 13
- macela** (P)
Grangea maderaspatana (L.) Poir. (Asteraceae).
 R: 49
- macieira** (P)
Malus pumila Mill. (Rosaceae). R: 49 [*Pyrus malus* L. var. *pumila* Elwes]
- macieira-brava** (P)
Malus sylvestris Mill. (Rosaceae). R: 49 [*Pyrus malus* L. var. *silvestris* L.]
Ziziphus abyssinica Hochst. ex A.Rich.
 (Rhamnaceae). R: 49 [*Ziziphus mauritiana* sensu auct. non Lam. (1789)]
- maco**
Pericopsis angolensis (Baker) Meeuwen
 (Fabaceae). R: 62
- macocossi**
Diospyros virginata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]
- macocoxi**
Diospyros virginata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]
- macopacopa** (O)
Grewia avellana Hiern (Tiliaceae). R: 14
 [Cuanhamama]
- madeanga** (Kim)
Pennisetum purpureum Schumach. (Poaceae).
 R: 50
- madeate-a-ngombe** (Kim)
Alternanthera pungens Kunth (Amaranthaceae).
 R: 50 [*Alternanthera echinata* Sm.]
- madianga**
Pennisetum purpureum Schumach. (Poaceae).
 R: 49
- madresilva** (P)
Lonicera implexa Aiton (Caprifoliaceae). R: 49
- madresilva-de-cheiro** (P)
Lonicera confusa DC. (Caprifoliaceae). R: 49
- maeleambura**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- mafua**
Chrysobalanus icaco L. subsp. *icaco*
 (Chrysobalanaceae). R: 50 [*Chrysobalanus ellipticus* Sol. ex Sabine; *Chrysobalanus orbicularis* Schumach.; Kik], 58 [*Chrysobalanus orbicularis* Schumach.; Cabinda]
- mafuga**
Marquesia macroura Gilg (Dipterocarpaceae).
 R: 2
- mafukamahonje** (Kim)
Combretum camporum Engl. (Combretaceae).
 R: 50
- mafula-fula** (C)
Maprounea africana Müll.Arg. (Euphorbiaceae).
- R: 50 [Kioko]
- mafuma**
Bombax buonopozense P.Beauv. (Bombacaceae).
 R: 2 [*Bombax reflexum* Sprague]
Ceiba pentandra (L.) Gaertn. (Bombacaceae). R: 50 [Kim]
- mafumankila** (Kik)
Psydrax virgata (Hiern) Bridson (Rubiaceae). R: 50 [*Canthium virgatum* Hiern]
- mafumeira** (P)
Bombax buonopozense P.Beauv. (Bombacaceae).
 R: 50 [*Bombax reflexum* Sprague]
Ceiba pentandra (L.) Gaertn. (Bombacaceae). R: 57, 49, 2
- mafumeira-encarnada** (P)
Bombax buonopozense P.Beauv. (Bombacaceae).
 R: 49 [*Bombax flammeum* Ulbr.]
- mafura** (P)
Trichilia emetica Vahl (Meliaceae). R: 50
 [*Trichilia roka* (Forssk.) Chiov.]
- mafureira** (P)
Trichilia emetica Vahl (Meliaceae). R: 50
 [*Trichilia roka* (Forssk.) Chiov.]
- mafurreira** (P)
Trichilia emetica Vahl (Meliaceae). R: 49, 50
 [*Trichilia roka* (Forssk.) Chiov.]
- mafuta** (Kik)
Oxystigma buchholzii Harms (Fabaceae). R: 50
 [*Oxystigma mafuta* De Wild.; Kik], 63 [Kik], 2
Trichilia emetica Vahl (Meliaceae). R: 50
 [*Trichilia roka* (Forssk.) Chiov.; Kik]
- magungo**
Psychotria peduncularis (Salisb.) Steyermark.
 (Rubiaceae). R: 47
- mahambu** (Kim)
Breonadia salicina (Vahl) Hepper & J.R.I.Wood
 (Rubiaceae). R: 50 [*Adina microcephala* (Delile)
 Hiern var. *galpinii* (Oliv.) Hiern]
- mahampote** (Kik)
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex pachyphylla* Baker]
- mahoni**
Entandrophragma ekebergioides (Harms) Sprague
 (Meliaceae). R: 50 [from Afrikaans]
- mahulungunza** (C)
Landolphia lanceolata (K.Schum.) Pichon
 (Apocynaceae). R: 50 [*Carpodinus lanceolata* K.Schum.; Kioko]
- mahundu**
Hoslundia opposita Vahl (Lamiaceae). R: 50
 [Kim]
Phoenix reclinata Jacq. (Arecaceae). R: 50
 [Ganguela]
- mahuve** (Nye)
Landolphia gossweileri (Stapf) Pichon
 (Apocynaceae). R: 50 [*Carpodinus gossweileri* Stapf; Ganguela]
- maiapa** (U)
Trema orientalis (L.) Blume (Ulmaceae). R: 50

[*Trema guineense* (Schumach. & Thonn.) Ficalho; U], 3

maie (pl.) (Kim)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50

mai-mai (U)
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina suberifera* Welw. ex Baker]

maimba (Kik)
Raphia sp. (Arecaceae). R: 50

maiola (U)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 50 [*Annona nana* Exell var. *oblonga* Robyns & Ghesq.]

makaia (Kik)
Dracaena acaulis Baker (Dracaenaceae). R: 50

makalokote (Kim)
Dioscorea dumetorum (Kunth) Pax
(Dioscoreaceae). R: 49, 50

makamba (C)
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R: 50 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.; Kioko]

akanha (Kim)
Nicotiana tabacum L. (Solanaceae). R: 50

akanze (Kim)
Lablab purpureus (L.) Sweet (Fabaceae). R: 50 [*Dolichos lablab* L.]

makelandua (Kim)
Spathodea campanulata P.Beauv. (Bignoniaceae). R: 50

makete
Acacia sp. (Fabaceae). R: 3

makindo (Nye)
Phoenix reclinata Jacq. (Arecaceae). R: 50
[Ganguela]

mako (U)
Pericopsis angolensis (Baker) Meeuwen
(Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.]

makolangolo
Strychnos spinosa Lam. (Strychnaceae). R:
Antunes vel Dekindt 499

makolongolo
Capparis tomentosa Lam. (Capparaceae). R: 50
[Lunyaneka], 3

makongo (Kik)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
[*Voandzeia subterranea* (L.) DC.]

makongue (pl.) (Kim)
Landolphia owariensis P.Beauv. (Apocynaceae). R: 50

aku (U)
Pericopsis angolensis (Baker) Meeuwen
(Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.]

makua (Kik)
Sclerosperma mannii H.Wendl. (Arecaceae). R: 50

akuasa (Kim)
Clausena anisata (Willd.) Hook.f. ex Benth.
(Rutaceae). R: 50

makuku (C)
Sclerocroton cornutus (Pax) Kruijt & Roebers
(Euphorbiaceae). R: 50 [*Sapium cornutum* Pax;
Kioko]

makunde (Kim)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 50
[Kim], 49 [P]

makunga
Sesuvium sesuviooides (Fenzl) Verdc. (Aizoaceae). R: 48

mala (U)
Aloe sp. (Asphodelaceae). R: 50

maladia
Indigofera nummularia Welw. ex Baker
(Fabaceae). R: 61 [Malange]

malagueta (P)
Aframomum melegueta K.Schum. (Zingiberaceae). R: 49
Capsicum sp. (Solanaceae). R: 49

malanguela-ngombe (Kim)
Psydrax subcordata (DC.) Bridson var.
subcordata (Rubiaceae). R: 50 [*Canthium welwitschii* Hiern]

maleiteiras-das-areias (P)
Euphorbia peplus L. (Euphorbiaceae). R: 49

malembé (Kim)
Sterculia purpurea Exell (Sterculiaceae). R: 50

malembecile
Mussaenda arcuata Poir. (Rubiaceae). R: 47

malembesela (Kim)
Mussaenda arcuata Poir. (Rubiaceae). R: 50

maliengue-lengue
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3

maliengue-lengue (U)
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 50

malmequer-da-sécia (P)
Callistephus chinensis (L.) Nees (Asteraceae). R: 49

malolo (Kim)
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 50 [*Annona cuneata* (Oliv.) R.E.Fr.]

malolo-a-makuku (C)
Piliostigma thonningii (Schumach.) Milne-Redh.
(Fabaceae). R: 50 [Kioko]

malombo (Kik)
Landolphia foretiana (Pierre ex Jum.) Pichon
(Apocynaceae). R: 50, 3 [*Carpodinus rufinervis* Pierre ex Stapf]

maloso (Kim)
Caesalpinia pulcherrima (L.) Sw. (Fabaceae). R: 50

malulu (C)
Croton mubango Müll.Arg. (Euphorbiaceae). R: 50 [Kioko]

maluva-a-ndjila (Nya)
Leonotis nepetifolia (L.) R.Br. (Lamiaceae). R: 3

- maluva-a-ndyila**
Leonotis nepetifolia (L.) R.Br. (Lamiaceae). R: 3
- maluva-a-njila** (Nya)
Leonotis nepetifolia (L.) R.Br. (Lamiaceae). R: 50
 [Lunyaneka]
- maluvo-a-nsongo**
Leonotis nepetifolia (L.) R.Br. (Lamiaceae). R: 50
 [Lunyaneka], 3
- malva-de-cheiro** (P)
Pelargonium capitatum (L.) L'Hér. (Geraniaceae).
 R: 49
- malva-rosa** (P)
Pelargonium capitatum (L.) L'Hér. (Geraniaceae).
 R: 49
- malvas** (P)
Abutilon mauritianum (Jacq.) Medik. (Malvaceae).
 R: 50, 3
- mamao**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 24 [Maiombe]
- mamão** (P)
Carica papaya L. (Caricaceae). R: 2, 38, 59
- mambaéza**
Lablab purpureus (L.) Sweet (Fabaceae). R: 49
 [*Lablab vulgaris* Savi; Musseque de Luanda]
- mamboesa** (Kim)
Lablab purpureus (L.) Sweet (Fabaceae). R: 50
 [*Dolichos lablab* L.]
- mambombote** (Kik)
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex pachyphylla* Baker]
- mambumbu** (Kik)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50
- mamoeiro** (P)
Carica papaya L. (Caricaceae). R: 3
Mammea americana L. (Clusiaceae). R: 49
- mamoeiro-brasileiro** (P)
Carica papaya L. (Caricaceae). R: 49
- mamoke** (Kik)
Hydnora africana Thunb. (Hydnoraceae). R: 50
 [*Hydnora longicollis* Welw.]
- mamona** (seed) (Kim)
Ricinus communis L. (Euphorbiaceae). R: 50
- mamono**
Ricinus communis L. (Euphorbiaceae). R: 59
 [Cunene– Cuvelai, Cahama, Môngua; Namibe]
- mamote** (pl.) (Kim)
Solanum aethiopicum L. (Solanaceae). R: 50
 [*Solanum monteiroi* C.H.Wright]
- mampia** (C)
Mucuna sp. (Fabaceae). R: 50 [Kioko]
- mancarra**
Arachis hypogaea L. (Fabaceae). R: 49
- manda**
Brachystegia bakeriana Hutch. & Burtt Davy
 (Fabaceae). R: 50 [U]
Brachystegia spiciformis Benth. (Fabaceae). R: 63
 [Nova Lisboa]
- mande-a-ndua** (Kim)
Spathodea campanulata P.Beauv. (Bignoniaceae).
- R: 50
- mandiabole** (Nya)
Nymphaea nochiali Burm.f. var. *caerulea*
 (Savigny) Verdc. (Nymphaeaceae). R: 50
 [*Nymphaea caerulea* Savigny; Lunyaneka]
- mandioca** (P)
Manihot sp. (Euphorbiaceae). R: 2, 3
- mandioqueira** (P)
Manihot esculenta Crantz (Euphorbiaceae). R: 3
- mandioqueira-amarga** (P)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- mandioqueira-doce** (P)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [*Manihot dulcis* (J.F.Gmel.) Pax]
- mandjuanja**
Acanthosicyos naudinianus (Sond.) C.Jeffrey
 (Cucurbitaceae). R: 45 [*Citrullus naudinianus*
 Hook.f.]
- mandjunju** (Nya)
Vangueriopsis lanciflora (Hiern) Robyns
 (Rubiaceae). R: 47 [Muila]
- manga**
Brachystegia manga De Wild. (Fabaceae).
 R: 50 [U]
Brachystegia spiciformis Benth. (Fabaceae). R: 2
 [*Brachystegia lujae* De Wild. ex Hutch. & Burtt
 Davy]
- manga-brava** (P)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 49 [*Mimusops lacera* Baker;
 Cuanza Norte]
- mangaiava**
Psidium guajava L. (Myrtaceae). R: 59 [Lubango]
- manga-kanga** (U)
Croton mubango Müll.Arg. (Euphorbiaceae). R:
 50 [U], 3
- mangalala**
Paropisia brazzaeana Baill. (Passifloraceae). R: 44
- mangama** (C)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
 50 [*Mitragyna stipulosa* (DC.) Kuntze; Kioko]
- mangana** (Kik)
Sclerosperma mannii H.Wendl. (Arecaceae). R: 50
- mangareto** (P)
Xanthosoma sagittifolium (L.) Schott (Araceae).
 R: 49
- mangericão** (P)
Ocimum basilicum L. (Lamiaceae). R: 50
Ocimum minimum L. (Lamiaceae). R: 49
- mangericão-branco** (P)
Ocimum americanum L. (Lamiaceae). R: 49
- mangericão-do-mato** (P)
Ocimum gratissimum L. subsp. *gratissimum*
 (Lamiaceae). R: 49 [*Ocimum viride* Willd.]
- mangerico** (P)
Ocimum filamentosum Forssk. (Lamiaceae). R: 49
 [*Becium knyanum* (Vatke) G.Taylor]
- mangerioba-branca** (P)
Cassia alata L. (Fabaceae). R: 3

mangerioba-grande (P)
Cassia alata L. (Fabaceae). R: 49 [from Brazil]

mangerona-branca (P)
Origanum majorana L. (Lamiaceae). R: 49

mangke (Kik)
Sclerosperma mannii H.Wendl. (Arecaceae). R: 50

mangongo
Schinziophyton rautanenii (Schinz) Radcl.-Sm.
(Euphorbiaceae). R: 58 [*Ricinodendron rautanenii*
Schinz; Cuando Cubango], 2 [*Ricinodendron
rautanenii* Schinz]

mangostão (P)
Garcinia mangostana L. (Clusiaceae). R: 49

mangue (Kim)
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia
adoensis* Hochst. ex Schauer var. *multicaulis*
Hiern; Kim], 3 [*Lippia adoensis* Hochst. ex
Schauer var. *multicaulis* Hiern; Pungo Andongo]

mangue-branco (P)
Corynanthe paniculata Welw. (Rubiaceae). R: 57,
49, 50

mangue-da-praia (P)
Rhizophora mangle L. (Rhizophoraceae). R: 56
Rhizophora racemosa G.Mey. (Rhizophoraceae).
R: 49

mangue-do-monte (P)
Corynanthe paniculata Welw. (Rubiaceae). R: 57,
49, 50

mangueira (P)
Mangifera indica L. (Anacardiaceae). R: 49, 30,
2, 3

mangueira-brava (P)
Breonadia salicina (Vahl) Hepper & J.R.I.Wood
(Rubiaceae). R: 47

mangue-roxo (P)
Rhizophora mangle L. (Rhizophoraceae). R: 56
Rhizophora racemosa G.Mey. (Rhizophoraceae).
R: 49

mangungu
Psychotria peduncularis (Salisb.) Steyermark.
(Rubiaceae). R: 47

manhamba
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
[Kik]

maniçoba-de-Piauhy (P)
Manihot piauhyensis Ule (Euphorbiaceae). R: 49

maniçoba-de-S.Francisco (P)
Manihot heptaphylla Ule (Euphorbiaceae). R: 49

maniçoba-do-Ceará (P)
Manihot glaziovii Müll.Arg. (Euphorbiaceae). R:
49 [from Brazil]

maniçoba-do-Jaquié (P)
Manihot dichotoma Ule (Euphorbiaceae). R: 49

mankansa-mansala
Lablab purpureus (L.) Sweet (Fabaceae). R: 49
[*Lablab vulgaris* Savi; Mussorongo, Zaire]

mankanza-ma-nzala (Kik)
Lablab purpureus (L.) Sweet (Fabaceae). R: 50
[*Dolichos lablab* L.]

manke (Kik)
Sclerosperma mannii H.Wendl. (Arecaceae). R: 50

manona (seed) (Kim)
Ricinus communis L. (Euphorbiaceae). R: 50

manquete
Schinziophyton rautanenii (Schinz) Radcl.-Sm.
(Euphorbiaceae). R: 2 [*Ricinodendron rautanenii*
Schinz]

mansudi-enkale (Kik)
Ocimum gratissimum L. subsp. *gratissimum*
(Lamiaceae). R: 50 [*Ocimum viride* Willd.]

mantchicala
Diospyros pseudomespilus Mildbr. subsp.
undabunda (Hiern ex Greves) F.White
(Ebenaceae). R: 58 [*Diospyros undabunda* Hiern
ex Greves; Cuando Cubango]

mantombo (Nya)
Aloe zebrina Baker (Asphodelaceae). R: 50 [*Aloe
baumii* Engl. & Gilg; Lunyaneka]

manutunge (Nye)
Gymnosporia senegalensis (Lam.) Loes.
(Celastraceae). R: 50 [*Maytenus senegalensis*
(Lam.) Exell; Ganguela]

manzazi (P)
Ocimum gratissimum L. subsp. *gratissimum*
(Lamiaceae). R: 49 [*Ocimum viride* Willd.; P], 50
[*Ocimum viride* Willd.; Kik]

mapalapassa (C)
Alstonia congensis Engl. (Apocynaceae). R: 50
[Kioko]

mapanda (C)
Phoenix reclinata Jacq. (Arecaceae). R: 50
[Kioko]

mapete (C)
Sclerosperma mannii H.Wendl. (Arecaceae). R: 50
[Kioko]

mapupa (Nye)
Pseudolachnostylis maprouneifolia Pax var.
glabra (Pax) Brenan (Euphorbiaceae). R: 50
[*Pseudolachnostylis glauca* (Hiern) Hutch.;
Ganguela]

maracujá (P)
Passiflora edulis Sims (Passifloraceae). R: 3

maracujá-de-garapa (P)
Passiflora edulis Sims (Passifloraceae). R: 49

maracujá-melão (P)
Passiflora quadrangularis L. (Passifloraceae).
R: 49

maracujá-roxo (P)
Passiflora edulis Sims (Passifloraceae). R: 49

maravilha-de-Perú (P)
Mirabilis jalapa L. (Nyctaginaceae). R: 49

margarita (P)
Argyranthemum frutescens (L.) Sch.Bip.
(Asteraceae). R: 49 [*Chrysanthemum frutescens*
L.]

marianga (P)
Pennisetum purpureum Schumach. (Poaceae). R:
49, 50

- marmeleiro (P)**
Cydonia oblonga L. (Rosaceae). R: 49
- marmelo-galego (P)**
Cydonia oblonga L. (Rosaceae). R: 49 [*Cydonia oblonga* L. var. *maliformes* (Mill.) Thell.]
- martírios-fétidos (P)**
Passiflora foetida L. (Passifloraceae). R: 49
- masa (pl.) (Kim)**
Zea mays L. (Poaceae). R: 50
- masaki (Kik)**
Dracaena aubryana Brongn. ex E.Morren
 (Dracaenaceae). R: 50 [*Dracaena thaliooides* Jacob-Makoy ex Regel]
- masa-ma-imbala (Kim)**
Sorghum bicolor (L.) Moench (Poaceae). R: 3
 [*Sorghum caudatum* Stapf var. *angolense* Stapf]
- masambala**
Sorghum bicolor (L.) Moench (Poaceae). R: 3
 [*Sorghum caffrorum* P.Beauv.]
Sorghum bicolor (L.) Moench subsp. *drummondii* (Nees ex Steud.) de Wet ex Davidse (Poaceae). R: 50 [*Sorghum drummondii* Nees; Kim]
- masambalala (Kik)**
Podococcus barteri G.Mann & H.Wendl.
 (Arecaceae). R: 50
- masambulala (Kik)**
Hypselodelphys violacea (Ridl.) Milne-Redh.
 (Marantaceae). R: 50 [*Trachyphrynum violaceum* Ridl.]
- masangalala (pl.) (Kim)**
Eragrostis prolifera (Sw.) Steud. (Poaceae). R: 50
 [*Eragrostis fascicularis* Trin.]
- masango**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb.]
- masangu**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; Ganguela], 3 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb.; Kim; Ganguela]
- masangu-a-imbuka**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb.; Ganguela]
- masasi (Kik)**
Zea mays L. (Poaceae). R: 50
- maseke (Kik)**
Momordica cissoides Planch. ex Benth.
 (Cucurbitaceae). R: 50
- maseso (Kim)**
Momordica cissoides Planch. ex Benth.
 (Cucurbitaceae). R: 50
- masongua (Kim)**
Phoenix reclinata Jacq. (Arecaceae). R: 50
- massambala**
Sorghum bicolor (L.) Moench (Poaceae). R: 50
 [*Sorghum caffrorum* P.Beauv.], 3 [*Sorghum caffrorum* P.Beauv.; P]
- massambala-branco**
Sorghum sp. (Poaceae). R: 57
- massambala-rubro**
Sorghum sp. (Poaceae). R: 57
- massa-imbala (Kim)**
Sorghum bicolor (L.) Moench (Poaceae). R: 50
 [*Sorghum nigricans* (Ruiz & Pav.) Snowden var. *angolense* (Rendle) Snowden], 3 [*Sorghum caudatum* Stapf var. *angolense* Stapf]
- massango**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 49
 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.], 3 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb.; P]
Pennisetum robustum Staph & C.E.Hubb. (Poaceae). R: 49
Sorghum sp. (Poaceae). R: 2
- massango-ambuka (Nye)**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
 [*Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb. forma *augusta* Staph & C.E.Hubb.; Ganguela]
- massango-barbado**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
 [*Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb. forma *augusta* Staph & C.E.Hubb.; P], 3 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; *Pennisetum echinurus* (K.Schum.) Staph & C.E.Hubb.; P]
Pennisetum sp. (Poaceae). R: 57 [*Penicillaria* sp.]
- massango-liso**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50, 3
 [*Pennisetum typhoides* (Burm.f.) Staph & C.E.Hubb.; P]
Pennisetum sp. (Poaceae). R: 57 [*Penicillaria* sp.]
- massango-míudo (P)**
Tricholaena monachne (Trin.) Staph & C.E.Hubb. (Poaceae). R: 49 [*Tricholaena delicatula* Staph & C.E.Hubb.]
- massangu (Kim)**
Pennisetum robustum Staph & C.E.Hubb. (Poaceae). R: 50
- masseco**
Momordica cissoides Planch. ex Benth.
 (Cucurbitaceae). R: 45
- massesse**
Burkea africana Hook. (Fabaceae). R: 2
- massossa**
Solanum incanum L. (Solanaceae). R: 59 [Cuanza Sul, Cuando Cubango]
- massuela**
Tarenna grandiflora (Benth.) Hiern (Rubiaceae). R: 46
- masuela**
Tristemma mauritianum J.F.Gmel.

- (Melastomataceae). R: 41 [*Tristemma incompletum* R.Br.]
- mata-kim**
Corchorus trilocularis L. (Tiliaceae). R: 49
- matamba**
Grewia floribunda Mast. (Tiliaceae). R: 14
- matande**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 45
- matanga**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 49 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.; Ganguela], 45 [Ganguela]
Cucumeropsis mannii Naudin (Cucurbitaceae). R:
 50 [*Cucumeropsis edulis* Cogn.; Kik]
- matanga (pl.) (Z)**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.; Tjiherero]
- matanga-tanga (Kim)**
Chionanthus africanus (Welw. ex Knobl.) Stearn
 (Oleaceae). R: 50 [*Linociera angolensis* Baker]
- mata-peixe (P)**
Tephrosia vogelii Hook.f. (Fabaceae). R: 52
- mataquim (P)**
Corchorus trilocularis L. (Tiliaceae). R: 49
- matchalale (O)**
Annona stenophylla Engl. & Diels subsp. *nana*
 (Exell) N.Robson (Annonaceae). R: 50 [*Annona nana* Exell var. *subsessilifolia* (Engl.) Exell &
 Mendonça; Xikuanhama]
- mateba**
Hyphaene guineensis Schumach. & Thonn.
 (Arecaceae). R: 49, 50 [*Hyphaene luandensis*
 Gossw., nom. nud.; Kim],
 2 [*Hyphaene gossweileri* Furtado]
- matebeira (P)**
Hyphaene guineensis Schumach. & Thonn.
 (Arecaceae). R: 49, 50 [*Hyphaene luandensis*
 Gossw., nom. nud.]
- Hyphaene petersiana* Klotzsch ex Mart.
 (Arecaceae). R: 50 [*Hyphaene ventricosa* Kirk]
- matelego**
Geophila obvallata (Schumach. & Thonn.) F.Didr.
 subsp. *pilosa* Figueiredo (Rubiaceae). R: 47
- mateleje (C)**
Nymphaea lotus L. (Nymphaeaceae). R: 50
 [Kioko]
- matende (Nye)**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.; Ganguela]
- matenga (C)**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.; Kioko]
- mateva-do-Porto-Pinda**
Hyphaene petersiana Klotzsch ex Mart.
 (Arecaceae). R: 57 [*Hyphaene benguelensis*
 Welw. ex H.Wendl.]
- matielatiela (Kik)**
Megaphrynium macrostachyum (K.Schum.)
 Milne-Redh. (Marantaceae). R: 50
 [*Sarcophrynum macrostachyum* (K.Schum.)
 K.Schum.]
- matitiiti (Kik)**
Cymbopogon citratus (DC.) Stapf (Poaceae). R: 50
- matolo (Kik)**
Flueggea virosa (Roxb. ex Willd.) Voigt
 (Euphorbiaceae). R: 50
- matombe**
Raphia matombe De Wild. (Arecaceae). R: 50
 [*Raphia gossweileri* Burret; Kik]
Raphia textilis Welw. (Arecaceae). R: 50 [Kim]
- matombote (Nya)**
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum antunesii* Engl.; Lunyaneka]
- matondo-hakakoio (Nya)**
Corallocarpus bainesii (Hook.f.) A.Meeuse
 (Cucurbitaceae). R: 45 [Muhumbe]
- matondombua**
Leptactina benguellensis (Welw. ex Benth. &
 Hook.f.) R.D.Good (Rubiaceae). R: 47
- matongua (C)**
Parinari sp. (Chrysobalanaceae). R: 50 [Kioko]
- matui-ma-ngombe (Kim)**
Alternanthera pungens Kunth (Amaranthaceae).
 R: 50 [*Alternanthera echinata* Sm.]
- matumbiriri**
Solanum incanum L. (Solanaceae). R: 59
 [Cunene], 3
- matunda (Nya)**
Solanum incanum L. (Solanaceae). R: 50 [*Solanum panduriforme* E.Mey. ex Dunal; Lunyaneka]
- matute (pl.) (Kim)**
Saba comorensis (Bojer ex A.DC.) Pichon
 (Apocynaceae). R: 50 [*Landolphia florida* Benth.]
- mavilulo**
Clematis chrysocarpa Welw. ex Oliv.
 (Ranunculaceae). R: 3 [*Clematopsis speciosa*
 Hutch.]
- mavoki (Kik)**
Landolphia dewevrei Stapf (Apocynaceae). R: 50
 [*Landolphia talbotii* Wernham]
- mavuca (C)**
Marquesia macroura Gilg (Dipterocarpaceae). R:
 49 [Kioko, Lunda]
- mavuka (Nye)**
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 50 [*Cryptosepalum arboreum*
 Baker f.; Ganguela]
- mavulananza (Kik)**
Pentaclethra macrophylla Benth. (Fabaceae). R:
 50, 60
- mavunga (Kik)**
Rhizophora racemosa G.Mey. (Rhizophoraceae).
 R: 50

- mavungo-vungo**
Kigelia africana (Lam.) Benth. (Bignoniaceae). R: 2 [*Kigelia pinnata* (Jacq.) DC.]
- maxibua**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 49 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.; Cuanza Norte], 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.; Kim], 45
- maxija**
Cucumis metuliferus E.Mey. ex Naudin (Cucurbitaceae). R: 45
- maxije (Kim)**
Cucumis metuliferus E.Mey. ex Naudin (Cucurbitaceae). R: 50
- maxiku (Kim)**
Albizia versicolor Welw. ex Oliv. (Fabaceae). R: 50
- maxima (pl.) (Kim)**
Canavalia virosa (Roxb.) Wight & Arn. (Fabaceae). R: 50 [*Canavalia gladiata* sensu auct. non (Jacq.) DC. (1825)]
- maxima-ma-muxito (Kim)**
Physostigma cylindrosperrum (Welw. ex Baker) Holmes (Fabaceae). R: 50
- maxima-na-muxito (Kim)**
Physostigma cylindrosperrum (Welw. ex Baker) Holmes (Fabaceae). R: 50
- maxixa**
Cucumis metuliferus E.Mey. ex Naudin (Cucurbitaceae). R: 45
- maxixi (Kim)**
Cucumis anguria L. ? (Cucurbitaceae). R: 50 [*Cucumis ficifolius* sensu auct. non A.Rich. (1847)]
- mazala (Kim)**
Mezoneuron angolense Welw. ex Oliv. (Fabaceae). R: 50
- mazazela (Kik)**
Ataenidia conferta (Benth.) Milne-Redh. (Marantaceae). R: 50 [*Phrynum confertum* (Benth.) K.Schum.]
- mazi-ia-kombo (Kik)**
Elaeis guineensis Jacq. (Arecaceae). R: 49
- mazi-ma-mona (Kik)**
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- mazuela-banzambi**
Psychotria brassii Hiern (Rubiaceae). R: 46
Tristemma mauritianum J.F.Gmel. (Melastomataceae). R: 41 [*Tristemma incompletum* R.Br.]
- mazuela-manzambe**
Dinophora spenneroides Benth. (Melastomataceae). R: 41
- mbaca (Kik)**
Fillaeopsis discophora Harms (Fabaceae). R: 60
- mbaka (Kik)**
Fillaeopsis discophora Harms (Fabaceae). R: 50
 Unknown (Musaceae). R: 49, 50 [*Musa nana* Lour.; unplaced name]
- mbaku (Nye)**
Pseudolachnostylis maprouneifolia Pax var. *glabra* (Pax) Brenan (Euphorbiaceae). R: 50 [*Pseudolachnostylis glauca* (Hiern) Hutch.; Ganguela]
- mbala**
Cyperus articulatus L. (Cyperaceae). R: 50 [Kim], 3 [Luanda]
Psophocarpus palustris Desv. (Fabaceae). R: 50 [Kim]
Sorghum bicolor (L.) Moench (Poaceae). R: 3 [*Sorghum caudatum* Stapf var. *angolense* Stapf; Kim]
- mbalala (U)**
Antidesma venosum E.Mey. ex Tul. (Euphorbiaceae). R: 50
- mbalazia (Kim)**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.]
- mbale (Nd)**
Hyphaene thebaica (L.) Mart. (Arecaceae). R: 50 [*Hyphaene crinita* Gaertn.; Xindonga]
- mbamba**
Eremospatha cabrae (De Wild. & T.Durand) De Wild. (Arecaceae). R: 50 [Kik]
Eremospatha sp. (Arecaceae). R: 50 [Kik]
Imperata cylindrica (L.) Raeusch. (Poaceae). R: 50 [*Imperata cylindrica* (L.) Raeusch. var. *thunbergii* T.Durand & Schinz; Kioko]
Oncocalamus mannii (H.Wendl.) H.Wendl. (Arecaceae). R: 50 [Kik]
- mbamba-huri-huri (Kim)**
Pancovia golungensis (Hiern) Exell & Mendonça (Sapindaceae). R: 50 [Spelled 'Pavocina']
- mbambala**
Psydrax subcordata (DC.) Bridson var. *subcordata* (Rubiaceae). R: 50 [*Canthium glabriflorum* Hiern; Kik], 46
- mbamba-njilu**
Protea angolensis Welw. (Proteaceae). R: 50 [Kim]
- mbambe (Kim)**
Symponia globulifera L.f. (Clusiaceae). R: 50 [*Symponia gabonensis* (Vesque) Pierre]
- mbambi (Nya)**
Eragrostis superba Peyr. (Poaceae). R: 3
- mbambi-kani (Nya)**
Eragrostis superba Peyr. (Poaceae). R: 3
- mbambu (Kik)**
Croton oligandrus Pierre ex Hutch. (Euphorbiaceae). R: 50
- mbanalundu (U)**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina suberifera* Welw. ex Baker]
- mbanda (Kik)**
Hymenocardia ulmoides Oliv. (Euphorbiaceae). R: 50
- m'banda**
Gilbertiodendron mayombense (Pellegr.)

- J.Léonard (Fabaceae). R: M.E.F.A. 701
- mbanda-kajane** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49
- mbandanzaji** (seed) (Kik)
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 50
- mbandu** (Kim)
Portulaca oleracea L. (Portulacaceae). R: 50
- mbandu** (sing.) (Kim)
Nymphaea lotus L. (Nymphaeaceae). R: 50
- mbanga** (C)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
 [*Voandzeia subterranea* (L.) DC.; Kioko]
- m'banga**
Maranthes glabra (Oliv.) Prance
 (Chrysobalanaceae). R: 54 [*Maranthes glabra* (Oliv.) Prance var. *gilletii* (De Wild.) Mendes]
Sterculia quinqueloba (Garcke) K.Schum.
 (Sterculiaceae). R: 13 [Ambundo]
- mbangalundu** (U)
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina huillensis* Welw. ex Baker], 3
- mbange** (Kim)
Afzelia quanzensis Welw. (Fabaceae). R: 50
- mbangu**
Croton mubango Müll.Arg. (Euphorbiaceae). R: 50 [Kim]
Drypetes paxii Hutch. (Euphorbiaceae). R: 50 [Kik]
- mbanke** (Kim)
Albizia gummifera (J.F.Gmel.) C.A.Sm.
 (Fabaceae). R: 50
- mbase-mumbolo** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 50
- mbaze**
Elaeis guineensis Jacq. (Arecaceae). R: 49 [Kik], 50 [Kik]
Hyphaene thebaica (L.) Mart. (Arecaceae). R: 50
 [*Hyphaene crinita* Gaertn.; Xindonga]
- mbaze-a-mbuaki-ia-vale** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- mbaze-baze** (Kim)
Monotes angolensis De Wild. (Dipterocarpaceae). R: 50
Monotes hypoleucus (Oliv.) Gilg
 (Dipterocarpaceae). R: 50
Monotes noldeae Bancr. (Dipterocarpaceae). R: 50
- mbaze-ia-ntundua-ia-evale** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 50
- mbaze-lombo-ia-vale** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- mbaze-lombo-nsombo** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- mbaze-makombo** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 50
- mbaze-mbanda-kakiane** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 50
- mbaze-nkambondia** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 50
- mbaze-nkambuendia** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49
- mbaze-nkam-buendia** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49
- mbaze-ntundua-ia-nsombo** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- mbaze-ntundua-ia-vale** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49
- mbaze-numbo** (Kik)
Elaeis guineensis Jacq. (Arecaceae). R: 49
- mbela** (Kim)
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 50 [*Strophanthus intermedius* Pax]
- mbembe** (Kim)
Portulaca oleracea L. (Portulacaceae). R: 50
- mbembe** (sing.) (Kim)
Portulaca oleracea L. (Portulacaceae). R: 3
- mbende** (Kik)
Monodora angolensis Welw. (Annonaceae). R: 50
- mbende-nzau** (Kik)
Monodora myristica (Gaertn.) Dunal
 (Annonaceae). R: 50
- mbeta**
Sympomia globulifera L.f. (Clusiaceae). R: 50
 [*Sympomia gabonensis* (Vesque) Pierre; Kik]
Tabernaemontana pachysiphon Stapf
 (Apocynaceae). R: 50 [*Conopharyngia angolensis* (Stapf) Stapf; Kim]
- mbibang** (Kik)
Sympomia globulifera L.f. (Clusiaceae). R: 50
 [*Sympomia gabonensis* (Vesque) Pierre]
- mbibinde** (Kik)
Croton brieysi De Wild. (Euphorbiaceae). R: 50
- mbidi-nkala** (Kik)
Canarium schweinfurthii Engl. (Burseraceae). R: 50
- m'biembia**
Paropsia guineensis Oliv. (Passifloraceae). R: 44
- mbili** (Kik)
Canarium schweinfurthii Engl. (Burseraceae). R: 49 [Zaire], 50 [Kik], 3 [Kik]
- mbilu** (Kik)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.], 50
- mbimba**
Aeschynomene elaphroxylon (Guill. & Perr.) Taub.
 (Fabaceae). R: 50 [U], 62
- mbimbiti** (Kik)
Chytranthus carneus Radlk. (Sapindaceae). R: 50
 [*Chytranthus welwitschii* Exell]
- mbinda** (Kim)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.], 3
- mbivota** (Kim)
Leptoderris nobilis (Welw. ex Baker) Dunn
 (Fabaceae). R: 50
- mboa**
Bixa orellana L. (Bixaceae). R: 50 [Kim], 3

- [Dembos]
- mboa** (sing.) (Kim)
Amaranthus caudatus L. (Amaranthaceae). R: 50
- mbolo-mbolo**
Grewia sp. (Tiliaceae). R: 3
- mbolongo** (Kim)
Cochlospermum angolense Welw. ex Oliv.
(Cochlospermaceae). R: 50
- mbolongongo**
Cochlospermum angolense Welw. ex Oliv.
(Cochlospermaceae). R: 59 [Cuanza Norte]
- mbolututu**
Cochlospermum angolense Welw. ex Oliv.
(Cochlospermaceae). R: 59 [Bengo – Dembos]
- mbombolo** (Kim)
Melia azedarach L. (Meliaceae). R: 3
- mbombolo-ia-putu** (Kim)
Melia azedarach L. (Meliaceae). R: 3
- mbombolo-la-putu** (P)
Melia azedarach L. (Meliaceae). R: 49
- mbomo** (Kik)
Musa ×paradisiaca L. (Musaceae). R: 49 [*Musa sapientum* L. var. *paradisiaca* L.], 50
- mbondo**
Adansonia digitata L. (Bombacaceae). R: 49, 50
[Kim]
- m'bondo** (Kim)
Adansonia digitata L. (Bombacaceae). R: 52
- mbondo-ia-menha** (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 3
- mbondo-ia-mulemba** (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50
- mbondo-ia-mulende** (Kim)
Sterculia purpurea Exell (Sterculiaceae). R: 50
- mbono-mono** (Kim)
Ricinus communis L. (Euphorbiaceae). R: 50
- mbonzo** (Kim)
Ipomoea batatas (L.) Lam. (Convolvulaceae). R: 50
- mbosa**
Mammea africana Sabine (Clusiaceae). R: 49
[Maiombe], 50 [Kik]
- mbota**
Dialium englerianum Henriq. (Fabaceae). R: 50
[Kik], 59 [Sacandica, Quimbele]
- mbote** (Kik)
Millettia versicolor Welw. ex Baker (Fabaceae). R: 50
- mboto**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
[Euclea lanceolata E.Mey. ex A.DC.; U], 3
- mboza** (Kik)
Berlinia grandiflora (Vahl) Hutch. & Dalziel (Fabaceae). R: 50 [*Berlinia acuminata* Sol. ex Hook.f. & Benth.]
- mbuala** (Kik)
Tephrosia vogelii Hook.f. (Fabaceae). R: 50
- mbuangungu** (Kim)
Pistia stratiotes L. (Araceae). R: 50, 3
- mbuanza-mbuaza** (Kim)
Monotes dasyanthus Gilg (Dipterocarpaceae). R: 50
- mbuaze** (Kim)
Securidaca longipedunculata Fresen.
(Polygalaceae). R: 50
- mbuba** (Kik)
Myrianthus arboreus P.Beauv. (Moraceae). R: 50
- mbubu**
Jatropha curcas L. (Euphorbiaceae). R: 49
[Ambrizete], 50 [Kik]
- mbuebe** (Kik)
Landolphia owariensis P.Beauv. (Apocynaceae). R: 50
- mbuia-tuba** (Kim)
Elaeodendron buchananii (Loes.) Loes.
(Celastraceae). R: 50 [*Elaeodendron warneckei* Loes.]
- mbuka** (Kik)
Musa ×paradisiaca L. (Musaceae). R: 50 [*Musa paradisiaca* L. var. *sanguinea* (Welw. ex Baker) K.Schum.]
- mbuku** (Kik)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R: 50 [*Mitragyna stipulosa* (DC.) Kuntze]
- mbukulu** (Kik)
Carapa procera DC. (Meliaceae). R: 50
- mbula**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 50 [Kim], 58 [Malange]
Uapaca gossweileri Hutch. (Euphorbiaceae). R: 50 [Kim]
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3
- m'bula**
Hexalobus crispiflorus A.Rich. (Annonaceae). R: 6939
Calycosiphonia sp. (Rubiaceae). R: 46
- mbula-inene** (U)
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 50
- mbula-inene**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 58 [Bié], 3
- mbulambia** (Kim)
Psorospermum febrifugum Spach (Hypericaceae). R: 50
- mbula-ndobi** (Kik)
Carapa procera DC. (Meliaceae). R: 50
- mbulu-ia-toto** (Kim)
Panicum maximum Jacq. (Poaceae). R: 50
- mbuluku-ia-maza** (Kik)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R: 50 [*Mitragyna stipulosa* (DC.) Kuntze]
- mbulungu** (Kim)
Solanum incanum L. (Solanaceae). R: 50
- mbulungungu**
Solanum incanum L. (Solanaceae). R: 59 [Cuanza Norte]
- mbulututo**
Cochlospermum angolense Welw. ex Oliv.

(Cochlospermaceae). R: 3

mbulututu (Kim)

Cochlospermum angolense Welw. ex Oliv.

(Cochlospermaceae). R: 50

mbuma (Kim)

Ocimum gratissimum L. subsp. *gratissimum*

(Lamiaceae). R: 3 [*Ocimum viride* Willd.]

Pseudoconyza viscosa (Mill.) D'Arcy

(Asteraceae). R: 3 [*Laggera aurita* (L.f.) Sch.Bip.

ex A.Rich.]

Uapaca gossweileri Hutch. (Euphorbiaceae). R: 50

mbumba

Acanthosicyos naudinianus (Sond.) C.Jeffrey
(Cucurbitaceae). R: 50 [*Citrullus colocynthis* sensu
auct. non (L.) Schrad. (1838); Kim]

Myrianthus arboreus P.Beauv. (Moraceae). R: 49

[Maiombe]

Strychnos spinosa Lam. (Strychnaceae). R: 50

[Lukhumbi]

mbumba-ia-xole (Kim)

Trochomeria macrocarpa (Sond.) Hook.f. subsp.
vitifolia R.Fern. & A.Fern. (Cucurbitaceae). R: 50
[*Trochomeria vitifolia* Hook.f.; Kim], 3

mbumba-sasa (Kim)

Vitex madiensis Oliv. (Lamiaceae). R: 50 [*Vitex*
madiensis Oliv. var. *typica* Piep.]

mbumbo (Kik)

Croton oligandrus Pierre ex Hutch.
(Euphorbiaceae). R: 50

mbundua [So]

Psychotria eminiana (Kuntze) E.M.A.Petit var.
eminiana (Rubiaceae). R: 47 [*Bassongo*]

mbundu-nguma

Encephalartos laurentianus De Wild.
(Zamiaceae). R: 50

mbungu-mbungu (Nye)

Anisophyllea quangensis Engl. ex Henriq.
(Anisophylleaceae). R: 50 [*Anisophyllea*
fruticulosa Engl. & Gilg; Ganguela]

mbunze

Alchornea cordifolia (Schumach. & Thonn.)
Müll.Arg. (Euphorbiaceae). R: 50 [Kik, Kim]
Allanblackia floribunda Oliv. (Clusiaceae). R: 50
[Kik]

Allanblackia staneriana Exell & Mendonça
(Clusiaceae). R: 50 [Kik]

Indigofera suffruticosa Mill. (Fabaceae). R: 50
[Kim]

Indigofera tinctoria L. (Fabaceae). R: 50 [Kim]

mbuta

Manihot sp. (Euphorbiaceae). R: 3
Scorodophloeus zenkeri Harms (Fabaceae). R: 63
[Kik]

mbuto (Kik)

Scorodophloeus zenkeri Harms (Fabaceae). R: 63

mbutu (Kik)

Scorodophloeus zenkeri Harms (Fabaceae). R: 50

mbutua (Kim)

Tiliacora chrysobotrya Welw. ex Ficalho
(Menispermaceae). R: 50, 3

mbuza-mpundi (Kik)

Balanites wilsoniana Dawe & Sprague var.
mayumbensis (Exell) Sands (Balanitaceae). R: 50
[*Balanites mayumbensis* Exell]

mdoa

Ludwigia erecta (L.) H.Hara (Onagraceae). R: 42
[Mucubal]

meba (Kik)

Irvingia gabonensis (Aubry-Lecomte ex O'Rorke)
Baill. (Irvingiaceae). R: 50

mebili

Canarium schweinfurthii Engl. (Burseraceae). R: 2

mebimbite

Chytranthus carneus Radlk. (Sapindaceae). R: 2
[*Chytranthus welwitschii* Exell]

mebota

Dialium angolense Welw. ex Oliv. (Fabaceae).
R: 2

mebukulo

Carapa procera DC. (Meliaceae). R: 2

mediandondo

Chazaliella parviflora (R.D.Good) Verdc.
(Rubiaceae). R: 46

mefuca

Pygmaeothamnus chamaedendrum (Kuntze)
Robyns (Rubiaceae). R: 47

mefuma

Bombax buonopozense P.Beauv. (Bombacaceae).
R: 2 [*Bombax reflexum* Sprague]

meia-luhembe (C)

Manihot esculenta Crantz (Euphorbiaceae). R: 49
[Kioko]

melancia (P)

Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 49 [*Citrullus vulgaris* Schrad.
ex Eckl. & Zeyh.], 3

melancia-brava (P)

Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 45

melão (P)

Cucumis melo L. (Cucurbitaceae). R: 49, 45

melende

Sterculia sp. (Sterculiaceae). R: 2

melevantango (Kim)

Pycnanthus angolensis (Welw.) Warb.
(Myristicaceae). R: 50

melombela (C)

Ricinus communis L. (Euphorbiaceae). R: 50
[Kioko]

mema (Kik)

Rhizophora racemosa G.Mey. (Rhizophoraceae).
R: 50

membe

Tricalysia nogueirae Robbr. (Rubiaceae). R: 47

memenga

Staudtia kamerunensis Warb. var. *gabonensis*
(Warb.) Fouilloy (Myristicaceae). R: 49 [*Staudtia*
gabonensis Warb.; Maiombe; Quela, Malange]

- Staudtia kamerunensis*** Warb. var. *gabonensis* (Warb.) Fouilloy (Myristicaceae). R: 50 [*Staudtia gabonensis* Warb.; Kik]
- memengue** (Kim)
- Staudtia kamerunensis* Warb. var. *gabonensis* (Warb.) Fouilloy (Myristicaceae). R: 50 [*Staudtia gabonensis* Warb.]
- mendonça** (P)
- Parinari curatellifolia* Planch. ex Benth. (Chrysobalanaceae). R: 52
- meneku**
- Rothmannia engleriana* (K.Schum.) Keay var. *engleriana* (Rubiaceae). R: 47
- menga-menga**
- Dialium gossweileri* Baker f. (Fabaceae). R: 2
- Staudtia kamerunensis* Warb. var. *gabonensis* (Warb.) Fouilloy (Myristicaceae). R: 2 [*Staudtia stipitata* Warb.]
- mengongo** (U)
- Phyllanthus ovalifolius* Forssk. (Euphorbiaceae). R: 50 [*Phyllanthus guineensis* Pax]
- menhunga** (C)
- Staudtia kamerunensis* Warb. var. *gabonensis* (Warb.) Fouilloy (Myristicaceae). R: 50 [*Staudtia gabonensis* Warb.; Kioko]
- mepondela**
- Burkea africana* Hook. (Fabaceae). R: 2
- mesinga**
- Piptadeniastrum africanum* (Hook.f.) Brenan (Fabaceae). R: 2
- mesingo**
- Monodora myristica* (Gaertn.) Dunal (Annonaceae). R: 2
- messala-sala**
- Amblygonocarpus andongensis* (Welw. ex Oliv.) Exell & Torre (Fabaceae). R: 2
- messamba**
- Brachystegia longifolia* Benth. (Fabaceae). R: 2
- messana** (C)
- Spathodea campanulata* P.Beaup. (Bignoniaceae). R: 50 [Kioko]
- messano**
- Ongokea gore* (Hua) Pierre (Olacaceae). R: 2
- messassa**
- Brachystegia puberula* Hutch. & Burtt Davy (Fabaceae). R: 2
- Brachystegia tamarindoides* Welw. ex Benth. (Fabaceae). R: 2
- metessa**
- Irvingia grandifolia* (Engl.) Engl. (Irvingiaceae). R: 2
- meti**
- Hymenocardia acida* Tul. (Euphorbiaceae). R: 3
- mevesi-mebate**
- Rinorea brachypetala* (Turcz.) Kuntze (Violaceae). R: 2
- mexexe**
- Szygium guineense* (Willd.) DC. subsp. *macrocarpum* (Engl.) F.White (Myrtaceae). R: 1
- mfuba** (Kik)
- Pandanus candelabrum* P.Beaup. (Pandanaceae). R: 50
- mfula** (Kik)
- Datura stramonium* L. (Solanaceae). R: 50
- mfuma** (Kik)
- Ceiba pentandra* (L.) Gaertn. (Bombacaceae). R: 50
- mibilu**
- Adenia lobata* (Jacq.) Engl. (Passifloraceae). R: 49
- miengo** (Kik)
- Rhizophora racemosa* G.Mey. (Rhizophoraceae). R: 50
- mifa** (C)
- Pandanus welwitschii* Rendle (Pandanaceae). R: 50 [Kioko]
- mifongo**
- Anisophyllea quangensis* Engl. ex Henriq. (Anisophylleaceae). R: 56
- mikau** (Kik)
- Laccosperma secundiflorum* (P.Beaup.) Kuntze (Arecaceae). R: 50 [*Ancistrophyllum secundiflorum* Wendl.]
- mikezu** (tree)
- Cola acuminata* (P.Beaup.) Schott & Endl. (Sterculiaceae). R: 50
- milahonde**
- Pterocarpus angolensis* DC. (Fabaceae). R: 49 [Humpata]
- milahondi**
- Pterocarpus angolensis* DC. (Fabaceae). R: 50 [Lunyaneka], 3
- milando**
- Hymenocoleus scaphus* (K.Schum.) Robbr. (Rubiaceae). R: 46
- milandu** (Kik)
- Mondia whitei* (Hook.f.) Skeels (Apocynaceae). R: 50 [*Chlorocodon whitei* Hook.f.]
- milemba** (pl.) (Kim)
- Ficus psilopoga* Welw. ex Ficalho (Moraceae). R: 50
- milheiro** (P)
- Eleusine coracana* (L.) Gaertn. (Poaceae). R: 3
- milho** (P)
- Zea mays* L. (Poaceae). R: 57, 50, 3
- milho-miúdo** (P)
- Sorghum bicolor* (L.) Moench (Poaceae). R: 50, 3 [*Sorghum caffrorum* P.Beaup.; *Sorghum nigricans* (Ruiz & Pav.) Snowden var. *angolense* (Rendle) Snowden]
- milho-ordinário** (P)
- Zea mays* L. (Poaceae). R: 49
- milho-painço** (P)
- Pennisetum robustum* Stapf & C.E.Hubb. (Poaceae). R: 50
- milongo**
- Hallea stipulosa* (DC.) J.-F.Leroy (Rubiaceae). R: 49 [*Mitragyna macrophylla* Hiern; Dembos, Quibaxi]

- milongo** (pl.) (Kim)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
 50 [*Mitragyna stipulosa* (DC.) Kuntze]
- mimbunzu** (pl.) (Kik)
Cucumis anguria L. ? (Cucurbitaceae). R: 50
 [*Cucumis ficifolius* sensu auct. non A.Rich.
 (1847)]
- mimbuzu** (Kik)
Momordica charantia L. (Cucurbitaceae). R: 50
- minguili**
Quassia undulata (Guill. & Perr.) D.Dietr.
 (Simaroubaceae). R: 21 [*Hannoa klaineana* Pierre
 ex Engl.], 50 [*Hannoa klaineana* Pierre ex Engl.;
 Kim]
- minjia**
Rubus pinnatus Willd. (Rosaceae). R: 53 [*Rubus*
pinnatus Willd. subsp. *afrotropicus* Engl.]
- minu** (Kik)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker]
- minungu** (Kim)
Anthocleista nobilis G.Don (Gentianaceae). R: 50
- minzu**
Petersianthus macrocarpus (P.Beauv.) Liben
 (Lecythidaceae). R: 2 [*Combretodendron*
africanum Exell], 39
- mirahonde**
Pterocarpus angolensis DC. (Fabaceae). R: 57
- misivi** (Nye)
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 50 [Ganguela]
- musivi**
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 59 [*Cuando Cubango – Menongue,*
Capico]
- miuza**
Petersianthus macrocarpus (P.Beauv.) Liben
 (Lecythidaceae). R: 49 [*Combretodendron*
africanum Exell; Maiombe], 50
 [*Combretodendron africanum* Exell; Kik], 39
- mvungo-vulgo**
Kigelia africana (Lam.) Benth. (Bignoniaceae).
 R: 10
- mvungu-vungu** (pl.) (Nye)
Kigelia africana (Lam.) Benth. (Bignoniaceae). R:
 50 [*Kigelia pinnata* (Jacq.) DC.; Ganguela]
- mixau** (pl.) (Nye)
Dichapetalum cymosum (Hook.) Engl.
 (Dichapetalaceae). R: 50 [*Dichapetalum*
venenatum Engl. & Gilg; Ganguela]
- mjong**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
 (Sond.) Kokwaro (Anacardiaceae). R: 49
 [*Sclerocarya schweinfurthiana* Schinz; South of
 Angola]
- mnara** (Z)
Acanthosicyos horridus Welw. ex Hook.f.
 (Cucurbitaceae). R: 50 [Tjiherero]
- moacola**
Psydrax livida (Hiern) Bridson (Rubiaceae). R: 47
- moana-samba** (C)
Uraria picta (Jacq.) Desv. (Fabaceae). R: 50
 [Kioko]
- mobiló**
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 57
- mobiro**
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 57
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia*
 (Engl. & Harms) Lye (Passifloraceae). R: 44
 [*Adenia ruminicifolia* Engl. & Harms]
- mobolo-mbku**
Pseudolachnostylis maprouneifolia Pax var.
glabra (Pax) Brenan (Euphorbiaceae). R: 50
 [*Pseudolachnostylis glauca* (Hiern) Hutch.;
 Lunyaneka]
Pseudolachnostylis maprouneifolia Pax var.
dekindtii (Pax) Radcl.-Sm. (Euphorbiaceae). R: 3
- moeia** (Kik)
Combretum camporum Engl. (Combretaceae).
 R: 50
- mofongo** (P)
Anisophyllea boehmii Engl. (Anisophylleaceae).
 R: 52
- mogi**
Paullinia pinnata L. (Sapindaceae). R: 29
- mogno-americano** (P)
Swietenia mahogani (L.) Jacq. (Meliaceae). R: 49
- mohagha**
Sesuvium sesuvoides (Fenzl) Verdc. (Aizoaceae).
 R: 48
- mohambo**
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
 57 [*Mitragyna macrophylla* Hiern]
- mole** (Nye)
Napoleonaea gossweileri Baker f.
 (Lecythidaceae). R: 39 [Ganguela]
- molu**
Albizia adianthifolia (Schumach.) W.Wight
 (Fabaceae). R: 60 [Congo]
- molulu** (Kim)
Vernonia amygdalina Delile (Asteraceae). R: 50
 [Kim], 3
- molumba**
Pterocarpus rotundifolius (Sond.) Druce
 (Fabaceae). R: 2
- molongo**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R:
 57 [*Erythrina suberifera* Welw. ex Baker], 3
Capsicum frutescens L. (Solanaceae). R: 50 [Kim]
- momono**
Ricinus communis L. (Euphorbiaceae). R: 59
 [Cunene– Cuvelai, Cahama, Môngua]
- mona** (C)
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R:
 50 [*Chlorophora excelsa* (Welw.) Benth. &
 Hook.f.; Kioko]
- moncos-de-perú** (P)
Amaranthus caudatus L. (Amaranthaceae).
 R: 49, 50

- mone** (C)
Isoberlinia angolensis (Welw. ex Benth.) Hoyle & Brenan (Fabaceae). R: 50 [*Berlinia angolensis* Welw. ex Benth.; Kioko], 63 [Quioco]
- monge** (C)
Brachystegia sp. (Fabaceae). R: 50 [Kioko]
- mongole**
Brachystegia longifolia Benth. x *B. boehmii* Taub. (Fabaceae). R: 63
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [*Brachystegia hockii* sensu auct. non De Wild. (1913); Kioko]
Brachystegia sp. (Fabaceae). R: 50 [Ganguela]
- mongolo**
Celtis mildbraedii Engl. ? (Ulmaceae). R: 50 [*Celtis soyauxii* Engl.; Seles]
- mongongo** (Kim)
Premna angolensis Gürke (Lamiaceae). R: 50
- moni**
Ricinus communis L. (Euphorbiaceae). R: 59 [Uíge – Quimbele]
- monjolo** (Nya)
Combretum apiculatum Sond. (Combretaceae). R: 11 [Muquilengue]
- mono**
Ricinus communis L. (Euphorbiaceae). R: 3
- mono-ja-kassala**
Ricinus communis L. (Euphorbiaceae). R: 59 [Lunda Norte – Chitato, Dundo]
- montacuta**
Baphia massaiensis Taub. (Fabaceae). R: 2
- monuka** (C)
Cassia alata L. (Fabaceae). R: 50 [Kioko]
- morangueiro** (P)
Fragaria vesca L. (Rosaceae). R: 49
- morangueiro-do-Chile** (P)
Fragaria ×ananassa (Weston) Duchesne (Rosaceae). R: 49 [*Fragaria chiloensis* Duchesne var. *ananassa* Weston]
- moreira** (P)
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R: 57, 49, 50, 2 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.], 3
- moringueiro** (P)
Moringa ovalifolia Dinter & Berger (Moringaceae). R: 49 [*Moringa pterygosperma* Gaertn.]
- morso-diabólico** (P)
Succisa pratensis Moench (Dipsacaceae). R: 3
- morugem-vulgar** (P)
Stellaria media (L.) Vill. (Caryophyllaceae). R: 49
- mosake** (Kim)
Hyparrhenia diplandra (Hack.) Stapf (Poaceae). R: 50
- mosambe**
Cymbopogon citratus (DC.) Stapf (Poaceae). R: 3
- moscadeira-brava-de-Angola** (P)
Monodora angolensis Welw. (Annonaceae). R: 57, 3
- mossambe** (Kim)
Cassia psilocarpa Welw. (Fabaceae). R: 50, 63
- mossue** (Kim)
Cassia psilocarpa Welw. (Fabaceae). R: 63
- mossue** (fruit)
Cassia psilocarpa Welw. (Fabaceae). R: 50
- mostarda-da-Índia** (P)
Brassica juncea (L.) Czern. (Brassicaceae). R: 49
- mosua** (Kim)
Strophanthus amboensis (Schinz) Engl. & Pax (Apocynaceae). R: 50 [*Strophanthus intermedius* Pax]
- motobe** (Nye)
Isoberlinia angolensis (Welw. ex Benth.) Hoyle & Brenan (Fabaceae). R: 50 [*Berlinia angolensis* Welw. ex Benth.; Ganguela]
- motolotolo** (Kim)
Kalanchoe welwitschii Britten (Crassulaceae). R: 50
- motone** (Kim)
Isoberlinia angolensis (Welw. ex Benth.) Hoyle & Brenan (Fabaceae). R: 50 [*Berlinia angolensis* Welw. ex Benth.], 63
- mozemba** (Kim)
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 50
- mpala** (Kim)
Combretum celastroides Welw. ex M.A.Lawson subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell (Combretaceae). R: 50 [*Combretum laxiflorum* Welw. ex M.A.Lawson]
- mpalabidjike** (Kik)
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex cuneata* Schumach. & Thonn.]
- mpalabidzike** (Kik)
Vitex longipetiolata Gürke (Lamiaceae). R: 50
- mpalambanda** (Kik)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
- mpanda**
Brachystegia spiciformis Benth. (Fabaceae). R: 49 [Cubango]
Isoberlinia tomentosa (Harms) Craib & Stapf (Fabaceae). R: 63
- mpanza**
Pentaclethra macrophylla Benth. (Fabaceae). R: 50 [Kik], 60
- mpelenga** (Kik)
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae). R: 50
- m'pende-pali**
Dialium dinklagei Harms (Fabaceae). R: M.E.F.A. 661
- mpenza** (Kik)
Dialium gossweileri Baker f. (Fabaceae). R: 50, 3
Dialium pachyphylum Harms (Fabaceae). R: 50 [*Dialium yambataense* Vermoesen], 63
- mpenze**
Guibourtia arnoldiana (De Wild. & T.Durand) J.Léonard (Fabaceae). R: 50 [Kik], 63
- mpope**
Lefebvrea grantii (Kingston ex Oliv.) S.Droop

- (Apiaceae). R: 50 [*Lefebvrea welwitschii* Engl.; Kim]
Monodora myristica (Gaertn.) Dunal
 (Annonaceae). R: 50
- m'pepe** (root)
Lefebvrea grantii (Kingston ex Oliv.) S.Droop
 (Apiaceae). R: 3 [*Peucedanum angolense* (Welw. ex Ficalho) Cannon; Cazengo]
- mpile-mpile**
Capsicum frutescens L. (Solanaceae). R: 49 [from Mozambique]
- mpinda** (Kik)
Arachis hypogaea L. (Fabaceae). R: 49, 50
- mpiti** (Kik)
Radikofera calodendron Gilg (Sapindaceae). R: 50 [Kik], 29
- mpocussa** (Kik)
Julbernardia brieyi (De Wild.) Troupin
 (Fabaceae). R: 63
- mpokussa** (Kik)
Julbernardia brieyi (De Wild.) Troupin
 (Fabaceae). R: 50 [*Berlinia brieyi* De Wild.]
- mposa** (Kik)
Berlinia grandiflora (Vahl) Hutch. & Dalziel
 (Fabaceae). R: 50 [*Berlinia acuminata* Sol. ex Hook.f. & Benth.]
Berlinia viridicans Baker f. (Fabaceae). R: 50
Gilbertiodendron grandistipulatum (De Wild.) J.Léonard (Fabaceae). R: 50 [*Macrolobium grandistipulatum* De Wild.]
- m'posa**
Berlinia viridicans Baker f. (Fabaceae). R:
 Gossweiler 7797
- mpossa** (Kik)
Berlinia viridicans Baker f. (Fabaceae). R: 50
- m'possa**
Berlinia viridicans Baker f. (Fabaceae). R: 63 [Kik]; Gossweiler 7797
Gilbertiodendron mayombense (Pellegr.) J.Léonard (Fabaceae). R: M.E.F.A. 701
- mpula-mpanza** (Kik)
Pentaclethra macrophylla Benth. (Fabaceae). R: 50
- mpuluka** (Kik)
Schefflera barteri Harms (Araliaceae). R: 50
 [Schefflera sp.], 9
- m'pum** (C)
Triumfetta cordifolia A.Rich. var. *tomentosa* Sprague (Tiliaceae). R: 14 [Quioco]
- m'pupa**
Nesaea rigidula (Sond.) Koehne (Lythraceae). R: 36
- msapa** (Kim)
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 1
- msaxi** (Kim)
Oncoba spinosa Forssk. (Flacourtiaceae). R: 50
- m'tchicala**
Diospyros pseudomespilus Mildbr. subsp. *undabunda* (Hiern ex Greves) F.White
- (Ebenaceae). R: 58 [*Diospyros undabunda* Hiern ex Greves; Bié]
- m'tete**
Brachystegia bakeriana Hutch. & Burtt Davy (Fabaceae). R: 63
- mtotolo**
Craterispermum schweinfurthii Hiern (Rubiaceae). R: 47
- muabi**
Baillonella toxisperma Pierre (Sapotaceae). R: 49 [*Mimusops djave* Engl.; Baixo Maiombe]
- muabi** (seed)
Baillonella toxisperma Pierre (Sapotaceae). R: 50 [*Mimusops djave* Engl.]
- muaca**
Tetrapleura tetraptera (Schumach. & Thonn.) Taub. (Fabaceae). R: 60
- muage** (C)
Erythrophleum letestui A.Chev. (Fabaceae). R: 63 [Quioco]
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3 [Kioko]
- muaje** (C)
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3 [Kioko]
- muaji** (C)
Erythrophleum letestui A.Chev. (Fabaceae). R: 50 [Kioko]
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3 [Kioko]
- muajinga**
Dialium englerianum Henriq. (Fabaceae). R: 50 [Ganguela], 59 [Moxico – Luena]
- muaka** (Kik)
Tetrapleura tetraptera (Schumach. & Thonn.) Taub. (Fabaceae). R: 50
- muaku** (U)
Manilkara frondosa (Hiern) H.J.Lam (Sapotaceae). R: 50 [*Mimusops frondosa* Hiern]
- mualala** (Kim)
Diospyros abyssinica (Hiern) F.White (Ebenaceae). R: 50 [*Maba mualala* Welw. ex Hiern]
- mualato** (Nye)
Afzelia quanzensis Welw. (Fabaceae). R: 63 [Ganguela]
- muala-to** (Nye)
Afzelia quanzensis Welw. (Fabaceae). R: 50 [Ganguela]
- muala-tungu** (C)
Combretum engleri Schinz (Combretaceae). R: 50 [*Combretum chlorocarpum* Exell; Kioko]
- muama**
Baphia bequaertii De Wild. (Fabaceae). R: 50 [Ganguela], 62 [Kioko]
Baphia massaiensis Taub. subsp. *ovovata* (Schinz) Brummitt var. *ovovata* (Fabaceae). R: 62 [Ganguela]
- muamba**
Annickia affinis (Exell) Versteegh & Sosef

(Annonaceae). R: 50 [*Enantia affinis* Exell; Kik],
Gossweiler 6675
Pericopsis angolensis (Baker) Meeuwen
(Fabaceae). R: 50 [*Afrormosia brasseuriana* (De Wild.) De Wild.; Kioko]
Xylopia quintasii Engl. & Diels (Annonaceae). R: 50 [Kik]

muamba-branca (P)

Anonidium manni (Oliv.) Engl. & Diels var.
brieyi (De Wild.) R.E.Fr. (Annonaceae). R: 2
[*Anonidium friesianum* Exell]
Polyceratocarpus angustifolius Paiva
(Annonaceae). R: M.E.F.A. 156

muambalulu

Breonadia salicina (Vahl) Hepper & J.R.I.Wood
(Rubiaceae). R: 47

muamba-preta (P)

Greenwayodendron suaveolens (Engl. & Diels)
Verdc. (Annonaceae). R: 2 [*Polyalthia suaveolens*
Engl. & Diels]

muambo

Pericopsis angolensis (Baker) Meeuwen
(Fabaceae). R: 49 [*Afrormosia angolensis* (Baker)
De Wild.; NE Lunda]

muambu

Pericopsis angolensis (Baker) Meeuwen
(Fabaceae). R: 50 [*Afrormosia angolensis* (Baker)
De Wild.; Kioko; Ganguela; U]

muamoa

Annickia pilosa (Exell) Setten & Maas
(Annonaceae). R: *Gossweiler* 6138

muance

Albizia welwitschii Oliv. (Fabaceae). R: 57

muandi

Brenania brieyi (De Wild.) E.M.A.Petit
(Rubiaceae). R: 46

muandje

Maranthes floribunda (Baker) F.White
(Chrysobalanaceae). R: 54 [*Maranthes polyandra*
(Benth.) Prance subsp. *floribunda* (Baker) Prance]

muanga

Paropsia brazzaeana Baill. (Passifloraceae). R: 44
[Quioco], 2

muangai

Paropsia brazzaeana Baill. (Passifloraceae). R: 44

muangaxi (Kik)

Combretum psidioides Welw. (Combretaceae).
R: 50

muango

Croton mubango Müll.Arg. (Euphorbiaceae). R: 3

muangombe

Brachystegia bakeriana Hutch. & Burtt Davy
(Fabaceae). R: 50 [*Brachystegia obliqua* Hutch. &
Burtt Davy; Ganguela], 63 [Bié]

muango-ua-mushito

Tricalysia coriacea (Benth.) Hiern subsp. *nyassae*
(Hiern) Bridson (Rubiaceae). R: 47

muangu (U)

Croton mubango Müll.Arg. (Euphorbiaceae).
R: 50

muangue

Pterocarpus tinctorius Welw. (Fabaceae). R: 49
[Pungo Andongo]
Saccharum officinarum L. (Poaceae). R: 50
[Kioko]

muantu

Acacia brevispica Harms (Fabaceae). R: 3
Acacia pentagona (Schumach.) Hook.f. ?
(Fabaceae). R: 50 [*Acacia pennata* Willd.;
Lunyaneka]

muanza

Albizia adianthifolia (Schumach.) W.Wight
(Fabaceae). R: 60
Albizia ferruginea (Guill. & Perr.) Benth.
(Fabaceae). R: 49 [*Albizia angolensis* Welw. ex
Oliv.; Cazengo]
Albizia glaberrima (Schumach. & Thonn.)
Benth. var. *glaberrima* (Fabaceae). R: 49 [*Albizia*
glabrescens Oliv. var. *angolensis* Baker f.; Cuanza
Norte], 50 [*Albizia glabrescens* Oliv. var.
angolensis Baker f.; Kim], 60 [Kim]
Tetrapleura tetraptera (Schumach. & Thonn.)
Taub. (Fabaceae). R: 60 [Kim]

muanzanza (C)

Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.;
Kioko]

muandez

Albizia glaberrima (Schumach. & Thonn.)
Benth. var. *glaberrima* (Fabaceae). R: 50 [*Albizia*
glabrescens Oliv. var. *angolensis* Baker f.; Kim],
60 [Kim], 2
Albizia gummifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50 [Kim; U]

muapa (C)

Klainedoxa gabonensis Pierre ex Engl.
(Irvingiaceae). R: 50 [Kioko]

muaritxima

Albizia brevifolia Schinz (Fabaceae). R: *Costa e*
Silva s.n.

muasumba (C)

Chenopodium ambrosioides L. (Chenopodiaceae).
R: 50 [Kioko]

muatchissengue

Diospyros virgata (Gürke) Brenan (Ebenaceae). R:
59 [Lunda Sul]

muatschissengue

Tricalysia cacondensis Hiern (Rubiaceae). R: 47

muavava (Nye)

Cassytha filiformis L. (Lauraceae). R: 50
[Ganguela]

muave (P)

Englerophytum magalismontanum (Sond.)
T.D.Penn. (Sapotaceae). R: 3 [*Chrysophyllum*
argyrophyllum Hiern]

muaxi (C)

Erythrophleum letestui A.Chev. (Fabaceae). R: 50
[Kioko]

Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
[Kioko]

- mubafo**
Canarium schweinfurthii Engl. (Burseraceae). R: 57 [Canarium mubafo Ficalho], 49 [Cuanza Norte], 50 [Kim; Kioko]
- mubala**
Afzelia quanzensis Welw. (Fabaceae). R: 49 [Malange], 50 [Kim], 63 [Kim], 2
- mubalandongo** (Nya)
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 50 [Lunyaneka]
- mubale**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth. (Rubiaceae). R: 47
- mubambe** (Kim)
Sympomia globulifera L.f. (Clusiaceae). R: 50 [Sympomia gabonensis (Vesque) Pierre]
- mubanda**
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [U], 3
- mubandugangu** (Kim)
Schrebera trichoclada Welw. (Oleaceae). R: 50 [Schrebera affinis Lingelsh.]
- mubanga**
Acacia welwitschii Oliv. (Fabaceae). R: 49 [Luanda], 50 [Kim], 60 [Kim], 2 [Kim]
Paropsia brazzaeana Baill. (Passifloraceae). R: 44 [Ganguela]
- mubango**
Croton mubango Müll.Arg. (Euphorbiaceae). R: 50 [Kim], 57, 3
Croton sp. (Euphorbiaceae). R: 2
- mubangu** (Nya)
Eriosema psoraleoides (Lam.) G.Don (Fabaceae). R: 50 [Lunyaneka]
- mubangu-ua-muxitu** (Kim)
Croton pyrifolius Müll.Arg. (Euphorbiaceae). R: 50
- mubanji** (U)
Piptadeniastrum africanum (Hook.f.) Brenan (Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]
- mubeba**
Combretum psidioides Welw. (Combretaceae). R: 50 [Kim]
Terminalia sericea Burch. ex DC. (Combretaceae). R: 50 [Ganguela]
- mubenje** (Nya)
 Unplaced (Anacardiaceae). R: 3 [*Rhus villosa* L.f. var. *dekindtiana* Engl.; unplaced name]
- mubeta** (Kim)
Tabernaemontana pachysiphon Stapf (Apocynaceae). R: 50 [*Conopharyngia angolensis* (Stapf) Stapf]
- mubeza** (Kik)
Daniellia sp. (Fabaceae). R: 50
- mubezi** (Kik)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
- mubibi**
Dialium englerianum Henriq. (Fabaceae). R: 63 [Bié]
- mobilu**
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 50 [Kim]
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia* (Engl. & Harms) Lye (Passifloraceae). R: 3 [*Adenia ruminicifolia* Engl. & Harms; Cazengo]
- mubiu**
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 58 [Cuanza Norte (Salazar, Golungo Alto)]
- muboke** (Kim)
Strychnos spinosa Lam. (Strychnaceae). R: 50
- mubokuboku** (Kim)
Trema orientalis (L.) Blume (Ulmaceae). R: 52
- mubole** (Kim)
Maprounea africana Müll.Arg. (Euphorbiaceae). R: 50
- mubondo**
Adansonia digitata L. (Bombacaceae). R: 2
- mubota**
Dialium englerianum Henriq. (Fabaceae). R: 50 [Kik], 59 [Sacandica, Quimbele]
Psorospermum febrifugum Spach (Hypericaceae). R: 50 [Kioko]
- mubuaza-buaza** (Kim)
Monotes hutchinsonianus Exell (Dipterocarpaceae). R: 50
- mubungo** (Kim)
Acacia welwitschii Oliv. (Fabaceae). R: 60
- mubungu** (Kim)
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina suberifera* Welw. ex Baker], 3
- mubuta**
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 1 [*Eugenia marquesii* Engl.]
- mucabula-uamul**
Gardenia imperialis K.Schum. subsp. *imperialis* (Rubiaceae). R: 47
- mucafui**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth. (Rubiaceae). R: 47
- mucala**
Dialium angolense Welw. ex Oliv. (Fabaceae). R: 63 [Kim]
Dialium englerianum Henriq. (Fabaceae). R: 59 [Malange – Rio Camossaio]
Strychnos sp. (Strychnaceae). R: 2
- mucalabide**
Catophractes alexandri D.Don (Bignoniaceae). R: 10
- mucalacache**
Psydrax parviflora (Afzel.) Bridson subsp. *parviflora* (Rubiaceae). R: 47
- mucamba-camba**
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R: 57 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.]
- mucando**
Tarchonanthus camphoratus L. (Asteraceae). R: 2
- mucaça-ncumbi**
Carapa procera DC. (Meliaceae). R: 57

- mucasa-n'cundi**
Carapa procera DC. (Meliaceae). R: 24
- mucassa**
Albizia adianthifolia (Schumach.) W.Wight
 (Fabaceae). R: 2
- mucassulua**
Aristida meridionalis Henrard (Poaceae). R: 2
Stipagrostis uniplumis (Licht.) De Winter
 (Poaceae). R: 2 [*Aristida uniplumis* Licht.]
- muchá**
Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 54 [*Parinari curatellifolia*
 Planch. ex Benth. subsp. *mobola* (Oliv.)
 R.A.Graham]
- muchalati**
Tricalysia angolensis A.Rich. ex DC. (Rubiaceae).
 R: 47
- muchá-o-muchito**
Maranthes floribunda (Baker) F.White
 (Chrysobalanaceae). R: 54 [*Maranthes polyandra*
 (Benth.) Prance subsp. *floribunda* (Baker) Prance]
- muchinga**
Keetia acuminata (De Wild.) Bridson (Rubiaceae).
 R: 46
- muchito**
Heterosamara carrisoana (Exell & Mendonça)
 Paiva (Polygalaceae). R: Exell & Mendonça 983
- muchodenhate**
Rytigynia umbellulata (Hiern) Robyns
 (Rubiaceae). R: 47
- mucibi**
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 49 [*Copaifera coleosperma* Benth.;
 Lunda]
- mucôco**
Triclisia sacleuxii (Pierre) Diels
 (Menispermaceae). R: 57 [*Triclisia lucida* Exell &
 Mendonça]
- mucocofi**
Diospyros chamaethamnus Dinter ex Mildbr.
 (Ebenaceae). R: 59 [Cunene]
- mucocossi**
Diospyros chamaethamnus Dinter ex Mildbr.
 (Ebenaceae). R: 59 [Cuando Cubango]
- mucofi**
Diospyros chamaethamnus Dinter ex Mildbr.
 (Ebenaceae). R: 59 [Cunene]
- mucolo**
Strychnos sp. (Strychnaceae). R: 2
- mucololo**
Rhoicissus tridentata (L.f.) Wild & R.B.Drumm.
 subsp. *cuneifolia* (Eckl. & Zeyh.) Urton
 (Vitaceae). R: 28 [*Rhoicissus erythrodies* (Fresen.)
 Planch.; Malange]
- mucondo**
Acacia schweinfurthii Brenan & Exell (Fabaceae).
 R: 2
Julbernardia paniculata (Benth.) Troupin
 (Fabaceae). R: 2
- muçondo**
Pseudospondias microcarpa (A.Rich.) Engl.
 (Anacardiaceae). R: 57
- mucongo**
Pavetta nitidula Welw. ex Hiern (Rubiaceae).
 R: 47
- muconongo**
Gilletiodendron kisantuense (Vermoesen ex De
 Wild.) J.Léonard (Fabaceae). R: 2; Monteiro &
 Murta 359
- mucoso**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- mucosse**
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 2
- mucosso**
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 2
- mucua** (C)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 63 [*Cryptosepalum pseudotaxus*
 Baker f.; Quioco]
- mûcua** (fruit)
Adansonia digitata L. (Bombacaceae). R: 57
- mucubira**
Oldenlandia lancifolia (Schumach.) DC. var.
scabridula Bremek. (Rubiaceae). R: 47
- mucuco**
Phyllocosmus lemaireanus (De Wild. & T.Durand)
 T.Durand & H.Durand (Ixonanthaceae). R: 16
[Ochthocosmus candidus Hallier f.; Ambundo]
- mucucola-n'bundo** (C)
Cissus rubiginosa (Welw. ex Baker) Planch.
 (Vitaceae). R: 28 [Quioco]
- mucucundola** (Nya)
Tephrosia radicans Welw. ex Baker (Fabaceae).
 R: 61 [Muila]
- mucue** (Nye)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 63 [*Cryptosepalum pseudotaxus*
 Baker f.; Ganguela]
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 2
- mucuenha**
Acacia brevispica Harms (Fabaceae). R: 2
- mucula**
Pterocarpus angolensis DC. (Fabaceae). R: 2
- muculolo**
Ampelocissus poggei Gilg & M.Brandt (Vitaceae).
 R: 28
- mucumbembe** (Nya)
Vangueria infausta Burch. subsp. *rotundata*
 (Robyns) Verdc. (Rubiaceae). R: 47 [Quipungo]
- muculumbende**
Vangueria infausta Burch. subsp. *infausta*
 (Rubiaceae). R: 47

- mucumanganhe**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 1 [*Eugenia marquesii* Engl.]
- mucumauno**
Rhigozum brevispinosum Kuntze (Bignoniaceae).
 R: 10
- mucumbi**
Lannea ambacensis (Hiern) Engl.
 (Anacardiaceae). R: 2
Lannea antiscorbutica (Hiern) Engl.
 (Anacardiaceae). R: 57 [*Calesiam antiscorbutica* Hiern], 30
Lannea welwitschii (Hiern) Engl. (Anacardiaceae).
 R: 2
Pavetta nitidula Welw. ex Hiern (Rubiaceae). R:
 47 [Chokwe]
- mucungo** (Kim)
Afzelia quanzensis Welw. (Fabaceae). R: 63
- mucungu**
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 58 [*Chrysophyllum gossweileri* De Wild.; Huila (Ganguelas)]
- mucusse**
Baikiae plurijuga Harms (Fabaceae). R: 2
- mucusso**
Baikiae plurijuga Harms (Fabaceae). R: 2
- mucuta-veado** (C)
Cissus rubiginosa (Welw. ex Baker) Planch.
 (Vitaceae). R: 28 [Quioco]
- mucuto**
Euphorbia conspicua N.E.Br. (Euphorbiaceae).
 R: 2
- mucuve**
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 49 [*Cryptosepalum pseudotaxus* Baker f.; Ganguelas]
- mucuvi**
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 2
- mucupe**
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: Gossweiler 2709
- mudeluakima** (C)
Asparagus africanus Lam. (Asparagaceae). R: 50
 [Kioko]
- mudi** (C)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilopus* Welw. ex Ficalho & Hiern; Kioko]
- mudia-a-njila** (Kim)
Psydrax virgata (Hiern) Bridson (Rubiaceae). R:
 50 [*Canthium virgatum* Hiern]
- mudiala**
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 50 [Lunyaneka], 3
- mudia-mbalu** (C)
- Vernonia steetziana** Oliv. & Hiern (Asteraceae).
 R: 50 [*Vernonia poskeana* Vatke & Hildebr. var.
chlorolepis (Steetz) O.Hoffm.; Kioko]
- mudia-mbambi** (Kim)
Coffea canephora Pierre ex A.Froehner
 (Rubiaceae). R: 50
- mudia-nbambi**
Pseudolachnostylis maprouneifolia Pax var.
glabra (Pax) Brenan (Euphorbiaceae). R: 50
 [*Pseudolachnostylis glauca* (Hiern) Hutch.; Kioko;
 Kim]
- mudiangombe**
Maerua angolensis DC. (Capparaceae). R: 50
 [Kim; U]
- mudiangongo**
Aoranthe nalaensis (De Wild.) Somers
 (Rubiaceae). R: 47
- mudia-ngunga** (Nya)
Humularia welwitschii (Taub.) P.A.Duvign. var.
lundaensis (P.A.Duvign.) Verdc. (Fabaceae). R: 50
 [*Geissaspis megalophylla* (Harms) Baker f.;
 Lunyaneka]
- mudia-nhoka** (Kim)
Senna occidentalis (L.) Link (Fabaceae). R: 50
 [*Cassia occidentalis* L.]
- mudiaputu** (U)
Croton pyrifolius Müll.Arg. (Euphorbiaceae).
 R: 50
- mudia-putu** (Nye)
Croton pyrifolius Müll.Arg. (Euphorbiaceae). R:
 50 [Ganguela]
- mudiaseis** (Kim)
Hugonia platysepala Welw. ex Oliv. (Linaceae).
 R: 52
- mudia-ua-dinhungu** (Kim)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.]
- mudia-ua-ditanga** (Kim)
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.]
- mudia-ua-ditanga-sese** (Kim)
Lagenaria breviflora (Benth.) Roberty
 (Cucurbitaceae). R: 50 [*Adenopus breviflorus* Benth.]
- mudia-ua-mbinda** (Kim)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.]
- mudienje**
Antidesma venosum E.Mey. ex Tul.
 (Euphorbiaceae). R: 50 [Kim]
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R:
 50 [U], 3
- mudilahonde** (Kim)
Pterocarpus angolensis DC. (Fabaceae). R: 50
- mudionhoka** (Kim)
Senna occidentalis (L.) Link (Fabaceae). R: 52
- mudjaja** (C)
Securidaca longipedunculata Fresen.
 (Polygalaceae). R: 50 [Kioko]

mudjunge-endjunge

Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 49 [*Faurea speciosa* Welw.; Ganguelas]

mueia

Combretum camporum Engl. (Combretaceae). R: 50 [Kik]
Terminalia brachystemma Welw. ex Hiern (Combretaceae). R: 2
Terminalia sericea Burch. ex DC. (Combretaceae). R: 50 [Kim], 57, 2

muemele (Kim)

Ocimum americanum L. (Lamiaceae). R: 50

muema

Rhizophora racemosa G.Mey. (Rhizophoraceae). R: 49 [Zaire], 50 [Kik]

muembate (Nye)

Ochna pulchra Hook. (Ochnaceae). R: 50
[Ganguela]

muene-muene (Kim)

Deinbollia laurifolia Baker (Sapindaceae). R: 50
[*Deinbollia obovata* Radlk.]

muenga (Kim)

Corynanthe paniculata Welw. (Rubiaceae). R: 47

muenia (Nya)

Ficus sur Forssk. (Moraceae). R: 50 [*Ficus capensis* Thunb.; Lunyaneka]

muevu (Nye)

Brachystegia longifolia Benth. (Fabaceae). R: 50
[*Brachystegia robynsii* sensu auct. non De Wild. (1929); Ganguela]
Brachystegia spiciformis Benth. (Fabaceae). R: 50
[*Brachystegia hockii* sensu auct. non De Wild. (1913); Ganguela]

mufanganga

Paropsia brazzaeana Baill. (Passifloraceae). R: 44
[Gamba]

mufango

Anisophyllea boehmii Engl. (Anisophylleaceae). R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]

mufongo

Anisophyllea boehmii Engl. (Anisophylleaceae). R: 50 [*Anisophyllea gossweileri* Engl. & Brehmer; Kim], 58 [Malange]

Anisophyllea buchneri Engl. & Brehmer (Anisophylleaceae). R: 50 [Kim]

Anisophyllea quangensis Engl. ex Henriq. (Anisophylleaceae). R: 50 [*Anisophyllea buettneri* Engl.; Kioko], 56

mufuba (C)

Craterispermum cerianthum Hiern (Rubiaceae). R: 50 [*Craterispermum laurinum* sensu auct. non (DC.) Benth. (1849); Kioko]

mufuca

Marquesia macroura Gilg (Dipterocarpaceae). R: 2

mufuco

Ochna arenaria De Wild. & T.Durand (Ochnaceae). R: 2 [*Brackenridgea arenaria* (De Wild. & T.Durand) N.Robson

mufuena (Kim)

Cardiospermum grandiflorum Sw. (Sapindaceae). R: 50

mufufuta

Albizia ferruginea (Guill. & Perr.) Benth. (Fabaceae). R: 49 [*Albizia angolensis* Welw. ex Oliv.; Cazengo; Kim]
Albizia versicolor Welw. ex Oliv. (Fabaceae). R: 60 [Kim]

mufufutu

Albizia ferruginea (Guill. & Perr.) Benth. (Fabaceae). R: 57 [*Albizia angolensis* Welw. ex Oliv.]
Albizia versicolor Welw. ex Oliv. (Fabaceae). R: 57, 50 [Kim]

mufuifua

Leptactina benguellensis (Welw. ex Benth. & Hook.f.) R.D.Good (Rubiaceae). R: 47

mufuka (C)

Marquesia macroura Gilg (Dipterocarpaceae). R: 50 [Kioko]

Rhabdophyllum welwitschii Tiegh. (Ochnaceae). R: 50 [*Ouratea welwitschii* (Tiegh.) Exell; Kioko]

mufukamahoje (Kim)

Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus welwitschii* Rolfe]

mufukamahonje (Kim)

Combretum camporum Engl. (Combretaceae). R: 3

mufula

Combretum zeyheri Sond. (Combretaceae). R: 2
Millettia acuticarinata Baker f. (Fabaceae). R: 61

mufulor

Mussaenda elegans Schumach. & Thonn. (Rubiaceae). R: 47

mufululo (C)

Rhamnus prinoides L'Hér. (Rhamnaceae). R: 27 [Quioco]

mufululu

Albizia gummifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50 [Kim]

Eriosema erici-rosenii R.E.Fr. var. *machadoi* Torre (Fabaceae). R: *Barros Machado XI.54-23* [Luena]

mufuma

Ceiba pentandra (L.) Gaertn. (Bombacaceae). R: 57, 2, 50 [Kim]

mufumena (Kik)

Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels (Combretaceae). R: 50

mufunge

Pteleopsis anisoptera (Welw. ex M.A.Lawson) Engl. & Diels (Combretaceae). R: 2, 11

Pteleopsis diptera Engl. & Diels (Combretaceae). R: 11 [Quioco]

mufungo

Anisophyllea boehmii Engl. (Anisophylleaceae). R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]

mufungo-atchana

Anisophyllea quangensis Engl. ex Henriq.

- (Anisophylleaceae). R: 56 [*Anisophyllea fruticulosa* Engl. & Gilg]
- mufungo-uamo-tchana**
Anisophyllea quangensis Engl. ex Henriq.
 (Anisophylleaceae). R: 56 [*Anisophyllea fruticulosa* Engl. & Gilg]
- mufungu**
Anisophyllea boehmii Engl. (Anisophylleaceae).
 R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
Sida rhombifolia L. (Malvaceae). R: 50 [Kik]
- mufungue (C)**
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
 (Combretaceae). R: 50 [Kioko]
- mufunji (C)**
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
 (Combretaceae). R: 50 [Kioko]
- mufuta**
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 63
Oxystigma buchholzii Harms (Fabaceae). R: 2
- mufuti (Kim)**
Entada gigas (L.) Fawc. & Rendle (Fabaceae).
 R: 50
- mugando**
Acacia nigrescens Oliv. (Fabaceae). R: 2
- mugango**
Albizia gummosa (J.F.Gmel.) C.A.Sm.
 (Fabaceae). R: 49 [Amboim]
- mughala**
Acanthosicyos horridus Welw. ex Hook.f.
 (Cucurbitaceae). R: 45
- lugilo**
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr. var.
angolensis (Weim.) Brenan (Rosaceae). R: 53
- mugimba-dengue**
Prunus africana (Hook.f.) Kalkman (Rosaceae).
 R: 53
- mugonga-ua-muxito**
Mussaenda erythrophylla Schumach. & Thonn.
 (Rubiaceae). R: 47
- mugongue**
Premna angolensis Gürke (Lamiaceae). R: 57
- mugudisosola (Kim)**
Trema orientalis (L.) Blume (Ulmaceae). R: 50
 [*Trema guineense* (Schumach. & Thonn.) Ficalho]
- muenguengue**
Spondias mombin L. (Anacardiaceae). R: 2
- muguengue-ia-muxito (Kim)**
Trilepisium madagascariense DC. (Moraceae). R:
 50 [*Bosquiea angolensis* Ficalho]
- muha**
Copaifera baumiana Harms (Fabaceae). R: 2
- muhacha (P)**
Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 52
- muahaha (Nye)**
Baikiaea plurijuga Harms (Fabaceae). R: 50
 [Ganguela]
- muhaiana (Nya)**
Terminalia prunioides M.A.Lawson
- (Combretaceae). R: 50 [Lunyaneka]
- muhaiu (C)**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
 (Rubiaceae). R: 50 [Kioko]
- muhalala (Kim)**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
 (Rubiaceae). R: 50
- muhalala (Kim)**
Marquesia macroura Gilg (Dipterocarpaceae).
 R: 50
- muhalale (Kim)**
Strychnos cocculoides Baker (Strychnaceae). R: 50
- muhalalehale (Nye)**
Combretum psidioides Welw. (Combretaceae). R:
 50 [Ganguela]
- muhamma**
Terminalia prunioides M.A.Lawson
 (Combretaceae). R: 11
- muhamba**
Brachystegia tamarindoides Welw. ex Benth.
 (Fabaceae). R: Menezes 2765
- muhambu**
Breonadia salicina (Vahl) Hepper & J.R.I.Wood
 (Rubiaceae). R: 50 [*Adina microcephala* (Delile)
 Hiern var. *galpinii* (Oliv.) Hiern; U]
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
 50 [*Mitragyna stipulosa* (DC.) Kuntze; Kim]
- muhanda (C)**
Pandanus sp. (Pandanaceae). R: 50 [Kioko]
Tabernaemontana crassa Benth. (Apocynaceae).
 R: 50 [*Conopharyngia smithii* (Stapf) Stapf;
 Kioko]
- muhande**
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 3
Maranthes floribunda (Baker) F.White
 (Chrysobalanaceae). R: 54 [*Maranthes polyandra*
 (Benth.) Prance subsp. *floribunda* (Baker) Prance]
Pericopsis angolensis (Baker) Meeuwen
 (Fabaceae). R: 62 [C]
- muhandi**
Maranthes floribunda (Baker) F.White
 (Chrysobalanaceae). R: 54 [*Maranthes polyandra*
 (Benth.) Prance subsp. *floribunda* (Baker) Prance]
Parinari sp. (Chrysobalanaceae). R: 50 [Kioko]
- muhangu (Nye)**
Paropsia brazzaeana Baill. (Passifloraceae). R: 50
 [Ganguela], 44 [Ganguela]
- muhangue**
Cassia angolensis Welw. ex Hiern (Fabaceae). R:
 Teixeira & Andrade 4276
- muhanimbungu (Nya)**
Dichrostachys cinerea (L.) Wight & Arn. subsp.
cinerea (Fabaceae). R: 50 [*Dichrostachys*
glomerata (Forssk.) Chiov.; Lunyaneka], 3
- muhapa**
Klainedoxa gabonensis Pierre ex Engl.
 (Irvingiaceae). R: 49 [Dundo, Lunda]
- muhe**
Grewia flavesrens Juss. (Tiliaceae). R: 14

- [Mucubal]
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
 [Kioko]
- muhefu** (Kim)
Piper guineense Schumach. & Thonn.
 (Piperaceae). R: 50, 3
- muheia** (U)
Faidherbia albida (Delile) A.Chev. (Fabaceae). R:
 50 [*Acacia albida* Delile]
- muhenda**
Dissotis rhinanthifolia (Brenan) A.Fern. & R.Fern.
 var. *rhinanthifolia* (Melastomataceae). R: 41
- muhete**
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
 [Kik]
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
- muhihi**
Combretum engleri Schinz (Combretaceae). R: 50
 [*Combretum chlorocarpum* Exell; Kioko;
 Ganguela]
Pteleopsis anisoptera (Welw. ex M.A.Lawson)
 Engl. & Diels (Combretaceae). R: 2
- muhije**
Ximenia americana L. (Olacaceae). R: 49
- muhina** (Nya)
Adenolobus garipensis (E.Mey.) Torre & Hillc.
 (Fabaceae). R: 50 [*Bauhinia garipensis* E.Mey.;
 Lunyaneka]
- muhinje** (U)
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
 (Combretaceae). R: 50
- muhinji**
Ximenia americana L. (Olacaceae). R: 49 [Cuanza
 Norte], 50 [Kim]
- muhititi**
Bauhinia petersiana Bolle subsp. *macrantha*
 (Oliv.) Brummitt & J.H.Ross (Fabaceae). R:
 Pompeu 514
- muhoho** (C)
Combretum collinum Fresen. (Combretaceae). R:
 50 [*Combretum mechowianum* O.Hoffm.; Kioko]
- muhoio** (Nya)
Stachytarpheta mutabilis (Jacq.) Vahl
 (Verbenaceae). R: 50 [Lunyaneka]
- muhole** (C)
Multidentia crassa (Hiern) Bridson & Verdc. var.
crassa (Rubiaceae). R: 47 [Chokwe]
- mu-holi-holi** (Nya)
Keetia gracilis (Hiern) Bridson (Rubiaceae). R: 47
 [Muila]
- muholo** (U)
Trilepisium madagascariense DC. (Moraceae). R:
 50 [*Bosquiea angolensis* Ficalho]
- muholombombo**
Albizia gummiifera (J.F.Gmel.) C.A.Sm.
 (Fabaceae). R: 49 [Cuanza Sul]
- muhombo**
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
 & Wiersema (Fabaceae). R: 50 [*Swartzia
 madagascariensis* Desv.; Lunyaneka]
- Breonadia salicina** (Vahl) Hepper & J.R.I.Wood
 (Rubiaceae). R: 47 [Muhumbe]
Syzygium benguellense (Welw. ex Hiern) Engl.
 (Myrtaceae). R: 1, 3
Syzygium guineense (Willd.) DC. (Myrtaceae). R:
 50 [U], 3
Syzygium guineense (Willd.) DC. subsp. *guineense*
 (Myrtaceae). R: 1
- mu'hombo**
Syzygium guineense (Willd.) DC. subsp.
barotense F.White (Myrtaceae). R: 1
- muhondongolo**
Combretum camporum Engl. (Combretaceae). R:
 50 [Kim], 3
Combretum mossambicense (Klotzsch) Engl.
 (Combretaceae). R: 11 [Kim]
- muhongolo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
 [Muhumbe Muso]
- muhongue** (Nya)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus
 mossambicensis* Benth. ex Oliv.; Lunyaneka]
- mu-hore**
Vangueriopsis lanciflora (Hiern) Robyns
 (Rubiaceae). R: 47
- muhorihori**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- muhotlo**
Psorospermum febrifugum Spach (Hypericaceae).
 R: 50 [Kioko; Ganguela]
- muuhu** (C)
Combretum collinum Fresen. (Combretaceae). R:
 50 [*Combretum mechowianum* O.Hoffm.; Kioko]
- muholi** (C)
Iringia smithii Hook.f. (Irvingiaceae). R: 50
 [Kioko]
- muhumu** (C)
Strychnos pungens Soler. (Strychnaceae). R: 50
 [Kioko]
- muhumbu** (Kik)
Khaya anthotheca (Welw.) C.DC. (Meliaceae).
 R: 50
- muhunga-tuma** (C)
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia
 adoensis* Hochst. ex Schauer var. *multicaulis*
 Hiern; Kioko]
- mu hunji**
Dichrostachys cinerea (L.) Wight & Arn. subsp.
cinerea (Fabaceae). R: 50 [*Dichrostachys
 glomerata* (Forssk.) Chiov.; Lunyaneka]
Dichrostachys cinerea (L.) Wight & Arn.
 (Fabaceae). R: 3
- mu hunza-hunza** (Kim)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50
Psydrax parviflora (Afzel.) Bridson subsp.
parviflora (Rubiaceae). R: 50 [*Canthium
 gulgense* Hiern]
Psydrax subcordata (DC.) Bridson var.

- subcordata** (Rubiaceae). R: 50 [*Canthium welwitschii* Hiern]
- muhuta**
Unplaced (Rutaceae). R: 49 [*Fagara altissima Engl.*; Dembos]
- muiaji** (Kim)
Diospyros kirkii Hiern (Ebenaceae). R: 50
[*Diospyros platyphylla* Hiern]
- muialabe** (Nya)
Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47
[Muila]
- muialovi** (Nya)
Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47
[Lunyaneka]
- muiamba** (Nye)
Maprounea africana Müll.Arg. (Euphorbiaceae). R: 50 [Ganguela]
- muiano** (U)
Albizia antunesiana Harms (Fabaceae). R: 50 [U], 3
- muianga** (Kim)
Cordia africana Lam. (Boraginaceae). R: 50
[*Cordia abyssinica* R.Br.]
- muiangolo**
Carissa spinarum L. (Apocynaceae). R: 50
[*Carissa edulis* (Forssk.) Vahl; Lunyaneka], 3
[*Carissa edulis* (Forssk.) Vahl]
- muiba** (Kik)
Irvingia gabonensis (Aubry-Lecomte ex O'Rorke) Baill. (Irvingiaceae). R: 50
- muie** (C)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R: 50 [*Mitragyna stipulosa* (DC.) Kuntze; Kioko]
- muielavi**
Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47
[Mundimba]
- muiemaiem** (C)
Ozoroa gossweileri (Exell) R.Fern. & A.Fern. (Anacardiaceae). R: 30 [*Heeria gossweileri* Exell; Quioco]
- muiemaiema** (Luv)
Craterispermum schweinfurthii Hiern (Rubiaceae). R: 47 [Luena]
- muierge**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- muienjo**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- muienze** (Kim)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.]
- muimba**
Aeschynomene elaphroxylon (Guill. & Perr.) Taub. (Fabaceae). R: 50 [U], 62
- Aeschynomene indica** L. (Fabaceae). R: 50 [Kim], 62 [Kim]
- muime**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- muindu** (Kim)
Bridelia scleroneura Müll.Arg. subsp. *angolensis* (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50
[*Bridelia angolensis* Müll.Arg.]
- muingolo** (C)
Brachystegia longifolia Benth. (Fabaceae). R: 50
[*Brachystegia robynsii* sensu auct. non De Wild. (1929); Kioko]
- muiongolo**
Carissa spinarum L. (Apocynaceae). R: 58
[*Carissa edulis* (Forssk.) Vahl; Moçâmedes]
- muipangonga** (Nya)
Securidaca longipedunculata Fresen. (Polygalaceae). R: 50 [Lunyaneka]
- muito** (Nye)
Warneckea sapinii (De Wild.) Jacq.-Fél. (Melastomataceae). R: 50 [*Memecylon angolense* Exell; Ganguela]
- muiumba**
Baikiaea plurijuga Harms (Fabaceae). R: 2 [Lunhianeca]
- muimunda** (Nya)
Albizia antunesiana Harms (Fabaceae). R: 50 [Lunyaneka]
- muimunda**
Albizia antunesiana Harms (Fabaceae). R: 3
- mujala** (C)
Hymenodictyon floribundum (Hochst. & Steud.) Rob. (Rubiaceae). R: 50 [Kioko]
- mujeke** (Kim)
Ximenia americana L. (Olacaceae). R: 50
- mujie-kumbi**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- mujila** (Kim)
Gossypium barbadense L. (Malvaceae). R: 50
- muimbajimba**
Xylopia sp. (Annonaceae). R: 2
- mujimina-caia-ua-muchito** (C)
Morinda morindoides (Baker) Milne-Redh. (Rubiaceae). R: 47 [Kioko, Dundo]
- mujinha** (Kim)
Gossypium sp. (Malvaceae). R: 50
- mujongolo**
Diospyros sp. (Ebenaceae). R: 2
- mujugo**
Commiphora angolensis Engl. (Burseraceae). R: 23 [Amboela]
Euphorbia teke Schweinf. ex Pax (Euphorbiaceae). R: 50 [Kioko]
- mukajana**
Eremospatha cuspidata (G.Mann & H.Wendl.) H.Wendl. (Arecaceae). R: 50 [Kioko], 50 [Luena]

mukaji

Combretum imberbe Wawra (Combretaceae). R: 50 [U]
Combretum molle R.Br. ex G.Don (Combretaceae). R: 50 [*Combretum welwitschii* Engl. & Diels; Kim]
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 50 [Ganguela]
Hymenocardia acida Tul. (Euphorbiaceae). R: 50 [Ganguela]

mukala

Dialium angolense Welw. ex Oliv. (Fabaceae). R: 50 [Kim]
Dialium englerianum Henriq. (Fabaceae). R: 50 [*Dialium simii* E.Phillips; Kioko; Kim]

mukalabeba (Nye)

Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax kraussiana* Meisn.; Ganguela]

mukalakala (Kim)

Bridelia micrantha (Hochst.) Baill. (Euphorbiaceae). R: 50

mukalekale (Kim)

Bridelia ferruginea Benth. (Euphorbiaceae). R: 50

mukale-kale (Kim)

Bridelia scleroneura Müll.Arg. subsp. *angolensis* (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50 [*Bridelia angolensis* Müll.Arg.]

mukalele (C)

Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax kraussiana* Meisn.; Kioko]

mukali

Pouteria superba (Vermoesen) L.Gaut. (Sapotaceae). R: 49 [*Malacantha superba* Vermoesen; Buco Zau], 50 [*Malacantha superba* Vermoesen; Kik]

mukamba-kamba

Milicia excelsa (Welw.) C.C.Berg (Moraceae). R: 49 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.; Cuanza Norte, Maiombe], 50 [*Chlorophora excelsa* (Welw.) Benth. & Hook.f.; Kim]

mukandi (Z)

Salvadora persica L. (Salvadoraceae). R: 50 [Tjiherero]

mukangata (C)

Dracaena mannii Baker (Dracaenaceae). R: 50 [*Dracaena reflexa* Lam. var. *nitens* Baker; Kioko]

mukanhenje (C)

Abrus canescens Welw. ex Baker (Fabaceae). R: 50 [Kioko]

mukanzi (Kik)

Combretum psidiooides Welw. (Combretaceae). R: 50

mukapa-kapa

Borassus aethiopum Mart. (Arecaceae). R: 50 [Kioko; Luena; Lunda]

mukaraviri (Z)

Catophractes alexandri D.Don (Bignoniaceae). R: 50 [Tjiherero]

mukasa (C)

Albizia gummifera (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50 [Kioko]
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 50 [Kioko]

mukasa-kasa (Kik)

Albizia ferruginea (Guill. & Perr.) Benth. (Fabaceae). R: 50 [*Albizia angolensis* Welw. ex Oliv.]

mukasa-kumbi (Kim)

Carapa procera DC. (Meliaceae). R: 50

mukeka

Solanum aethiopicum L. (Solanaceae). R: 3 [*Solanum naumannii* Engl.]

mukekete

Ziziphus abyssinica Hochst. ex A.Rich. (Rhamnaceae). R: 50 [Lunyaneka; Ganguela], 3
Ziziphus mucronata Willd. (Rhamnaceae). R: 50 [Lunyaneka]

mukele

Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 50 [Ganguela]

Hymenocardia ulmoides Oliv. (Euphorbiaceae). R: 50 [Kik]

mukele-kele (Kik)

Megaphrynium macrostachyum (K.Schum.) Milne-Redh. (Marantaceae). R: 50 [*Sarcophrynum macrostachyum* (K.Schum.) K.Schum.]

mukele-ua-meia

Ludwigia adscendens (L.) H.Hara subsp. *diffusa* (Forssk.) P.H.Raven (Onagraceae). R: 42

mukenha

Acacia brevispica Harms (Fabaceae). R: 3
Acacia pentagona (Schumach.) Hook.f. ? (Fabaceae). R: 50 [*Acacia pennata* Willd.; Lunyaneka]

Dichrostachys cinerea (L.) Wight & Arn. subsp. *platycarpa* (Welw. ex W.Bull) Brenan & Brummitt (Fabaceae). R: 50 [*Dichrostachys platycarpa* Welw. ex W.Bull; Kim]

mukenia

Dichrostachys cinerea (L.) Wight & Arn. subsp. *platycarpa* (Welw. ex W.Bull) Brenan & Brummitt (Fabaceae). R: 50 [*Dichrostachys platycarpa* Welw. ex W.Bull; Kim]
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 49 [Ganguela]

mukezu (pl.) (Kim)

Cola acuminata (P.Beauv.) Schott & Endl. (Sterculiaceae). R: 50

mukhandji

Syzygium cordatum Hochst. ex Krauss (Myrtaceae). R: 1

mukikiana (Kik)

Blighia welwitschii (Hiern) Radlk. (Sapindaceae). R: 50

mukindinji (C)

Gardenia ternifolia Schumach. & Thonn. subsp.

jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 50
[*Gardenia jovis-tonantis* (Welw.) Hiern; Kioko]

mukinguidi (Kim)
Margaritaria discoidea (Baill.) G.L.Webster var.
discoidea (Euphorbiaceae). R: 50 [*Phyllanthus*
discoideus (Baill.) Müll.Arg.]

mukisu (Kik)
Costus lucanusianus J.Braun & K.Schum.
(Costaceae). R: 50

mukixi (C)
Lantana rugosa Thunb. (Verbenaceae). R: 50
[*Lantana salviifolia* Jacq.; Kioko]

mukoje
Combretum imberbe Wawra (Combretaceae). R:
49 [Serra da Chela]

mukoko (Kim)
Cissampelos mucronata A.Rich.
(Menispermaceae). R: 50

mukokoli (O)
Diospyros virgata (Gürke) Brenan (Ebenaceae). R:
50 [*Maba fragrans* Hiern ex Greves; Xikuanhama]

mukola
Markhamia tomentosa (Benth.) K.Schum.
(Bignoniaceae). R: 50 [*Markhamia sessilis*
Sprague; Luena]
Pseudolachnostylis maprouneifolia Pax var.
glabra (Pax) Brenan (Euphorbiaceae). R: 50
[*Pseudolachnostylis glauca* (Hiern) Hutch.;
Kioko]

mukolabide (Z)
Rhigozum brevispinosum Kuntze (Bignoniaceae).
R: 50 [Tjiherero]

mukolo (Kim)
Rothmannia urcelliformis (Hiern) Bullock ex
Robyns (Rubiaceae). R: 47

mukolongoso (Nye)
Friesodielsia obovata (Benth.) Verdc.
(Annonaceae). R: 50 [*Popowia obovata* (Benth.)
Engl. & Diels; Ganguela]

mukombe
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
& Wiersema (Fabaceae). R: 50 [*Swartzia*
madagascariensis Desv.; Kim; Lunyaneka]

mukondo
Acacia sp. (Fabaceae). R: 3

mukonge
Manihot glaziovii Müll.Arg. (Euphorbiaceae).
R: 49

mukongolo (Kim)
Terminalia sericea Burch. ex DC. (Combretaceae).
R: 50

mukonzo (C)
Dalbergia hostilis Benth. (Fabaceae). R: 50
[Kioko]

mukoso (Nye)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50 [Ganguela]

mukoxo (Nye)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50 [Ganguela]

mukua
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
(Fabaceae). R: 49 [*Cryptosepalum pseudotaxus*
Baker f.; Cocumbi, Lunda]
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.;
Kioko]
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
R: 50 [Kik]

mukua (fruit) (Kim)
Adansonia digitata L. (Bombacaceae). R: 50

mukuahaza
Ficus exasperata Vahl (Moraceae). R: 50 [Kim], 3
[Golungo Alto]

mukuakasa (Kim)
Ficus exasperata Vahl (Moraceae). R: 49, 3

mukuakaza (Kik)
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus*
mallotocarpa Warb.]

mukuakua (Kim)
Clausena anisata (Willd.) Hook.f. ex Benth.
(Rutaceae). R: 50

mukuangu (C)
Memecylon flavovirens Baker (Melastomataceae).
R: 50 [Kioko]

mukua-ua-ndungu-ia-kongo (seed)
Aframomum melegueta K.Schum. (Zingiberaceae).
R: 49 [Cuanza Norte]

mukua-ua-nzongo (Kim)
Dichrostachys cinerea (L.) Wight & Arn. subsp.
platycarpa (Welw. ex W.Bull) Brenan &
Brummitt (Fabaceae). R: 50 [*Dichrostachys*
platycarpa Welw. ex W.Bull]

mukubi (Nye)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
(Fabaceae). R: 50 [*Cryptosepalum pseudotaxus*
Baker f.; Ganguela]

mukuimbe
Lonchocarpus sericeus (Poir.) Kunth ex DC.
(Fabaceae). R: 50 [U], 3 [Benguela]

mukuka (Nya)
Unplaced (Anacardiaceae). R: 3 [*Rhus villosa* L.f.
var. *dekindtiana* Engl.]

mukukalala (Nye)
Englerophytum magalismontanum (Sond.)
T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum*
argyrophyllum Hiern; Ganguela]

mukuku
Combretum imberbe Wawra (Combretaceae).
R: 11
Rhus natalensis Bernh. (Anacardiaceae). R: 50
[Lunyaneka], 3

mukula
Albizia gummifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50 [U]
Pterocarpus angolensis DC. (Fabaceae). R: 49
[Dundo, Lunda], 50 [Ganguela]

- Pterocarpus tinctorius** Welw. (Fabaceae). R: 52
[Kim]
- mukulakula**
Cremaspora triflora (Thonn.) K.Schum. subsp.
triflora (Rubiaceae). R: 47
- mukula-suku** (Kim)
Pycnanthus angolensis (Welw.) Warb.
(Myristicaceae). R: 50
- mukulati**
Burkea africana Hook. (Fabaceae). R: 49
[Ganguelas]
- mukululo**
Lablab purpureus (L.) Sweet (Fabaceae). R: 49
[*Lablab vulgaris* Savi; Icolo, Bengo]
- mukuma** (Kim)
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R:
50 [*Chlorophora excelsa* (Welw.) Benth. &
Hook.f.]
- mukumbe**
Lannea welwitschii (Hiern) Engl. (Anacardiaceae).
R: 49 [Cuanza Norte]
- mukumbi**
Lannea ambacensis (Hiern) Engl.
(Anacardiaceae). R: 50 [Kim], 3 [U]
Lannea antiscorbutica (Hiern) Engl.
(Anacardiaceae). R: 50 [Kim; Kik], 3 [U]
Lannea welwitschii (Hiern) Engl. (Anacardiaceae).
R: 50 [Kim; Kik]
- mukumu** (Nye)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
(Fabaceae). R: 50 [*Cryptosepalum pseudotaxus*
Baker f.; Ganguela]
- mukundu-ua-ngundua**
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia*
adoensis Hochst. ex Schauer var. *multicaulis*
Hiern; Kim],
3 [*Lippia adoensis* Hochst. ex Schauer var.
multicaulis Hiern; Dembos]
- mukunga-ngula** (Kik)
Urena lobata L. (Malvaceae). R: 50
- mukungo**
Afzelia quanzensis Welw. (Fabaceae). R: 49
[Quela, Malange]
- mukungu**
Afzelia quanzensis Welw. (Fabaceae). R: 50 [Kim]
Englerophytum magalismontanum (Sond.)
T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum*
gossweileri De Wild.; Ganguela]
Syzygium cordatum Hochst. ex Krauss
(Myrtaceae). R: 50 [Kioko]
- mukunhambambi** (Nya)
Croton angolensis Müll.Arg. (Euphorbiaceae). R:
50 [Lunyaneka]
- mukunha-mbambi** (Kim)
Pseudolachnostylis maprouneifolia Pax var.
glabra (Pax) Brenan (Euphorbiaceae). R: 50
[*Pseudolachnostylis glauca* (Hiern) Hutch.]
- mukunha-utinu**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
- [*Euclea lanceolata* E.Mey. ex A.DC.;
Lunyaneka], 3
- mukunkokila** (Kik)
Antidesma venosum E.Mey. ex Tul.
(Euphorbiaceae). R: 50
- mukunza** (C)
Mammea africana Sabine (Clusiaceae). R: 50
[Kioko]
- mukuraxiko**
Markhamia obtusifolia Sprague (Bignoniaceae).
R: 10 [Kamukusso]
- mukusu** (Kim)
Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.)
C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa*
(Miq.) Steud. ex Miq.]
- mukuti**
Chamaelitandra henriquesiana (Hallier f.)
Pichon (Apocynaceae). R: 50 [*Clitandra*
henriquesiana (Hallier f.) Stapf; Xikuhanama]
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 49 [*Piptadenia africana* Hook.f.;
Songo, Malange]
- mukuu** (C)
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
(Fabaceae). R: 50 [*Cryptosepalum pseudotaxus*
Baker f.; Kioko]
- mukuvangolo**
Strychnos pungens Soler. (Strychnaceae). R: 3
- mukuzu** (Kim)
Ficus mucuso Welw. ex Ficalho (Moraceae). R: 50
Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.)
C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa*
(Miq.) Steud. ex Miq.]
- mulabi**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 57
[*Gardenia jovis-tonantis* (Welw.) Hiern], 50
[*Gardenia jovis-tonantis* (Welw.) Hiern; Kim], 47
Strychnos pungens Soler. (Strychnaceae). R: 50
[Ganguela]
- mulala**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 50
[*Gardenia jovis-tonantis* (Welw.) Hiern;
Lunyaneka], 3
- mulaletungo**
Combretum apiculatum Sond. (Combretaceae).
R: 2
- mulamatá**
Combretum psidiooides Welw. (Combretaceae). R:
50 [Kioko]
Sorindeia juglandifolia (A.Rich.) Planch. ex Oliv.
(Anacardiaceae). R: 30 [*Sorindeia simplicifolia*
(G.Don) Exell, nom. illeg.]
- mulambu** (Nye)
Strychnos pungens Soler. (Strychnaceae). R: 50
[Ganguela]
- mulangu** (Kim)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae).

R: 50 [*Mitragyna stipulosa* (DC.) Kuntze]

mulanguela (Kim)
Sydrax parviflora (Afzel.) Bridson subsp.
parviflora (Rubiaceae). R: 50 [*Canthium golungense* Hiern]

mulanje-ambinda (Kim)
Echinochloa pyramidalis (Lam.) Hitchc. & Chase
(Poaceae). R: 50

mulanjela-ngombe (Kim)
Sydrax subcordata (DC.) Bridson var.
subcordata (Rubiaceae). R: 50 [*Canthium welwitschii* Hiern]

mulapanende (Nya)
Pavetta lasiopeplus K.Schum. (Rubiaceae). R: 47
[Muquipungo]

mulapanente (Nya)
Tricalysia buxifolia Hiern var. *australis* Robbr.
(Rubiaceae). R: 47 [Muquilengue]

mulapenente (Nya)
Pavetta lasiopeplus K.Schum. (Rubiaceae). R: 47
[Muquilengue]

mulavi (Nya)
Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47
[Muquilengue, Muhumbe]

mulela (C)
Musanga cecropioides R.Br. (Moraceae). R: 50
[Kioko], 2 [Quioco]
Ricinodendron heudelotii (Baill.) Heckel subsp.
africanum (Müll.Arg.) J.Léonard (Euphorbiaceae). R: 50 [*Ricinodendron africanum* Müll.Arg.,
Kioko]

mulelame (Kim)
Commiphora mulelame K.Schum. (Burseraceae). R: 50

mulemba
Ficus cordata Thunb. subsp. *cordata* (Moraceae). R: 50 [*Ficus welwitschii* Warb.; Kim]
Ficus psilopoga Welw. ex Ficalho (Moraceae). R: 50 [Kim]
Ficus thonningii Blume (Moraceae). R: 57, 2, 3
[Kim]
Ficus sp. (Moraceae). R: 3

mulemba-ngongo (Kim)
Sydrax parviflora (Afzel.) Bridson subsp.
parviflora (Rubiaceae). R: 50 [*Canthium golungense* Hiern]

mulembe-lembe
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus psilopus* Welw. ex Ficalho & Hiern; Lunyaneka], 3

mulembu (Kim)
Corchorus olitorius L. (Tiliaceae). R: 50 [Kim]
Sterculia purpurea Exell (Sterculiaceae). R: 50
[Kik]

mulembueje
Cissus oliveri (Engl.) Gilg (Vitaceae). R: 28

mulembuji (Kim)
Gynura scandens O.Hoffm. (Asteraceae). R: 50

mulende
Diospyros mespiliformis Hochst. ex A.DC.
(Ebenaceae). R: 49, 50 [Kim], 58 [Cuanza Norte]
Sterculia purpurea Exell (Sterculiaceae). R: 49
[Cuanza Sul, Cuanza Norte], 50 [Kim]

mulenga
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
(Rubiaceae). R: 47

mulengu
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 50
[Ganguela]
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 58 [Bié]

mulengue-lengue
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3

mulengwe-lengwe (U)
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3

mulenie (C)
Amaranthus caudatus L. (Amaranthaceae). R: 50
[Kioko]

mulhacol (C)
Pimpinella buchananii H.Wolff (Apiaceae). R: 8
[Quioco]

mulha-colu (C)
Pimpinella huillensis Welw. ex Engl. (Apiaceae). R: 8 [*Pimpinella platyphylla* Welw. ex Hiern;
Quioco]

mulhaeul (C)
Lefebvreabyssinica A.Rich. (Apiaceae). R: 8
[*Lefebvreastuhlmannii* Engl.; Quioco]

mulhe (C)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
[Kioko]

muli (Kik)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus angolensis* Büttner], 3

muliambambe
Pseudolachnostylis maprouneifolia Pax var.
dekindtii (Pax) Radcl.-Sm. (Euphorbiaceae). R: 50
[*Pseudolachnostylis glauca* (Hiern) Hutch.; Kim;
Lunyaneka], 3

muliangolumbre (C)
Mammea africana Sabine (Clusiaceae). R: 50
[Kioko]

mulimba
Terminalia superba Engl. & Diels (Combretaceae). R: 49 [Maiombe], 50 [Kik], 11

mulingo
Tricalysia nogueirae Robbr. (Rubiaceae). R: 47

mulolo
Amblygonocarpus andongensis (Welw. ex Oliv.) Exell & Torre (Fabaceae). R: 60
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 50 [*Annona cuneata* (Oliv.) R.E.Fr.; Kioko]
Piliostigma thonningii (Schumach.) Milne-Redh. (Fabaceae). R: 57 [*Bauhinia reticulata* sensu auct.]

- non DC.*], 50 [Kim; Kioko], 63 [Kim], 52 [Kim], 2, 3
- mulomba**
Daniellia oliveri (Rolfe) Hutch. & Dalziel (Fabaceae). R: 2
Pycnanthus angolensis (Welw.) Warb. (Myristicaceae). R: 49 [Maiombe]
- mulombe (C)**
Daniellia alsteeniana P.A.Duvign. (Fabaceae). R: 63 [Quioco]
Daniellia sp. (Fabaceae). R: 50 [Kioko]
- mulombo**
Psydrax palma (K.Schum.) Bridson (Rubiaceae). R: 46
Pycnanthus angolensis (Welw.) Warb. (Myristicaceae). R: 50 [Kik]
- mulombo-ua-meia**
Drosera madagascariensis DC. (Droseraceae). R: 51
- mulondangue**
Garcinia sp. (Clusiaceae). R: 3
- mulondo (Kim)**
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R: 50 [*Chlorocodon whitei* Hook.f.]
- mulongo-longo**
Pycnanthus angolensis (Welw.) Warb. (Myristicaceae). R: 49 [Cazengo], 50 [Kim]
- mulo-njazi (C)**
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 50 [*Gardenia jovis-tonantis* (Welw.) Hiern; Kioko]
- mulonze (Kik)**
Chrysophyllum africanum A.DC. (Sapotaceae). R: 50
- mulovi (Nya)**
Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47 [Lunyaneka]
- muluanda**
Markhamia tomentosa (Benth.) K.Schum. (Bignoniaceae). R: 50 [*Markhamia sessilis* Sprague; Kim], 10
- mulubu (Kim)**
Solanum mauritianum Scop. (Solanaceae). R: 50 [*Solanum auriculatum* Aiton]
- mululu**
Otomeria elatior (A.Rich. ex DC.) Verdc. (Rubiaceae). R: 50 [*Otomeria dilatata* Hiern; U] *Vernonia amygdalina* Delile (Asteraceae). R: 50 [Kim], 3 [Kim]
Vernonia colorata (Willd.) Drake (Asteraceae). R: 50 [Kim]
Vernonia hochstetteri Sch.Bip. ex Hochst. var. *dekindtii* (O.Hoffm.) C.Jeffrey (Asteraceae). R: 50 [*Vernonia dekindtii* O.Hoffm.; Kim]
- mulumba**
Pterocarpus rotundifolius (Sond.) Druce subsp. *rotundifolius* (Fabaceae). R: 57 [*Pterocarpus melliferus* Welw. ex Baker], 49 [*Pterocarpus melliferus* Welw. ex Baker; Huambo, Malange], 50 [*Pterocarpus melliferus* Welw. ex Baker; Kim]
- mulumbu (Kik)**
Psydrax palma (K.Schum.) Bridson (Rubiaceae). R: 50 [*Canthium palma* (K.Schum.) R.D.Good]
- mulundoangombe**
Combretum sp. (Combretaceae). R: 2
- mulungo**
Brachystegia russelliae I.M.Johnst. (Fabaceae). R: 50 [Kioko], 63 [Quioco]
Brachystegia utilis Hutch. & Burtt Davy (Fabaceae). R: 63; *Gossweiler* 12239
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 2 [*Erythrina tomentosa* R.Br. ex A.Rich.]
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 2
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 49 [Ganguela]
- mulungu**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina suberifera* Welw. ex Baker; Kim], 3
Erythrina droogmansiana De Wild. & T.Durand (Fabaceae). R: 50 [U]
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R: 50 [*Mitragyna stipulosa* (DC.) Kuntze; Kik]
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 50 [*Syzygium huillense* (Hiern) Engl.; Kioko]
- mulungua**
Erythrina droogmansiana De Wild. & T.Durand (Fabaceae). R: 2
- mumanga**
Brachystegia manga De Wild. (Fabaceae). R: 50 [Kioko]
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [*Brachystegia hockii* sensu auct. non De Wild. (1913); Ganguela], 2 [*Brachystegia lujae* De Wild. ex Hutch. & Burtt Davy]
- mumango**
Croton mubango Müll.Arg. (Euphorbiaceae). R: 57
- mumanu (Nye)**
Croton gossweileri Hutch. (Euphorbiaceae). R: 50 [Ganguela]
- mumbale**
Baphia massaiensis Taub. subsp. *obovata* (Schinz) Brummitt var. *cornifolia* (Harms) Soladoye (Fabaceae). R: Santos, Schultz & Filipe 2575
- mumbambi (Kim)**
Pseudolachnostylis maprouneifolia Pax var. *glabra* (Pax) Brenan (Euphorbiaceae). R: 50 [*Pseudolachnostylis glauca* (Hiern) Hutch.]
- mumbetubia**
Manilkara obovata (Sabine & G.Don) J.H.Hemsl. (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker; U], 3
- mumbhana**
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 1 [*Syzygium huillense* (Hiern) Engl.]

- mumbi**
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 50 [Lunyaneka], 58 [Huila (Baixo Cunene)], 3
- mumbocoio**
Keetia gracilis (Hiern) Bridson (Rubiaceae). R: 47
 [Muchilengue Musso]
- mumbokoio** (Nya)
Keetia gracilis (Hiern) Bridson (Rubiaceae). R: 47
 [Muquilengue]
- mumbombolo**
Melia azedarach L. (Meliaceae). R: 49 [*Melia dubia* Cav.; Cuanza Norte], 50 [*Melia dubia* Cav.; Kim], 3 [Kim]
- mumbombolo-ia-mputo** (Kim)
Melia azedarach L. (Meliaceae). R: 50, 3
- mumbota**
Combretum camporum Engl. (Combretaceae). R: 11
- mumboto**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50 [*Euclea lanceolata* E.Mey. ex A.DC.; U], 3
Euclea pseudebenus E.Mey. ex A.DC. (Ebenaceae). R: 50 [U]
- mumbualulu**
Breonadia salicina (Vahl) Hepper & J.R.I.Wood (Rubiaceae). R: 47
- mumbula**
Gardenia imperialis K.Schum. subsp. *imperialis* (Rubiaceae). R: 47 [Kioko]
Upaca benguelensis Müll.Arg. (Euphorbiaceae). R: 2
- mumbulu**
Acacia pentagona (Schumach.) Hook.f. ? (Fabaceae). R: 50 [*Acacia pennata* Willd.; Kioko; Ganguela]
- mumbumbo**
Pygmaeothamnus zeyheri (Sond.) Robyns var. *zeyheri* (Rubiaceae). R: 47 [Ganguela]
- mumbumbe**
Combretum zeyheri Sond. (Combretaceae). R: 2
- mumbundulo**
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroxylaceae). R: 24 [Chela]
- mumbundululu**
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroxylaceae). R: 49 [Serra da Chela]
- mumbunge**
Combretum zeyheri Sond. (Combretaceae). R: 11
- mumbungu**
Landolphia camptoloba (K.Schum.) Pichon (Apocynaceae). R: 50 [*Carpodinus gracilis* Stapf; Kioko], 58 [*Carpodinus gracilis* Stapf; Bié, Moxico (Teixeira de Sousa)]
- mumbunzu** (pl.)
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.]
- mumona**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
- R: 50 [U], 9 [U], 3
Ricinus communis L. (Euphorbiaceae). R: 49
- mumonga-omongamonga** (O)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.; Xikuanhama]
- mumpapu**
Grewia sp. (Tiliaceae). R: 3
- mumpianena** (Nya)
Tricalysia buxifolia Hiern var. *australis* Robbr. (Rubiaceae). R: 47 [Lunyaneka]
- mumpianene** (Nya)
Tricalysia griseiflora K.Schum. var. *benguellensis* (Welw. ex Hiern) Robbr. (Rubiaceae). R: 47 [Muila]
- mumpinia** (Kim)
Moringa oleifera Lam. (Moringaceae). R: 52
- mumpungue**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
- mumua**
Crotalaria sylvicola Baker f. (Fabaceae). R: 61
Julbernardia gossweileri (Baker f.) Torre & Hillc. (Fabaceae). R: 63 [Ganguela]
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [*Berlinia paniculata* Benth.; Ganguela]
Macrotyloma densiflorum (Welw. ex Baker) Verdc. var. *densiflorum* (Fabaceae). R: 62
- mumue**
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [*Berlinia baumii* Harms; Kim; Ganguela]
- mumunde** (U)
Diospyros kirkii Hiern (Ebenaceae). R: 50
 [*Diospyros platiphylla* Hiern]
- munangamba**
Sarcocephalus pobeguinii Hua ex Pellegr. (Rubiaceae). R: 47
- munangu** (U)
Imperata cylindrica (L.) Raeusch. (Poaceae). R: 50 [*Imperata cylindrica* (L.) Raeusch. var. *thunbergii* T.Durand & Schinz]
- munara** (Z)
Acanthosicyos horridus Welw. ex Hook.f. (Cucurbitaceae). R: 50 [Tjiherero]
- munbanje** (C)
Dichapetalum cymosum (Hook.) Engl. (Dichapetalaceae). R: 50 [*Dichapetalum venenatum* Engl. & Gilg; Kioko]
- munbe** (U)
Berchemia discolor (Klotzsch) Hemsl. (Rhamnaceae). R: 50
- muncalavivi**
Catophractes alexandri D.Don (Bignoniaceae). R: 10
- muncolumbende** (Nya)
Vangueria cyanescens Robyns (Rubiaceae). R: 47 [Humbe]

- mundia**
Psychotria peduncularis (Salisb.) Steyermark.
 (Rubiaceae). R: 47
- Sympodia globulifera* L.f. (Clusiaceae). R: 50
 [*Sympodia gabonensis* (Vesque) Pierre; Kioko]
- mundai**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 50
 [*Gardenia jovis-tonantis* (Welw.) Hiern; Kim], 47
- mundiae** (Kim)
Gardenia ternifolia Schumach. & Thonn.
 (Rubiaceae). R: 50 [*Gardenia triacantha* DC.]
- mundali** (C)
Euphorbia teke Schweinf. ex Pax (Euphorbiaceae).
 R: 50 [Kioko]
- mundangoge** (C)
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 60
 [Quioco]
- mundangoje** (C)
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 50
 [Kioko]
- mundele-mbaku** (Kik)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- mundele-paku**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Dembos]
- mundende** (Kim)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50
- mundendu** (Kim)
Diospyros heterotricha (Welw. ex Hiern) F.White
 (Ebenaceae). R: 3
- mundengo** (Nye)
Uapaca gossweileri Hutch. (Euphorbiaceae). R: 50
 [Ganguela]
- mundengu**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae).
 R: 50 [Ganguela], 58 [Bié; Moxico]
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 50
 [Ganguela]
- mundi** (Nye)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilosporus*
 Welw. ex Ficalho & Hiern; Ganguela]
- mundiahombo** (Kim)
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 52
- mundia-salale**
Tricalysia welwitschii K.Schum. (Rubiaceae).
 R: 46
- mundikuluku** (Nye)
Syzygium ×intermedium Engl. & Brehmer
 (Myrtaceae). R: 50 [Ganguela]
- mundiloldilo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- mundilolo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- mundimba**
Amphiasma benguellense (Hiern) Bremek.
 (Rubiaceae). R: 47
Cucumis sagittatus Wawra & Peyr.
 (Cucurbitaceae). R: 45
- Rhigozum brevispinosum** Kuntze (Bignoniaceae).
 R: 10
- mundime** (Z)
Euclea pseudebenus E.Mey. ex A.DC.
 (Ebenaceae). R: 50 [Tjiherero]
- mundjalala**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 3
- mundjundju**
Vangueriopsis lanciflora (Hiern) Robyns
 (Rubiaceae). R: 47
- mundmbolla**
Garcinia buchneri Engl. (Clusiaceae). R:
 Gossweiler 3485
- mundogde**
Tricalysia nogueirae Robbr. (Rubiaceae). R: 47
- mundolua** (U)
Steganotaenia araliacea Hochst. (Apiaceae).
 R: 50 [U], 8 [U], 3
- mundombola** (Nye)
Garcinia buchneri Engl. (Clusiaceae). R: 50
 [*Garcinia edulis* Exell; Ganguela]
- mundondo**
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
 50 [*Chlorocodon whitei* Hook.f.; Kioko], 57, 3
 [*Chlorocodon whitei* Hook.f.]
- mundondo** (pl.) (Kim)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
 50 [*Chlorocodon whitei* Hook.f.]
- mundondolo** (Kim)
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 50 [*Solanum*
albifolium C.H.Wright]
- mu-ndonguena**
Corallocarpus welwitschii (Naud.) Hook.f. ex
 Welw. (Cucurbitaceae). R: 45 [Mucubal]
- munduculuco**
Syzygium guineense (Willd.) DC. subsp. *guineense*
 (Myrtaceae). R: 1
- mundukuluku**
Syzygium guineense (Willd.) DC. subsp. *huillense*
 (Hiern) F.White (Myrtaceae). R: 1 [*Syzygium*
huillense (Hiern) Engl.]
- mundumbilo**
Elachyptera parvifolia (Oliv.) N.Hallé
 (Celastraceae). R: 2 [*Hippocratea parvifolia* Oliv.]
- mundungu** (Kim)
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 50 [*Maytenus senegalensis*
 (Lam.) Exell]
- mu-ndungu**
Capsicum frutescens L. (Solanaceae). R: 49
- mundungu-nkola** (U)
Pycnanthus angolensis (Welw.) Warb.
 (Myristicaceae). R: 50
- mundungu-ua-Kongo**
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 49
- munebia** (C)

- Jatropha curcas** L. (Euphorbiaceae). R: 50
[Kioko]
- munego** (C)
Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 47 [Chokwe]
- mune-hunza** (Kim)
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]
- muneku**
Psychotria eminiana (Kuntze) E.M.A.Petit var.
eminiana (Rubiaceae). R: 47
- munenda-mbondo** (Kim)
Cola welwitschii Exell & Mendonça ex R.Germ.
(Sterculiaceae). R: 50
- mungai**
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 50 [U], 3
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50 [Ganguela; Xikuanhama]
- mungaia**
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 49 [Vila da Ponte]
- munga-munga** (C)
Droogmansia pteropus (Baker) De Wild. var.
quarrei (De Wild.) Verdc. (Fabaceae). R: 62
[*Droogmansia quarrei* De Wild.; Quioco]
- mungando**
Combretum imberbe Wawra (Combretaceae). R:
49 [Benguela]
- mungandu**
Albizia gummifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50 [U]
Combretum imberbe Wawra (Combretaceae). R:
50 [U]
Zanthoxylum leprieurii Guill. & Perr. (Rutaceae).
R: 50 [*Fagara angolensis* Engl.; Kim]
- munganga** (Nya)
Erlangea misera S.Moore (Asteraceae). R: 50
[Lunyaneka]
- mungangue** (Kim)
Premna angolensis Gürke (Lamiaceae). R: 50
- munganje** (Nye)
Nymphaea nochiali Burm.f. var. *caerulea*
(Savigny) Verdc. (Nymphaeaceae). R: 50
[*Nymphaea caerulea* Savigny; Ganguela]
- mungeia** (Kim)
Maesopsis eminii Engl. (Rhamnaceae). R: 50
- mungenge**
Spondias mombin L. (Anacardiaceae). R: 49
[*Spondias purpurea* L.]
- mungilo** (Kim)
Dictyandra arborescens Welw. ex Hook.f.
(Rubiaceae). R: 47
- mungo**
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
57 [*Mitragyna macrophylla* Hiern], 49 [*Mitragyna*
macrophylla Hiern; Cuanza Norte]
Vigna mungo (L.) Hepper (Fabaceae). R: 49
[*Phaseolus mungo* L.; P]
- mungo-kuyu** (Nye)
Ficus craterostoma Warb. ex Mildbr. & Burret
(Moraceae). R: 50 [*Ficus mutantifolia* Hutch.;
Ganguela]
- mungola**
Afrocaryum imbricatum (Schinz) Rauschert
(Apiaceae). R: Teixeira et al. 10899
- mungolo**
Brachystegia longifolia Benth. (Fabaceae). R: 50
[*Brachystegia robynsii* sensu auct. non De Wild.
(1929); Kioko]
Commiphora angolensis Engl. (Burseraceae). R:
50 [Kim]
Commiphora mollis (Oliv.) Engl. (Burseraceae).
R: 50 [Kim]
Commiphora mulelame K.Schum. (Burseraceae).
R: 50 [Kim]
Terminalia brachystemma Welw. ex Hiern
(Combretaceae). R: 11
Terminalia sericea Burch. ex DC. (Combretaceae).
R: 50 [Ganguela], 2
- mungolongolo** (Kim)
Ipomoea pes-caprae (L.) R.Br. subsp. *brasiliensis*
(L.) Ooststr. (Convolvulaceae). R: 50 [*Ipomoea*
pes-caprae (L.) R.Br.]
- mungolo-ngolo** (Kim)
Quassia undulata (Guill. & Perr.) D.Dietr.
(Simaroubaceae). R: 50 [*Hannoia klaineana* Pierre
ex Engl.]
- mungolo-ua-moxi** (Kim)
Dictyandra arborescens Welw. ex Hook.f.
(Rubiaceae). R: 50
- mungondo**
Acacia sieberiana DC. (Fabaceae). R: 50 [U], 3
- mungondu**
Magnistipula sapinii De Wild.
(Chrysobalanaceae). R: 54 [*Magnistipula*
eglandulosa (Greenway) R.A.Graham]
- mungondua** (U)
Combretum imberbe Wawra (Combretaceae).
R: 50
- mungongangu** (Kik)
Guibourtia carrissoana (M.A.Exell) J.Léonard
var. *gossweileri* (M.A.Exell) J.Léonard
(Fabaceae). R: 50 [*Guibourtia gossweileri*
(M.A.Exell) Torre & Hillc.]
- mungongo**
Premna angolensis Gürke (Lamiaceae). R: 50
[Kim]
Schinziophyton rautanenii (Schinz) Radcl.-Sm.
(Euphorbiaceae). R: 58 [*Ricinodendron rautanenii*
Schinz; Cuando Cubango]
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
(Sond.) Kokwaro (Anacardiaceae). R: 49
[*Sclerocarya schweinfurthiana* Schinz; Serra da
Chela]
- mungongolua** (Nya)
Lannea ambacensis (Hiern) Engl.
(Anacardiaceae). R: 50 [Lunyaneka]

- mungongono**
Carissa spinarum L. (Apocynaceae). R: 50
 [Carissa edulis (Forssk.) Vahl; Kim], 3 [Carissa edulis (Forssk.) Vahl; Kim], 58 [Carissa edulis (Forssk.) Vahl; Luanda]
- mungu** (Kim)
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R: 50 [Mitragyna stipulosa (DC.) Kuntze]
- mungua**
Moringa oleifera Lam. (Moringaceae). R: 31
Pteleopsis diptera Engl. & Diels (Combretaceae). R: 49 [Zaire]
- munguati** (Kik)
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 50
- mungue-a-hima**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 50 [Lunyaneka], 3
- mungueia**
Ziziphus mucronata Willd. (Rhamnaceae). R: 2
- munguela** (Kim)
Ricinodendron heudelotii (Baill.) Heckel subsp. *africanum* (Müll.Arg.) J.Léonard (Euphorbiaceae). R: 50 [Ricinodendron africanum Müll.Arg.]
- munguenga** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
- munguenge** (Kim)
Spondias mombin L. (Anacardiaceae). R: 50
- munguengo** (fruit)
Spondias mombin L. (Anacardiaceae). R: 57
- munguengue**
Spondias mombin L. (Anacardiaceae). R: 57, 49, 58 [Luanda, Cuanza Norte], 3 [Kim]
- munguengueleguete**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth. (Rubiaceae). R: 47
- munguenhe**
Dichrostachys cinerea (L.) Wight & Arn. (Fabaceae). R: 2
- mungenze** (Kim)
Premna angolensis Gürke (Lamiaceae). R: 50
- mungindu**
Garcinia huillensis Welw. ex Oliv. (Clusiaceae). R: 50 [Garcinia gossweileri Engl.; Kioko; Kim]
- munguiti** (Kik)
Megaphrynium macrostachyum (K.Schum.) Milne-Redh. (Marantaceae). R: 50
 [Sarcophrynium macrostachyum (K.Schum.) K.Schum.]
- mungulungulu** (Kik)
Anthocleista vogelii Planch. (Gentianaceae). R: 50
 [Anthocleista zenkeri Gilg]
- mungulungunja** (U)
Diospyros heterotricha (Welw. ex Hiern) F.White (Ebenaceae). R: 50 [Royena heterotricha (Welw. ex Hiern) B.L.Burtt]
- mungundo**
Sympomia globulifera L.f. (Clusiaceae). R: 57
 [Sympomia gabonensis (Vesque) Pierre]
- mungundu** (Kim)
Sympomia globulifera L.f. (Clusiaceae). R: 50
 [Sympomia gabonensis (Vesque) Pierre]
- mungungua**
Acanthosicyos naudinianus (Sond.) C.Jeffrey (Cucurbitaceae). R: 45 [Citrullus naudinianus Hook.f.]
- mungususu** (Kim)
Pteleopsis diptera Engl. & Diels (Combretaceae). R: 50
- munhande**
Diospyros mespiliformis Hochst. ex A.DC. (Ebenaceae). R: 58 [Between River Cuatir and River Cuebe]
Euclea divinorum Hiern (Ebenaceae). R: 2
- munhandi**
Diospyros mespiliformis Hochst. ex A.DC. (Ebenaceae). R: 50 [Lunyaneka], 58 [Huila, Moçâmedes], 3
- munhandjo**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [Parinari pumila Mildbr.]
- munhanje**
Combretum molle R.Br. ex G.Don (Combretaceae). R: 50 [Combretum welwitschii Engl. & Diels; Kim]
Quassia undulata (Guill. & Perr.) D.Dietr. (Simaroubaceae). R: 50 [Hannoa klaineana Pierre ex Engl.; U], 3 [Hannoa klaineana Pierre ex Engl.]
- munhanoca** (Kim)
Senna occidentalis (L.) Link (Fabaceae). R: 63
 [Cassia occidentalis L.]
- munhe**
Grewia sp. (Tiliaceae). R: 2
- munheia**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 60 [Acacia albida Delile; Benguela]
- munheie**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 49 [Acacia albida Delile; Quilengues]
- munher**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 60 [Acacia albida Delile; Moçâmedes]
- munhere**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 2
- munhibualulu**
Breonadia salicina (Vahl) Hepper & J.R.I.Wood (Rubiaceae). R: 47
- munhico**
Rothmannia engleriana (K.Schum.) Keay (Rubiaceae). R: 2
Rothmannia engleriana (K.Schum.) Keay var. *engleriana* (Rubiaceae). R: 47
Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 47
- munhinghi**
Fadogia cienkowskii Schweinf. var. *cienkowskii* (Rubiaceae). R: 3

- munhinghi** (pl.) (Nya)
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 50
 [Lunyaneka]
- munhinhiki**
Osyris lanceolata Hochst. & Steud. (Santalaceae). R: 50 [*Osyris abyssinica* Hochst. & A.Rich.; Lunyaneka], 3 [*Osyris compressa sensu auct. non* (P.J.Bergius) A.DC. (1857)]
- munhondo**
Combretum imberbe Wawra (Combretaceae). R: 11
- munhongolo**
Carissa spinarum L. (Apocynaceae). R: 3 [*Carissa edulis* (Forssk.) Vahl]
- munhumba** (Kik)
Funtumia africana (Benth.) Stapf (Apocynaceae). R: 50 [*Funtumia latifolia* (Stapf) Stapf]
- munhumbe**
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 2
- munhunganzamba** (Kim)
Strychnos pungens Soler. (Strychnaceae). R: 50
- munhungue-ua-hamua** (Kim)
Psorospermum febrifugum Spach (Hypericaceae). R: 50
- muniande** (U)
Diospyros kirkii Hiern (Ebenaceae). R: 50
 [Diospyros platyphylla Hiern]
- muniandi** (Nya)
Diospyros kirkii Hiern ? (Ebenaceae). R: 50
 [Diospyros latifolia Gürke; Lunyaneka]
- muniavalala** (Nya)
Markhamia zanzibarica (Bojer ex DC.) K.Schum. (Bignoniaceae). R: 10 [Chilengue-Humbe]
- munjake**
Ximenia americana L. (Olacaceae). R: 49, 50
 [Ganguela]
- munjanga** (Nye)
Scadoxus multiflorus (Martyn) Raf. subsp. *multiflorus* (Amaryllidaceae). R: 50 [*Haemanthus multiflorus* Martyn; Ganguela]
- munjeledje**
Dactyladenia gilletii (De Wild.) Prance & F.White ? (Chrysobalanaceae). R: 50 [*Acioa scabrifolia sensu auct. non* Hua (1897); Kioko], 54 [*Acioa gilletii* De Wild.]
- munjenje-van-donga** (Nye)
Protea welwitschii Engl. (Proteaceae). R: 50
 [Protea myrsinifolia Engl. & Gilg; Ganguela]
- munjidi** (Kim)
Zanthoxylum leprieurii Guill. & Perr. (Rutaceae). R: 50 [*Fagara angolensis* Engl.]
- munjidi-hamba** (U)
Diospyros sp. (Ebenaceae). R: 50 [*Maba* sp.]
- munjile** (Kim)
Pseudeminia muxiria (Welw. ex Baker) Verdc. (Fabaceae). R: 50 [*Eriosema muxiria* Welw. ex Baker]
- munjiliti** (U)
Spirostachys africana Sond. (Euphorbiaceae).
- R: 50
- munjimba** (C)
Strychnos pungens Soler. (Strychnaceae). R: 50
 [Kioko]
- munjimbe-ndende** (Kim)
Prunus africana (Hook.f.) Kalkman (Rosaceae). R: 50 [*Pygeum africanum* Hook.f.]
- munjingue** (fruit) (Kim)
Avicennia germinans (L.) L. (Avicenniaceae). R: 50 [*Avicennia nitida* Jacq.]
- munjinje** (Nye)
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 50
 [Ganguela]
- munjinji**
Berchemia discolor (Klotzsch) Hemsl. (Rhamnaceae). R: 50 [Kim]
Faurea saligna Harv. (Proteaceae). R: 50
 [Ganguela]
- munjunje** (Nya)
Vangueriopsis lanciflora (Hiern) Robyns (Rubiaceae). R: 47 [Muquipungo]
- munkaneka** (fruit)
Pterocarpus angolensis DC. (Fabaceae). R: 50, 3
- munkenhe** (Kik)
Trilepisium madagascariense DC. (Moraceae). R: 50 [*Bosquiea angolensis* Ficalho]
- munlolu**
Ludwigia octovalvis (Jacq.) P.H.Raven (Onagraceae). R: 42 [*Ludwigia octovalvis* (Jacq.) P.H.Raven subsp. *brevisepala* (Brenan) P.H.Raven]
- munoko** (Nye)
Commelina subulata Roth (Commelinaceae). R: 50 [Ganguela]
- munonga-muiombo** (O)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.; Xikuanhama]
- munquenha** (Kim)
Dichrostachys cinerea (L.) Wight & Arn. subsp. *platycarpa* (Welw. ex W.Bull) Brenan & Brummitt (Fabaceae). R: 60 [*Dichrostachys platycarpa* Welw. ex W.Bull]
- monsacala**
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 58 [*Chrysophyllum gossweileri* De Wild.; River Cuando, Chondela]
- mntendenelete** (Z)
Boscia albitrunca (Burch.) Gilg & Gilg-Ben. (Capparaceae). R: 50 [*Boscia pechuelii* Kuntze; Tjiherero]
- munzanza** (C)
Anthocleista nobilis G.Don (Gentianaceae). R: 50
 [Kioko]
- mun-ze** (Ma)
Baphia massaiensis Taub. subsp. *ovata* (Schinz) Brummitt var. *ovata* (Fabaceae). R: 62
 [Kamaxe]
- munze-hunze** (Kim)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50

- munzenza** (C)
Dichrostachys cinerea (L.) Wight & Arn. subsp. *cinerea* (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.; Lunyaneka]
Dichrostachys cinerea (L.) Wight & Arn. (Fabaceae). R: 3
- munzenze** (Kim)
Marsdenia angolensis N.E.Br. (Apocynaceae). R: 50
- munzoia** (C)
Cissus rubiginosa (Welw. ex Baker) Planch. (Vitaceae). R: 28 [Quioco]
- muole**
Napoleonaea gossweileri Baker f. (Lecythidaceae). R: 39
- muosombo**
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 1 [*Syzygium huillense* (Hiern) Engl.]
- mupa**
Dialium englerianum Henriq. (Fabaceae). R: 50 [Ganguela], 59 [Moxico – Luena]
- mupafu**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro (Anacardiaceae). R: 58 [*Sclerocarya birrea* (A.Rich.) Hochst.; Lunda]
- mupala** (Kim)
Combretum celastroides Welw. ex M.A.Lawson subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell (Combretaceae). R: 50 [*Combretum laxiflorum* Welw. ex M.A.Lawson]
- mupalala**
Peltophorum africanum Sond. (Fabaceae). R: 63 [Cuanhamama], 3
- mupalangonga** (Kim)
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 50, 3
- mupalapanga** (C)
Myrianthus arboreus P.Beauv. (Moraceae). R: 50 [Kioko]
- mupanda**
Brachystegia spiciformis Benth. (Fabaceae). R: 57 [Humpata], 49 [Malange], 50 [U], 63 [Malange], 3
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
Philenoptera pallescens (Welw. ex Baker) Schrire (Fabaceae). R: 50 [*Lonchocarpus pallescens* Welw. ex Baker; U]
- mupane** (Kim)
Colophospermum mopane (J.Kirk ex Benth.) J.Leonard (Fabaceae). R: 50
- mupangui**
Dichrostachys cinerea (L.) Wight & Arn. subsp. *nyassana* (Taub.) Brenan (Fabaceae). R: Teixeira 505
- mupanje**
Dichrostachys cinerea (L.) Wight & Arn. subsp. *cinerea* (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.; Lunyaneka]
Dichrostachys cinerea (L.) Wight & Arn. (Fabaceae). R: 3
- mupanji**
Dichrostachys cinerea (L.) Wight & Arn. subsp.
- cinerea** (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.; Lunyaneka]
Dichrostachys cinerea (L.) Wight & Arn. (Fabaceae). R: 3
- mupanze** (U)
Albizia gummosa (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50
- mupapala** (C)
Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 50 [Kioko]
- mupaxi** (C)
Canarium schweinfurthii Engl. (Burseraceae). R: 50 [Kioko]
- mupazu** (C)
Afzelia quanzensis Welw. (Fabaceae). R: 50 [Kioko]
- mupeke** (Nya)
Ximenia caffra Sond. (Olacaceae). R: 3
- mupele** (Kik)
Gossweilerodendron balsamiferum (Vermoesen) Harms (Fabaceae). R: 50
- mupelu**
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 49 [Moxico], 50 [Ganguela]
- mupembate** (Z)
Boscia polyantha Gilg (Capparaceae). R: 50 [Tjiherero]
- mupepe**
Hymenocardia acida Tul. (Euphorbiaceae). R: 50 [Ganguela], 2
Lefebvreia grantii (Kingston ex Oliv.) S.Droop (Apiaceae). R: 50 [*Lefebvreia welwitschii* Engl.; Kim], 3 [*Peucedanum angolense* (Welw. ex Ficalho) Cannon]
Monodora myristica (Gaertn.) Dunal (Annonaceae). R: 50 [Kim]
Monodora tenuifolia Benth. (Annonaceae). R: 2
- mupepe** (sing.) (Kim)
Monodora myristica (Gaertn.) Dunal (Annonaceae). R: 3
- mupepe-ia-songo** (Kim)
Monodora angolensis Welw. (Annonaceae). R: 3
- mupeti**
Hymenocardia acida Tul. (Euphorbiaceae). R: 50 [U], 3
- mupexi** (Kim)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
- muphaua**
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 1 [*Syzygium huillense* (Hiern) Engl.]
- mupia** (Nya)
Dicoma anomala Sond. (Asteraceae). R: 50 [Lunyaneka]
- mupiambia** (Nye)
Ximenia americana L. (Olacaceae). R: 50 [Ganguela]

- mupole**
Morus mesozygia Stapf (Moraceae). R: 2
- mupombo**
Rhus tenuinervis Engl. (Anacardiaceae). R: 2
- mupondo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus psilopus* Welw. ex Ficalho & Hiern; Lunyaneka], 3
- mupongo** (Nya)
Cussonia angolensis (Seem.) Hiern (Araliaceae). R: 50 [Lunyaneka]
- mupope**
Afzelia quanzensis Welw. (Fabaceae). R: 49 [Dundo, Lunda]
- mupopo**
Berlinia giorgii De Wild. (Fabaceae). R: 50 [Ganguela]
Berlinia sp. (Fabaceae). R: 50 [Kioko]
- mupopoka** (Nye)
Monotes discolor R.E.Fr. (Dipterocarpaceae). R: 50 [Ganguela]
- mupopu** (C)
Berlinia grandiflora (Vahl) Hutch. & Dalziel (Fabaceae). R: 50 [*Berlinia acuminata* Sol. ex Hook.f. & Benth.; Kioko]
- muposa** (Kik)
Mammea africana Sabine (Clusiaceae). R: 50
- mupota** (Kim)
Psorospermum febrifugum Spach (Hypericaceae). R: 50
- mupuaka-ompuaka** (O)
Strychnos pungens Soler. (Strychnaceae). R: 50 [Xikuanhama]
- mupulukua**
Jatropha curcas L. (Euphorbiaceae). R: 49 [Cuanza Norte], 50 [Kim]
- mupunga** (Nya)
Cussonia angolensis (Seem.) Hiern (Araliaceae). R: 50 [Lunyaneka]
- mupungo**
Cussonia angolensis (Seem.) Hiern (Araliaceae). R: 9 [Lunhaneca]
Zea mays L. (Poaceae). R: 57
- mupupo**
Combretum acutifolium Exell (Combretaceae). R: 11
Combretum collinum Fresen. (Combretaceae). R: 11
Combretum psidiooides Welw. (Combretaceae). R: 2, 11
Combretum molle R.Br. ex G.Don (Combretaceae). R: 50 [*Combretum welwitschii* Engl. & Diels; Lunyaneka]
Combretum sp. (Combretaceae). R: 3
- mupupu**
Combretum molle R.Br. ex G.Don (Combretaceae). R: 11
Combretum psidiooides Welw. subsp. *dinteri* (Schinz) Exell (Combretaceae). R: 50 [*Combretum dinteri* Schinz; Ganguela]
- mupupuahake** (O)
Combretum psidiooides Welw. (Combretaceae). R: 50 [Xikuanhama]
- muquango**
Memecylon flavovirens Baker (Melastomataceae). R: 41
- muquenia**
Syzygium guineense (Willd.) DC. subsp. *guineense* (Myrtaceae). R: 1
- muquequete**
Psychotria gilletii De Wild. (Rubiaceae). R: 47
- muquete**
Gossypium anomalum Wawra (Malvaceae). R: 12 [Mutua]
- muqueve** (Nye)
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 60 [Ganguela]
- muri**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 2
- muria-atu** (Nya)
Desmodium barbatum (L.) Benth. var. *dimorphum* (Welw. ex Baker) B.G.Schub. (Fabaceae). R: 50 [*Desmodium dimorphum* Welw. ex Baker; Lunyaneka]
- muriabinja** (Nya)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47 [Muila]
- muriacassoi** (So)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47 [Bassongo]
- muriakholu**
Droogmansia dorae Torre var. *dorae* (Fabaceae). R: D.Machado VII.54-388
- muriambambe**
Coffea arabica L. (Rubiaceae). R: 57
- muriangombe**
Maerua angolensis DC. (Capparaceae). R: 57, 2
- murianhoca**
Senna occidentalis (L.) Link (Fabaceae). R: 3 [*Cassia occidentalis* L.]
- murianhoka**
Senna occidentalis (L.) Link (Fabaceae). R: 3 [*Cassia occidentalis* L.]
- muriankuele**
Pittosporum viridiflorum Sims (Pittosporaceae). R: 3
- muri-a-sexi** (Kim)
Coffea canephora Pierre ex A.Froehner (Rubiaceae). R: 50
- muria-tchirulo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 3
- murima**
Diospyros virginata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]
- murimba**
Diospyros batocana Hiern (Ebenaceae). R: 2
- murimbue**
Sabicea dinklagei K.Schum. (Rubiaceae). R: 47

- muriueue**
Amphiasma benguellense (Hiern) Bremek.
 (Rubiaceae). R: 47
- murrião-vermelho (P)**
Anagallis arvensis L. (Primulaceae). R: 49
- murrima**
Diospyros batocana Hiern (Ebenaceae). R: 2
- musa (Kim)**
Sterculia subviolacea K.Schum. (Sterculiaceae).
 R: 50 [*Sterculia ambacensis* Welw. ex Hiern]
- musaba (U)**
Gynura scandens O.Hoffm. (Asteraceae). R: 50
- musaka (Kik)**
Synsepalum brevipes (Baker) T.D.Penn.
 (Sapotaceae). R: 50 [*Pachystela brevipes* (Baker)
 Baill.]
- musakalala (C)**
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum
 argyrophyllum* Hiern; Kioko]
- musala**
Dialium englerianum Henriq. (Fabaceae). R: 50
 [Ganguela; Kioko], 59 [*Lunda Sul – Sombo;
 Moxico – Luau*]
Omphalocarpum elatum Miers (Sapotaceae). R: 50
 [*Omphalocarpum pierreanum* Engl.; Kik]
- musala-kanjunje**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilopus*
 Welw. ex Ficalho & Hiern; U], 3
- musalangala (Kim)**
Strychnos floribunda Gilg (Strychnaceae). R: 50
 [*Strychnos welwitschii* Gilg]
- musalasa (Kim)**
Rhus longipes Engl. (Anacardiaceae). R: 50
- musalengue**
Premna angolensis Gürke (Lamiaceae). R: 50
 [Kim]
Premna sp. (Lamiaceae). R: 57
- musalia (Nye)**
Pseudolachnostylis maprouneifolia Pax var.
glabra (Pax) Brenan (Euphorbiaceae). R: 50
 [*Pseudolachnostylis glauca* (Hiern) Hutch.;
 Ganguela]
- musamba**
Brachystegia longifolia Benth. (Fabaceae). R: 50
 [*Brachystegia apertifolia* Hutch. & Burtt Davy;
 Ganguela]
Brachystegia tamarindoides Welw. ex Benth.
 (Fabaceae). R: 50 [Kim]
Brachystegia utilis Hutch. & Burtt Davy
 (Fabaceae). R: 50 [*Brachystegia diloloensis* De
 Wild.; Ganguela]
Milletia barteri (Benth.) Dunn (Fabaceae). R: 50
 [Kim]
- musamba-samba (Kim)**
Trema orientalis (L.) Blume (Ulmaceae). R: 50
 [*Trema guineense* (Schumach. & Thonn.) Ficalho]
- musambe (Kim)**
Cleome gynandra L. (Capparaceae). R: 50
- [*Gynandropsis gynandra* (L.) Briq.]
- musanda-kanda (C)**
Margaritaria discoidea (Baill.) G.L.Webster var.
discoidea (Euphorbiaceae). R: 50 [*Phyllanthus
 discoideus* (Baill.) Müll.Arg.; Kioko]
- musando**
Tricalysia elliotii (K.Schum.) Hutch. & Dalziel
 var. *elliotii* (Rubiaceae). R: 46
- musanga**
Acacia hebeclada DC. subsp. *tristis* (Welw. ex
 Oliv.) A.Schreib. (Fabaceae). R: 50 [*Acacia tristis*
 Welw. ex Oliv.; U]
Marquesia macroura Gilg (Dipterocarpaceae). R:
 50 [Kim]
Musanga cecropioides R.Br. (Moraceae). R: 50
 [Kik]
- musangaula (Kim)**
Antrocaryon klaineanum Pierre (Anacardiaceae).
 R: 50 [*Antrocaryon soyauxii* (Engl.) Engl.]
- musanha (C)**
Treculia africana Decne. ex Trécul (Moraceae). R:
 50 [Kioko]
- musanhi (Kim)**
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
 R: 50
- musanji (Kim)**
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
 R: 50
- musasssa (Kim)**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 50, 9
- musehaseha (C)**
Ochna pygmaea Hiern (Ochnaceae). R: 22 [*Ochna
 gracilipes* Hiern; Quioco]
- musekenha (male tree) (Kik)**
Diospyros viridicans Hiern (Ebenaceae). R: 50
- museknea**
Diospyros viridicans Hiern (Ebenaceae). R: 49
 [Maiombe]
- musekonha**
Momordica charantia L. (Cucurbitaceae). R: 45
- musela**
Memecylon flavovirens Baker (Melastomataceae).
 R: 2
- muselapoco**
Markhamia zanzibarica (Bojer ex DC.) K.Schum.
 (Bignoniaceae). R: 10
- musele**
Memecylon flavovirens Baker (Melastomataceae).
 R: 50 [Kioko]
Nauclea sp. (Rubiaceae). R: 50 [Kioko]
Warneckea sapinii (De Wild.) Jacq.-Fél.
 (Melastomataceae). R: 41 [*Memecylon sapinii* De
 Wild.; Mbu; Vankangamba]
- muselele (U)**
Setaria megaphylla (Steud.) T.Durand & Schinz
 (Poaceae). R: 50
- muselveira**
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 49 [Icolo, Bengo]

- musema (C)**
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
 R: 50 [Kioko]
Euclea pseudebenus E.Mey. ex A.DC.
 (Ebenaceae). R: 50 [Tjiherero]
- musembé**
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 49
 [Cuanza Norte]
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 50
 [U], 60
- musenene (Nye)**
Monotes africanus A.DC. (Dipterocarpaceae). R:
 50 [Ganguela]
- musenga**
Hymenocardia ulmoides Oliv. (Euphorbiaceae). R:
 50 [Kik]
Musanga cecropioides R.Br. (Moraceae). R: 50
 [Kik], 2
- musenga-senga (Kik)**
Croton dybowskii Hutch. (Euphorbiaceae). R: 50
- musengu (Nye)**
Ochna arenaria De Wild. & T.Durand
 (Ochnaceae). R: 50 [*Ochna angustifolia* Engl. &
 Gilg; Ganguela]
- musengue**
Piptadeniastrum africanum (Hook.f.) Brenan
 (Fabaceae). R: 49 [*Piptadenia africana* Hook.f.]
- musense**
Piptadeniastrum africanum (Hook.f.) Brenan
 (Fabaceae). R: 49 [*Piptadenia africana* Hook.f.;
 Cazengo]
- musenze (Kim)**
Piptadeniastrum africanum (Hook.f.) Brenan
 (Fabaceae). R: 60
- musese**
Burkea africana Hook. (Fabaceae). R: 50 [Kioko;
 Kim]
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
 (Rubiaceae). R: 50 [Kim]
- mushobi**
Brachystegia bakeriana Hutch. & Burtt Davy
 (Fabaceae). R: 63
- mushovi**
Brachystegia spiciformis Benth. (Fabaceae). R: 49
 [*Brachystegia hockii* sensu auct. non De Wild.
 (1913); Ganguelas, Cubango], 63 [Ganguela]
- musibi**
Dialium englerianum Henriq. (Fabaceae). R: 50
 [*Dialium simii* E.Phillips; Ganguela]
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 59 [Bié – Cuemba, Chitembo]
- musinga (Kik)**
Piptadeniastrum africanum (Hook.f.) Brenan
 (Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]
- musisi (Kik)**
Oncoba welwitschii Oliv. (Flacourtiaceae). R: 50
 [*Caloncoba welwitschii* (Oliv.) Gilg]
Sterculia tragacantha Lindl. (Sterculiaceae). R: 50
- musoke (Kim)**
Hyparrhenia diplandra (Hack.) Stapf (Poaceae).
- R: 50
Hyparrhenia rufa (Nees) Stapf (Poaceae). R: 50
- musoko (U)**
Amblygonocarpus andongensis (Welw. ex Oliv.)
 Exell & Torre (Fabaceae). R: 50
 [*Amblygonocarpus obtusangulus* Harms]
- musol**
Bombax buonopozense P.Beauv. (Bombacaceae).
 R: 2 [*Bombax reflexum* Sprague]
- musola**
Dialium englerianum Henriq. (Fabaceae). R: 50
 [Ganguela], 59 [Lunda Norte – Chitato, Chiumbe,
 Luachimo]
- musole (U)**
Bombax buonopozense P.Beauv. (Bombacaceae).
 R: 50 [*Bombax reflexum* Sprague]
- musolveira (P)**
Diospyros kirkii Hiern (Ebenaceae). R: 49
 [*Diospyros platyphylla* Hiern]
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 49, 50
- musombe**
Syzygium guineense (Willd.) DC. (Myrtaceae). R:
 49 [Lunda, Malange], 50 [Kioko, Kim]
Trachyphrynum braunianum (K.Schum.) Baker
 (Marantaceae). R: 50 [*Hybophrynum braunianum*
 K.Schum.; Kik]
- musombo (Nye)**
Syzygium benguellense (Welw. ex Hiern) Engl.
 (Myrtaceae). R: 50 [Ganguela]
- musomo**
Rubus rigidus Sm. (Rosaceae). R: 58 [Cuanza
 Norte]
- musondo**
Julbernardia paniculata (Benth.) Troupin
 (Fabaceae). R: 50 [*Berlinia paniculata* Benth.;
 Kioko]
Pseudospondias microcarpa (A.Rich.) Engl.
 (Anacardiaceae). R: 50 [Kim], 30, 2
- musongasongo (Luc)**
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 26 [*Maytenus senegalensis*
 (Lam.) Exell; Luchasi]
- musonge (Kim)**
Acacia sieberiana DC. (Fabaceae). R: 50
- musongo (U)**
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R:
 50 [U]
Tephrosia purpurea (L.) Pers. (Fabaceae). R: 50
 [Kim]
- musongue**
Acacia sieberiana DC. (Fabaceae). R: 49 [Pungo
 Andongo]
- musonguele (U)**
Acacia erubescens Welw. ex Oliv. (Fabaceae).
 R: 50
- musono (Kim)**
Rubus pinnatus Willd. (Rosaceae). R: 50
- musonsombua (C)**
Irvingia smithii Hook.f. (Irvingiaceae). R: 50

- [Kioko]
- musoso**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
R: 50 [Kik]
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 50 [Kim]
Entada abyssinica Steud. ex A.Rich. ? (Fabaceae).
R: 57
- musosomba (C)**
Irvingia gabonensis (Aubry-Lecomte ex O'Rorke)
Baill. (Irvingiaceae). R: 50 [Kioko]
- musovi (Nye)**
Brachystegia spiciformis Benth. (Fabaceae). R: 50
[*Brachystegia hockii* sensu auct. non De Wild.
(1913); Ganguela]
- musoxi (Kim)**
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 50
- mussa**
Sterculia subviolacea K.Schum. (Sterculiaceae).
R: 13 [*Sterculia ambacensis* Welw. ex Hiern;
Ambundo]
- mussaca**
Synsepalum brevipes (Baker) T.D.Penn.
(Sapotaceae). R: 2 [*Pachystela brevipes* (Baker)
Baill.]
- mussakalala**
Fadogia gossweileri Robyns (Rubiaceae). R: 47
- mussako**
Tetrapleura tetraptera (Schumach. & Thonn.)
Taub. (Fabaceae). R: Monteiro & Murta 334
- mussalla**
Dialium englerianum Henriq. (Fabaceae). R: 63
[Quioco], 2, 59 [Moxico – Luau; Cuando Cubango – Dima]
- mussamba**
Brachystegia gossweileri Hutch. & Burtt Davy
(Fabaceae). R: 50, 63 [Ganguela]
Brachystegia longifolia Benth. (Fabaceae). R: 63,
2
Brachystegia wangermeeana De Wild. (Fabaceae).
R: 63 [Quioco], 2
Brachystegia longifolia Benth. × *B. boehmii* Taub.
(Fabaceae). R: 63
Dialium englerianum Henriq. (Fabaceae). R: 59
[Cuando Cubango – Mavinga, Nriquinha, R.
Cubia]
Millettia barteri (Benth.) Dunn (Fabaceae). R: 61
[Kim]
- mussamba-sequ**
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
& Wiersema (Fabaceae). R: 2 [*Swartzia*
madagascariensis Desv.]
- mussambe (Kim)**
Cassia angolensis Welw. ex Hiern (Fabaceae). R:
50, 63
- mussambia**
Eugenia malangensis (O.Hoffm.) Nied.
(Myrtaceae). R: 1
- mussano**
Xylopia parviflora (A.Rich.) Benth. (Annonaceae).
R: 2 [*Xylopia vallotii* Chipp ex Hutch. & Dalziel],
Monteiro & Murta 322
- mussassola (C)**
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
[Kioko]
- musschasseha**
Bertiera aethiopica Hiern (Rubiaceae). R: 47
- mussegueia**
Momordica charantia L. (Cucurbitaceae). R: 45
- mussenga**
Craterispermum schweinfurthii Hiern (Rubiaceae).
R: 47
Psychotria succulenta (Hiern) E.M.A.Petit
(Rubiaceae). R: 47
- mussenga-matumbo**
Psydrax parviflora (Afzel.) Bridson subsp.
parviflora (Rubiaceae). R: 47
- mussesse**
Burkea africana Hook. (Fabaceae). R: 63
[Quioco], 2
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
(Rubiaceae). R: 47
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 63
- mussibe**
Guibourtia coleosperma (Benth.) J.Léonard
(Fabaceae). R: 2, 59 [Huambo – Chitende]
- mussibi**
Guibourtia coleosperma (Benth.) J.Léonard
(Fabaceae). R: 2, 59 [Bié – Cuemba, Chitembo]
- mussive**
Guibourtia coleosperma (Benth.) J.Léonard
(Fabaceae). R: 59 [Huambo – Chitende]
- mussobe**
Maesopsis eminii Engl. (Rhamnaceae). R: 27
[Maiombe]
- mussocha**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- mussofre**
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 2 [*Entadopsis abyssinica* (Steud. ex A.Rich.)
G.C.C.Gilbert & Boutique]
- mussola**
Dialium englerianum Henriq. (Fabaceae). R: 59
[Lunda Norte – Chitato, Chiumbe, Luachimo]
Vangueriopsis lanciflora (Hiern) Robyns
(Rubiaceae). R: 47 [Catxioco]
- mussoli**
Rothmannia engleriana (K.Schum.) Keay var.
engleriana (Rubiaceae). R: 47
- mussoma-kambanda**
Eugenia malangensis (O.Hoffm.) Nied.
(Myrtaceae). R: 1 [*Eugenia marquesii* Engl.]
- mussombo**
Syzygium benguellense (Welw. ex Hiern) Engl.
(Myrtaceae). R: 1
Syzygium cordatum Hochst. ex Krauss
(Myrtaceae). R: 1

Syzygium guineense (Willd.) DC. (Myrtaceae). R: 2
Syzygium guineense (Willd.) DC. subsp. *afromontanum* F.White (Myrtaceae). R: 1
Syzygium guineense (Willd.) DC. subsp. *guineense* (Myrtaceae). R: 1
Syzygium guineense (Willd.) DC. subsp. *macrocarpum* (Engl.) F.White (Myrtaceae). R: 1
Syzygium guineense (Willd.) DC. subsp. *urophyllum* (Welw. ex Hiern) Amshoff (Myrtaceae). R: 1

mussonde (Kim)
Acacia sieberiana DC. var. *woodii* (Burtt Davy) Keay & Brenan (Fabaceae). R: 60

mussondo
Pseudospondias microcarpa (A.Rich.) Engl. (Anacardiaceae). R: 57, 2

mussongo
Acacia sieberiana DC. var. *woodii* (Burtt Davy) Keay & Brenan (Fabaceae). R: 2

mussongue (Kim)
Acacia sieberiana DC. var. *woodii* (Burtt Davy) Keay & Brenan (Fabaceae). R: 60

mussosso
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 60

mussua
Dialium englerianum Henriq. (Fabaceae). R: 59 [Moxico – Centro de Estudos]

mussuco (Kim)
Amblygonocarpus andongensis (Welw. ex Oliv.) Exell & Torre (Fabaceae). R: 60

mussuembia
Tetrapleura tetrapterata (Schumach. & Thonn.) Taub. (Fabaceae). R: 2

musumba (Kim)
Markhamia tomentosa (Benth.) K.Schum. (Bignoniaceae). R: 50 [*Markhamia sessilis* Sprague; Kim], 10
Millettia versicolor Welw. ex Baker (Fabaceae). R: 61

musu (Nd)
Acacia erioloba E.Mey. (Fabaceae). R: 50 [*Acacia giraffae* sensu auct. non Sieber ex Steud. (1840); Xindonga]

musua (Kim)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus angolensis* Büttner; Kim], 2

musua-ua-moxitu (C)
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae). R: 50 [Kioko]

musudi-loli (Kim)
Rothmannia engleriana (K.Schum.) Keay var. *engleriana* (Rubiaceae). R: 50 [*Randia kuhniana* F.Hoffm. & K.Schum.]

musue (fruit) (Kim)
Cassia angolensis Welw. ex Hiern (Fabaceae). R: 50

musuembia
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 57

musuku (Kim)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.]

musumba (Kim)
Millettia versicolor Welw. ex Baker (Fabaceae). R: 50

musumba-sumba (Kim)
Leptoderris nobilis (Welw. ex Baker) Dunn (Fabaceae). R: 50

musungu
Piptadeniastrum africanum (Hook.f.) Brenan (Fabaceae). R: 49 [*Piptadenia africana* Hook.f.; Cazengo], 50 [*Piptadenia africana* Hook.f.; Kim]

musungua (C)
Combretum celastroides Welw. ex M.A.Lawson subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell (Combretaceae). R: 50 [*Combretum laxiflorum* Welw. ex M.A.Lawson; Kioko]

musuno
Rubus pinnatus Willd. (Rosaceae). R: 53 [*Rubus pinnatus* Willd. subsp. *afrotropicus* Engl.]

musute (Kim)
Monotes hypoleucus (Oliv.) Gilg (Dipterocarpaceae). R: 50

mutaco (O)
Entandrophragma ekebergioides (Harms) Sprague (Meliaceae). R: 24 [Cuanhama]

mutadi (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]

muta-katexi (U)
Combretum zeyheri Sond. (Combretaceae). R: 50

mutala-kafele
Millettia drastica Welw. ex Baker (Fabaceae). R: 3 [Cuanza Norte]

mutalale (Nya)
Tricalysia angolensis A.Rich. ex DC. (Rubiaceae). R: 47 [Handa]

mutala-menha
Irvingia grandifolia (Engl.) Engl. (Irvingiaceae). R: 2
Lonchocarpus sericeus (Poir.) Kunth ex DC. (Fabaceae). R: 50 [Kim], 3 [Kim], 57, 62
Millettia drastica Welw. ex Baker (Fabaceae). R: 61
Millettia nudiflora Welw. ex Baker (Fabaceae). R: 50 [Kim], 61
Oxystigma buchholzii Harms (Fabaceae). R: 50 [*Oxystigma mafuta* De Wild.; Kim], 63 [Kim]

mutala-menha-kafele (Kim)
Millettia drastica Welw. ex Baker (Fabaceae). R: 50

mutalatango
Morinda lucida Benth. (Rubiaceae). R: 47

mutala-tete (Kim)
Monotes loandensis Exell (Dipterocarpaceae). R: 50

- mutali (C)**
Treculia africana Decne. ex Trécul (Moraceae). R: 50 [Kioko]
- mutamba**
Grewia cyclopetala Wawra & Peyr. (Tiliaceae). R: 52 [Kim]
Grewia welwitschii Burret (Tiliaceae). R: 50 [Kim]
Plectranthus esculentus N.E.Br. (Lamiaceae). R: 49 [*Coleus esculentus* (N.E.Br.) G.Taylor; Ganguela]
Pogostemon mutamba (Hiern) G.Taylor (Lamiaceae). R: 50 [Ganguela]
- mutambate (Kim)**
Boerhavia diffusa L. (Nyctaginaceae). R: 50
- mutambela**
Datura metel L. (Solanaceae). R: 3 [Dembos]
- mutambote (Nya)**
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum argyrophyllum* Hiern; Lunyaneka]
- mutandu (Nye)**
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 50 [*Annona nana* Exell var. *subsessilifolia* (Engl.) Exell & Mendonça; Ganguela]
- mutanga**
Strychnos pungens Soler. (Strychnaceae). R: 50 [Kioko; Ganguela]
- mutangu**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; Kioko], 58 [Lunda]
- mutangue**
Acanthosicyos naudinianus (Sond.) C.Jeffrey (Cucurbitaceae). R: 50 [*Citrullus colocynthis* sensu auct. non (L.) Schrad. (1838); Lunyaneka]
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 45
- mutangula**
Psydrax mutimushii Bridson subsp. *mutimushii* (Rubiaceae). R: 47
Tricalysia coriacea (Benth.) Hiern subsp. *nyassae* (Hiern) Bridson (Rubiaceae). R: 47
- mutanta (C)**
Uapaca heudelotii Baill. (Euphorbiaceae). R: 50 [Kioko]
- mutapi (C)**
Antiaris toxicaria Lesch. subsp. *welwitschii* (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R: 50 [*Antiaris welwitschii* Engl.; Kioko]
- mutata**
Securidaca longipedunculata Fresen. (Polygalaceae). R: 50 [Ganguela], 3
- mutatanga (Kim)**
Olea capensis L. subsp. *welwitschii* (Knobl.) Friis & P.S.Green (Oleaceae). R: 50 [*Steganthus welwitschii* (Knobl.) Knobl.]
- mutatangu (Kik)**
Chrysophyllum africanum A.DC. (Sapotaceae).
- R: 50
- mutcha**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 58 [Cuando Cubango (Ganguela)], 54 [*Parinari curatellifolia* Planch. ex Benth. subsp. *mobola* (Oliv.) R.A.Graham], 2
- mute-kalandua (Kim)**
Spathodea campanulata P.Beauv. (Bignoniaceae). R: 50
- mutelamo**
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Dembos]
- mutemboandongo (Nye)**
Gladiolus benguellensis Baker (Iridaceae). R: 50 [Ganguela]
- mutendi**
Pteleopsis anisoptera (Welw. ex M.A.Lawson Engl. & Diels (Combretaceae). R: 11
- mutengena-ndua (Kim)**
Spathodea campanulata P.Beauv. (Bignoniaceae). R: 50
- mutengu**
Dialium englerianum Henriq. (Fabaceae). R: 59 [Moxico – Alto Zambeze, Lumbala]
- mutenje-a-njamba (U)**
Guibourtia carrisoana (M.A.Exell) J.Léonard (Fabaceae). R: 50
- mutete**
Brachystegia bakeriana Hutch. & Burtt Davy (Fabaceae). R: 50 [*Brachystegia obliqua* Hutch. & Burtt Davy; Ganguela], 63 [Chitende], 2, 2595
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.; Kioko]
Pterocarpus angolensis DC. (Fabaceae). R: 49 [Malange], 50 [Kim]
- mutheiankala (Nya)**
Rhus leptodictya Diels (Anacardiaceae). R: Teixeira 2810 [Muila]
- mut'honego**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 54, 58 [Bié]
- mut'houngu**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 54 [*Parinari curatellifolia* Planch. ex Benth. subsp. *mobola* (Oliv.) R.A.Graham]
- mut'hotolo**
Craterispermum schweinfurthii Hiern (Rubiaceae). R: 47
- mutiati**
Colophospermum mopane (J.Kirk ex Benth.) J.Léonard (Fabaceae). R: 50 [U], 63, 2
- mutibi**
Dialium englerianum Henriq. (Fabaceae). R: 50 [*Dialium simii* E.Phillips; Ganguela], 59 [Bié – Cuemba]
- mutiracaculucande (Nya)**
Momordica humilis (Hook.f.) C.Jeffrey

- (Cucurbitaceae). R: 45 [*Raphanocarpus welwitschii* Hook.f.; Quipungo]
- mutitinha**
Combretum camporum Engl. (Combretaceae). R: 50 [Kim], 3
- mutivula** (Nya)
Acacia mellifera (Vahl) Benth. subsp. *detinens* (Burch.) Brenan (Fabaceae). R: 50 [*Acacia detinens* Burch.; Lunyaneka]
- mutobua** (Kim)
Isoberlinia angolensis (Welw. ex Benth.) Hoyle & Brenan (Fabaceae). R: 50 [*Berlinia angolensis* Welw. ex Benth.]
- mutoco**
Zantha golungensis Hiern (Sapindaceae). R: 2
- mutoko** (Kim)
Zantha golungensis Hiern (Sapindaceae). R: 50
- mutolo** (Kim)
Memecylon exellii A.Fern. & R.Fern. (Melastomataceae). R: 52
Strychnos henningsii Gilg (Strychnaceae). R: 50 [*Strychnos ligustroides* Gossw. & Mendonça, nom. illeg.], 3
- mutololo**
Craterispermum schweinfurthii Hiern (Rubiaceae). R: 47
- mutomatoma**
Dissotis brazzae Cogn. (Melastomataceae). R: 41
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 1
Sopubia lanata Engl. (Orobanchaceae). R: 50 [Kioko]
- mutoma-toma** (C)
Desmodium velutinum (Willd.) DC. (Fabaceae). R: 50 [*Desmodium lasiocarpum* (P.Beauv.) DC.; Kioko]
- mutombe**
Isoberlinia angolensis (Welw. ex Benth.) Hoyle & Brenan (Fabaceae). R: 50 [*Berlinia angolensis* Welw. ex Benth.; Ganguela]
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [*Berlinia paniculata* Benth.; Kioko]
- mutombexi** (Kim)
Eriosema psoraleoides (Lam.) G.Don (Fabaceae). R: 50
- mutombo** (Kik)
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 50 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.]
- mutona**
Dalbergia nitidula Welw. ex Baker (Fabaceae). R: 50 [*Dalbergia dekindtiana* Harms; Lunyaneka], 3
- mutonde**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]
- mutondo-ua-mushitu**
Pavetta nitidula Welw. ex Hiern (Rubiaceae). R: 47
- mutone**
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [*Berlinia paniculata* Benth.; U], 3
- mutone-tone**
Dissotis sizenandii Cogn. (Melastomataceae). R: 50 [Kim]
Warneckeia sapinii (De Wild.) Jacq.-Fél. (Melastomataceae). R: 50 [*Memecylon angolense* Exell; Ganguela]
- mutonga-tonga** (Kim)
Phytolacca dodecandra L'Hér. (Phytolaccaceae). R: 50, 3
- mutongo**
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [Kioko], 54 [*Parinari pumila* Mildbr.]
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; Kioko], 58 [Moxico], 54 [*Parinari curatellifolia* Planch. ex Benth. subsp. *mobola* (Oliv.) R.A.Graham]
- mutongo-ua-hashi** (Luv)
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.; Luena]
- mutongue**
Guibourtia coleosperma (Benth.) J.Léonard (Fabaceae). R: 59 [Bengo – Icolo, Bengo]
- mutonji** (Kim)
Guibourtia carrissoana (M.A.Exell) J.Léonard (Fabaceae). R: 50
- mutonte**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]
- mutontola** (Nya)
Acacia hebeclada DC. subsp. *tristis* (Welw. ex Oliv.) A.Schreib. (Fabaceae). R: 50 [*Acacia tristis* Welw. ex Oliv.; Lunyaneka]
Acacia sieberiana DC. (Fabaceae). R: 50 [Lunyaneka]
- muton-uton**
Dissotis sizenandii Cogn. var. *sizenandii* (Melastomataceae). R: 41
Dissotis thollonii Cogn. ex Büttner (Melastomataceae). R: 41
- mutotolo**
Craterispermum schweinfurthii Hiern (Rubiaceae). R: 47 [Kioko]
Psychotria gilletii De Wild. (Rubiaceae). R: 47
Tricalysia coriacea (Benth.) Hiern subsp. *nyassae* (Hiern) Bridson (Rubiaceae). R: 47
- mutotoxi** (Nye)
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; Ganguela]
- mutotxi**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 58 [Huila (Ganguelas)]
- mutoxi** (Kim)
Oncoba spinosa Forssk. (Flacourtiaceae). R: 50

- mutuage**
Landolphia parvifolia K.Schum. (Apocynaceae).
R: 59 [Cuando Cubango]
- mutuagi**
Landolphia parvifolia K.Schum. (Apocynaceae).
R: 59 [Cuando Cubango]
- mutuaji** (Nye)
Landolphia parvifolia K.Schum. (Apocynaceae).
R: 50 [Ganguela]
- mutuatua** (Kim)
Vitex madiensis Oliv. subsp. *milanjiensis* (Britten) F.White (Lamiaceae). R: 50 [*Vitex madiensis* Oliv. var. *milanjiensis* (Britten) W.Piep.]
- mutuense** (Kik)
Cassia alata L. (Fabaceae). R: 50
- mutuhu-tuhu** (Nya)
Dombeya burgessiae Gerrard ex Harv. (Sterculiaceae). R: 50 [*Dombeya sparmanniooides* (Hiern) K.Schum.; Lunyaneka]
- mutua-tua** (Kik)
Clappertonia ficifolia Decne. (Tiliaceae). R: 50
- mutúge**
Monodora angolensis Welw. (Annonaceae). R: 57
- mutuje** (Kim)
Celtis africana Burm.f. (Ulmaceae). R: 50 [*Celtis kraussiana* Bernh.; Kim]
Celtis gomphophylla Baker (Ulmaceae). R: 50 [*Celtis durandii* Engl.; Kim]
Pycnanthus angolensis (Welw.) Warb. (Myristicaceae). R: 49 [Cuanza Norte; Kim], 50 [Kim]
- mutule** (Kim)
Harungana madagascariensis Lam. ex Poir. (Hypericaceae). R: 50
- mutumbela** (Kim)
Datura metel L. (Solanaceae). R: 50
- mutumbiriri**
Solanum incanum L. (Solanaceae). R: 59 [Namibe]
- mutunda**
Boscia sp. (Capparaceae). R: 3
- mutundandjembo**
Diplolophium zambesianum Hiern (Apiaceae). R: 3
- mutundo** (C)
Aframomum daniellii (Hook.f.) K.Schum. (Zingiberaceae). R: 50 [Kioko]
- mutundua** (Nye)
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [*Brachystegia hockii* sensu auct. non De Wild. (1913); Ganguela]
- mutundungu** (O)
Burkea africana Hook. (Fabaceae). R: 50 [Xikuhanama]
- mutune**
Harungana madagascariensis Lam. ex Poir. (Hypericaceae). R: 57, 50 [Kim]
Psorospermum febrifugum Spach (Hypericaceae). R: 57, 50 [Kim]
- mutunga**
Strychnos pungens Soler. (Strychnaceae). R: 50
- [Kioko; Ganguela]
- mutunji** (Kim)
Gymnosporia senegalensis (Lam.) Loes. (Celastraceae). R: 50 [*Maytenus senegalensis* (Lam.) Exell]
- mutunu** (Kik)
Harungana madagascariensis Lam. ex Poir. (Hypericaceae). R: 50
- mututhu** (Kim)
Dombeya rotundifolia (Hochst.) Planch. (Sterculiaceae). R: 50 [*Dombeya cuanensis* (Hiern) Welw. ex K.Schum.]
- mututu**
Commiphora angolensis Engl. (Burseraceae). R: 50 [U]
Dombeya burgessiae Gerrard ex Harv. (Sterculiaceae). R: 50 [*Dombeya sparmanniooides* (Hiern) K.Schum.; Kim]
Dombeya quinqueseta (Delile) Exell (Sterculiaceae). R: 50 [Kim]
Dombeya rotundifolia (Hochst.) Planch. (Sterculiaceae). R: 50 [*Dombeya cerasiflora* Exell; Kim]
- mututuia** (Kim)
Boscia urens Welw. ex Oliv. (Capparaceae). R: 50
- mututumba** (Kim)
Boscia urens Welw. ex Oliv. (Capparaceae). R: 50
- mututungu** (Kim)
Securidaca longipedunculata Fresen. (Polygalaceae). R: 50
- mutxa**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 54 [*Parinari curatellifolia* Planch. ex Benth. subsp. *mobola* (Oliv.) R.A.Graham]
- mutyia**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 54 [*Parinari curatellifolia* Planch. ex Benth. subsp. *mobola* (Oliv.) R.A.Graham]
- muva** (O)
Pterocarpus angolensis DC. (Fabaceae). R: 50 [Xikuhanama]
- muvala**
Afzelia quanzensis Welw. (Fabaceae). R: 50 [Ganguela], 2
Monotes caloneurus Gilg (Dipterocarpaceae). R: 50 [U]
Monotes hypoleucus (Oliv.) Gilg (Dipterocarpaceae). R: 50 [U]
- muvambu** (Nye)
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 50 [Ganguela]
- muwangá** (Nye)
Paropsia brazzaeana Baill. (Passifloraceae). R: 50 [Ganguela]
- muwangu** (Nye)
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum gossweileri* De Wild.; Ganguela]

- muvanje** (U)
Afzelia quanzensis Welw. (Fabaceae). R: 50
- muvanke**
Afzelia quanzensis Welw. (Fabaceae). R: 49
 [Caconda]
- muvele**
Tricalysia pallens Hiern (Rubiaceae). R: 47
- muveva**
Terminalia brachystemma Welw. ex Hiern
 (Combretaceae). R: 2
Terminalia sericea Burch. ex DC. (Combretaceae).
 R: 50 [Ganguela]
- muvinbu** (U)
Pterocarpus lucens Lepr. ex Guill. & Perr. subsp.
antunesii (Taub.) Rojo (Fabaceae). R: 50
 [*Pterocarpus antunesii* (Taub.) Harms]
- muviká** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
 [Kioko]
- muvilu** (Kim)
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 50
Adenia lobata (Jacq.) Engl. subsp. *rumpicifolia*
 (Engl. & Harms) Lye (Passifloraceae). R: 3
 [*Adenia rumpicifolia* Engl. & Harms]
- muvinzu-vinzu** (Kim)
Heinsia crinita (Afzel.) G.Taylor subsp. *crinita*
 (Rubiaceae). R: 50 [*Heinsia pulchella* K.Schum.]
- muviu**
Pterocarpus lucens Lepr. ex Guill. & Perr. subsp.
antunesii (Taub.) Rojo (Fabaceae). R: 50
 [*Pterocarpus antunesii* (Taub.) Harms;
 Lunyaneka], 3 [*Pterocarpus antunesii* (Taub.)
 Harms]
- muvomba** (Nye)
Vitex angolensis Gürke (Lamiaceae). R: 50
 [Ganguela]
- muwota** (Kim)
Psorospermum mechowii Engl. (Hypericaceae).
 R: 50
- muvuca**
Marquesia macroura Gilg (Dipterocarpaceae).
 R: 2
- muwuku** (C)
Marquesia macroura Gilg (Dipterocarpaceae). R:
 50 [Kioko]
- muwilu** (Nye)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus angolensis*
 Büttner; *Diplorhynchus psilopus* Welw. ex Ficalho
 & Hiern; Ganguela]
Ozoroa benguellensis (Engl.) R.Fern.
 (Anacardiaceae). R: 50 [*Heeria benguellensis*
 Engl.; Ganguela]
- muwuma**
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
 49 [*Mitragyna macrophylla* Hiern; Dundo,
 Lunda], 50 [*Mitragyna stipulosa* (DC.) Kuntze;
 Kioko], 47
- muwungu**
Englerophytum magalismontanum (Sond.)
- T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum*
argyrophyllum Hiern; Ganguela], 58
[Chrysophyllum gossweileri De Wild.; Moxico,
 Bié]
Kigelia africana (Lam.) Benth. (Bignoniaceae). R:
 50 [*Kigelia pinnata* (Jacq.) DC.; Ganguela]
- muwunguvungu**
Kigelia africana (Lam.) Benth. (Bignoniaceae).
 R: 10
- muwungu-vungu** (Nye)
Kigelia africana (Lam.) Benth. (Bignoniaceae). R:
 50 [*Kigelia pinnata* (Jacq.) DC.; Ganguela]
- muxakanga** (Kim)
Piliostigma thonningii (Schumach.) Milne-Redh.
 (Fabaceae). R: 50
- muwau** (Nye)
Dichapetalum cymosum (Hook.) Engl.
 (Dichapetalaceae). R: 50 [*Dichapetalum*
venenatum Engl. & Gilg; Ganguela]
- muxi**
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 49 [*Copaifera coleosperma* Benth.;
 Lunda], 59 [Lunda Sul – Saurimo], 50 [Kioko], 63
 [Quioco]
- muxibi**
Guibourtia coleosperma (Benth.) J.Léonard
 (Fabaceae). R: 49 [*Copaifera coleosperma* Benth.;
 Cuito-Cuanavale], 50 [U], 63 [U]
- muxibiri** (Kim)
Myrianthus arboreus P.Beauv. (Moraceae). R: 50
- muwidi** (Kim)
Pseudeminia muxiria (Welw. ex Baker) Verdc.
 (Fabaceae). R: 50 [*Eriosema muxiria* Welw. ex
 Baker]
- muwila** (Nya)
Baissea wulffhorstii Schinz (Apocynaceae). R: 50
 [Lunyaneka]
- muwilo** (Kim)
Vitex doniana Sweet (Lamiaceae). R: 52
- muwilexilu** (Kim)
Vitex madiensis Oliv. subsp. *madiensis*
 (Lamiaceae). R: 50 [*Vitex madiensis* Oliv. var.
gossweileri W.Piep.]
- muwilexilu** (Kim)
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex*
cuneata Schumach. & Thonn.]
Vitex madiensis Oliv. (Lamiaceae). R: 50 [*Vitex*
madiensis Oliv. var. *typica* Pieper]
Vitex madiensis Oliv. subsp. *milanjensis* (Britten)
 F.White (Lamiaceae). R: 50 [*Vitex madiensis* Oliv.
 var. *milanjensis* (Britten) W.Piep.]
Vitex mombassae Vatke (Lamiaceae). R: 50
- muwima**
Rhus longipes Engl. (Anacardiaceae). R: 30
 [Malange]
Rhus quartiniana A.Rich. (Anacardiaceae). R: 50
 [*Rhus quartiniana* A.Rich. var. *acutifoliolata*
 (Engl.) Meikle; Kim]
- muwimana**
Canavalia ensiformis (L.) DC. (Fabaceae). R: 49

- Canavalia virosa** (Roxb.) Wight & Arn.
(Fabaceae). R: 49 [*Canavalia gladiata* sensu auct.
non (Jacq.) DC. (1825)]
- muximba**
Corallocarpus bainesii (Hook.f.) A.Meeuse
(Cucurbitaceae). R: 45
- muximina** (Kim)
Canavalia virosa (Roxb.) Wight & Arn.
(Fabaceae). R: 50 [*Canavalia gladiata* sensu auct.
non (Jacq.) DC. (1825)]
- muxinga-nzamba** (Nye)
Xylopia odoratissima Welw. ex Oliv.
(Annonaceae). R: 50 [Ganguela]
- muxinga-xinga** (Nye)
Xylopia odoratissima Welw. ex Oliv.
(Annonaceae). R: 50 [Ganguela]
- muxinji** (Kim)
Berchemia discolor (Klotzsch) Hemsl.
(Rhamnaceae). R: 50
- muxinku**
Ziziphus abyssinica Hochst. ex A.Rich.
(Rhamnaceae). R: 50 [Lunyaneka], 3
- muxipa**
Cordia sinensis Lam. (Boraginaceae). R: 3
- muxiri** (Kim)
Pseudeminia muxiria (Welw. ex Baker) Verdc.
(Fabaceae). R: 50 [*Eriosema muxiria* Welw. ex
Baker]
- muxiria** (Z)
Gyrocarpus americanus Jacq. subsp. *africanus*
Kubitzki (Hernandiaceae). R: 50 [*Gyrocarpus*
asiaticus Willd.; Tjiherero]
- muxiria-sexi** (Kim)
Coffea canephora Pierre ex A.Froehner
(Rubiaceae). R: 50
- muxi-ua-kafe** (Kim)
Coffea canephora Pierre ex A.Froehner
(Rubiaceae). R: 50
- muxi-ua-kimbungu** (Kim)
Salvadora persica L. (Salvadoraceae). R: 50
- muxi-ua-mujinha** (Kim)
Gossypium sp. (Malvaceae). R: 50
- muxi-ua-munono** (Kim)
Ricinus communis L. (Euphorbiaceae). R: 50
- muxi-ua-ndungu**
Capsicum frutescens L. (Solanaceae). R: 49
- muxivi**
Guibourtia coleosperma (Benth.) J.Léonard
(Fabaceae). R: 49 [*Copifera coleosperma* Benth.;
Moxico], 50 [Ganguela], 63 [Ganguela], 59
[Moxico – Luau]
- muxixe**
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
(Combretaceae). R: 11 [Quilengues]
Sterculia setigera Delile (Sterculiaceae). R: 2
- muxixi** (Kim)
Sterculia setigera Delile (Sterculiaceae). R: 50
- muxomuenene**
Mystroxylon aethiopicum (Thunb.) Loes.
- (Celastraceae).** R: 50 [Lunyaneka], 3 [*Cassine*
aethiopica Thunb.]
- muxoro**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- muxoxo** (Kim)
Shirakiopsis elliptica (Hochst.) Esser
(Euphorbiaceae). R: 50 [*Sapium mannanum*
(Müll.Arg.) Benth.]
- muyumba** (Nya)
Baikiaea plurijuga Harms (Fabaceae). R: 50
[Lunyaneka]
- muzakanga** (Kim)
Piliostigma thonningii (Schumach.) Milne-Redh.
(Fabaceae). R: 50
- muzali-ua-mushito**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- muzamba**
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 49, 50 [Kim]
- muzambue** (U)
Cleome gynandra L. (Capparaceae). R: 50
[*Gynandropsis gynandra* (L.) Briq.]
- muzangola** (C)
Harungana madagascariensis Lam. ex Poir.
(Hypericaceae). R: 50 [Kioko]
- muzata** (Kim)
Psorospermum mechowii Engl. (Hypericaceae).
R: 50
- muzaza**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
R: 2
Tricalysia coriacea (Benth.) Hiern subsp. *nyassae*
(Hiern) Bridson (Rubiaceae). R: 47
- muzazu** (Kik)
Balanites wilsoniana Dawe & Sprague var.
mayumbensis (Exell) Sands (Balanitaceae). R: 50
[*Balanites mayumbensis* Exell]
- muzekezeke** (Kim)
Philenoptera pallescens (Welw. ex Baker) Schrire
(Fabaceae). R: 52
- muzela-cuango**
Memecylon flavovirens Baker (Melastomataceae).
R: 41
- muzela-kuangu** (C)
Syzygium cordatum Hochst. ex Krauss
(Myrtaceae). R: 50 [Kioko]
- muzela-poko** (fruit) (Kim)
Markhamia tomentosa (Benth.) K.Schum.
(Bignoniaceae). R: 50 [*Markhamia sessilis*
Sprague]
- muzele** (Nye)
Memecylon flavovirens Baker (Melastomataceae).
R: 50 [Ganguela]
- muzende**
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 50
[Kim], 3 [Malange]
- muzende-zende** (Kik)
Macaranga schweinfurthii Pax (Euphorbiaceae).
R: 50 [*Macaranga rosea* Pax]

muzenze (Kim)
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]

muzeze (Nye)
Burkea africana Hook. (Fabaceae). R: 50
[Ganguela]

muzimba (Kim)
Combretum celastroides Welw. ex M.A.Lawson
subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
(Combretaceae). R: 50 [*Combretum laxiflorum*
Welw. ex M.A.Lawson]

muzondo (Kim)
Pseudospondias microcarpa (A.Rich.) Engl.
(Anacardiaceae). R: 50

muzonzombua (C)
Irvingia smithii Hook.f. (Irvingiaceae). R: 50
[Kioko]

muzua-dila (Kim)
Piper umbellatum L. (Piperaceae). R: 50, 3

muzualaza (Kim)
Rhus longipes Engl. (Anacardiaceae). R: 50

muzubidi (Kim)
Myrianthus arboreus P.Beauv. (Moraceae). R: 50

muzuemba (Kim)
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 50
[Kim], 3 [Cuanza Norte]

muzuembe (Kim)
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 50
[Kim], 3 [Cuanza Norte]

muzuku (Kim)
Amblygonocarpus andongensis (Welw. ex Oliv.)
Exell & Torre (Fabaceae). R: 50
[*Amblygonocarpus obtusangulus* Harms]

muzuma
Maesopsis eminii Engl. (Rhamnaceae). R: 50
[Kim]
Millettia versicolor Welw. ex Baker (Fabaceae).
R: 57, 50 [Kim]

muzungu (Kim)
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 49 [*Piptadenia africana* Hook.f.],
50 [*Piptadenia africana* Hook.f.]

muzunu (Kim)
Rubus pinnatus Willd. (Rosaceae). R: 50

muzunzu (Kik)
Sida rhombifolia L. (Malvaceae). R: 50

mvanza
Pentaclethra macrophylla Benth. (Fabaceae). R:
49 [Maiombe]

mvemba (Kik)
Halopegia azurea (K.Schum.) K.Schum.
(Marantaceae). R: 50

mvete (Kik)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50

mvoji (Kik)
Dictryophleba ochracea (K.Schum. ex Hallier f.)
Pichon (Apocynaceae). R: 50 [*Landolphia*
ochracea K.Schum. ex Hallier f.]

m'vuko
Hallea stipulosa (DC.) J.-F. Leroy (Rubiaceae).

R: 46

mvuku
Hallea stipulosa (DC.) J.-F. Leroy (Rubiaceae). R:
49 [*Mitragyna macrophylla* Hiern; Congo,
Maiombe]

mvuta (Kik)
Trichoscypha acuminata Engl. (Anacardiaceae).
R: 50

m'zinze
Barteria fistulosa Mast. (Passifloraceae). R: 44

N

nabiça (P)
Brassica napus L. (Brassicaceae). R: 49

nabo (P)
Brassica napus L. (Brassicaceae). R: 49

nabo-redondo (P)
Brassica rapa L. (Brassicaceae). R: 49 [*Brassica*
campestris L.]

nachnim (P)
Eleusine coracana (L.) Gaertn. (Poaceae). R: 3

nacolunguanga
Aeschynomene dimidiata Welw. ex Baker subsp.
dimidiata (Fabaceae). R: Teixeira & Andrade
6799

nahunde (U)
Diospyros kirkii Hiern (Ebenaceae). R: 50
[*Diospyros platyphylla* Hiern]

nakalandja
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3

nakalitamba (U)
Myrsine africana L. (Myrsinaceae). R: 52

nakalohumbula
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
[*Emilia sagittata* sensu auct. non (Vahl) DC.
(1838)]

nakalweti
Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 3 [*Cassia mimosoides* L.]

nakambambi
Eragrostis superba Peyr. (Poaceae). R: 3

nakambiambia (U)
Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 49, 50 [*Citrullus vulgaris*
Schrad. ex Eckl. & Zeyh.; Bié; U], 3

nakandjanguluka
Phyllanthus glaucophyllus Sond. (Euphorbiaceae).
R: 3

nakapembe (U)
Ilex mitis Radlk. (Aquifoliaceae). R: 3

nakapesi
Trema orientalis (L.) Blume (Ulmaceae). R: 3

nakokutu (U)
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R:
3 [*Euphorbia candelabrum* Welw. ex Hiern, nom.
illeg.]

nala (Z)
Acanthosicyos horridus Welw. ex Hook.f.

- (Cucurbitaceae). R: 50 [Tjiherero]
- nama** (Kim)
Grewia newtonii Burret (Tiliaceae). R: 50
- namafupo**
Spermacoce dibrachiata Oliv. (Rubiaceae). R: 47
- namalo** (O)
Combretum psidoides Welw. (Combretaceae). R: 50 [Xikuanhama]
- nambula** (Nye)
Uapaca gossweileri Hutch. (Euphorbiaceae). R: 50 [Ganguela]
- nambundi**
Pseudeminia sp. (Fabaceae). R: 3
- namia** (Kik)
Cola lateritia K.Schum. (Sterculiaceae). R: 50
- namukalu** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49 [Kioko]
- namuleke-leke**
Bridelia micrantha (Hochst.) Baill. (Euphorbiaceae). R: 3
- nandongo**
Vernonia sp. (Asteraceae). R: 3
- nangama**
Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R: 49 [*Mitragyna macrophylla* Hiern; Lunda]
- nangongo** (U)
Eriosema psoraleoides (Lam.) G.Don (Fabaceae). R: 50
- nanjanguluka**
Phyllanthus glaucophyllus Sond. (Euphorbiaceae). R: 3
- nara**
Acanthosicyos horridus Welw. ex Hook.f. (Cucurbitaceae). R: 50 [Tjiherero], 45 [Tjiherero; Mucubal]
- natchindjole**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 3
- natutu**
Dombeya rotundifolia (Hochst.) Planch. (Sterculiaceae). R: 13 [*Dombeya cuanzensis* (Hiern) Welw. ex K.Schum.]
- naxenim**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 49 [from Brazil]
- nbi-nfunza** (Kik)
Anthonotha macrophylla P.Beauv. (Fabaceae). R: 50 [*Macrolobium macrophyllum* (P.Beauv.) J.F.Macbr.]
- nbolo**
Maranthes gabunensis (Engl.) Prance (Chrysobalanaceae). R: 50 [*Parinari gabunensis* Engl.; Kik], 54
- nbolongua** (Kik)
Solanum aethiopicum L. (Solanaceae). R: 50 [*Solanum naumannii* Engl.], 3 [*Solanum naumannii* Engl.]
- n-bondo**
Adansonia digitata L. (Bombacaceae). R: 57
- nbumba-ia-iala** (Kim)
Jacquemontia ovalifolia Hallier f. (Convolvulaceae). R: 50
- n'bunze**
Allanblackia staneriana Exell & Mendonça (Clusiaceae). R: *Gossweiler* 8221
- nbunzu-kunzu** (Kim)
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus mallotocarpa* Warb.]
- n-caça-ncumbi**
Carapa procera DC. (Meliaceae). R: 57
- ncassa** (Kik)
Erythrophleum letestui A.Chev. (Fabaceae). R: 63
- n'coba-nhungo** (Kik)
Homalium letestui Pellegr. (Flacourtiaceae). R: 37
- n'coca**
Sacoglottis gabonensis (Baill.) Urb. (Humiriaceae). R: 18
- n'cumá**
Pinacopodium congoense (S.Moore) Exell & Mendonça (Erythroxylaceae). R: 15
- n'cumano**
Coula edulis Baill. (Olacaceae). R: 25
- n'cumunu**
Coula edulis Baill. (Olacaceae). R: 25
- ncuto** (Kik)
Cynometra lujae De Wild. (Fabaceae). R: 63
- ndai** (Kim)
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 50 [*Gardenia jovis-tonantis* (Welw.) Hiern]
- n-day**
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 57 [*Gardenia jovis-tonantis* (Welw.) Hiern]
- ndakala** (U)
Commelina benghalensis L. (Commelinaceae). R: 50
- ndanda**
Cyperus rotundus L. subsp. *rotundus* (Cyperaceae). R: 49 [*Cyperus rotundus* L. var. *elongatus* Boeck.], 50 [*Cyperus rotundus* L. var. *elongatus* Boeck.; Kim]
- ndane** (Kim)
Craterispermum cerianthum Hiern (Rubiaceae). R: 50 [*Craterispermum laurinum* sensu auct. non (DC.) Benth. (1849)]
- ndau** (C)
Cyperus articulatus L. (Cyperaceae). R: 50 [Kioko]
- n'dau**
Markhamia tomentosa (Benth.) K.Schum. (Bignoniaceae). R: 10
- ndemba**
Lippia plicata Baker (Verbenaceae). R: 3 [*Lippia adoensis* Hochst. ex Schauer var. *multicaulis* Hiern; Malange]
- ndembe**
Lippia plicata Baker (Verbenaceae). R: 50 [*Lippia*

- adoensis** Hochst. ex Schauer var. *multicaulis* Hiern; Kim
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 50 [U], 3
- ndende**
Elaeis guineensis Jacq. (Arecaceae). R: 3
- ndende-ia-fumbe** (Kim)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- ndende-ia-fume** (Sa)
Elaeis guineensis Jacq. (Arecaceae). R: 50
 [Quissama]
- ndende-ia-fune**
Elaeis guineensis Jacq. (Arecaceae). R: 49
- ndende-ia-hoho** (Kim)
Elaeis guineensis Jacq. (Arecaceae). R: 49, 50
- ndende-ia-menha** (Kim)
Heterotis decumbens (P.Beauv.) Jacq.-Fél.
 (Melastomataceae). R: 50 [*Dissotis decumbens* Triana]
- ndende-ia-sombo**
Elaeis guineensis Jacq. (Arecaceae). R: 49 [Kim;
 U], 50 [Kim; U]
- ndende-ndlamu** (U)
Sterculia quinqueloba (Garcke) K.Schum.
 (Sterculiaceae). R: 50
- ndendu** (Kim)
Diospyros dendo Welw. ex Hiern (Ebenaceae). R:
 50
Diospyros heterotricha (Welw. ex Hiern) F.White
 (Ebenaceae). R: 50 [*Royena heterotricha* (Welw.
 ex Hiern) B.L.Burtt], 3
- ndendu-ia-ufele** (Kim)
Diospyros heterotricha (Welw. ex Hiern) F.White
 (Ebenaceae). R: 50 [*Royena heterotricha* (Welw.
 ex Hiern) B.L.Burtt]
- ndenga**
Alstonia congensis Engl. (Apocynaceae). R: 50
 [*Alstonia gilletii* De Wild. var. *laurentii* De Wild.;
 Kioko]
Melia azedarach L. (Meliaceae). R: 50 [*Melia*
dubia Cav.; U]
- ndengu** (U)
Cordia millenii Baker (Boraginaceae). R: 50
 [*Cordia chrysocarpa* Baker]
- ndenu**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilopus*
 Welw. ex Ficalho & Hiern; Lunyaneka], 3
- ndete** (Nye)
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr.
 (Rosaceae). R: 50 [Ganguela]
- ndi**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 47
- n'diandon'do**
Chazaliella parviflora (R.D.Good) Verdc.
 (Rubiaceae). R: 46
- ndilangu** (Kim)
Kniphofia benguellensis Welw. ex Baker
- (Asphodelaceae). R: 50 [*Notosceprium*
andongense (Baker) Benth.]
- ndili**
Canarium schweinfurthii Engl. (Burseraceae). R:
 49 [Maiombe], 50 [Kik], 3 [Kik]
- ndilondilon** (Nya)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
 [Lunyaneka]
- ndimbu** (Kik)
Pterocarpus soyauxii Taub. (Fabaceae). R: 50
- ndimi** (Kik)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker]
- ndingu** (Kim)
Setaria welwitschii Rendle (Poaceae). R: 50
- ndjamba**
Rumex abyssinicus Jacq. (Polygonaceae). R: 3
- ndjevaya**
Boscia microphylla Oliv. (Capparaceae). R: 3
- ndola**
Khaya ivorensis A.Chev. (Meliaceae). R: 49
 [Maiombe]
- n'dola**
Khaya ivorensis A.Chev. (Meliaceae). R: 24
- ndolo** (Kim)
Vernonia auriculifera Welw. ex Hiern
 (Asteraceae). R: 50
Vernonia thomsoniana Oliv. & Hiern ex Oliv.
 (Asteraceae). R: 50
- ndondo** (C)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
 50 [*Chlorocodon whitei* Hook.f.; Kioko]
- ndondo-ia-dindu** (U)
Plumbago zeylanica L. (Plumbaginaceae). R: 50
 [U], 3
- ndondo-ia-findia** (Kim)
Oncinotis hirta Oliv. (Apocynaceae). R: 50
- ndondolo** (Kim)
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 50 [*Solanum*
albifolium C.H.Wright]
- ndonga-lundu** (Kim)
Pimpinella huillensis Welw. ex Engl. (Apiaceae).
 R: 50 [*Pimpinella mechowii* (Engl.) H.Wolff;
Pimpinella platyphylla Welw. ex Hiern], 8
 [*Pimpinella platyphylla* Welw. ex Hiern], 3
- ndongaluta** (Kim)
Dolichos dongaluta Baker (Fabaceae). R: 50, 3
- ndongo** (Kim)
Aframomum daniellii (Hook.f.) K.Schum.
 (Zingiberaceae). R: 50
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 50
- ndongo-a-mujor** (C)
Mucuna pruriens (L.) DC. (Fabaceae). R: 50
 [Kioko]
- ndongo-ia-Kongo** (Kim)
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 50, 3

- ndongua-ia-Kongo**
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 3
- ndua (Kim)**
Antiaris toxicaria Lesch. subsp. *welwitschii*
 (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R:
 50 [*Antiaris welwitschii* Engl.]
- nduki**
Ximenia americana L. (Olacaceae). R: 49, 50
 [Kik]
- ndula**
Antiaris toxicaria Lesch. subsp. *welwitschii*
 (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R:
 49 [*Antiaris welwitschii* Engl.; Cuanza Norte]
- ndulu (Kim)**
Antiaris toxicaria Lesch. subsp. *welwitschii*
 (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R:
 50 [*Antiaris welwitschii* Engl.]
- ndumba (U)**
Millettia versicolor Welw. ex Baker (Fabaceae).
 R: 50
- ndumba-ia-maza (C)**
Nymphaea sulphurea Gilg (Nymphaeaceae). R: 50
 [Kioko]
- ndumbu (Nya)**
Sarcostemma viminale (L.) R.Br. (Apocynaceae).
 R: 50 [Lunyaneka], 3 [Lunyaneka]
Scoparia dulcis L. (Scrophulariaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
- ndumbu-a-maza (Kik)**
Nymphaea heudelotii Planch. (Nymphaeaceae).
 R: 50
- ndunda (Kim)**
Ranunculus multifidus Forssk. (Ranunculaceae).
 R: 50 [*Ranunculus pubescens* Thunb.]
- ndundo**
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 49 [*Fagara macrophylla* Engl.;
 Zaire]
- ndunga (Kik)**
Maesopsis eminii Engl. (Rhamnaceae). R: 50
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 50 [*Fagara macrophylla* Engl.]
- ndungo (Kim)**
Capsicum frutescens L. (Solanaceae). R: 49
- ndungo (pl.) (Kim)**
Capsicum frutescens L. (Solanaceae). R: 50, 3
- n'dungo**
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 20 [*Fagara macrophylla* Engl.]
- ndungu (fruit)**
Capsicum frutescens L. (Solanaceae). R: 49
- ndungua-ia-Kongo-iasasama (Kim)**
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 50
- ndungu-ia-kahombo (fruit) (Kim)**
Capsicum frutescens L. (Solanaceae). R: 3
- ndungu-ia-kaleketa (fruit)**
Capsicum frutescens L. (Solanaceae). R: 3
- ndungu-ia-Kongo**
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 50 [Kim], 3
- ndungu-ia-Kongo (seed)**
Aframomum melegueta K.Schum. (Zingiberaceae).
 R: 49
- nebeta**
Tabernaemontana crassa Benth. (Apocynaceae).
 R: 2 [*Conopharyngia thonneri* (Stapf) Stapf]
- necesse**
Pterocarpus soyauxii Taub. (Fabaceae). R: 2
- negulo**
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae).
 R: 46
- negulo**
Sarcocephalus latifolius (Sm.) E.A.Bruce
 (Rubiaceae). R: 2 [*Sarcocephalus esculentus*
 Afzel. ex Sabine]
- negungo**
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 2
- nekaia**
Sonchus bipontini Asch. (Asteraceae). R: 50 [U], 3
- nekaya (U)**
Sonchus bipontini Asch. (Asteraceae). R: 3
- nelonda**
Chazaliella sp. C (Rubiaceae). R: 46
- nelungue-lungue**
Erythrina abyssinica Lam. ex DC. (Fabaceae).
 R: 2
- nenhungo (Kik)**
Homalium longistylum Mast. (Flacourtiaceae). R:
 37 [*Homalium macropterum* Gilg]
- nesenga**
Musanga cecropioides R.Br. (Moraceae). R: 2
- nesinga**
Newtonia buchananii (Baker f.) G.C.C.Gilbert &
 Boutique (Fabaceae). R: 2
- nespereira (P)**
Eriobotrya japonica (Thunb.) Lindl. (Rosaceae).
 R: 2
Mespilus germanica L. (Rosaceae). R: 49
- nespereira-do-Japão (P)**
Eriobotrya japonica (Thunb.) Lindley (Rosaceae).
 R: 49
- netumbi**
Morinda lucida Benth. (Rubiaceae). R: 46
- nevada (P)**
Satureja montana L. (Lamiaceae). R: 49
- nfunzu (Kik)**
Petersianthus macrocarpus (P.Beauv.) Liben
 (Lecythidaceae). R: 50 [*Combretodendron*
africanum Exell]
- nfusa (Kik)**
Anthonotha macrophylla P.Beauv. (Fabaceae). R:
 50 [*Macrolobium macrophyllum* (P.Beauv.)
 J.F.Macbr.]
- ngalakasa (Kim)**
Melanthera scandens (Schumach. & Thonn.)

- Brenan (Asteraceae). R: 50 [*Melanthera brownei* Sch.Bip.]
- ngalzane** (Kim)
Euphorbia espinosa Pax (Euphorbiaceae). R: 50
 [Euphorbia nodosa N.E.Br., nom. illeg.]
- ngamba**
Dioscorea dumetorum (Kunth) Pax
 (Dioscoreaceae). R: 49
- ngambo**
Pericopsis angolensis (Baker) Meeuwen
 (Fabaceae). R: 49 [*Afrormosia angolensis* (Baker) De Wild.; Malange]
- ngambu** (Kim)
Pericopsis angolensis (Baker) Meeuwen
 (Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.]
- ngandeka** (Kik)
Garcinia epunctata Stapf (Clusiaceae). R: 50
 [*Garcinia cereoflava* Engl.]
- ngandiadia** (Kim)
Garcinia mannii Oliv. (Clusiaceae). R: 50, 3
- ngandja** (U)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.]
- nganga**
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 50 [U], 60
- nganga-kambangu** (Kim)
Momordica foetida Schumach. (Cucurbitaceae). R: 50 [*Momordica schimperiana* Naudin]
- nganga-nzau**
Manihot esculenta Crantz (Euphorbiaceae). R: 49
- ngangu** (Kik)
Antrocaryon klaineanum Pierre (Anacardiaceae). R: 50 [*Antrocaryon soyauxii* (Engl.) Engl.]
- nganzi** (Kik)
Ximenia americana L. (Olacaceae). R: 50
- ngasasa** (Kim)
Albizia ferruginea (Guill. & Perr.) Benth. (Fabaceae). R: 50 [*Albizia angolensis* Welw. ex Oliv.]
- ngavaia** (U)
Boscia microphylla Oliv. (Capparaceae). R: 50 [U], 3
- ngazei**
Ximenia americana L. (Olacaceae). R: 49 [Congo]
- ngazuzu** (Kim)
Pteleopsis diptera Engl. & Diels (Combretaceae). R: 50
- n'ghila-cumba**
Poggea gossweileri Exell (Flacourtiaceae). R: Gossweiler 7195
- ngela-kusu** (Kik)
Eriocoelum petiolare Radlk. (Sapindaceae). R: 50
- ngenga-ia-Kongo** (seed)
Aframomum melegueta K.Schum. (Zingiberaceae). R: 49 [Malange]
- ngenha** (Kim)
Dichrostachys cinerea (L.) Wight & Arn. subsp.
- cinerea* (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.], 60 [*Dichrostachys glomerata* (Forssk.) Chiov.]
- ngeve**
Mimosa pudica L. (Fabaceae). R: 3
- n'gilica-ia-muchito**
Ekebergia capensis Sparrm. (Meliaceae). R: 24 [*Ekebergia senegalensis* A.Juss.]
- ngimbe-muxi**
Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 49 [Cazengo], 50 [Kim]
- n'gimo**
Chrysobalanus icaco L. subsp. *icaco* (Chrysobalanaceae). R: 54 [*Chrysobalanus orbicularis* Schumach.]
- ngoa** (C)
Thalia geniculata L. (Marantaceae). R: 50 [Kioko]
- ngofe** (Kim)
Senna occidentalis (L.) Link (Fabaceae). R: 50 [*Cassia occidentalis* L.]
- ngokambinde** (Nye)
Crassocephalum crepidioides (Benth.) S.Moore (Asteraceae). R: 50 [Ganguela]
- ngole** (Kim)
Brachystegia spiciformis Benth. (Fabaceae). R: 49 [*Brachystegia hockii* sensu auct. non De Wild. (1913)], 50 [*Brachystegia hockii* sensu auct. non De Wild. (1913)]
- ngole-muxi** (Kim)
Morinda lucida Benth. (Rubiaceae). R: 50
- n'goluanda**
Pauridiantha callicarpoides (Hiern) Bremek. (Rubiaceae). R: 46
- ngondue**
Gymnosporia senegalensis (Lam.) Loes. (Celastraceae). R: 3 [*Maytenus senegalensis* (Lam.) Exell]
- ngongo**
Antrocaryon klaineanum Pierre (Anacardiaceae). R: 50 [*Antrocaryon soyauxii* (Engl.) Engl.; Kik] *Sclerocarya birrea* (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro (Anacardiaceae). R: 50 [*Sclerocarya* sp.; Lunyaneka; Tjiherero], 3 [*Sclerocarya* sp.]
- ngongombe** (Kik)
Memecylon laurentii De Wild. (Melastomataceae). R: 50 [*Memecylon mayumbense* Exell]
- ngongono** (Kim)
Carissa spinarum L. (Apocynaceae). R: 3 [*Carissa edulis* (Forssk.) Vahl]
- ngongono** (fruit) (Kim)
Carissa spinarum L. (Apocynaceae). R: 50 [*Carissa edulis* (Forssk.) Vahl], 3 [*Carissa edulis* (Forssk.) Vahl]
- n'gongoure**
Morinda lucida Benth. (Rubiaceae). R: 46
- ngongouve**
Morinda lucida Benth. (Rubiaceae). R: 50 [Kik, U]

- ngonguela** (U)
Commiphora mollis (Oliv.) Engl. (Burseraceae).
R: 50
- ngonjila** (U)
Lannea ambacensis (Hiern) Engl.
(Anacardiaceae). R: 50 [U], 3
- ngore** (fruit)
Ongokea gore (Hua) Pierre (Olacaceae). R: 50
[from DRC]
- nguba-ia-mbole** (Kim)
Desmodium ramosissimum G.Don (Fabaceae).
R: 50
- nguenga-ia-mukao** (Kim)
Aframomum alboviolaceum (Ridl.) K.Schum.
(Zingiberaceae). R: 50
- nguengue** (Kim)
Spondias mombin L. (Anacardiaceae). R: 3
- nguenjixi** (Kim)
Pteleopsis diptera Engl. & Diels (Combretaceae).
R: 50
- n'gui**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 47
- nguila**
Sesamum indicum L. (Pedaliaceae). R: 50
- nguimba** (Kim)
Trichilia welwitschii C.DC. (Meliaceae). R: 50
- ngula** (Kik)
Pterocarpus soyauxii Taub. (Fabaceae). R: 50
- n'gulo**
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae).
R: 46
- ngulu**
Nauclea vanderguchtii (De Wild.) E.M.A. Petit
(Rubiaceae). R: 46
Sarcocephalus latifolius (Sm.) E.A.Bruce
(Rubiaceae). R: 50 [*Nauclea latifolia* Sm.; Kik]
- ngulu-maza** (Kik)
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae).
R: 50
- ngulu-muaza**
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae).
R: 49 [*Sarcocephalus diderrichii* De Wild.; Baixo
Maiombe]
- ngulungo**
Zanthoxylum gilletii (De Wild.) P.G.Waterman
(Rutaceae). R: 49 [*Fagara macrophylla* Engl.;
Dembos, Quibaxi]
- ngulungu** (Kim)
Zanthoxylum gilletii (De Wild.) P.G.Waterman
(Rutaceae). R: 50 [*Fagara macrophylla* Engl.]
- ngunda**
Dioscorea bulbifera L. (Dioscoreaceae). R: 49
[Dembos], 50 [Kim]
- ngunda-kixima**
Dioscorea bulbifera L. (Dioscoreaceae). R: 49
[Cazengo, Congo], 50 [Kim]
- n'gundo** (Kim)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 63
- ngungo**
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 49 [Malange]
- ngungu** (Kim)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50
- ngungulakunga** (U)
Diospyros heterotricha (Welw. ex Hiern) F.White
(Ebenaceae). R: 50 [*Royena heterotricha* (Welw.
ex Hiern) B.L.Burtt]
- ngunho**
Reissantia indica (Willd.) N.Hallé var.
loeseneriana (Hutch. & M.B.Moss) N.Hallé
(Celastraceae). R: 26 [*Hippocratea loeseneriana*
Hutch. & M.B.Moss; Cuanza Norte]
- ngunhu** (Kim)
Reissantia indica (Willd.) N.Hallé var.
loeseneriana (Hutch. & M.B.Moss) N.Hallé
(Celastraceae). R: 50 [*Hippocratea loeseneriana*
Hutch. & M.B.Moss]
- ngunza** (Kik)
Alchornea cordifolia (Schumach. & Thonn.)
Müll.Arg. (Euphorbiaceae). R: 50
- ngususu** (Kim)
Hymenocardia ulmoides Oliv. (Euphorbiaceae).
R: 50
- nguva**
Dioscorea bulbifera L. (Dioscoreaceae). R: 49
[Cazengo, Congo]
- nguvo** (Kim)
Dioscorea bulbifera L. (Dioscoreaceae). R: 50
- nhara**
Acanthosicyos horridus Welw. ex Hook.f.
(Cucurbitaceae). R: 45 [Mucubal]
- nhati**
Cissampelos mucronata A.Rich.
(Menispermaceae). R: 3
- nhenza** (Kik)
Pteleopsis diptera Engl. & Diels (Combretaceae).
R: 50
- nhienge**
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 60 [Amboim]
- nhiengo**
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 2
- nhoka-nhoka** (Kik)
Senna occidentalis (L.) Link (Fabaceae). R: 50
[*Cassia occidentalis* L.]
- n'honzo**
Allanblackia stameriana Exell & Mendonça
(Clusiaceae). R: 2
- nhululo**
Otomeria elatior (A.Rich. ex DC.) Verdc.
(Rubiaceae). R: 47
- nhundu** (U)
Tinnea eriocalyx Welw. (Lamiaceae). R: 52
- niande**
Diospyros mespiliformis Hochst. ex A.DC.
(Ebenaceae). R: 49 [Caitou, Quilengues]

- niengu** (U)
Piptadeniastrum africanum (Hook.f.) Brenan
 (Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]
- nima** (Kik)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker]
- ninghi**
Fadogia cienkowskii Schweinf. var. *cienkowskii*
 (Rubiaceae). R: 3
- ninghi** (sing.) (Nya)
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 50
 [Lunyaneka]
- ningi**
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 3
- niniungo**
Cucumis melo L. (Cucurbitaceae). R: 45
- ninua** (Kik)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker]
- niuka** (Kik)
Sacoglottis gabonensis (Baill.) Urb.
 (Humiriaceae). R: 50
- njala-lanji** (U)
Blighia unijugata Baker (Sapindaceae). R: 50
- njamba**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.; Tjiherero]
Rumex abyssinicus Jacq. (Polygonaceae). R: 50
 [U], 3
- njandola**
Aloe zebrina Baker (Asphodelaceae). R: 3
- njavaia** (U)
Boscia microphylla Oliv. (Capparaceae). R: 50
- njeba** (Kik)
Homalium viridiflorum Exell (Flacourtiaceae).
 R: 50
- njebele** (Kik)
Hymenocardia ulmoides Oliv. (Euphorbiaceae).
 R: 50
- njembe** (Kik)
Strychnos aculeata Soler. (Strychnaceae). R: 50
- njesa** (U)
Parinari sp. (Chrysobalanaceae). R: 50
- njevaia**
Boscia microphylla Oliv. (Capparaceae). R: 3
- njibidi** (Kim)
Zingiber officinale Roscoe (Zingiberaceae). R: 50
- njihefo**
Piper guineense Schumach. & Thonn.
 (Piperaceae). R: 3
- njiheso**
Piper guineense Schumach. & Thonn.
 (Piperaceae). R: 3
- njiki** (Kim)
Diospyros natalensis (Harv.) Brenan (Ebenaceae).
 R: 3
- njila**
Sesamum indicum L. (Pedaliaceae). R: 50 [Kim]
- Solanum incanum** L. (Solanaceae). R: 50 [Kioko],
 59 [Lunda Norte]
- njila-andundo** (Kim)
Datura metel L. (Solanaceae). R: 3
- njilabe** (U)
Garcinia livingstonei T.Anderson (Clusiaceae). R:
 50 [*Garcinia angolensis* Vesque]
- njila-ndundu** (Kim)
Datura metel L. (Solanaceae). R: 50
Solanum incanum L. (Solanaceae). R: 50 [*Solanum panduriforme* E.Mey. ex Dunal]
- njila-nkunzu** (Kik)
Trichilia prieureana A.Juss. (Meliaceae). R: 50
- njilasonde**
Pterocarpus angolensis DC. (Fabaceae). R: 49
 [Pungo Andongo]
Pterocarpus angolensis DC. (Fabaceae). R: 50
 [Ganguela]
- njila-sonde**
Pterocarpus angolensis DC. (Fabaceae). R: 50
 [Kim], 3
- njilavaiu**
Lepisanthes senegalensis (Juss. ex Poir.) Leenh.
 (Sapindaceae). R: 50 [*Aphania senegalensis* (Juss.
 ex Poir.) Radlk.; U], 3 [*Aphania senegalensis*
 (Juss. ex Poir.) Radlk.]
- njile**
Tiliacora chrysobotrya Welw. ex Ficalho
 (Menispermaceae). R: 50 [Kim], 3 [Cuanza Norte,
 Golungo Alto]
- njilema** (U)
Commiphora angolensis Engl. (Burseraceae).
 R: 50
- njiliika** (Kim)
Ocimum basilicum L. (Lamiaceae). R: 50, 3
- njilo** (Kim)
Solanum incanum L. (Solanaceae). R: 50
- njilu**
Rothmannia urcelliformis (Hiern) Bullock ex
 Robyns (Rubiaceae). R: 50 [Kim]
Solanum aethiopicum L. (Solanaceae). R: 50
 [*Solanum naumannii* Engl.; Kik], 3 [*Solanum*
naumannii Engl.; Kik]
Solanum incanum L. (Solanaceae). R: 59 [Cuanza
 Norte]
- njilue** (C)
Tetracera poggei Gilg (Dilleniaceae). R: 50
 [*Tetracera marquesii* Gilg; Kioko]
- njimba** (Kik)
Combretum celastroides Welw. ex M.A.Lawson
 subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
 (Combretaceae). R: 50 [*Combretum laxiflorum*
 Welw. ex M.A.Lawson]
- njimba-muxi** (Kim)
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 50
- njimbandu** (Kim)
Portulaca oleracea L. (Portulacaceae). R: 3
- njimbandu** (pl.) (Kim)
Nymphaea lotus L. (Nymphaeaceae). R: 50

- njimo**
Chrysobalanus icaco L. subsp. *icaco*
 (Chrysobalanaceae). R: 58 [*Chrysobalanus orbicularis* Schumach.; Luanda]
- njimu** (Kim)
Chrysobalanus icaco L. subsp. *icaco*
 (Chrysobalanaceae). R: 50 [*Chrysobalanus orbicularis* Schumach.]
- njinde** (Kim)
Chasmanthera welwitschii Troupin
 (Menispermaceae). R: 50
- njingenge** (fruit) (Kim)
Spondias mombin L. (Anacardiaceae). R: 3
- njingongono** (Kim)
Carissa spinarum L. (Apocynaceae). R: 3 [*Carissa edulis* (Forssk.) Vahl]
- njinje** (Kim)
Cyperus alternifolius L. subsp. *flabelliformis* Kük.
 (Cyperaceae). R: 50 [*Cyperus flabelliformis* Rottb., nom. illeg.]
- njinji** (U)
Waltheria indica L. (Sterculiaceae). R: 50
- njinjimba** (C)
Millettia duchesnei De Wild. (Fabaceae). R: 50
 [Kioko]
- njipepe** (pl.) (Kim)
Monodora myristica (Gaertn.) Dunal
 (Annonaceae). R: 3
- njipepe-ia-songo** (Kim)
Monodora angolensis Welw. (Annonaceae). R: 3
- nkala** (Kik)
Macaranga spinosa Müll.Arg. (Euphorbiaceae).
 R: 50
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
 R: 50
- nkala-kindundu** (Kik)
Macaranga poggei Pax (Euphorbiaceae). R: 50
 [*Macaranga gilletii* De Wild.]
- nkala-nkala** (Kik)
Dacryodes pubescens (Vermoesen) H.J.Lam
 (Burseraceae). R: 50 [*Pachylobus pubescens* Vermoesen]
- nkamba**
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R:
 49 [*Chlorophora excelsa* (Welw.) Benth. &
 Hook.f.; Baixo Maiombe]
- nkana** (Kik)
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
 R: 50
- nkanda-mbaku** (Kik)
Raphia rostrata Burret (Arecaceae). R: 50
- nkasa**
Albizia ferruginea (Guill. & Perr.) Benth.
 (Fabaceae). R: 49 [*Albizia angolensis* Welw. ex Oliv.; Buco Zau, Maiombe]
- nkasa-kasa** (Kik)
Albizia ferruginea (Guill. & Perr.) Benth.
 (Fabaceae). R: 50 [*Albizia angolensis* Welw. ex Oliv.]
- nkasa-nkola** (Kik)
Cola ballayi Cornu ex Heckel (Sterculiaceae).
 R: 50
- nkasa-nkumbi** (Kik)
Cola acuminata (P.Beauv.) Schott & Endl.
 (Sterculiaceae). R: 50
- nkaso** (Kik)
Cola ballayi Cornu ex Heckel (Sterculiaceae).
 R: 50
- nkassa**
Erythrophleum letestui A.Chev. (Fabaceae). R: 49
 [Baixo Maiombe]
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- nkau**
Cyperus esculentus L. (Cyperaceae). R: 50 [Kik]
Cyperus usitatus Burch. ex Roem. & Schult.
 (Cyperaceae). R: 49 [*Cyperus edulis* Dinter]
- nkaza** (Kik)
Erythrophleum letestui A.Chev. (Fabaceae). R: 50
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- nkia** (Kik)
Parinari capensis Harv. (Chrysobalanaceae).
 R: 50
- nkika** (Kik)
Tetrapleura tetraptera (Schumach. & Thonn.)
 Taub. (Fabaceae). R: 50
- nkiel-a-nkiela** (Kik)
Megaphrynium macrostachyum (K.Schum.)
 Milne-Redh. (Marantaceae). R: 50
 [*Sarcophrynum macrostachyum* (K.Schum.)
 K.Schum.]
- nkimbunke**
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 49 [Huíla]
- nkitumbi** (Kik)
Thaumatococcus daniellii (Benn.) Benth. var.
daniellii (Marantaceae). R: 50
- nkoka** (Kik)
Baphia gossweileri Baker f. (Fabaceae). R: 50
- nkoko** (Kim)
Gnetum africanum Welw. (Gnetaceae). R: 50
- nkokongu**
Afzelia pachyloba Harms (Fabaceae). R: 49
 [*Afzelia zenkeri* Harms]
- nkolo** (Kim)
Rothmannia urcelliformis (Hiern) Bullock ex Robyns (Rubiaceae). R: 50
- nkolokoso** (Kik)
Urena lobata L. (Malvaceae). R: 50
- nkome** (Kik)
Diogoa zenkeri (Engl.) Exell & Mendonça
 (Olaceaceae). R: 50
- nkonkonsi** (Kik)
Picralima nitida (Stapf) T.Durand & H.Durand
 (Apocynaceae). R: 50
- nkonkoto** (Kik)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
 [*Voandzeia subterranea* (L.) DC.]
- nkua** (Kik)
Annona senegalensis Pers. (Annonaceae).

- R: 50 [*Annona arenaria* Thonn.]
- nkua-kia-mputu** (Kik)
Ipomoea batatas (L.) Lam. (Convolvulaceae).
R: 50
- nkua-konde** (Kik)
Ipomoea batatas (L.) Lam. (Convolvulaceae).
R: 50
- nkula**
Pterocarpus soyauxii Taub. (Fabaceae). R: 50
[Kik]
Pterocarpus tinctorius Welw. (Fabaceae). R: 49
[Pterocarpus cabrae De Wild.; Maiombe], 50
[Pterocarpus cabrae De Wild.; Kim]
Xylopia aethiopica (Dunal) A.Rich. (Annonaceae).
R: 50 [Kik]
- nkuma**
Irvingia robur Mildbr. (Irvingiaceae). R: 49
[Baixo Maiombe], 50 [Kik]
- nkuma-kuma** (Kik)
Klainedoxa gabonensis Pierre ex Engl.
(Irvingiaceae). R: 50
- nkurkuma**
Klainedoxa gabonensis Pierre ex Engl.
(Irvingiaceae). R: 49 [Maiombe]
- nkutu**
Cynometra lujae De Wild. (Fabaceae). R: 50 [Kik]
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R:
50 [Kik], 3 [*Euphorbia candelabrum* Welw. ex
Hiern, nom. illeg.; Kik; Kim]
Hydnora africana Thunb. (Hydnoraceae). R: 50
[*Hydnora longicollis* Welw.; Kik]
- nlenze** (Kik)
Eremospatha cuspidata (G.Mann & H.Wendl.)
H.Wendl. (Arecaceae). R: 50
- nlese** (Kik)
Eremospatha sp. (Arecaceae). R: 50
- nlombo** (Kik)
Landolphia foretiana (Pierre ex Jum.) Pichon
(Apocynaceae). R: 50 [*Carpodinus rufinervis*
Pierre ex Stapf]
- n'londa**
Chazaliella sp. A (Rubiaceae). R: 46
- n'molle** (C)
Adenia cissampeloides (Planch. ex Hook.) Harms
(Passifloraceae). R: 44 [*Adenia reticulata* (De
Wild. & T.Durand) Engl.; Quioco]
- noba** (U)
Shirakiopsis elliptica (Hochst.) Esser
(Euphorbiaceae). R: 50 [*Sapium mannianum*
(Müll.Arg.) Benth.]
- nocha**
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 57 [*Parinari mobola*
Oliv.]
- nocha** (fruit)
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 54 [*Parinari curatellifolia*
Planch. ex Benth. subsp. *mobola* (Oliv.)
R.A.Graham]
- nofe** (Nya)
Cucumis anguria L. (Cucurbitaceae). R: 45
[Muhumbe]
- nogueira-vulgar** (P)
Juglans regia L. (Juglandaceae). R: 49
- nohombo**
Syzygium guineense (Willd.) DC. subsp. *huillense*
(Hiern) F.White (Myrtaceae). R: 1 [*Syzygium*
huillense (Hiern) Engl.]
- nomatoto** (C)
Manihot esculenta Crantz (Euphorbiaceae). R: 49
[Kioko]
- nona** (P)
Annona reticulata L. (Annonaceae). R: 49
- nondilodilo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- no'ndilo-ndilo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- nondilondilon** (Nya)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
[Lunyaneka]
- nondirondiro**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
[Muchilengue Muso]
- nongo**
Eriosema filipendulum Welw. ex Baker var.
prostratum Torre (Fabaceae). R: Teixeira 2960
[Muila], Correia 1479
- nongolo**
Celtis sp. (Ulmaceae). R: 3
- nopal** (P)
Opuntia ficus-indica (L.) Mill. (Cactaceae). R: 3
[*Opuntia vulgaris* Mill.]
- noxá**
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 57 [*Parinari mobola*
Oliv.], 49 [*Parinari mobola* Oliv.; Huíla], 50
[*Parinari mobola* Oliv.; Kim], 58 [Malange]
- noz-de-bonduque** (P)
Caesalpinia bonduc (L.) Roxb. (Fabaceae). R: 49
[*Caesalpinia crista* L.]
- noz-moscada** (P)
Myristica fragrans L. (Myristicaceae). R: 49
- n-panda**
Brachystegia spiciformis Benth. (Fabaceae). R: 57
- n'posa** (Kik)
Berlinia viridicans Baker f. (Fabaceae). R: 63;
Gossweiler 7797
- nquiaca** (Kik)
Tetrapleura tetraptera (Schumach. & Thonn.)
Taub. (Fabaceae). R: 60
- nquilili** (Kim)
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus*
mallotocarpa Warb.]
- n'saca**
Cogniauxia podolaena Baill. (Cucurbitaceae).
R: 45
- nsaji** (Kim)
Pilea angolensis (Hiern) Rendle (Urticaceae).
R: 50

- nsaka** (Kik)
Cogniauxia podolaena Baill. (Cucurbitaceae). R: 50 [*Cogniauxia cordifolia* Cogn.]
- nsala**
Olinia rochetiana A.Juss. (Oliniaceae). R: 49
[*Omphalocarpum anocentrum* Pierre ex Engl.;
Belize]
Omphalocarpum elatum Miers (Sapotaceae). R: 49
[Buco Zau]
Omphalocarpum lecomteanum Pierre ex Engl.
(Sapotaceae). R: 49 [Buco Zau], 50 [Kik]
- nsamba**
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 50 [U], 3
- nsambe** (Kim)
Cyperus mapanioides C.B.Clarke (Cyperaceae). R: 50 [*Cyperus dichromeniformis* Kunth var. *major* Boeck.]
- nsamu** (Kik)
Pentaclethra eetveldeana De Wild. & T.Durand
(Fabaceae). R: 50
- nsanda**
Ficus thonningii Blume (Moraceae). R: 49
Musanga cecropioides R.Br. (Moraceae). R: 50
[Kik]
- nsanga-saganafinda** (Kim)
Piliostigma thonningii (Schumach.) Milne-Redh.
(Fabaceae). R: 50
- nsanguila** (Kik)
Anthostema aubryananum Baill. (Euphorbiaceae). R: 50
- nsanu** (Kik)
Ongokea gore (Hua) Pierre (Olacaceae). R: 50
- nsasa** (Kik)
Synsepalum brevipes (Baker) T.D.Penn.
(Sapotaceae). R: 50 [*Pachystela brevipes* (Baker)
Baill.]
- n'sassa**
Bertiera racemosa (G.Don) K.Schum. var.
elephantina N.Hallé (Rubiaceae). R: 46
- nsokenhe** (Kik)
Trilepidium madagascariense DC. (Moraceae). R: 50
[*Bosquiea angolensis* Ficalho]
- nsenga** (Kik)
Musanga cecropioides R.Br. (Moraceae). R: 50
- nsengue-nsengue** (Kik)
Trema orientalis (L.) Blume (Ulmaceae). R: 50
[*Trema guineense* (Schumach. & Thonn.) Ficalho]
- nsese** (Kik)
Pterocarpus soyauxii Taub. (Fabaceae). R: 50
- nsesse**
Pterocarpus soyauxii Taub. (Fabaceae). R: 49
[Buco Zau]
- nsiba** (Kik)
Musa acuminata Colla (Musaceae). R: 50 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- nsika** (Kik)
Aframomum sp. (Zingiberaceae). R: 50
- nsilu** (Kim)
Combretum celastroides Welw. ex M.A.Lawson
- subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
(Combretaceae). R: 50 [*Combretum laxiflorum*
Welw. ex M.A.Lawson]
- nsimana**
Canavalia ensiformis (L.) DC. (Fabaceae). R: 49
- nsimange**
Canavalia ensiformis (L.) DC. (Fabaceae). R: 49
- nsimbikale** (Kik)
Quassia africana (Baill.) Baill. (Simaroubaceae). R: 50, 3
- nsimbikale** (U)
Quassia africana (Baill.) Baill. (Simaroubaceae). R: 3
- nsinga** (Kik)
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]
- nsinga-nsinga** (Kik)
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.]
- nsinza** (Kik)
Barteria nigritana Hook.f. (Passifloraceae). R: 50, 44
- nsoko** (Kik)
Macaranga staudtii Pax (Euphorbiaceae). R: 50
- nsongo** (Kik)
Rottboellia cochinchinensis (Lour.) Clayton
(Poaceae). R: 50 [*Rottboellia exaltata* L.f.]
- nsoxi** (Kim)
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 50
- nsubi** (Kim)
Marantochloa cuspidata (Roscoe) Milne-Redh.
(Marantaceae). R: 50 [*Marantochloa flexuosa*
(Benth.) Hutch.]
- nsumba** (Kim)
Markhamia tomentosa (Benth.) K.Schum.
(Bignoniaceae). R: 50 [*Markhamia sessilis*
Sprague]
- nsusembe** (Kik)
Hypselodelphys violacea (Ridl.) Milne-Redh.
(Marantaceae). R: 50 [*Trachyphrynum violaceum*
Ridl.]
- ntadi-ntadi** (Kik)
Irvingia smithii Hook.f. (Irvingiaceae). R: 50
- ntambeje** (Kim)
Eriosema psoraleoides (Lam.) G.Don (Fabaceae). R: 50
- ntanda-sende** (Kik)
Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
ex Eckl. & Zeyh.]
- ntanga-dia-zende** (Kik)
Cucumis anguria L. ? (Cucurbitaceae). R: 50
[*Cucumis ficifolius* sensu auct. non A.Rich.
(1847)]
- ntangu**
Vernonia auriculifera Welw. ex Hiern
(Asteraceae). R: 50 [U], 3
- ntatchambula**
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3

- nteba** (Kim)
Hyphaene guineensis Schumach. & Thonn.
 (Arecaceae). R: 50 [*Hyphaene luandensis* Gosswe.,
nom. nud.]
- n'teta** (Kik)
Psydrax palma (K.Schum.) Bridson (Rubiaceae).
 R: 46
- ntete** (Kik)
Phragmites mauritianus Kunth (Poaceae). R: 50
- n'tete**
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr. var.
angolensis (Weim.) Brenan (Rosaceae). R: 53
- ntete-a-mbono** (fruit) (Kik)
Ricinus communis L. (Euphorbiaceae). R: 50
- nteter** (Kik)
Cogniauxia podolaena Baill. (Cucurbitaceae). R:
 50 [*Cogniauxia cordifolia* Cogn.]
- nteva** (Kik)
Hyphaene guineensis Schumach. & Thonn.
 (Arecaceae). R: 50
- n'tiete**
Maranthes glabra (Oliv.) Prance
 (Chrysobalanaceae). R: 54 [*Maranthes glabra*
 (Oliv.) Prance var. *gilletii* (De Wild.) Mendes]
- ntole** (Kim)
Cyperus nutans Vahl (Cyperaceae). R: 50
- ntombe** (Kik)
Raphia matombe De Wild. (Arecaceae). R: 50
 [*Raphia gossweileri* Burret]
- ntombe-ia-Kongo** (Kik)
Raphia hookeri G.Mann & H.Wendl. (Arecaceae).
 R: 50 [*Raphia maxima* Pechuël-Loesche]
- ntombo** (Kik)
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R:
 50 [*Santiriopsis trimera* (Oliv.) Guillaumin ex
 Engl.]
- ntongo** (Kim)
Kniphofia benguellensis Welw. ex Baker
 (Asphodelaceae). R: 50 [*Notosceptrum*
andongense (Baker) Benth.]
- ntove** (Kik)
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.]
- ntuba** (Kik)
Musa x paradisiaca L. (Musaceae). R: 49 [*Musa*
sapientum L. var. *paradisiaca* L.], 50
- ntulu** (Kik)
Antiaris toxicaria Lesch. subsp. *welwitschii*
 (Engl.) C.C.Berg var. *welwitschii* (Moraceae). R:
 50 [*Antiaris welwitschii* Engl.]
- ntumba** (Kik)
Xylopia rubescens Oliv. (Annonaceae). R: 50
 [*Xylopia gossweileri* Exell]
- n'tumbi**
Morinda lucida Benth. (Rubiaceae). R: 46
- ntutu** (Kik)
Monodora angolensis Welw. (Annonaceae). R: 50

- nuana**
Baphia massaiensis Taub. subsp. *ovata* (Schinz)
 Brummitt var. *whitei* (Brummitt) Soladoye
 (Fabaceae). R: 62 [*Baphia whitei* Brummitt]
- nuahae** (Nya)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
 (Proteaceae). R: 50 [*Faurea speciosa* Welw.;
 Lunyaneka]
- numulu**
Solanum incanum L. (Solanaceae). R: 59
 [Benguela – Balabaia]
- numbi**
Cola brevipes K.Schum. (Sterculiaceae). R: 13
 [*Cola numbi* Exell], 50 [*Cola numbi* Exell; Kik]
- nundo**
Brachystegia floribunda Benth. (Fabaceae). R: 63
 [Benguela]
- nundu** (Kik)
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 50
- nvava** (Kik)
Treculia obovoidea N.E.Br. (Moraceae). R: 50
 [*Treculia brieyi* De Wild.]
- nvazo** (Kik)
Maprounea membranacea Pax & K.Hoffm.
 (Euphorbiaceae). R: 50
- nvuluka** (Kik)
Jatropha curcas L. (Euphorbiaceae). R: 50
- n'xibua**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 45
- nxilika**
Ocimum basilicum L. (Lamiaceae). R: 50 [Kim], 3
- ynya-ia-finda** (Kim)
Morinda morindoides (Baker) Milne-Redh.
 (Rubiaceae). R: 50 [*Morinda confusa* Hutch.]
- nyulu-maza** (Kik)
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae).
 R: 50
- nzanga-nzanga** (Kik)
Ricinodendron heudelotii (Baill.) Heckel subsp.
africanum (Müll.Arg.) J.Léonard (Euphorbiaceae).
 R: 50 [*Ricinodendron africanum* Müll.Arg.]
- nzanzi** (pl.) (Kim)
Pilea angolensis (Hiern) Rendle (Urticaceae).
 R: 50
- n'zano** (Kik)
Pentaclethra eetveldeana De Wild. & T.Durand
 (Fabaceae). R: 60
- nzanu** (Kik)
Pentaclethra eetveldeana De Wild. & T.Durand
 (Fabaceae). R: 50
- nzau** (Kik)
Homalium stipulaceum Welw. ex Mast.
 (Flacourtiaceae). R: 50, 37
- nzembe**
Strychnos aculeata Soler. (Strychnaceae). R: 50
 [Kik, Lunyaneka], 3 [Lunyaneka]
- nzenza** (Kim)
Marsdenia angolensis N.E.Br. (Apocynaceae).

R: 50
nzenze (Kim)
 Crotalaria ochroleuca G.Don (Fabaceae). R: 50
 [*Crotalaria intermedia* sensu auct. non Kotschy (1865)]
nzila-nkumbi (Kik)
 Poggea gossweileri Exell (Flacourtiaceae). R: 50
nzilu (Kik)
 Solanum aethiopicum L. (Solanaceae). R: 50
 [*Solanum naumannii* Engl.], 3 [*Solanum naumannii* Engl.]
nzinzimbe (Kik)
 Hypselodelphys violacea (Ridl.) Milne-Redh. (Marantaceae). R: 50 [*Trachyphrynum violaceum* Ridl.]
nzizi (Kik)
 Tricholaena monachne (Trin.) Stapf & C.E.Hubb. (Poaceae). R: 50 [*Tricholaena delicatula* Stapf & C.E.Hubb.]
nzonge (Kim)
 Dichrostachys cinerea (L.) Wight & Arn. subsp. *platycarpa* (Welw. ex W.Bull) Brenan & Brummitt (Fabaceae). R: 50 [*Dichrostachys platycarpa* Welw. ex W.Bull]
n'zuaia
 Combretum paniculatum Vent. (Combretaceae). R: 11
nzuanza (Kim)
 Oldfieldia dactylophylla (Welw. ex Oliv.) J.Léonard (Euphorbiaceae). R: 50 [*Paivaeusa dactylophylla* Welw. ex Oliv.]
nzunzu (Kim)
 Sida rhombifolia L. (Malvaceae). R: 50 [Kim]
 Sida rigida (G.Don) D.Dietr. (Malvaceae). R: 50 [Kim], 3 [Kim; U]

O

oanda (Kik)
 Cajanus cajan (L.) Millsp. (Fabaceae). R: 50
obando
 Psychotria eminiana (Kuntze) E.M.A.Petit var. *eminiana* (Rubiaceae). R: 47
objaku (Nye)
 Amblygonocarpus andongensis (Welw. ex Oliv.) Exell & Torre (Fabaceae). R: 50
 [*Amblygonocarpus obtusangulus* Harms; Ganguela]
obitinga (Nye)
 Raphionacme utilis N.E.Br. & Staph (Apocynaceae). R: 50 [Ganguela]
oboase (Nye)
 Chamaelitandra henriquesiana (Hallier f.) Pichon (Apocynaceae). R: 50 [*Citandra henriquesiana* (Hallier f.) Staph; Ganguela]
obobo (U)
 Commiphora mollis (Oliv.) Engl. (Burseraceae). R: 50 [U], 3

ocaia
 Indigofera antunesiana Harms (Fabaceae). R: 61 [Huila]
ocamigahombo
 Tapiphyllum molle Robyns (Rubiaceae). R: 47
ocazazua
 Physalis peruviana L. (Solanaceae). R: 58 [Bié]
ocece
 Cassia angolensis Welw. ex Hiern (Fabaceae). R: 3
oecka (U)
 Panicum maximum Jacq. (Poaceae). R: 50 [U], 3
ocesse
 Cassia angolensis Welw. ex Hiern (Fabaceae). R: 3
ocevile (U)
 Monotes hypoleucus (Oliv.) Gilg (Dipterocarpaceae). R: 50
ochemba
 Cucumis hirsutus Sond. (Cucurbitaceae). R: 45
ochilavi
 Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verde. (Rubiaceae). R: 47
ociambanda (U)
 Crotalaria ononoides Benth. (Fabaceae). R: 50, 61
ociengu (U)
 Brachystegia sp. (Fabaceae). R: 50
ocihutia (U)
 Acacia amythethophylla Steud. ex A.Rich. (Fabaceae). R: 50
ocikamba (U)
 Dolichos trinervatus Baker (Fabaceae). R: 50 [*Dolichos tricostatus* Baker f.]
ocikamba-citita (U)
 Eriosema benguellense Rossberg (Fabaceae). R: 50
ocikanda-dagala (U)
 Agelanthus falcifolius (Sprague) Polhill & Wiens (Loranthaceae). R: 50 [*Loranthus falcifolius* Sprague]
ocikova
 Vernonia gerberiformis Oliv. & Hiern subsp. *macrocyanus* (O.Hoffm.) C.Jeffrey (Asteraceae). R: 3
ocikualu
 Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax kraussiana* Meisn.; U], 3 [*Smilax kraussiana* Meisn.]
ocikuamene (Nye)
 Boophone disticha (L.f.) Herb. (Amaryllidaceae). R: 50 [*Boophone toxicaria* (L.f. ex Aiton) Herb.; Ganguela]
ocikuku (U)
 Droogmansia megalantha (Taub.) De Wild. (Fabaceae). R: 50 [U], 3
ocilavi
 Psychotria sp. (Rubiaceae). R: 3
ocilombo
 Senecio latifolius DC. (Asteraceae). R: 3

- ocimandulu**
Emilia coccinea (Sims) G.Don (Asteraceae). R: 50
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838); U], 3 [*Emilia sagittata* sensu auct. non
 (Vahl) DC. (1838)]
- ocimbinga**
Strophanthus sp. (Apocynaceae). R: 3
- ocimjambala**
Agelanthus falcifolius (Sprague) Polhill & Wiens
 (Loranthaceae). R: 3
- ocinde-linene** (U)
Brachiaria brizantha (A.Rich.) Stapf (Poaceae).
 R: 50
- ocindiasi**
Triumfetta geoides Welw. ex Mast. (Tiliaceae). R:
 50 [U], 3
- ocindjole**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- ocindongo**
Vernonia sp. (Asteraceae). R: 3
- ocindundu** (U)
Dolichos antunesii Harms (Fabaceae). R: 50
- ocingala-kanga** (U)
Pseudoeriosema andongense (Baker) Hauman
 (Fabaceae). R: 50 [*Glycine holophylla* (Baker f.)
 Taub.]
- ocingambambundi** (U)
Adenodolichos rhomboideus (O.Hoffm.) Harms
 (Fabaceae). R: 50
- ocingolindo**
Eriosema gossweileri Baker f. (Fabaceae). R:
 Daniel 7
- ocingonge**
Humularia welwitschii (Taub.) P.A.Duvign. var.
gossweileri (Baker f.) P.A.Duvign. (Fabaceae). R:
 50 [*Geissaspis gossweileri* Baker f.; U], 62 [U], 3
- ocingonjila**
Lannea rubra (Hiern) Engl. (Anacardiaceae). R:
 50 [U], 3
- ocinguenga**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 50 [U], 3
- ocinjalo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilopus*
 Welw. ex Ficalho & Hiern;], 3
- ocinjalu**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus angolensis*
 Büttner; U], 3
- ocinjambala** (U)
Agelanthus falcifolius (Sprague) Polhill & Wiens
 (Loranthaceae). R: 50 [*Loranthus falcifolius*
 Sprague]
- ocinjole**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- ocinjuanjua** (U)
Cyphostemma chloroleucum (Welw. ex Baker)
- Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 50
 [*Cissus chloroleuca* (Welw. ex Baker) Planch.;
 U], 3
- ocinpungandembe** (Nya)
Protea angolensis Welw. (Proteaceae). R: 3
- ocipa** (U)
Cordia monoica Roxb. (Boraginaceae). R: 50
 [*Cordia ovalis* R.Br. ex DC.]
- ocipesipe**
Gladiolus dalenii Van Geel subsp. *dalenii*
 (Iridaceae). R: 50 [*Gladiolus angolensis* Baker; U]
Gladiolus sp. (Iridaceae). R: 3
- ocipipa**
Typha capensis (Rohrb.) N.E.Br. (Typhaceae). R:
 50 [U], 3
- ocipoke**
Phystostigma mesoponticum Taub. (Fabaceae). R:
 50 [U], 3
- ocipumbulu** (U)
Adenodolichos rhomboideus (O.Hoffm.) Harms
 (Fabaceae). R: 50 [*Adenodolichos euryphyllus*
 Harms]
Dolichos splendens Welw. ex Baker (Fabaceae).
 R: 50
- ocipungandembe**
Protea angolensis Welw. (Proteaceae). R: 50
 [U], 3
- ocisangu**
Eriosema affine De Wild. (Fabaceae). R: 50 [U], 3
- ocisangua** (U)
Eriosema albo-griseum Baker f. (Fabaceae). R: 50
- ocisekele** (U)
Scilla simiarum Baker (Hyacinthaceae). R: 50
- ociseku**
Hirpicium antunesii (O.Hoffm.) Roessler
 (Asteraceae). R: 50 [*Berkheya antunesii*
 O.Hoffm.; U], 3
- ocitando**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 50 [U], 3
- ocitandu**
Aframomum alboviolaceum (Ridl.) K.Schum.
 (Zingiberaceae). R: 3
- ocitinakanguluve**
Curculigo pilosa (Schumach. & Thonn.) Engl.
 (Hypoxidaceae). R: 3
Hypoxis polystachya Welw. ex Baker
 (Hypoxidaceae). R: 3
- ocitina-kanguluve** (U)
Hypoxis polystachya Welw. ex Baker
 (Hypoxidaceae). R: 50
- ocitombe** (U)
Ficus petersii Warb. (Moraceae). R: 50
- ociyukula**
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50
 [U], 3
- ocoquete**
Ziziphus abyssinica Hochst. ex A.Rich.
 (Rhamnaceae). R: 27 [Cuanza Sul]

ocuri-curi

Syzygium cordatum Hochst. ex Krauss
(Myrtaceae). R: 1

odjisipadjonjo (U)

Dissotis brazzae Cogn. (Melastomataceae). R: 52

odjisombo (U)

Phragmanthera glaucocarpa (Peyr.) Balle
(Loranthaceae). R: 52

odre-do-deserto

Cyphostemma uter (Exell & Mendonça) Desc.
(Vitaceae). R: 2 [*Cissus uter* Exell & Mendonça]

odyivi (U)

Cardiospermum halicacabum L. (Sapindaceae).
R: 50

oguengue (U)

Acacia tortilis (Forssk.) Hayne subsp. *spiropcarpa*
(Hochst. ex A.Rich.) Brenan var. *spiropcarpa*
(Fabaceae). R: 50 [*Acacia spiropcarpa* Hochst. ex
A.Rich.]

Acacia tortilis (Forssk.) Hayne (Fabaceae). R: 60

ohakati (U)

Combretum collinum Fresen. (Combretaceae).
R: 52

ohale (U)

Eulophia schweinfurthii Kraenzl. (Orchidaceae).
R: 50 [*Lissochilus aurantiacus* Rchb.f.], 3
[*Lissochilus aurantiacus* Rchb.f.]

ohama (U)

Terminalia prunioides M.A.Lawson
(Combretaceae). R: 50 [*Terminalia benguellensis*
Welw. ex Hiern]

ohamakete (Nya)

Acacia sp. (Fabaceae). R: 3

ohamba (U)

Sphenostylis stenocarpa (Hochst. ex A.Rich.)
Harms (Fabaceae). R: 50, 3

ohanje (U)

Albizia gummosifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50

oheleti (Nya)

Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 50 [*Cassia mimosoides* L.; Lunyaneka], 3
[*Cassia mimosoides* L.; Lunyaneka]

ohengo (fruit) (U)

Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 50, 3 [*Anisophyllea gossweileri* Engl. &
Brehmer]

ohereti (Nya)

Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 3 [*Cassia mimosoides* L.]

ohilili (U)

Sopubia lanata Engl. (Orobanchaceae). R: 3

ohililili (U)

Sopubia lanata Engl. (Orobanchaceae). R: 50
[U], 3

ohokoso

Bidens sp. (Asteraceae). R: 3

oholokoso (U)

Bidens biternata (Lour.) Merr. & Sherff
(Asteraceae). R: 50, 3

ohombo (U)

Syzygium benguellense (Welw. ex Hiern) Engl.
(Myrtaceae). R: 3

ohombonhenala (U)

Eriosema albo-griseum Baker f. (Fabaceae). R: 52

ohondyo

Musa ×paradisiaca L. (Musaceae). R: 3 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]

ohongolo (U)

Celtis sp. (Ulmaceae). R: 3

ohopa-yehondyo (inflorescence) (U)

Musa acuminata Colla (Musaceae). R: 3 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]

ohotahota

Panicum maximum Jacq. (Poaceae). R: 3

ohota-hota (U)

Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
R: 3

ohota-hota (U)

Panicum maximum Jacq. (Poaceae). R: 50, 3

ohucu

Dombeya quinqueseta (Delile) Exell
(Sterculiaceae). R: 13 [Ambundo]

ohue

Faidherbia albida (Delile) A.Chev. (Fabaceae). R:
50 [*Acacia albida* Delile; U]
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
[*Pennisetum typhoides* (Burm.f.) Stapf &
C.E.Hubb.; Kioko]

ohuku (U)

Dombeya quinqueseta (Delile) Exell
(Sterculiaceae). R: 3

ohulungumbe (U)

Melinis repens (Willd.) Zizka (Poaceae). R: 50, 3
[*Rhynchelytrum repens* (Willd.) C.E.Hubb.]

ohulungumbe-inene (U)

Melinis minutiflora P.Beauv. (Poaceae). R: 3

ohulungumbe-yocalundu (U)

Setaria homonyma (Steud.) Chiov. (Poaceae). R:
3 [*Setaria kialaensis* Vanderyst]

ohulungumbe-yokalundu (U)

Setaria homonyma (Steud.) Chiov. (Poaceae). R:
50 [*Setaria kialaensis* Vanderyst]

ohumbi (U)

Lannea sp. (Anacardiaceae). R: 3

ohumbula (U)

Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
[*Emilia sagittata* sensu auct. non (Vahl) DC.
(1838)]

ohuve

Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
[*Pennisetum albicauda* Stapf & C.E.Hubb.;
Lunyaneka; *Pennisetum typhoides* (Burm.f.) Stapf
& C.E.Hubb.; Kioko]

oiela-iela (U)

Faurea saligna Harv. (Proteaceae). R: 50 [U], 3

ointjes (Z)

Cyperus usitatus Burch. ex Roem. & Schult.
(Cyperaceae). R: 50 [*Cyperus edulis* Dinter;
Tjiherero]

- oiva**
Chamaesyce hirta (L.) Millsp. (Euphorbiaceae). R: 3 [*Euphorbia hirta* L.]
- ojamba**
Tricalysia cacondensis Hiern (Rubiaceae). R: 47
- ojingambrilo**
Pelargonium luridum (Andrews) Sweet
(Geraniaceae). R: 19
- ojinkalangua** (Kim)
Aloe zebrina Baker (Asphodelaceae). R: 50 [*Aloe platyphylla* Baker]
- okabanga** (Nya)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50 [*Voandzeia subterranea* (L.) DC.; Lunyaneka]
- okadembi**
Lippia sp. (Verbenaceae). R: 3
- okadiange**
Acacia brevispica Harms (Fabaceae). R: 3
Acacia pentagona (Schumach.) Hook.f. ?
(Fabaceae). R: 50 [*Acacia pennata* Willd.;
Lunyaneka]
- okafukutu**
Impatiens assurgens Baker f. (Balsaminaceae).
R: 3
- okaheleje**
Tephrosia vogelii Hook.f. (Fabaceae). R: 50 [U], 3
- okahelele-linene**
Indigofera antunesiana Harms (Fabaceae). R: 3
- okahendje** (U)
Aeschynomene fluitans Peter (Fabaceae). R: 3
- okahenge**
Aeschynomene fluitans Peter (Fabaceae). R: 3
- okahengue** (Nya)
Aeschynomene fulgida Welw. ex Baker
(Fabaceae). R: 50 [Lunyaneka]
- okahenie** (Nya)
Croton integrifolius Pax (Euphorbiaceae). R: 50
[Lunyaneka]
- okahenje**
Aeschynomene fluitans Peter (Fabaceae). R: 50
[Aeschynomene crassicaulis sensu auct. non
Harms (1907); U], 3
- okahombo**
Syzygium benguellense (Welw. ex Hiern) Engl.
(Myrtaceae). R: 3
- okahongolo** (U)
Celtis sp. (Ulmaceae). R: 3
- okahumbe** (U)
Barleria gossweileri S.Moore (Acanthaceae).
R: 50
- okahumbula** (U)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
[*Emilia sagittata* sensu auct. non (Vahl) DC.
(1838)]
- okaiendje-catito**
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R:
3 [*Cassia kirkii* Oliv.]
- okaiengue-catito**
Mucuna pruriens (L.) DC. var. *utilis* (Wall. ex
Wight) Baker ex Burck (Fabaceae). R: 3 [*Mucuna
deerlingiana* (Bort) Merr.]
- okajia-kundu**
Boscia microphylla Oliv. (Capparaceae). R: 50
[Lunyaneka], 3 [*Boscia rehmanniana* sensu auct.
non Pestal.]
- okakepa** (U)
Cynodon dactylon (L.) Pers. (Poaceae). R: 3
- okakondo**
Cynodon dactylon (L.) Pers. (Poaceae). R: 3
- okakuana** (U)
Trilepisium madagascariense DC. (Moraceae). R:
50 [*Bosqueia angolensis* Ficalho]
- okakue** (U)
Cryptosepalum maraviense Oliv. (Fabaceae). R:
50 [*Cryptosepalum curtisiorum* I.M.Johnst.]
- okakunde** (U)
Rhynchosia candida (Welw. ex Hiern) Torre or *R.
minima* (L.) DC. (Fabaceae). R: 50 [*Rhynchosia
memnonia* DC.]
Rhynchosia minima (L.) DC. var. *minima*
(Fabaceae). R: 3
- okala** (U)
Synsepalum cerasiferum (Welw.) T.D.Penn.
(Sapotaceae). R: 50 [*Sersalisia cerasifera* (Welw.)
Engl.]
- okalakasa**
Ficus exasperata Vahl (Moraceae). R: 50 [U]
Ficus sur Forssk. (Moraceae). R: 3
- okalakaza** (U)
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus
mallotocarpa* Warb.]
- okalandja** (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- okalembe** (U)
Tephrosia vogelii Hook.f. (Fabaceae). R: 50, 3
- okali** (U)
Pelargonium luridum (Andrews) Sweet
(Geraniaceae). R: 3
- okalilisa** (Z)
Tragia okanya Pax (Euphorbiaceae). R: 50
[Tjiherero]
- okalipi** (U)
Eucalyptus sp. (Myrtaceae). R: 3
- okalondo** (Nya)
Jasminum angolense Welw. ex Baker (Oleaceae).
R: 3
- okalosaka-kolondjila**
Solanum aculeastrum Dunal var. *albifolium*
(C.H.Wright) Bitter (Solanaceae). R: 3
- okaluku** (U)
Eleusine coracana (L.) Gaertn. (Poaceae). R: 3
- okalulu**
Biophytum jessenii R.Knuth (Oxalidaceae). R: 50
[U], 3
- okalume** (U)
Galinsoga parviflora Cav. (Asteraceae). R: 3
- okalundo-okasupi**
Jasminum angolense Welw. ex Baker (Oleaceae).
R: 50 [Lunyaneka], 3

- okamandalu (U)**
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838)]
- okambambi (U)**
Eragrostis superba Peyr. (Poaceae). R: 3
- okambambu (U)**
Rhus natalensis Bernh. (Anacardiaceae). R: 50, 3
- okambombo (U)**
Rhus natalensis Bernh. (Anacardiaceae). R: 50, 3
- okambongo-kowenge**
Saccharum officinarum L. (Poaceae). R: 3
- okambulutu**
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 3
- okambundi (U)**
Pseudeminia sp. (Fabaceae). R: 3
- okambuta (U)**
Manihot sp. (Euphorbiaceae). R: 3
- okaminga (U)**
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 50 *Maytenus senegalensis*
 (Lam.) Exell], 3 [*Maytenus senegalensis* (Lam.)
 Exell]
- okamutu (U)**
Cucurbita maxima Duchesne ex Lam.
 (Cucurbitaceae). R: 3
- okamwi-katito**
Strychnos cocculoides Baker (Strychnaceae). R: 3
- okamya-katito**
Psorospermum mechowii Engl. (Hypericaceae). R:
 3 [*Psorospermum hundtii* Exell & Mendonça]
- okana-kuma (U)**
Syzygium guineense (Willd.) DC. (Myrtaceae). R:
 50 [U], 3
- okanana (U)**
Corchorus sp. (Tiliaceae). R: 3
- okañandjila (U)**
Solanum incanum L. (Solanaceae). R: 3 [*Solanum*
panduriforme E.Mey. ex Dunal]
- okanda (U)**
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 50
- okandala-kazengue**
Aloe zebrina Baker (Asphodelaceae). R: 50 [U], 3
- okandea (U)**
Acacia mellifera (Vahl) Benth. subsp. *detinens*
 (Burch.) Brenan (Fabaceae). R: 50 [*Acacia*
detinens Burch.]
- okandembe (U)**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 3
- okandembi (U)**
Lippia sp. (Verbenaceae). R: 3
- okandembi-katito**
Lippia sp. (Verbenaceae). R: 3
- okandjendje**
Droogmansia megalantha (Taub.) De Wild.
 (Fabaceae). R: 3
- okandjungulwila (U)**
Solanum anomalum Thonn. (Solanaceae). R: 3
- okandole**
Aloe palmiformis Baker (Asphodelaceae). R: 50
 [U]
Aloe zebrina Baker (Asphodelaceae). R: 3
- okandote (Nya)**
Tarchonanthus camphoratus L. (Asteraceae). R:
 50 [Lunyaneka]
- okandu**
Dicoma antunesii O.Hoffm. (Asteraceae). R: 50
 [Lunyaneka], 3
- okangala (U)**
Strophanthus preussii Engl. & Pax (Apocynaceae).
 R: 50
- okangombe (U)**
Argyrolobium aequinoctiale Welw. ex Baker
 (Fabaceae). R: 3
- okangoña**
Cannabis sativa L. (Cannabaceae). R: 3
- okangongo (U)**
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 3 [*Strophanthus intermedius*
 Pax]
- okanhangila-katita**
Solanum incanum L. (Solanaceae). R: 3 [*Solanum*
panduriforme E.Mey. ex Dunal]
- okanhoha**
Julbernardia paniculata (Benth.) Troupin
 (Fabaceae). R: 3
- okanhumbu**
Pavetta canescens DC. (Rubiaceae). R: 47
- okaniadjila (U)**
Mussaenda arcuata Poir. (Rubiaceae). R: 52
- okanina (Nya)**
Tragia okanya Pax (Euphorbiaceae). R: 50
 [Lunyaneka]
- okanina-hombo**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
 (Rubiaceae). R: 50 [U], 3
- okaningahombo**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
 (Rubiaceae). R: 3
- okaninga-hombo (U)**
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
 (Rubiaceae). R: 3
- okaninga-hombo (fruit)**
Leptactina benguellensis (Welw. ex Benth. &
 Hook.f.) R.D.Good (Rubiaceae). R: 3
- okaningi (U)**
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 3
- okaninji (Nya)**
Tapiphyllum psammophilum (S.Moore) Robyns
 (Rubiaceae). R: 50 [*Fadogia psammophila*
 K.Schum.; Lunyaneka]
- okanjelenjunje (Nya)**
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 50 [*Strophanthus schuchardtii*
 Pax; Lunyaneka]
- okanjenje**
Droogmansia megalantha (Taub.) De Wild.
 (Fabaceae). R: 50 [U], 3

Indigofera longibarbata Engl. (Fabaceae). R: 50
[*Indigofera hirsuta* L. var. *polystachya* Welw. ex Baker; U]
Indigofera rhynchocarpa Welw. ex Baker (Fabaceae). R: 50 [U], 61

okanjunguluila
Solanum anomalum Thonn. (Solanaceae). R: 50 [U], 3

okanjunju (U)
Droogmansia sp. (Fabaceae). R: 50

okañoña (U)
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 3

okanyandjila
Solanum incanum L. (Solanaceae). R: 3 [*Solanum panduriforme* E.Mey. ex Dunal]

okanyangwil-kauhangila-katita
Solanum incanum L. (Solanaceae). R: 3 [*Solanum panduriforme* E.Mey. ex Dunal]

okanya-nya
Ricinus communis L. (Euphorbiaceae). R: 3

okanyua
Tragia okanyua Pax (Euphorbiaceae). R: 50 [Lunyaneka], *Antunes vel Dekindt* 841

okanyuango (U)
Fadogia fuchsoides Welw. ex Oliv. (Rubiaceae). R: 50

okapelangalo
Burkea africana Hook. (Fabaceae). R: 3

okapiana (Kim)
Aeollanthus pubescens Benth. (Lamiaceae). R: 50 [*Aeollanthus elongatus* Briq.]

okapilango
Burkea africana Hook. (Fabaceae). R: 3

okapilangolo
Burkea africana Hook. (Fabaceae). R: 3

okapilangu
Burkea africana Hook. (Fabaceae). R: 50 [Lunyaneka], 3 [Lunyaneka; U]

okapoke (U)
Tephrosia purpurea (L.) Pers. (Fabaceae). R: 50

okapungandembe
Protea angolensis Welw. (Proteaceae). R: 3

okapyangu
Burkea africana Hook. (Fabaceae). R: 3

okasa
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 50 [U], 3

okasaka
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3

okasaka-tita
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3

okasamba (U)
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 3

okasanda (U)
Raphia sp. (Arecaceae). R: 3

okasandji
Mimosa pudica L. (Fabaceae). R: 3
Nicotiana tabacum L. (Solanaceae). R: 3 [U]

okasangi
Nicotiana tabacum L. (Solanaceae). R: 3

okasanji
Mimosa pudica L. (Fabaceae). R: 3

okasapola (U)
Allium cepa L. (Alliaceae). R: 3

okasesu (U)
Dolichos antunesii Harms (Fabaceae). R: 50

okasongo (U)
Berkheya carlinopsis Welw. ex O.Hoffm. subsp. *sylvicola* (S.Moore) Roessler (Asteraceae). R: 3

okasuasua (U)
Physalis peruviana L. (Solanaceae). R: 50

okasungu
Berkheya carlinopsis Welw. ex O.Hoffm. subsp. *sylvicola* (S.Moore) Roessler (Asteraceae). R: 3

okasungu-kuswa
Berkheya carlinopsis Welw. ex O.Hoffm. subsp. *sylvicola* (S.Moore) Roessler (Asteraceae). R: 3

okatchimandalu-katito
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3 [*Emilia sagittata* sensu auct. non (Vahl) DC. (1838)]

okatchiopota-wasokanene (U)
Psorospermum febrifugum Spach (Hypericaceae). R: 52

okatchitchila (U)
Vernonia stetiziana Oliv. & Hiern (Asteraceae). R: 3

okatchyala
Allium sativum L. (Alliaceae). R: 3

okatende (U)
Vernonia conferta Benth. (Asteraceae). R: 3

okatengo (U)
Hyperthelia dissoluta (Nees ex Steud.) Clayton (Poaceae). R: 50 [*Hyparrhenia ruprechtii* Fourn.]

okatete (U)
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 50 [*Eugenia angolensis* Engl.], 3
Uapaca sansibarica Pax (Euphorbiaceae). R: 52

okatetembula (U)
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 3

okatete-mbula (Nya)
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 3

okati (U)
Senna didymobotrya (Fresen.) H.S.Irwin & Barneby (Fabaceae). R: 50 [*Cassia didymobotrya* Fresen.]

okatunda-sonde (U)
Eriosema sp. (Fabaceae). R: 3

okauhamanga (U)
Uapaca kirkiana Müll.Arg. (Euphorbiaceae). R: 52

okaundu (Nya)
Dicomia antunesii O.Hoffm. (Asteraceae). R: 3

- okawiya** (U)
Myrsine africana L. (Myrsinaceae). R: 3
- okawiyawiya**
Myrsine africana L. (Myrsinaceae). R: 3
- okawiya-wiya** (U)
Myrsine africana L. (Myrsinaceae). R: 3
- okayala**
Allium sativum L. (Alliaceae). R: 3
- okaya-mekana** (U)
Laggera brevipes Oliv. & Hiern (Asteraceae). R: 50
- okayela-yela** (U)
Faurea saligna Harv. (Proteaceae). R: 3
- okindangala** (U)
Commelina diffusa Burm.f. (Commelinaceae). R: 50
- okokete**
Ziziphus abyssinica Hochst. ex A.Rich. (Rhamnaceae). R: 49 [*Ziziphus mauritiana* sensu auct. non Lam. (1789); Cuanza Sul], 50 [U]
- okopokabunda** (U)
Droogmansia gossweileri Torre (Fabaceae). R: 52
- okosya**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 3
- okoto**
Sesamum indicum L. (Pedaliaceae). R: 50 [U], 3
- okotyopotavaso**
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- okulakula**
Psorospermum mechowii Engl. (Hypericaceae). R: 50 [U], 3
- okulinugu**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 50 [U], 3
- okumakuma**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 3
- okuma-kuma** (U)
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 50 [*Syzygium huillense* (Hiern) Engl.]
- okuyu**
Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.) C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.; U], 3 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.]
- okwanana** (U)
Corchorus sp. (Tiliaceae). R: 3
- olaia** (P)
Cercis siliquastrum L. (Fabaceae). R: 49
- olele-lela**
Faurea saligna Harv. (Proteaceae). R: 50 [U], 3
- olendungoviaticatu**
Cucumis hirsutus Sond. (Cucurbitaceae). R: 45
- olesenge** (U)
Xerophyta sp. (Velloziaceae). R: 3
- olho-de-pavão** (P)
Adenanthera pavonina L. (Fabaceae). R: 49
- olialite** (U)
Ficus petersii Warb. (Moraceae). R: 50
- olikombokombo**
Lepidagathis angustifolia C.B.Clarke (Acanthaceae). R: 50 [U]
Lepidagathis macrochila Lindau (Acanthaceae). R: 50 [Lunyaneka]
- oliunguliungu** (U)
Bridelia cathartica Bertol. (Euphorbiaceae). R: 52
- oliveira** (P)
Olea europaea L. subsp. *europaea* (Oleaceae). R: 49
- oljungue** (U)
Echinochloa pyramidalis (Lam.) Hitchc. & Chase (Poaceae). R: 50
- olococe**
Cassia angolensis Welw. ex Hiern (Fabaceae). R: 3
- olococco-do-mato** (P)
Spermacoce dibrachiata Oliv. (Rubiaceae). R: 47
- olohale** (U)
Eulophia schweinfurthii Kraenzl. (Orchidaceae). R: 3 [*Lissochilus aurantiacus* Rchb.f.]
- olohama** (U)
Terminalia prunioides M.A.Lawson (Combretaceae). R: 3
- olohamba** (U)
Sphenostylis stenocarpa (Hochst. ex A.Rich.) Harms (Fabaceae). R: 3
- olohelele-linene** (U)
Indigofera antunesiana Harms (Fabaceae). R: 3
- olohengo** (fruit) (U)
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
- olohilili** (U)
Sopubia lanata Engl. (Orobanchaceae). R: 3
- oloholokoso** (U)
Bidens sp. (Asteraceae). R: 3
- olohombo** (U)
Syzygium benguellense (Welw. ex Hiern) Engl. (Myrtaceae). R: 3
- olohongolo** (U)
Celtis sp. (Ulmaceae). R: 3
- olohopa-yehondyo** (inflorescence) (U)
Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- olohota-hota** (U)
Panicum maximum Jacq. (Poaceae). R: 3
- olohuku** (U)
Dombeya quinqueseta (Delile) Exell (Sterculiaceae). R: 3
- olohulungumbe** (U)
Melinis repens (Willd.) Zizka (Poaceae). R: 3 [*Rhynchelytrum repens* (Willd.) C.E.Hubb.]
- olohulyungu** (U)
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 3
- olohumbula** (U)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3

- [*Emilia sagittata* sensu auct. non (Vahl) DC.
(1838)]
- ololota** (U)
Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 50, 3 [*Cassia mimosoides* L.]
- olomako** (U)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 3
- olomanda** (U)
Albizia antunesiana Harms (Fabaceae). R: 3
Brachystegia bakeriana Hutch. & Burtt Davy
(Fabaceae). R: 3
Brachystegia manga De Wild. (Fabaceae). R: 3
Brachystegia spiciformis Benth. (Fabaceae). R: 3
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 3 [*Julbernardia baumii* (Harms)
Troupin], 3
- olomangalala** (U)
Pandanus sp. (Pandanaceae). R: 3
- olomaracuja** (U)
Passiflora edulis Sims (Passifloraceae). R: 3
- olombala** (U)
Combretum platypetalum Welw. ex M.A.Lawson
subsp. *baumii* (Engl. & Gilg) Exell
(Combretaceae). R: 3
- olombalakatyete** (U)
Senecio latifolius DC. (Asteraceae). R: 3
- olombalala** (U)
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3
- olombalu** (U)
Combretum platypetalum Welw. ex M.A.Lawson
subsp. *baumii* (Engl. & Gilg) Exell
(Combretaceae). R: 3
- olombambi** (U)
Eragrostis superba Peyr. (Poaceae). R: 3
- olombambu** (U)
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- olombinda** (U)
Lagenaria siceraria (Molina) Standl.
(Cucurbitaceae). R: 3
- olombindi**
Datura stramonium L. (Solanaceae). R: 3
- olombomba** (U)
Melia azedarach L. (Meliaceae). R: 3
- olombombo** (U)
Melia azedarach L. (Meliaceae). R: 3
- olomboto** (U)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- olombowe** (U)
Manihot esculenta Crantz (Euphorbiaceae). R: 3
[*Manihot utilissima* Pohl]
- olombua** (U)
Amaranthus spinosus L. (Amaranthaceae). R: 50
- olombula** (U)
Uapaca kirkiana Müll.Arg. (Euphorbiaceae).
R: 52
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3
- olombulututu** (U)
Cochlospermum angolense Welw. ex Oliv.
- (Cochlospermaceae). R: 3
- olombundi** (U)
Pseudeminia sp. (Fabaceae). R: 3
- olombungu** (U)
Oxytenanthera abyssinica (A.Rich.) Munro
(Poaceae). R: 3
- olombungulu** (U)
Ptaeroxylon obliquum (Thunb.) Radlk.
(Ptaeroxylaceae). R: 3
- olomeke** (U)
Ximenia americana L. (Olacaceae). R: 50, 3
- olomenga-menga**
Ximenia americana L. (Olacaceae). R: 3
- olometi** (U)
Hymenocardia acida Tul. (Euphorbiaceae). R: 3
- olomolo**
Ricinus communis L. (Euphorbiaceae). R: 3
- olomone**
Isoberlinia tomentosa (Harms) Craib & Stapf
(Fabaceae). R: 3
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 3
- olomonono**
Ricinus communis L. (Euphorbiaceae). R: 3
- olomuinho**
Syzygium guineense (Willd.) DC. (Myrtaceae).
R: 2
- olomuno**
Ricinus communis L. (Euphorbiaceae). R: 59
[Huambo – Chianga]
- olomutu** (U)
Cucurbita maxima Duchesne ex Lam.
(Cucurbitaceae). R: 3
- olomwi** (tree) (U)
Strychnos sp. (Strychnaceae). R: 3
- olomwi-katito** (tree) (U)
Strychnos coccoloides Baker (Strychnaceae). R: 3
- olomwinho** (U)
Syzygium guineense (Willd.) DC. subsp. *guineense*
(Myrtaceae). R: 52
- olomya-inene** (U)
Ochna pygmaea Hiern (Ochnaceae). R: 3
- olomya-katito** (U)
Psorospermum mechowii Engl. (Hypericaceae). R:
3 [*Psorospermum hundtii* Exell & Mendonça]
- olomya-yo'vnala** (U)
Ochna arenaria De Wild. & T.Durand
(Ochnaceae). R: 3 [*Ochna angustifolia* Engl. &
Gilg]
- olonama** (U)
Grewia newtonii Burret (Tiliaceae). R: 3
- olonamba** (U)
Dicliptera sp. (Acanthaceae). R: 3
- olonamele** (U)
Bidens biternata (Lour.) Merr. & Sherff
(Asteraceae). R: 3
- olonamelela** (U)
Bidens biternata (Lour.) Merr. & Sherff
(Asteraceae). R: 3

- oloñandjila** (U)
Solanum incanum L. (Solanaceae). R: 3 [*Solanum panduriforme* E.Mey. ex Dunal]
- olondamba** (U)
Polygala gomesiana Welw. ex Oliv.
 (Polygalaceae). R: 3
- olondamba-lyv'olwi** (U)
Polygala gomesiana Welw. ex Oliv.
 (Polygalaceae). R: 3
- olondambi-yov'olwi** (U)
Lippia javanica (Burm f.) Spreng. (Verbenaceae).
 R: 3
- olondawu** (U)
Cyperus articulatus L. (Cyperaceae). R: 3
- olondemi** (U)
Cymbopogon citratus (DC.) Stapf (Poaceae). R: 3
Lippia sp. (Verbenaceae). R: 3
- olondende** (fruit) (U)
Elaeis guineensis Jacq. (Arecaceae). R: 3
- olondeo** (U)
Ozoroa insignis Delile (Anacardiaceae). R: 3
- olondilasonde** (U)
Pterocarpus angolensis DC. (Fabaceae). R: 3
- olondjamba** (U)
Rumex abyssinicus Jacq. (Polygonaceae). R: 3
- olondjelavayo** (U)
Lepisanthes senegalensis (Juss. ex Poir.) Leenhardt
 (Sapindaceae). R: 3 [*Aphania senegalensis* (Juss. ex Poir.) Radlk.]
- olondjelele** (U)
Asparagus laricinus Burch. (Asparagaceae). R: 3
 [Asparagus angolensis Baker]
- olondjululu** (U)
Mentha sp. (Lamiaceae). R: 3
- olondjunge** (U)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
 (Proteaceae). R: 3 [*Faurea speciosa* Welw.]
- olondjwandjwa** (U)
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- olondondo** (U)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
 3 [*Chlorocodon whitei* Hook.f.]
- olondondo-ia-ndundu** (U)
Plumbago zeylanica L. (Plumbaginaceae). R: 3
- olonduko** (U)
Brachystegia spiciformis Benth. (Fabaceae). R: 3
- olonduluyepanda** (U)
Senecio sp. (Asteraceae). R: 3
- olondumbo** (U)
Sarcostemma viminale (L.) R.Br. (Apocynaceae).
 R: 3
- olondunge-viahulukai**
Momordica sp. (Cucurbitaceae). R: 3
- olondunge-vyokahulukayi**
Momordica sp. (Cucurbitaceae). R: 3
- olondungo-vyokahulukayi**
Momordica sp. (Cucurbitaceae). R: 3
- olondungu**
Capsicum frutescens L. (Solanaceae). R: 3
- olondungu-vyokahulukayi**
Momordica sp. (Cucurbitaceae). R: 3
- olonduva** (U)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [Emilia sagittata sensu auct. non (Vahl) DC.
 (1838)]
- Gloriosa superba* L. (Colchicaceae). R: 3
 [Gloriosa simplex L.]
- Littonia littonioides* (Welw. ex Baker) K.Krause
 (Colchicaceae). R: 3 [*Littonia welwitschii* Benth.
 & Hook.f.]
- olongandja** (U)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
 & Wiersema (Fabaceae). R: 3 [*Swartzia madagascariensis* Desv.]
- olonganga**
Leptactina benguellensis (Welw. ex Benth. &
 Hook.f.) R.D.Good (Rubiaceae). R: 3
- olongayawa** (U)
Psidium guajava L. (Myrtaceae). R: 3
- olongelenge** (U)
Diheteropogon filifolius (Nees) Clayton (Poaceae).
 R: 3 [*Andropogon filifolius* (Nees) Steud.]
- olongengete** (U)
Sclerocroton oblongifolius (Müll.Arg.) Kruijt &
 Roebers (Euphorbiaceae). R: 3 [*Sapium oblongifolium* (Müll.Arg.) Pax]
- olongombe** (U)
Argyrolobium aequinoctiale Welw. ex Baker
 (Fabaceae). R: 3
- Cordia sinensis* Lam. (Boraginaceae). R: 3
- olongondjo**
Brachystegia spiciformis Benth. (Fabaceae). R: 3
- olongongo** (U)
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 3 [*Strophanthus intermedium* Pax]
- olongongwila**
Lannea sp. (Anacardiaceae). R: 3
- olongongwila** (fruit) (U)
Lannea sp. (Anacardiaceae). R: 3
- olongoti** (U)
Brachystegia russelliae I.M.Johnst. (Fabaceae).
 R: 3
- Cryptosepalum maraviense* Oliv. (Fabaceae). R: 3
- olongueguete** (U)
Sclerocroton oblongifolius (Müll.Arg.) Kruijt &
 Roebers (Euphorbiaceae). R: 50 [*Sapium oblongifolium* (Müll.Arg.) Pax]
- olonguenguete**
Sclerocroton oblongifolius (Müll.Arg.) Kruijt &
 Roebers (Euphorbiaceae). R: 3 [*Sapium oblongifolium* (Müll.Arg.) Pax], 52 [U]
- olonguenkete**
Sclerocroton oblongifolius (Müll.Arg.) Kruijt &
 Roebers (Euphorbiaceae). R: 50 [*Sapium oblongifolium* (Müll.Arg.) Pax; U], 3 [*Sapium oblongifolium* (Müll.Arg.) Pax]
- olongumba**
Arachis hypogaea L. (Fabaceae). R: 3

- olongupa** (U)
Arachis hypogaea L. (Fabaceae). R: 3
- olonguva**
Pterocarpus angolensis DC. (Fabaceae). R: 3
- olongwengwe** (U)
Agave sisalana Perrine (Agavaceae). R: 3
- oloningi** (U)
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 3
- olonoha** (U)
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 3
- olonombo** (U)
Chlorophytum sp. ? (Anthericaceae). R: 3
- olonungo** (U)
Indigofera sutherlandoides Welw. ex Baker
(Fabaceae). R: 3
- olosaka-kolondjila** (U)
Solanum aculeastrum Dunal var. *albifolium*
(C.H.Wright) Bitter (Solanaceae). R: 3
- olosakwa** (U)
Buchnerodendron speciosum Gürke
(Flacourtiaceae). R: 3
- olosambiambia** (U)
Ximenia americana L. (Olacaceae). R: 50 [U], 3
- olosapola** (U)
Allium cepa L. (Alliaceae). R: 3
- olosasa-lusamba** (U)
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 3
- oloseke** (U)
Rhynchosia insignis (O.Hoffm.) R.E.Fr.
(Fabaceae). R: 3
- olosenge** (U)
Xerophyta sp. (Velloziaceae). R: 3
- olosese** (U)
Cassia angolensis Welw. ex Hiern (Fabaceae).
R: 3
- olosilosilo**
Vitex madiensis Oliv. (Lamiaceae). R: 3
- olosoma** (U)
Euphorbia conspicua N.E.Br. (Euphorbiaceae).
R: 3
- olosombo** (U)
Euclea divinorum Hiern (Ebenaceae). R: 3
- olosombo** (fruit) (U)
Syzygium guineense (Willd.) DC. (Myrtaceae).
R: 3
- olososo** (U)
Blepharis malangensis S.Moore (Acanthaceae).
R: 3
- olososo-yov'olwi** (U)
Acanthus montanus (Nees) T.Anderson
(Acanthaceae). R: 3
- olosua-wovolwi**
Solanum nigrum L. (Solanaceae). R: 3
- olosusu** (U)
Trichilia welwitschii C.DC. (Meliaceae). R: 3
- olosuwa-vyov'usitu**
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
- R: 3
- oloswa** (U)
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
R: 3
- oloswa-wov'olwi** (U)
Solanum nigrum L. (Solanaceae). R: 3
- oloswi-yitito** (U)
Bridelia scleroneura Müll.Arg. subsp. *angolensis*
(Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 3
[*Bridelia angolensis* Müll.Arg.]
- olosya** (fruit) (U)
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 3
- olotengo**
Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 56 [*Anisophyllea gossweileri* Engl. & Brehmer]
- olovaso-ongombe** (U)
Mussaenda arcuata Poir. (Rubiaceae). R: 3
- olovayu** (U)
Allium sativum L. (Alliaceae). R: 3
- olovili** (U)
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
(Ericaceae). R: 3 [*Philippia benguelensis* (Welw.
ex Engl.) Britten]
- olovonga** (U)
Aeschynomene angolense Rossberg (Fabaceae).
R: 3
- olowawa** (U)
Stomatianthes africanus (Oliv. & Hiern) R.M.King
& H.Rob. (Asteraceae). R: 3 [*Eupatorium*
 Oliv. & Hiern]
- oluvava**
Cassytha filiformis L. (Lauraceae). R: 50 [U], 3
- olubinga**
Corallocarpus welwitschii (Naud.) Hook.f. ex
Welw. (Cucurbitaceae). R: 45
- olucoto**
Erythroxylum emarginatum Thonn.
(Erythroxylaceae). R: 2
- olufiti** (Nya)
Helichrysum kraussii Sch.Bip. (Asteraceae). R: 50
[*Helichrysum steetzii* (Vatke) O.Hoffm.;
Lunyaneka], 3 [*Helichrysum steetzii* (Vatke)
O.Hoffm.; Lunyaneka]
- oluhelele** (U)
Indigofera antunesiana Harms (Fabaceae). R: 3
- oluhengo** (fruit) (U)
Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
- oluhilili**
Sopubia lanata Engl. (Orobanchaceae). R: 3
- oluhiti**
Helichrysum kraussii Sch.Bip. (Asteraceae). R: 50
[*Helichrysum steetzii* (Vatke) O.Hoffm.;
Lunyaneka], 3 [*Helichrysum steetzii* (Vatke)
O.Hoffm.]
- oluhulyungu** (U)
Bridelia atroviridis Müll.Arg. (Euphorbiaceae).

- R: 3
- olukeke** (Nya)
Phyllanthus fraternus G.L.Webster ?
(Euphorbiaceae). R: 50 [*Phyllanthus niruri* L.;
Lunyaneka]
- olukepa**
Cynodon dactylon (L.) Pers. (Poaceae). R: 3
- olukiennye** (Nya)
Acacia pentagona (Schumach.) Hook.f. ?
(Fabaceae). R: 50 [*Acacia pennata* Willd.;
Lunyaneka]
- olukienye**
Acacia brevispica Harms (Fabaceae). R: 3
- olukombo** (Nya)
Hypoxis polystachya Welw. ex Baker
(Hypoxidaceae). R: 50 [Lunyaneka]
Xerophyta capillaris Baker (Velloziaceae). R: 50
[*Vellozia capillaris* (Baker) Welw. ex B.D.Jacks.;
Lunyaneka]
- olukoto** (Nya)
Erythroxylum dekindtii (Engl.) O.E.Schulz
(Erythroxylaceae). R: 50 [Lunyaneka], 3
[Lunyaneka]
- oluku** (U)
Eleusine coracana (L.) Gaertn. (Poaceae). R: 50, 3
- olumanga** (U)
Mangifera indica L. (Anacardiaceae). R: 3
- olumangalala** (U)
Pandanus sp. (Pandanaceae). R: 3
- olumapa** (U)
Tylosema fassoglense (Kotschy ex Schweinf.)
Torre & Hillc. (Fabaceae). R: 50 [*Bauhinia*
fassoglensis Kotschy ex Schweinf.]
- olumbala** (U)
Combretum paniculatum Vent. (Combretaceae).
R: 52
Combretum platypetalum Welw. ex M.A.Lawson
subsp. *baumii* (Engl. & Gilg) Exell
(Combretaceae). R: 50 [*Combretum baumii* Engl.
& Gilg], 3
- olumbalala** (U)
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3
- olumbala-ywov'eña**
Combretum platypetalum Welw. ex M.A.Lawson
subsp. *baumii* (Engl. & Gilg) Exell
(Combretaceae). R: 3
- olumbalu** (U)
Combretum platypetalum Welw. ex M.A.Lawson
(Combretaceae). R: 50, 3
- olumbombo**
Cochlospermum angolense Welw. ex Oliv.
(Cochlospermaceae). R: 3
- olumbombola** (U)
Melia azedarach L. (Meliaceae). R: 3
- olumbombolo** (U)
Melia azedarach L. (Meliaceae). R: 3
- olumbumbu** (U)
Vangueria proschii Briq. (Rubiaceae). R: 50
[Vangueria *lasioclados* K.Schum.]
- Vangueria* sp. (Rubiaceae). R: 3
- olumbungu** (U)
Oxytenanthera abyssinica (A.Rich.) Munro
(Poaceae). R: 3
- olumbungululu**
Ptaeroxylon obliquum (Thunb.) Radlk.
(Ptaeroxylaceae). R: 3
- olumeke**
Ximenia americana L. (Olacaceae). R: 49, 3 [U]
- olumite**
Kohautia subverticillata (K.Schum.) D.Mantell
subsp. *subverticillata* (Rubiaceae). R: 47
Oldenlandia rosulata K.Schum. (Rubiaceae). R:
50 [Lunyaneka], 3 [Lunyaneka]
- olumiti**
Cliffortia nitidula (Engl.) R.E.Fr. & T.C.E.Fr. var.
angolensis (Weim.) Brenan (Rosaceae). R: 53
[Vimbanda]
- olumolo**
Ricinus communis L. (Euphorbiaceae). R: 3
- olumpundia** (Nya)
Pentarrhinum abyssinicum Decne. subsp.
angolense (N.E.Br.) Liede & Nicholas
(Apocynaceae). R: 50 [*Pentarrhinum insipidum*
sensu auct. non E.Mey. (1838); Lunyaneka]
- olumwe** (U)
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 52
- olumwi** (tree) (U)
Strychnos sp. (Strychnaceae). R: 3
- olumwi-katito** (tree) (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3
- olunamba** (U)
Dicliptera sp. (Acanthaceae). R: 3
- oluna-na**
Ocimum americanum L. (Lamiaceae). R: 3
[*Ocimum canum* Sims]
- olu-na-na** (Nya)
Ocimum americanum L. (Lamiaceae). R: 50
[Lunyaneka], 3 [*Ocimum canum* Sims]
- olundawu** (U)
Cyperus articulatus L. (Cyperaceae). R: 3
- olundjiongo**
Spirostachys africana Sond. (Euphorbiaceae). R:
49 [Cuanhamama]
- olundjululu** (U)
Mentha sp. (Lamiaceae). R: 3
- olundungu**
Capsicum frutescens L. (Solanaceae). R: 3
- olundyongo** (O)
Spirostachys africana Sond. (Euphorbiaceae). R:
50 [Xikuanhama]
- olungengete** (U)
Sclerocroton oblongifolius (Müll.Arg.) Kruijt &
Roebers (Euphorbiaceae). R: 3 [*Sapium*
oblongifolium (Müll.Arg.) Pax]
- olongo**
Mussaenda rivularis Welw. ex Hiern var. *rivularis*
(Rubiaceae). R: 47

- olungongwila** (fruit) (U)
Lannea sp. (Anacardiaceae). R: 3
- olungu** (Nya)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus welwitschii*
 Rolfe; Lunyaneka]
- olunga** (Nya)
Triumfetta rhomboidea Jacq. (Tiliaceae). R: 50
 [Lunyaneka]
- olungupa** (U)
Arachis hypogaea L. (Fabaceae). R: 3
- olungwengwe** (U)
Agave sisalana Perrine (Agavaceae). R: 3
- olunkhuanya** (Nya)
Acacia brevispica Harms (Fabaceae). R: 3
- olunkhwanya** (Nya)
Acacia reficiens Wawra (Fabaceae). R: 3
- olunomba**
Dicliptera sp. (Acanthaceae). R: 3
- oluntambo**
Siphonochilus aethiopicus (Schweinf.) B.L.Burtt
 (Zingiberaceae). R: 50 [*Kaempferia aethiopica*
 (Schweinf.) Ridl.; Lunyaneka], 3 [*Kaempferia*
aethiopica (Schweinf.) Ridl.]
- oluntombo** (Nya)
Lapeirousia schimperi (Asch. & Klatt) Milne-
 Redh. (Iridaceae). R: 50 [*Lapeirousia cyanescens*
 Baker; Lunyaneka]
- olunxongo** (O)
Spirostachys africana Sond. (Euphorbiaceae). R:
 50 [Xikuanhama]
- olunyua**
Crotalaria anthyllopsis Welw. ex Baker
 (Fabaceae). R: 50 [Lunyaneka], 61, 3
- oluongo** (Nya)
Landolphia sp. (Apocynaceae). R: 3
- olusaka-kolondjila**
Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 3 [U]
Solanum incanum L. (Solanaceae). R: 3
- olusombo** (fruit) (U)
Syzygium guineense (Willd.) DC. (Myrtaceae).
 R: 3
- olusua**
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
 R: 3
- olusuwa**
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
 R: 3
- oluswa** (U)
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
 R: 3
- olutuo**
Strychnos sp. (Strychnaceae). R: 3
- olutwo**
Strychnos sp. (Strychnaceae). R: 3
- olu-ua-ua** (Nya)
Stomatianthes africanus (Oliv. & Hiern) R.M.King
- & H.Rob. (Asteraceae). R: 50 [*Eupatorium*
africanum Oliv. & Hiern; Lunyaneka], 3
 [*Eupatorium africanum* Oliv. & Hiern;
 Lunyaneka]
- oluvamba** (U)
Crotalaria quangensis Taub. var. *quangensis*
 (Fabaceae). R: 50 [*Crotalaria poggei* Taub.]
- olivid**
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
 (Ericaceae). R: 50 [U], 3 [*Philippia benguelensis*
 (Welw. ex Engl.) Britten]
- oluvili** (U)
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
 (Ericaceae). R: 50, 3 [*Philippia benguelensis*
 (Welw. ex Engl.) Britten]
- oluvonga** (U)
Aeschynomene angolense Rossberg (Fabaceae). R:
 50, 3
Chamaecrista mimosoides (L.) Greene (Fabaceae).
 R: 50, 3 [*Cassia mimosoides* L.]
- oluwawa** (U)
Stomatianthes africanus (Oliv. & Hiern) R.M.King
 & H.Rob. (Asteraceae). R: 3 [*Eupatorium*
africanum Oliv. & Hiern]
- oluwonga**
Aeschynomene angolense Rossberg (Fabaceae).
 R: 62
- oluzu** (Z)
Acacia karroo Hayne (Fabaceae). R: 50 [*Acacia*
horrida sensu auct. non (L.) Willd. (1806);
 Tjiherero]
- olvalumbumbu** (U)
Vangueria sp. (Rubiaceae). R: 3
- olwavava** (U)
Cassytha filiformis L. (Lauraceae). R: 3
- omacelele** (U)
Setaria megaphylla (Steud.) T.Durand & Schinz
 (Poaceae). R: 50
- omaciau** (Nye)
Dichapetalum cymosum (Hook.) Engl.
 (Dichapetalaceae). R: 50 [*Dichapetalum*
venenatum Engl. & Gilg; Ganguela]
- omaciba** (U)
Dioscorea quartiniana A.Rich. (Dioscoreaceae).
 R: 50 [*Dioscorea anchietasi* Harms]
- omaha** (Nya)
Sorghum bicolor (L.) Moench (Poaceae). R: 50
 [*Sorghum caffrorum* P.Beauv.; Lunyaneka]
- omahelenge** (Nya)
Eriosema albo-griseum Baker f. (Fabaceae). R: 50
 [Lunyaneka]
- omahola-hakandiangue**
Lantana rugosa Thunb. (Verbenaceae). R: 50
 [*Lantana salviifolia* Jacq.; Lunyaneka], 3
- omahola-kandijangi**
Rhus angolensis Engl. (Anacardiaceae). R: 30
 [Huila]
- omaianga**
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R:

50 [Lunyaneka], 3 [*Euphorbia candelabrum*
Welw. ex Hiern, *nom. illeg.*]

omako (U)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 3

omaku
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50 [U], 3

omakuakanjombé (Nya)
Grewia carpinifolia Juss. (Tiliaceae). R: 50
[Lunyaneka]

omakulongolo
Capparis tomentosa Lam. (Capparaceae). R: 3

omakunakahuta
Ziziphus abyssinica Hochst. ex A.Rich.
(Rhamnaceae). R: 50 [Lunyaneka], 3

omala-vasusu (U)
Leptactina benguellensis (Welw. ex Benth. &
Hook.f.) R.D.Good (Rubiaceae). R: 3

omalavate-vasusu
Leptactina benguellensis (Welw. ex Benth. &
Hook.f.) R.D.Good (Rubiaceae). R: 3

omalavilulu
Clematis chrysocarpa Welw. ex Oliv.
(Ranunculaceae). R: 50 [*Clematopsis speciosa*
Hutch.; U], 3 [*Clematopsis speciosa* Hutch.]

omala-vilulu (U)
Clematis chrysocarpa Welw. ex Oliv.
(Ranunculaceae). R: 3 [*Clematopsis speciosa*
Hutch.]

omalavilulu-vanene
Clematis chrysocarpa Welw. ex Oliv.
(Ranunculaceae). R: 3 [*Clematopsis speciosa*
Hutch.]

omalavilulu-vayanda
Clematis chrysocarpa Welw. ex Oliv.
(Ranunculaceae). R: 3 [*Clematopsis speciosa*
Hutch.]

omalavinlunto (U)
Clematis simensis Fresen. (Ranunculaceae). R: 52

omanama (Z)
Grewia welwitschii Burret (Tiliaceae). R: 50
[Tjiherero]

omanda
Albizia antunesiana Harms (Fabaceae). R: 50 [U],
3 [U]
Brachystegia bakeriana Hutch. & Burtt Davy
(Fabaceae). R: 3 [U]
Brachystegia spiciformis Benth. (Fabaceae). R: 50
[*Brachystegia hockii* sensu auct. non De Wild.
(1913); U], 2, 3 [U], 52 [U]
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 50 [*Berlinia paniculata* Benth.; U],
3 [*Julbernardia baumii* (Harms) Troupin; U], 3
[U]
Phragmanthera glaucocarpa (Peyr.) Balle
(Loranthaceae). R: 52 [U]

omandiabole (Nya)
Nymphaea heudelotii Planch. (Nymphaeaceae). R:
50 [Lunyaneka]

omanga (U)
Brachystegia manga De Wild. (Fabaceae). R: 3
Mangifera indica L. (Anacardiaceae). R: 3

omangalala (U)
Pandanus sp. (Pandanaceae). R: 50, 3

omangangu (Nya)
Bauhinia petersiana Bolle subsp. *macrantha*
(Oliv.) Brummitt & J.H.Ross (Fabaceae). R: 3
[*Perlebia macrantha* (Oliv.) A.Schmitz subsp.
serpae (Ficalho & Hiern) A.Schmitz]
Tylosema fassoglense (Kotschy ex Schweinf.)
Torre & Hillc. (Fabaceae). R: 50 [*Bauhinia*
fassoglensis Kotschy ex Schweinf.; Lunyaneka], 3

omangatu
Capparis tomentosa Lam. (Capparaceae). R: 50
[Lunyaneka], 3

omaniancuele
Ricinus communis L. (Euphorbiaceae). R: 59
[Huíla – Lubango]

omaniankuele (Nya)
Ricinus communis L. (Euphorbiaceae). R: 50
[Lunyaneka]

omano
Acacia brevispica Harms (Fabaceae). R: 3
Acacia pentagona (Schumach.) Hook.f. ?
(Fabaceae). R: 50 [*Acacia pennata* Willd.;
Lunyaneka]

omaracuja (U)
Passiflora edulis Sims (Passifloraceae). R: 3

omasambala (U)
Sorghum bicolor (L.) Moench (Poaceae). R: 3
[*Sorghum caffrorum* P.Beauv.]

omatanga (fruit pl.)
Citrullus lanatus (Thunb.) Matsum. & Nakai
(Cucurbitaceae). R: 49 [*Citrullus vulgaris* Schrad.
ex Eckl. & Zeyh.]

omatunda (Nya)
Solanum incanum L. (Solanaceae). R: 50 [*Solanum*
panduriforme E.Mey. ex Dunal; Lunyaneka]

omatyili (Nya)
Artemisia afra Jacq. ex Willd. (Asteraceae). R: 50
[Lunyaneka], 3

omavilulo
Clematis chrysocarpa Welw. ex Oliv.
(Ranunculaceae). R: 3 [*Clematopsis speciosa*
Hutch.]

omaxiba (U)
Dioscorea quartiniana A.Rich. (Dioscoreaceae).
R: 49 [*Dioscorea anchietasi* Harms; Benguela,
Lepi]

omba (O)
Commiphora glaucescens Engl. (Burseraceae). R:
50 [Xikuanhama]

ombakate
Persea americana Mill. (Lauraceae). R: 3 [*Persea*
gratissima Gaertn.]

ombakatyeti
Senecio latifolius DC. (Asteraceae). R: 3

ombalahuma
Agave sisalana Perrine (Agavaceae). R: 3

- ombala-katietie**
Senecio latifolius DC. (Asteraceae). R: 3
- ombalakatyetye** (U)
Senecio latifolius DC. (Asteraceae). R: 3
- ombalohuma**
Agave sisalana Perrine (Agavaceae). R: 3
- ombambi**
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 50 [*Annona nana* Exell var. *subsessilifolia* (Engl.) Exell & Mendonça; Lunyaneka], 3
Eragrostis superba Poir. (Poaceae). R: 3 [U]
- ombambu** (U)
Erythrophleum letestui A.Chev. ? (Fabaceae). R: 3
- ombanda**
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [U], 3
- ombane** (Nya)
Commiphora angolensis Engl. (Burseraceae). R: 50 [Lunyaneka]
- ombanje** (U)
Albizia gummosa (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50
- ombanui** (Z)
Tylosema esculentum (Burch) A.Schreib. (Fabaceae). R: 50 [*Bauhinia burkeana* Benth. ex Harv.; Tjiherero]
- ombendje**
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 3 [*Swartzia madagascariensis* Desv.]
- ombenje**
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 50 [*Swartzia madagascariensis* Desv.; U], 3 [*Swartzia madagascariensis* Desv.]
- ombinda** (U)
Lagenaria siceraria (Molina) Standl. (Cucurbitaceae). R: 3
- ombindi**
Datura stramonium L. (Solanaceae). R: 3
- ombindji**
Datura stramonium L. (Solanaceae). R: 3
- ombinga**
Strophanthus sp. (Apocynaceae). R: 3
- omboa** (Nya)
Amaranthus spinosus L. (Amaranthaceae). R: 3
- ombote** (Nye)
Entada arenaria Schinz subsp. *arenaria* (Fabaceae). R: 50 [*Entada nana* Harms; Ganguela]
- omboti**
Entada arenaria Schinz subsp. *arenaria* (Fabaceae). R: 60 [*Entada nana* Harms]
- omboto** (U)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- omboue**
Manihot esculenta Crantz (Euphorbiaceae). R: 3 [*Manihot utilissima* Pohl]
- ombowe** (U)
Manihot esculenta Crantz (Euphorbiaceae). R: 3 [*Manihot utilissima* Pohl]
- ombu** (O)
Vangueria cyanescens Robyns (Rubiaceae). R: 47 [Cuanhama]
- ombula** (U)
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3
- ombula-inene**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 3
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3
- ombula-yeteto**
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 50 [U], 3
- ombula-yetito**
Uapaca nitida Müll.Arg. (Euphorbiaceae). R: 3
- ombulu** (U)
Margaritaria discoidea (Baill.) G.L.Webster var. *discoidea* (Euphorbiaceae). R: 50 [*Phyllanthus discoideus* (Baill.) Müll.Arg.]
- ombulututu** (U)
Cochlospermum angolense Welw. ex Oliv. (Cochlospermaceae). R: 3
- ombumba** (Nk)
Strychnos spinosa Lam. (Strychnaceae). R: 50 [Lukhumbi]
- ombumbulu**
Melia azedarach L. (Meliaceae). R: 3
- ombundi** (U)
Eriosema albo-griseum Baker f. (Fabaceae). R: 50
Pseudeminia muxiria (Welw. ex Baker) Verdc. (Fabaceae). R: 50 [*Eriosema muxiria* Welw. ex Baker]
Pseudeminia sp. (Fabaceae). R: 3
- ombundji**
Pseudeminia muxiria (Welw. ex Baker) Verdc. (Fabaceae). R: 50 [*Eriosema muxiria* Welw. ex Baker; Lunyaneka]
Pseudeminia sp. (Fabaceae). R: 3
- ombunu** (Kim)
Oryza barthii A.Chev. (Poaceae). R: 50 [*Oryza staphii* Roschew.]
- ombungu** (U)
Oxytenanthera abyssinica (A.Rich.) Munro (Poaceae). R: 50, 3
- ombungululu** (U)
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroxylaceae). R: 3
- ombungululu-yesendje**
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroxylaceae). R: 3
- ombuta** (U)
Manihot sp. (Euphorbiaceae). R: 3
- ombutu** (Nya)
Cucumis hirsutus Sond. (Cucurbitaceae). R: 50 [*Cucumis welwitschii* Cogn.; Lunyaneka], 3
- ombwe**
Manihot esculenta Crantz (Euphorbiaceae). R: 3 [*Manihot utilissima* Pohl]

- omeho-onyoko** (Nya)
Aplosimum decumbens Schinz (Scrophulariaceae).
R: 3
- omemaloku** (U)
Aeschynomene benguellensis Torre ? (Fabaceae).
R: 50 [*Aeschynomene aff. dissitiflora* Baker]
- omethy**
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
[Ganguela], 3 [Ganguela]
- ometi**
Hymenocardia acida Tul. (Euphorbiaceae). R: 2,
3 [U]
- omety** (U)
Hymenocardia acida Tul. (Euphorbiaceae). R: 52
- omhbhu-embu**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 50
[*Ancylanthos fulgidus* Welw. ex Hiern;
Xikuanhama]
Vangueriopsis lanciflora (Hiern) Robyns
(Rubiaceae). R: 47 [U]
- omhintu** (female) (O)
Schinziophyton rautanenii (Schinz) Radcl.-Sm.
(Euphorbiaceae). R: 50 [*Ricinodendron rautanenii*
Schinz, Xikuanhama]
- omhundye**
Morella serrata (Lam.) Killick (Myricaceae). R:
50 [*Myrica conifera sensu auct. non* Burm.f.
(1768); Lunyaneka], 3 [*Myrica conifera sensu
auct. non* Burm.f. (1768)]
- omia**
Ochna sp. (Ochnaceae). R: 2
- omia-jitito**
Psorospermum mechowii Engl. (Hypericaceae). R:
50 [*Psorospermum hundtii* Exell & Mendonça; U],
3 [*Psorospermum hundtii* Exell & Mendonça]
- omiajoposi-jitito** (U)
Ochna pulchra Hook. (Ochnaceae). R: 52
- omiandu** (Nye)
Diospyros kirkii Hiern (Ebenaceae). R: 50
[*Diospyros flexilis* Hiern ex Greves; *Diospyros
platyphylla* Hiern; Ganguela]
Diospyros sparsirama Hiern ex Greves
(Ebenaceae). R: 50 [Ganguela]
- omia-yenyla**
Ochna arenaria De Wild. & T.Durand
(Ochnaceae). R: 50 [*Ochna angustifolia* Engl. &
Gilg; U], 3 [*Ochna angustifolia* Engl. & Gilg]
- omia-yitito**
Psorospermum mechowii Engl. (Hypericaceae). R:
3 [*Psorospermum hundtii* Exell & Mendonça]
- omia-yohui** (U)
Ochna pygmaea Hiern (Ochnaceae). R: 50 [*Ochna
gracilipes* Hiern; U], 3
- omilondoke**
Morella serrata (Lam.) Killick (Myricaceae). R:
50 [*Myrica conifera sensu auct. non* Burm.f.
(1768); Lunyaneka], 3 [*Myrica conifera sensu
auct. non* Burm.f. (1768)]
- omiloti** (Z)
Pycnocoma dentata Hiern (Euphorbiaceae). R: 50
- [Tjiherero]
- omimbulukufua** (Nya)
Psydrax livida (Hiern) Bridson (Rubiaceae). R: 50
[*Canthium huillense* Hiern; Lunyaneka]
- omingua** (Nya)
Ximenia caffra Sond. (Olacaceae). R: 50
[Lunyaneka]
- ominyamba** (Nya)
Chaetacme aristata Planch. (Ulmaceae). R: 50
[Lunyaneka]
- omisivi** (O)
Guibourtia coleosperma (Benth.) J.Léonard
(Fabaceae). R: 50 [Xikuanhama]
- omite** (Nya)
Oldenlandia herbacea (L.) Roxb. (Rubiaceae). R:
50 [*Oldenlandia heynei* Oliv., nom. illeg.;
Lunyaneka]
- omnyuko**
Euphorbia transvaalensis Schltr. (Euphorbiaceae).
R: Antunes 781
- omola-vasusu** (U)
Leptactina benguellensis (Welw. ex Benth. &
Hook.f.) R.D.Good (Rubiaceae). R: 3
- omola-vilulu** (U)
Clematis chrysocarpa Welw. ex Oliv.
(Ranunculaceae). R: 3 [*Clematopsis speciosa*
Hutch.]
- omole** (Nye)
Napoleonaea gossweileri Baker f.
(Lecythidaceae). R: 50 [Ganguela]
- omolo** (U)
Ricinus communis L. (Euphorbiaceae). R: 3
- omondolwa**
Steganotaenia araliacea Hochst. (Apiaceae). R: 3
- omone**
Afzelia quanzensis Welw. (Fabaceae). R: 52 [U]
Isoberlinia tomentosa (Harms) Craib & Staph
(Fabaceae). R: 3 [U]
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 50 [*Berlinia paniculata* Benth.; U],
2, 3
- omonkhukumbendye** (Nya)
Rhus quartiniana A.Rich. (Anacardiaceae). R: 3
[*Rhus quartiniana* A.Rich. var. *acutifoliolata*
(Engl.) Meikle]
- omopanda** (Nya)
Brachystegia spiciformis Benth. (Fabaceae). R: 50
[Lunyaneka]
- omopo** (U)
Indigofera longibracteata Engl. (Fabaceae). R: 50
[*Indigofera hirsuta* L. var. *polystachya* Welw. ex
Baker]
- omoso** (U)
Cola welwitschii Exell & Mendonça ex R.Germ.
(Sterculiaceae). R: 50
- omowe** (Nya)
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 50 [*Berlinia baumii* Harms;
Lunyaneka]

- ompalala** (O)
Peltophorum africanum Sond. (Fabaceae). R: 63
 [Cuanhamama]
- omphai-iantyima**
Antherotoma debilis (Sond.) Jacq.-Fél.
 (Melastomataceae). R: 41 [*Dissotis debilis* (Sond.)
 Triana var. *debilis*]
- omphepo** (Nya)
Lippia javanica (Burm f.) Spreng. (Verbenaceae).
 R: 3
- omphungu** (Nya)
Cleome gynandra L. (Capparaceae). R: 3
 [*Gynandropsis gynandra* (L.) Briq.]
- ompiapia**
Ranunculus multifidus Forssk. (Ranunculaceae).
 R: 50 [*Ranunculus pubescens* Thunb.;
 Lunyaneka], 3
- ompungu** (Nya)
Cleome angustifolia Forssk. subsp. *diandra*
 (Burch.) Kers (Capparaceae). R: 50, 3 [*Cleome*
diandra Burch.; Lunyaneka]
- ompunguhika**
Cleome hirta (Klotzsch) Oliv. (Capparaceae). R:
 50 [Lunyaneka], 3
- omuakola** (Z)
Sterculia setigera Delile (Sterculiaceae). R: 50
 [Tjiherero]
- omuale** (Z)
Grewia bicolor Juss. (Tiliaceae). R: 50 [Tjiherero]
- omuama** (Z)
Albizia anthelmintica Brongn. (Fabaceae). R: 50
 [Tjiherero]
- omuandi**
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 50 [Lunyaneka; Xikuhanama], 58
 [Zaire, Ambrizete, Huíla (Gambos)], 3
- omuangu** (O)
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
 (Sond.) Kokwaro (Anacardiaceae). R: 50
 [*Sclerocarya* sp.; Xikuhanama]
- omuanke** (Z)
Lippia javanica (Burm f.) Spreng. (Verbenaceae).
 R: 50 [*Lippia asperifolia* A.Rich. ex Marthe;
 Tjiherero]
- Lippia plicata* Baker (Verbenaceae). R: 50 [*Lippia*
adoensis Hochst. ex Schauer var. *multicaulis*
 Hiern; Tjiherero]
- omuanki** (Nya)
Afzelia quanzensis Welw. (Fabaceae). R: 50
 [Lunyaneka]
- omuanu**
Acacia brevispica Harms (Fabaceae). R: 3
- omuapamalenge**
Albizia versicolor Welw. ex Oliv. (Fabaceae). R: 3
- omubalandongo** (Nya)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
 R: 50 [Lunyaneka]
- omubanga** (Nya)
Rhynchosia dekindtii Harms (Fabaceae). R: 50
 [Lunyaneka]
- omubangu** (Nya)
Croton gratissimus Burch. var. *gratissimus*
 (Euphorbiaceae). R: 50 [*Croton zambesicus*
 Müll.Arg.; Lunyaneka]
- omubantya** (Z)
Afzelia quanzensis Welw. (Fabaceae). R: 50
 [Tjiherero]
- omubendye** (Nya)
 Unplaced (Anacardiaceae). R: 3 [*Rhus villosa* L.f.
 var. *dekindtiana* Engl.; unplaced name]
- omucelele** (U)
Setaria megaphylla (Steud.) T.Durand & Schinz
 (Poaceae). R: 50
- omuchaca-chaca**
Senna occidentalis (L.) Link (Fabaceae). R: 3
 [*Cassia occidentalis* L.]
- omucici** (Nya)
Pteleopsis anisoptera (Welw. ex M.A.Lawson)
 Engl. & Diels (Combretaceae). R: 50 [Lunyaneka]
- omucilu-cilu** (Nye)
Vitex madiensis Oliv. subsp. *madiensis*
 (Lamiaceae). R: 50 [*Vitex madiensis* Oliv. var.
gossweileri W.Piep.; Ganguela]
- omucilumutyila** (Z)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker;
 Tjiherero]
- omucingola** (Nye)
Diospyros pseudomespilus Mildbr. subsp.
undabunda (Hiern ex Greves) F.White
 (Ebenaceae). R: 50 [*Diospyros undabunda* Hiern
 ex Greves; Ganguela]
- omicingolo**
Diospyros pseudomespilus Mildbr. subsp.
undabunda (Hiern ex Greves) F.White
 (Ebenaceae). R: 58 [*Diospyros undabunda* Hiern
 ex Greves; Cuando Cubango (Serpa Pinto)]
- ’muculumbende**
Psydrax livida (Hiern) Bridson (Rubiaceae). R: 47
- omuncungu**
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 58 [*Chrysophyllum*
gossweileri De Wild.; Huíla (Ganguelas)]
- omue**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R:
 50 [*Acacia albida* Delile; Tjiherero]
Isoberlinia angolensis (Welw. ex Benth.) Hoyle &
 Brenan (Fabaceae). R: 50 [*Berlinia angolensis*
 Welw. ex Benth.; U], 63 [U]
Julbernardia paniculata (Benth.) Troupin
 (Fabaceae). R: 50 [*Berlinia paniculata* Benth.; U],
 3
- omuelele** (U)
Ocimum americanum L. (Lamiaceae). R: 3
 [*Ocimum canum* Sims]
- omuelo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilosopus*
 Welw. ex Ficalho & Hiern; Lunyaneka], 3

- omuenda** (Nya)
Ficus sur Forssk. (Moraceae). R: 50 [*Ficus capensis* Thunb.; Lunyaneka]
- omufiki**
Amphiasma benguellense (Hiern) Bremek. (Rubiaceae). R: 50 [*Oldenlandia benguellensis* Hiern; Lunyaneka], 3 [*Oldenlandia benguellensis* Hiern; Lunyaneka]
Kohautia subverticillata (K.Schum.) D.Mantell subsp. *subverticillata* (Rubiaceae). R: 47
- omufilamapongo** (Nya)
Clerodendrum sp. (Lamiaceae). R: 3
Rothecea myricoides (Hochst.) Steane & Mabb. var. *dumalis* (Hiern) R.Fern. (Lamiaceae). R: 50 [*Clerodendrum dumale* (Hiern) K.Schum.; Lunyaneka]
Rothecea myricoides (Hochst.) Steane & Mabb. subsp. *myricoides* (Lamiaceae). R: 50 [*Clerodendrum myricoides* (Hochst.) R.Br. ex Vatke; Lunyaneka]
- omufim** (Nya)
Protea dekindtiana Engl. (Proteaceae). R: 50 [Lunyaneka]
- omufimba**
Dialium englerianum Henriq. (Fabaceae). R: 59 [Cunene – Chiede]
- omufina** (Nya)
Sydrax livida (Hiern) Bridson (Rubiaceae). R: 50 [*Canthium huillense* Hiern; Lunyaneka]
- omufui** (Nya)
Monotes hypoleucus (Oliv.) Gilg (Dipterocarpaceae). R: 50 [Lunyaneka]
- omugundo**
Indigofera setiflora Baker (Fabaceae). R: 61
- omuhaha**
Strychnos cocculoides Baker (Strychnaceae). R: 50 [*Strychnos schumanniana* Gilg; Ganguela], 3
- omuhahandy** (Nya)
Strychnos cocculoides Baker (Strychnaceae). R: 3 [*Strychnos dekindtiana* Gilg]
Strychnos pungens Soler. (Strychnaceae). R: 50 [Lunyaneka]
- omuha-handya**
Strychnos pungens Soler. (Strychnaceae). R: 3
- omuhahandyua** (Nya)
Strychnos cocculoides Baker (Strychnaceae). R: 50 [*Strychnos schumanniana* Gilg; Lunyaneka], 3 [*Strychnos dekindtiana* Gilg]
- omuhahae** (Nya)
Faurea discolor Welw. (Proteaceae). R: 50 [Lunyaneka]
Faurea intermedia Engl. & Gilg (Proteaceae). R: 50 [Lunyaneka]
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 50 [*Faurea speciosa* Welw.; Lunyaneka]
- omuhaima** (Nya)
Terminalia prunioides M.A.Lawson (Combretaceae). R: 50 [Lunyaneka]
- omuhaina**
Otiophora caerulea (Hiern) Bullock (Rubiaceae). R: 47
Vernonia auriculifera Welw. ex Hiern (Asteraceae). R: 50 [Lunyaneka]
- omuhaine**
Otiophora caerulea (Hiern) Bullock (Rubiaceae). R: 50 [*Pantanisia caerulea* Hiern]
- omuhake**
Sterculia setigera Delile (Sterculiaceae). R: 50 [Lunyaneka], 3
- omuhakola** (Nya)
Psydrax livida (Hiern) Bridson (Rubiaceae). R: 50 [*Canthium huillense* Hiern; Lunyaneka]
- omuhalali**
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 50 [*Gardenia jovis-tonantis* (Welw.) Hiern; Lunyaneka], 3
- omuhale** (Nk)
Pericopsis angolensis (Baker) Meeuwen (Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.; Lukhumbi]
- omuhaluveia**
Acacia sp. (Fabaceae). R: 3
- omuhaluveya** (Nya)
Acacia kirkii Oliv. (Fabaceae). R: 50 [Lunyaneka]
Acacia mellifera (Vahl) Benth. subsp. *detinens* (Burch.) Brenan (Fabaceae). R: 50 [*Acacia detinens* Burch.; Lunyaneka]
- omuhama**
Maprounea africana Müll.Arg. (Euphorbiaceae). R: 50 [U]
Terminalia prunioides M.A.Lawson (Combretaceae). R: 50 [Xikuanhama]
- omuhamba**
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 49 [Hufla], 50 [Lunyaneka]
Breonadia salicina (Vahl) Hepper & J.R.I.Wood (Rubiaceae). R: 50 [*Adina microcephala* (Delile) Hiern var. *galpinii* (Oliv.) Hiern; U]
Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 50 [*Cryptosepalum arboreum* Baker f.; Lunyaneka]
- omuhambangenge** (Nya)
Berlinia sp. (Fabaceae). R: 3
- omuhambu** (Nya)
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 50 [Lunyaneka]
- omuhamika** (Nya)
Ficalhoa laurifolia Hiern (Theaceae). R: 50 [Lunyaneka]
Triumfetta setulosa Mast. (Tiliaceae). R: 50 [Lunyaneka]
- omuhananu** (Nya)
Strychnos henningsii Gilg (Strychnaceae). R: 50 [*Strychnos ligustroides* Gossw. & Mendonça, nom. illeg.; Lunyaneka], 3 [*Strychnos ligustroides* Gossw. & Mendonça, nom. illeg.; Lunyaneka]

- omuhande** (Nya)
Diospyros kirkii Hiern (Ebenaceae). R: 3
- omuhandi** (Nya)
Diospyros kirkii Hiern (Ebenaceae). R: 3
- omuhandyua** (Z)
Strychnos cocculoides Baker (Strychnaceae). R: 50
 [*Strychnos dekindtiana* Gilg; Tjiherero]
- omuhanga**
Indigofera setiflora Baker (Fabaceae). R: 61
Senna singueana (Delile) Lock (Fabaceae). R: 50
 [*Cassia goratensis* Fresen.; Tjiherero]
- omuhangi**
Senna singueana (Delile) Lock (Fabaceae). R: 50
 [*Cassia goratensis* Fresen.; Lunyaneka], 3 [*Cassia singueana* Delile]
- omuhangu**
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
 [*Pennisetum albicauda* Stapf & C.E.Hubb.;
 Xikuanhama; *Pennisetum echinurus* (K.Schum.)
 Stapf & C.E.Hubb. forma *augusta* Stapf &
 C.E.Hubb.; Lunyaneka; *Pennisetum typhoides*
 (Burm.f.) Stapf & C.E.Hubb.; Tjiherero]
- omuhashi** (Nya)
Otomeria elatior (A.Rich. ex DC.) Verdc.
 (Rubiaceae). R: 50 [*Otomeria dilatata* Hiern;
 Lunyaneka]
- omuhasi** (Nya)
Phyllanthus microdendron Müll.Arg.
 (Euphorbiaceae). R: 50 [Lunyaneka]
- omuhaticolo**
Triumfetta geoides Welw. ex Mast. (Tiliaceae).
 R: 14
- omuhatyikolo**
Rhus quartiniana A.Rich. (Anacardiaceae). R: 50
 [*Rhus quartiniana* A.Rich. var. *acutifoliolata*
 (Engl.) Meikle; Lunyaneka], 3 [*Rhus quartiniana*
 A.Rich. var. *acutifoliolata* (Engl.) Meikle]
- omuhayna**
Pittosporum viridiflorum Sims (Pittosporaceae). R:
 50 [Lunyaneka], 3
- omuhenga-landongo**
Shirakiopsis elliptica (Hochst.) Esser
 (Euphorbiaceae). R: 3 [*Sapium ellipticum*
 (Hochst.) Pax]
- omuhengala-ndongo**
Shirakiopsis elliptica (Hochst.) Esser
 (Euphorbiaceae). R: 50 [*Sapium mannianum*
 (Müll.Arg.) Benth.; Lunyaneka], 3 [*Sapium ellipticum*
 (Hochst.) Pax]
- omuhenga-nandongi** (Nya)
Shirakiopsis elliptica (Hochst.) Esser
 (Euphorbiaceae). R: 3 [*Sapium ellipticum*
 (Hochst.) Pax]
- omuhetyi**
Kotschyia strobilantha (Welw. ex Baker) Dewit &
 P.A.Duvign. var. *strobilantha* (Fabaceae). R: 50
 [*Smithia strobilantha* Welw. ex Baker;
 Lunyaneka], 3
- omuhiankele**
Pittosporum viridiflorum Sims (Pittosporaceae).
- R: 50 [Lunyaneka], 3
- omuhihhi**
Combretum engleri Schinz (Combretaceae). R: 50
 [*Combretum chlorocarpum* Exell; Lunyaneka]
Pteleopsis anisoptera (Welw. ex M.A.Lawson)
 Engl. & Diels (Combretaceae). R: 50 [Lunyaneka]
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
 (Combretaceae). R: 50 [*Pteleopsis stenocarpa*
 Engl. & Diels; Lukhumbi]
- omuhila**
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker;
 Lunyaneka], 3
- omuhinde**
Chaetacme aristata Planch. (Ulmaceae). R: 50
 [Lunyaneka], 3
- omuhindi** (Nya)
Maprounea africana Müll.Arg. (Euphorbiaceae).
 R: 50 [Lunyaneka]
- omuhinike**
Osyris lanceolata Hochst. & Steud. (Santalaceae).
 R: 50 [*Osyris abyssinica* Hochst. & A.Rich.;
 Lunyaneka], 3 [*Osyris compressa* sensu auct non
 (P.J.Bergius) A.DC. (1857)]
- omuhintala**
Croton mubango Müll.Arg. (Euphorbiaceae). R:
 50 [U], 3
Garcinia huillensis Welw. ex Oliv. (Clusiaceae).
 R: 50 [Lunyaneka], 3
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 50 [*Maytenus senegalensis*
 (Lam.) Exell; U], 3
- omuhinthala** (Nya)
Garcinia huillensis Welw. ex Oliv. (Clusiaceae).
 R: 3
- omuhinthambi**
Croton integrifolius Pax (Euphorbiaceae). R:
 Dekindt 770
- omuhinyinyiki** (Nya)
Osyris lanceolata Hochst. & Steud. (Santalaceae).
 R: 3 [*Osyris compressa* sensu auct non
 (P.J.Bergius) A.DC. (1857)]
- omuhiombo** (Nya)
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
 & Wiersema (Fabaceae). R: 50 [*Swartzia*
madagascariensis Desv.; Lunyaneka]
- omuhipa** (Nya)
Stomatianthes africanus (Oliv. & Hiern) R.M.King
 & H.Rob. (Asteraceae). R: 3 [*Eupatorium*
africanum Oliv. & Hiern]
- omuhito**
Strychnos cocculoides Baker (Strychnaceae). R: 3
Strychnos pungens Soler. (Strychnaceae). R: 3
Strychnos spinosa Lam. (Strychnaceae). R:
 Antunes vel Dekindt 499
- omuhitu**
Strychnos cocculoides Baker (Strychnaceae). R: 50
 [Lunyaneka], 3
Strychnos pungens Soler. (Strychnaceae). R: 50
 [Lunyaneka], 3

- omuhoha** (Nya)
Securidaca longipedunculata Fresen.
 (Polygalaceae). R: 50 [Lunyaneka]
- omuhocio**
Stachytarpheta mutabilis (Jacq.) Vahl
 (Verbenaceae). R: 3
- omuholi-holi** (Nya)
Afrocanthium lactescens (Hiern) Lantz
 (Rubiaceae). R: 50 [*Canthium lactescens* Hiern;
 Lunyaneka], 3 [*Canthium lactescens* Hiern;
 Lunyaneka], 47 [Muila]
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 50
 [*Ancylanthos fulgidus* Welw. ex Hiern;
 Lunyaneka]
- omuholo** (Nya)
Ficus sansibarica Warb. subsp. *macroisperma*
 (Mildbr. & Burret) C.C.Berg (Moraceae). R: 50
 [*Ficus gossweileri* Hutch.; Lunyaneka]
- omuholombombo** (Nya)
Albizia gummiifera (J.F.Gmel.) C.A.Sm.
 (Fabaceae). R: 50 [Lunyaneka]
- omuhombo**
Breonadia salicina (Vahl) Hepper & J.R.I.Wood
 (Rubiaceae). R: 49 [*Adina microcephala* (Delile)
 Hiern; Serra da Chela]
Buchnera henriquesii Engl. (Orobanchaceae). R:
 50 [Ganguela]
Otiophora scabra Zucc. subsp. *scabra*
 (Rubiaceae). R: 47
Syzygium benguellense (Welw. ex Hiern) Engl.
 (Myrtaceae). R: 50 [U], 3 [U], 1
Syzygium guineense (Willd.) DC. (Myrtaceae). R:
 49 [Huíla], 3 [Nya]
Syzygium guineense (Willd.) DC. subsp.
barotense F.White (Myrtaceae). R: 1
Syzygium guineense (Willd.) DC. subsp. *huillense*
 (Hiern) F.White (Myrtaceae). R: 50 [*Syzygium*
huillense (Hiern) Engl.; Lunyaneka], 1 [*Syzygium*
huillense (Hiern) Engl.]
- omuhomboke** (Nya)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50
 [Lunyaneka]
- omuhombombo**
Albizia gummiifera (J.F.Gmel.) C.A.Sm.
 (Fabaceae). R: 49 [Huíla]
- omuhona** (Nya)
Acacia erubescens Welw. ex Oliv. (Fabaceae). R:
 50 [Lunyaneka]
- omuhondo** (Nya)
Ficus sansibarica Warb. subsp. *macroisperma*
 (Mildbr. & Burret) C.C.Berg (Moraceae). R: 50
 [*Ficus gossweileri* Hutch.; Lunyaneka]
- omuhongo** (Nya)
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
 (Sond.) Kokwaro (Anacardiaceae). R: 50
 [*Sclerocarya* sp.; Lunyaneka], 3 [*Sclerocarya* sp.;
 Lunyaneka]
- omuhongongo**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
 (Sond.) Kokwaro (Anacardiaceae). R: 58
- [*Sclerocarya birrea* (A.Rich.) Hochst.;
 Moçâmedes]
- omuhosi** (Nya)
Rothmannia engleriana (K.Schum.) Keay var.
engleriana (Rubiaceae). R: 50 [*Randia kuhniana*
 F.Hoffm. & K.Schum.; Lunyaneka]
- omuhoyo** (Nya)
Stachytarpheta mutabilis (Jacq.) Vahl
 (Verbenaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- omuhungu** (Nya)
Landolphia parvifolia K.Schum. (Apocynaceae).
 R: 50 [Lunyaneka]
- omuhynyinyiki**
Osyrис lanceolata Hochst. & Steud. (Santalaceae).
 R: 50 [*Osyrис abyssinica* Hochst. & A.Rich.;
 Lunyaneka], 3 [*Osyrис compressa* sensu auct non
 (P.J.Bergius) A.DC. (1857)]
- omuhyo-tahamba**
Combretum imberbe Wawra (Combretaceae). R:
 49 [Gamboas, Huíla]
- omuhyotahambo** (Nya)
Combretum imberbe Wawra (Combretaceae). R:
 50 [Lunyaneka]
- omui** (Nye)
Strychnos cocculoides Baker (Strychnaceae). R: 50
 [*Strychnos schumanniana* Gilg; Ganguela]
- omuiakaiaka** (Nya)
Cassia sp. (Fabaceae). R: 50 [Lunyaneka]
- omuiakalenga** (Nya)
Trema orientalis (L.) Blume (Ulmaceae). R: 50
 [*Trema guineense* (Schumach. & Thonn.) Ficalho;
 Lunyaneka]
- omualavi**
Gardenia volkensii K.Schum. subsp. *spathulifolia*
 (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47
- omualaydongue**
Morella serrata (Lam.) Killick (Myricaceae). R:
 50 [*Myrica conifera* sensu auct. non Burm.f.
 (1768); Lunyaneka], 3 [*Myrica conifera* sensu
 auct. non Burm.f. (1768)]
- omuici** (Nya)
Pteleopsis myrtifolia (M.A.Lawson) Engl. & Diels
 (Combretaceae). R: 50 [*Pteleopsis stenocarpa*
 Engl. & Diels; Lunyaneka]
- omui-eloí** (Nya)
Thunbergia hyalina S.Moore (Acanthaceae). R: 50
 [Lunyaneka]
- omui-inene**
Strychnos sp. (Strychnaceae). R: 3
- omui-katito**
Strychnos cocculoides Baker (Strychnaceae). R: 3
- omuilati** (Nya)
Phyllanthus glaucophyllus Sond. (Euphorbiaceae).
 R: 50 [*Phyllanthus glaucophyllus* Sond. var. *major*
 Müll.Arg.; Lunyaneka]
- omuilmomia** (Nya)
Acacia antunesii Harms (Fabaceae). R: 50
 [Lunyaneka]

- omuimbe**
Pterocarpus lucens Lepr. ex Guill. & Perr. subsp. *antunesii* (Taub.) Rojo (Fabaceae). R: 50
 [*Pterocarpus antunesii* (Taub.) Harms;
 Lunyaneka], 3 [*Pterocarpus antunesii* (Taub.) Harms]
- omuindundu** (Nya)
Erythrophleum africanum (Welw. ex Benth.) Harms (Fabaceae). R: 50 [Lunyaneka]
- omuintala**
Rothmannia engleriana (K.Schum.) Keay var. *engleriana* (Rubiaceae). R: 50 [*Randia kuhniana* F.Hoffm. & K.Schum.; Lunyaneka]
Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 47
- omuipaa-nyoka** (Nya)
Senna occidentalis (L.) Link (Fabaceae). R: 3
 [*Cassia occidentalis* L.]
- omuipanganga**
Oldfieldia dactylophylla (Welw. ex Oliv.) J.Léonard (Euphorbiaceae). R: 50 [*Paivaeusa dactylophylla* Welw. ex Oliv.; Lunyaneka], 3 [Nya]
Securidaca longipedunculata Fresen. (Polygalaceae). R: 3
- omuipanyoka**
Securidaca longipedunculata Fresen. (Polygalaceae). R: 50 [Lunyaneka], 3
Senna occidentalis (L.) Link (Fabaceae). R: 50 [*Cassia occidentalis* L.; Lunyaneka], 3 [*Cassia occidentalis* L.; Lunyaneka]
- omuipoa** (Nya)
Phyllanthus microdendron Müll.Arg. (Euphorbiaceae). R: 50 [Lunyaneka]
- omuiumba** (Nya)
Baikiaea plurijuga Harms (Fabaceae). R: 63 [Lunhaneca]
Baikiaea sp. (Fabaceae). R: 2 [Olunhianeca]
- omuiundu** (Nya)
Albizia antunesiana Harms (Fabaceae). R: 50 [Lunyaneka]
- omui-utito** (U)
Strychnos cocculoides Baker (Strychnaceae). R: 50
- omukalalola**
Cucumis hirsutus Sond. (Cucurbitaceae). R: 45
- omukalati** (Nya)
Burkea africana Hook. (Fabaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- omukalavise** (Z)
Catophractes alexandri D.Don (Bignoniaceae). R: 50 [Tjiherero]
- omukalu**
Ziziphus abyssinica Hochst. ex A.Rich. (Rhamnaceae). R: 49 [*Ziziphus mauritiana* sensu auct. non Lam. (1789); Damaralandia]
Ziziphus mucronata Willd. (Rhamnaceae). R: 50 [Tjiherero]
- omukambi** (Nya)
Salvadora persica L. (Salvadoraceae). R: 50
- [Lunyaneka]
- omukanda** (Nya)
Brachylaena huillensis O.Hoffm. (Asteraceae). R: 50 [Lunyaneka]
- omukandu** (Nya)
Brachylaena huillensis O.Hoffm. (Asteraceae). R: 50 [Lunyaneka]
- omukandula** (Nya)
Berkheya welwitschii O.Hoffm. (Asteraceae). R: 50 [Lunyaneka]
- omukanje** (Z)
Commiphora glaucescens Engl. (Burseraceae). R: 50 [Tjiherero]
- omukanyakalenga** (Nya)
Dovyalis macrocalyx (Oliv.) Warb. (Flacourtiaceae). R: 50 [Lunyaneka]
- omukapu**
Pterocarpus angolensis DC. (Fabaceae). R: 3
- omukarati** (Nya)
Burkea africana Hook. (Fabaceae). R: 3
- omukata**
Zehneria racemosa Hook.f. (Cucurbitaceae). R: 45
- omuke**
Nesaea passerinoides (Welw. ex Hiern) Koehne (Lythraceae). R: 36
Rotala repens (Hochst.) Koehne (Lythraceae). R: 50 [Lunyaneka]
- omukekete**
Grewia cyclopeta Wawra & Peyr. (Tiliaceae). R: 50 [Lunyaneka]
Ziziphus abyssinica Hochst. ex A.Rich. (Rhamnaceae). R: 49 [*Ziziphus mauritiana* sensu auct. non Lam. (1789); Huila], 50 [Lunyaneka], 3
- omukelekele** (Nya)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl. (Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker; Lunyaneka]
- omukele-kele**
Manilkara obovata (Sabine & G.Don) J.H.Hemsl. (Sapotaceae). R: 3
- omukanya**
Acacia brevispica Harms (Fabaceae). R: 3
Acacia pentagona (Schumach.) Hook.f. ? (Fabaceae). R: 50 [*Acacia pennata* Willd.; Lunyaneka]
- omukeri** (Nya)
Albuca abyssinica Jacq. (Hyacinthaceae). R: 50 [*Albuca angolensis* Welw.; Lunyaneka]
- omukete**
Acacia karroo Hayne (Fabaceae). R: 50 [*Acacia horrida* sensu auct. non (L.) Willd. (1806); Lunyaneka], 3 [*Acacia horrida* sensu auct. non (L.) Willd. (1806)]
Acacia kirki Oliv. (Fabaceae). R: 50 [Lunyaneka], 3
Acacia sp. (Fabaceae). R: 3
- omuketete** (Nya)
Ziziphus abyssinica Hochst. ex A.Rich. (Rhamnaceae). R: 3
Ziziphus mucronata Willd. (Rhamnaceae). R: 3

- omukhondo** (Nya)
Acacia reficiens Wawra (Fabaceae). R: 3
- omukhu**
Ochna pulchra Hook. (Ochnaceae). R: 50
 [Lunyaneka], 3
- omukoio**
Cordia sinensis Lam. (Boraginaceae). R: 50
 [Cordia rothii Roem. & Schult.; Lunyaneka]
Cordia sinensis Lam. (Boraginaceae). R: 3
- omukoko** (Nya)
Aerva leucura Moq. (Amaranthaceae). R: 3
- omukokofi**
Diospyros chamaethamnus Dinter ex Mildbr.
 (Ebenaceae). R: 59 [Cuando Cubango]
- omukolokoho** (Nya)
Bidens biternata (Lour.) Merr. & Sherff
 (Asteraceae). R: 3
- omukombekombe** (Nya)
Cissampelos mucronata A.Rich.
 (Menispermaceae). R: 3
- omukombe-kombe** (Nya)
Cissampelos mucronata A.Rich.
 (Menispermaceae). R: 50, 3 [Lunyaneka]
- omukongua** (Nya)
Ficus sansibarica Warb. subsp. *macrosperma*
 (Mildbr. & Burret) C.C.Berg (Moraceae). R: 50
 [Ficus gossweileri Hutch.; Lunyaneka]
- omukopa-kopa** (Nya)
Grewia newtonii Burret (Tiliaceae). R: 50
 [Lunyaneka]
- omukoso** (Nye)
Erythrophleum africanum (Welw. ex Benth.)
 Harms (Fabaceae). R: 50 [Ganguela]
- omukoto**
Aerva leucura Moq. (Amaranthaceae). R: 50
 [Lunyaneka], 3
- omukoyo** (Nya)
Cordia sinensis Lam. (Boraginaceae). R: 3
- omuku** (U)
Pericopsis angolensis (Baker) Meeuwen
 (Fabaceae). R: 50 [*Afrormosia angolensis* (Baker)
 De Wild.]
- omukua**
Adansonia digitata L. (Bombacaceae). R: 50
 [Lunyaneka], 3
- omukuiu-embua** (U)
Breonadia salicina (Vahl) Hepper & J.R.I.Wood
 (Rubiaceae). R: 50 [*Adina microcephala* (Delile)
 Hiern var. *galpinii* (Oliv.) Hiern]
- omukujumba** (Z)
Hyphaene petersiana Klotzsch ex Mart.
 (Arecaceae). R: 50 [*Hyphaene ventricosa* Kirk;
 Tjiherero]
- omukuka** (Nya)
Maesa lanceolata Forssk. (Myrsinaceae). R: 50
 [*Maesa angolensis* Gilg; Lunyaneka], 3 [*Maesa
 angolensis* Gilg; Lunyaneka]
- omukuku**
Combretum imberbe Wawra (Combretaceae). R:
 50 [Xikuanhama]
- Rhus natalensis** Bernh. (Anacardiaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
- omukukubende**
Rhus quartiniana A.Rich. (Anacardiaceae). R: 50
 [*Rhus quartiniana* A.Rich. var. *acutifoliolata*
 (Engl.) Meikle; Lunyaneka], 3 [*Rhus quartiniana*
 A.Rich. var. *acutifoliolata* (Engl.) Meikle]
- omukukumbendye** (Nya)
Rhus quartiniana A.Rich. (Anacardiaceae). R: 3
 [*Rhus quartiniana* A.Rich. var. *acutifoliolata*
 (Engl.) Meikle]
- omukulangolo** (Nya)
Strychnos pungens Soler. (Strychnaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
- omukulati**
Burkea africana Hook. (Fabaceae). R: 49 [Huíla],
 50 [Lunyaneka]
- omukuliu** (Nya)
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 50 [Lunyaneka]
- omukulunku** (Nya)
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R:
 50 [Lunyaneka], 3 [Lunyaneka]
Bridelia tenuifolia Müll.Arg. (Euphorbiaceae). R:
 50, 3 [Lunyaneka]
- omukulu**
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 3
- omukulukufua** (Nya)
Grewia sp. (Tiliaceae). R: 3
- omukuluvende** (Nya)
Dovyalis macrocalyx (Oliv.) Warb.
 (Flacourtiaceae). R: 50 [Lunyaneka]
- omukuma**
Hexalobus monopetalus (A.Rich.) Engl. & Diels
 (Annonaceae). R: 50 [*Hexalobus huillensis* Engl.
 & Diels; Lunyaneka], 3
- omukuna**
Euclea natalensis A.DC. (Ebenaceae). R: 3
- omukungu** (Nye)
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum
 gossweileri* De Wild.; Ganguela]
- omukungula** (Nye)
Chamaelitandra henriquesiana (Hallier f.)
 Pichon (Apocynaceae). R: 50 [*Clitandra
 henriquesiana* (Hallier f.) Stapf; Ganguela]
- omukungulu**
Combretum hereroense Schinz (Combretaceae).
 R: 11
- omukunia**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
 [*Euclea lanceolata* E.Mey. ex A.DC.;
 Lunyaneka], 3
Euclea natalensis A.DC. (Ebenaceae). R: 50
 [*Euclea multiflora* Hiern; Lunyaneka]
- omukunya** (Nya)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
Euclea natalensis A.DC. (Ebenaceae). R: 3

omukunyambambi (Nya)

Cleistanthus polystachyus Hook.f. ex Planch. (Euphorbiaceae). R: 3
Pseudolachnostylis maprouneifolia Pax var. *glabra* (Pax) Brenan (Euphorbiaceae). R: 50 [*Pseudolachnostylis glauca* (Hiern) Hutch.; Lunyaneka], 3 [*Pseudolachnostylis glauca* (Hiern) Hutch.; Lunyaneka]

omukuve (Nye)

Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 50 [*Cryptosepalum pseudotaxus* Baker f.; Ganguela]

omukuyu

Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.) C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.; Xikuanhama; U], 3 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.]

omukuyumba (Nya)

Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.) C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.; Lunyaneka]

omukwa (Nya)

Adansonia digitata L. (Bombacaceae). R: 50 [Lunyaneka]

omukwa (tree) (Nya)

Adansonia digitata L. (Bombacaceae). R: 3

omulabi (Nye)

Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 50 [*Gardenia jovis-tonantis* (Welw.) Hiern; Ganguela]

omulalavakai (Nya)

Geigeria angolensis O.Hoffm. (Asteraceae). R: 50 [Lunyaneka], 3 [Lunyaneka]

omulangalandhimba

Laggera brevipes Oliv. & Hiern (Asteraceae). R: 3 [*Blumea brevipes* (Oliv. & Hiern) Wild]

omulangala-ndymba (Nya)

Laggera brevipes Oliv. & Hiern (Asteraceae). R: 50 [Lunyaneka], 3 [*Blumea brevipes* (Oliv. & Hiern) Wild]

omulangalankopo (Nya)

Indigofera dendroides Jacq. (Fabaceae). R: 50 [Lunyaneka]

omulati

Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 50 [*Cassia kirkii* Oliv.; Lunyaneka], 3 [*Cassia kirkii* Oliv.]

omulatobo (U)

Afzelia quanzensis Welw. (Fabaceae). R: 50

omulavi

Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 50 [*Gardenia jovis-tonantis* (Welw.) Hiern; Xikuanhama]

Gardenia thunbergia L.f. (Rubiaceae). R: 50

Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47

omuleba-bobo (U)

Commiphora mollis (Oliv.) Engl. (Burseraceae). R: 50

omulekehe

Strychnos cocculoides Baker (Strychnaceae). R: Dekindt 1037

omulekehe (fruit)

Strychnos cocculoides Baker (Strychnaceae). R: 3

omulele (Nye)

Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus welwitschii* Rolfe; Ganguela]

omulemba

Ficus sp. (Moraceae). R: 3

omulemba-bobo

Commiphora mollis (Oliv.) Engl. (Burseraceae). R: 3

omulemba-nbunja (Nya)

Ficus cordata Thunb. subsp. *cordata* (Moraceae). R: 50 [*Ficus welwitschii* Warb.; Lunyaneka]

omulembelembre

Strophanthus amboensis (Schinz) Engl. & Pax (Apocynaceae). R: 50 [Lunyaneka], 3

omulembel-lembe (Nya)

Strophanthus amboensis (Schinz) Engl. & Pax (Apocynaceae). R: 3

omulembula (Nya)

Agarista salicifolia (Comm. ex Lam.) G.Don (Ericaceae). R: 3

omulembula-kongulu (Nya)

Grewia sp. (Tiliaceae). R: 3

omulenga

Bridelia ferruginea Benth. (Euphorbiaceae). R: 50 [Lunyaneka]

Bridelia micrantha (Hochst.) Baill. (Euphorbiaceae). R: 50 [Lunyaneka], 3

omuleu (Nya)

Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 3

omulia (Nye)

Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus angolensis* Büttner; Ganguela]

omuliahonde

Pterocarpus angolensis DC. (Fabaceae). R: 50 [Lunyaneka], 3

omulia-honde

Pterocarpus angolensis DC. (Fabaceae). R: 49 [South of Angola]

omuliambambi (Nya)

Pseudolachnostylis maprouneifolia Pax var. *dekindtii* (Pax) Radcl.-Sm. (Euphorbiaceae). R: 3

omuliaphalanka (Nya)

Diospyros heterotricha (Welw. ex Hiern) F.White (Ebenaceae). R: 3

omuliandynoi (Nya)

Sebaea brachyphylla Griseb. (Gentianaceae). R: 3

omuliandyuhohi

Sebaea brachyphylla Griseb. (Gentianaceae). R: 3

- omuliangunga** (Nya)
Humularia welwitschii (Taub.) P.A.Duvign. var.
lundaensis (P.A.Duvign.) Verdc. (Fabaceae). R: 50
[*Geissaspis megalophylla* (Harms) Baker f.;
Lunyaneka]
- omuliankhuele** (Nya)
Pittosporum viridiflorum Sims (Pittosporaceae).
R: 3
- omuliaohonde**
Pterocarpus angolensis DC. (Fabaceae). R: 3
- omuliatu** (Nya)
Phyllanthus fraternus G.L.Webster ?
(Euphorbiaceae). R: 50 [*Phyllanthus niruri* L.;
Lunyaneka]
- omuliatyimeme**
Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 50 [Lunyaneka], 3
- omulia-tyimeme** (Nya)
Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 3
- omulika** (Nya)
Schrebera alata (Hochst.) Welw. (Oleaceae). R:
50 [*Schrebera tomentella* (Welw.) Gilg;
Lunyaneka]
- omulilahonde**
Pterocarpus angolensis DC. (Fabaceae). R: 49
[South of Angola], 3 [Nya]
- omulila-honde**
Pterocarpus angolensis DC. (Fabaceae). R: 3
- omuliondele**
Psorospermum febrifugum Spach (Hypericaceae).
R: 3
- omuliunku**
Bridelia scleroneura Müll.Arg. subsp. *angolensis*
(Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50
[*Bridelia angolensis* Müll.Arg.; Lunyaneka], 3
[*Bridelia angolensis* Müll.Arg.]
- omulombo** (Nya)
Psorospermum febrifugum Spach (Hypericaceae).
R: 50 [Lunyaneka], 3
- omulomboti** (Nya)
Cussonia angolensis (Seem.) Hiern (Araliaceae).
R: 50, 9 [Lunhaneca, Lunyaneka]
- omulondangue** (Nya)
Garcinia sp. (Clusiaceae). R: 3
- omulondo** (Nya)
Strychnos cocculoides Baker (Strychnaceae). R: 50
[*Strychnos schumanniana* Gilg; Lunyaneka], 3
- omulongo** (Nye)
Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50 [Ganguela]
- omulova** (Nya)
Anthospermum ternatum Hiern (Rubiaceae). R: 50
[Lunyaneka], 3 [Lunyaneka]
- omulovei**
Anthospermum ternatum Hiern (Rubiaceae). R: 50
[Lunyaneka], 3
- omulukui**
Gymnosporia senegalensis (Lam.) Loes.
(Celastraceae). R: 50 [*Maytenus senegalensis*
(Lam.) Exell; Lunyaneka], 3 [*Maytenus
senegalensis* (Lam.) Exell]
- omulumekete** (Nya)
Acacia karroo Hayne (Fabaceae). R: 3 [*Acacia
horrida* sensu auct. non (L.) Willd. (1806)]
Acacia kirkii Oliv. (Fabaceae). R: 3
- omulumenkhete**
Acacia karroo Hayne (Fabaceae). R: 3 [*Acacia
horrida* sensu auct. non (L.) Willd. (1806)]
Acacia kirkii Oliv. (Fabaceae). R: 3
- omulunda** (Nya)
Heteromorpha gossweileri (C.Norman) C.Norman
(Apiaceae). R: 50, 8, 3 [Lunhaneca, Lunyaneka]
Heteromorpha occidentalis P.J.D.Winter
(Apiaceae). R: 8 [*Heteromorpha trifoliata* sensu
auct. Cannon (1970) pro parte, non (Wendl.) Eckl.
& Zeyh. (1837); Lunhaneca]
Heteromorpha stenophylla Welw. ex Schinz
(Apiaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- omulundu** (Nya)
Combretum collinum Fresen. (Combretaceae). R:
50 [*Combretum mechowianum* O.Hoffm.;
Lunyaneka]
- omulunga** (Nya)
Hyphaene petersiana Klotzsch ex Mart.
(Arecaceae). R: 50 [*Hyphaene ventricosa* Kirk;
Lunyaneka]
- omulya** (U)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
(Apocynaceae). R: 3
- omulyampundya**
Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 3
- omulyandele** (Nya)
Xylopia odoratissima Welw. ex Oliv.
(Annonaceae). R: 3
- omulya-tchilulo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
(Apocynaceae). R: 3
- omulyatyme**
Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 47
- omumangandyaba** (Z)
Acacia mellifera (Vahl) Benth. subsp. *detinens*
(Burch.) Brenan (Fabaceae). R: 50 [*Acacia
detinens* Burch.; Tjiherero]
- omumanu** (Nye)
Croton gossweileri Hutch. (Euphorbiaceae). R: 50
[Ganguela]
- omumbalandongo** (Nya)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3
- Piptadeniastrum africanum* (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.;
Lunyaneka], 3
- omumbaluva** (Nya)
Cyphostemma junceum (Webb) Desc. ex Wild &
R.B.Drumm. subsp. *jatrophoides* (Welw. ex
Baker) Verdc. (Vitaceae). R: 50 [*Cissus*

- jatrophoides* (Welw. ex Baker) Planch.;
Lunyaneka]
- omumbanga** (Nya)
Rhynchosia dekindtii Harms (Fabaceae). R: 3
- omumbanguanguluve**
Gymnosporia senegalensis (Lam.) Loes.
(Celastraceae). R: 50 [*Maytenus senegalensis* (Lam.) Exell; Lunyaneka], 3 [*Maytenus senegalensis* (Lam.) Exell]
- omumbanguluve** (Nya)
Gymnosporia senegalensis (Lam.) Loes.
(Celastraceae). R: 3 [*Maytenus senegalensis* (Lam.) Exell]
- omumbetubia** (U)
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
(Sapotaceae). R: 3
- omumbili**
Entandrophragma ekebergioides (Harms) Sprague
(Meliaceae). R: 49 [*Wulfforstia ekebergioides* Harms; Serra da Chela], 50 [Lunyaneka], 3 [Lunyaneka]
Gladiolus pallidus Baker (Iridaceae). R: 50 [*Gladiolus kubangensis* Harms; Lunyaneka]
- omumbimba** (Nya)
Pappea capensis Eckl. & Zeyh. (Sapindaceae). R: 3
- omumbiri** (Nya)
Combretum platypetalum Welw. ex M.A.Lawson
subsp. *baumii* (Engl. & Gilg) Exell
(Combretaceae). R: 50 [*Combretum baumii* Engl. & Gilg; Lunyaneka]
- omumboa**
Amaranthus spinosus L. (Amaranthaceae). R: 50
[Lunyaneka], 3
- omumbolebole** (Nya)
Grewia sp. (Tiliaceae). R: 3
- omumbole-bole** (Nya)
Grewia sp. (Tiliaceae). R: 3
- omumbole-mbole** (Nya)
Marsdenia sylvestris (Retz.) P.I.Forst.
(Apocynaceae). R: 50 [*Gymnema sylvestre* (Retz.) R.Br. ex Schultes; Lunyaneka]
- omumbonde**
Acacia erioloba E.Mey. (Fabaceae). R: 49 [*Acacia giraffae* sensu auct. non Sieber ex Steud. (1840); South of Angola]
- omumbondo** (Z)
Acacia erioloba E.Mey. (Fabaceae). R: 50 [*Acacia giraffae* sensu auct. non Sieber ex Steud. (1840); Tjiherero]
- omumbongue-bongue** (Nya)
Hypoxis obtusa Burch. ex Ker Gawl.
(Hypoxidaceae). R: 50 [*Hypoxis angolensis* Baker; Lunyaneka]
- omumbota**
Rhynchosia dekindtii Harms (Fabaceae). R: 50
[Lunyaneka], 3
- omumboto**
Rhynchosia dekindtii Harms (Fabaceae). R: 3
- omumbu** (Nye)
Vangueria proschii Briq. (Rubiaceae). R: 50
[*Vangueria lasioclados* K.Schum.; Ganguela]
- omumbula**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae). R: 50 [Lunyaneka], 58 [Hufla], 3
- omumbulumbumba**
Duranta erecta L. (Verbenaceae). R: 3 [*Duranta repens* L.]
- omumbungululu** (Nya)
Ptaeroxylon obliquum (Thunb.) Radlk.
(Ptaeroxylaceae). R: 3
- omumenga** (Nye)
Clerodendrum buchneri Gürke (Lamiaceae). R: 50
[*Clerodendrum strictum* Baker; Ganguela]
- omuminga** (Nya)
Ximenia americana L. (Olacaceae). R: 3
- omumona**
Cussonia angolensis (Seem.) Hiern (Araliaceae). R: 50 [Ganguela], 9 [Ganguela], 3
Ricinus communis L. (Euphorbiaceae). R: 50 [Lunyaneka]
- omomonamona** (Nya)
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina suberifera* Welw. ex Baker; Lunyaneka]
- omumpamena**
Tephrosia lurida Sond. var. *lurida* (Fabaceae). R: 61 [*Tephrosia longipes* Meisn. var. *lurida* (Sond.) J.B.Gillett]
- omumpianena** (Nya)
Duranta erecta L. (Verbenaceae). R: 3 [*Duranta repens* L.]
- omumphu**
Myrsine africana L. (Myrsinaceae). R: 3
- omumphunda-comuti** (Nya)
Polystachya mauritiana Spreng. (Orchidaceae). R: 3 [*Polystachya nitidula* Rchb.f.]
- omumpianema**
Epilobium hirsutum L. (Onagraceae). R: 42
- omumpianena**
Duranta erecta L. (Verbenaceae). R: 3 [*Duranta repens* L.]
- omunakola** (Nya)
Polygala kalaxariensis Schinz (Polygalaceae). R: 50 [Lunyaneka]
- omunamba** (U)
Grewia floribunda Mast. (Tiliaceae). R: 50
- omuñandje** (U)
Quassia undulata (Guill. & Perr.) D.Dietr.
(Simaroubaceae). R: 3 [*Hannoia klaineana* Pierre ex Engl.]
- omunborongonga** (Nya)
Combretum imberbe Wawra (Combretaceae). R: 50 [Lunyaneka]
- omunbungululu** (Nya)
Ptaeroxylon obliquum (Thunb.) Radlk.
(Ptaeroxylaceae). R: 50 [Lunyaneka]
- omunbyu** (O)
Ximenia caffra Sond. (Olacaceae). R: 50

- [Xikuanhama]
- omundau** (Nya)
Tacazzea apiculata Oliv. (Apocynaceae). R: 50
 [*Tacazzea welwitschii* Baill.; Lunyaneka]
- omunde**
Diospyros kirkii Hiern (Ebenaceae). R: 49
 [*Diospyros platyphyllea* Hiern], 50 [*Diospyros platyphyllea* Hiern; U]
- omundeu** (Nya)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 50 [*Diplorhynchus psilopus* Welw. ex Ficalho & Hiern; Lunyaneka], 3
 [*Diplorhynchus psilopus* Welw. ex Ficalho & Hiern; Lunyaneka]
- omundi**
Brachystegia spiciformis Benth. (Fabaceae). R: 50
 [U], 3
- omundiambi**
Apodytes dimidiata E.Mey. ex Arn. (Icacinaceae). R: 50 [Lunyaneka], 3
- omundiendje**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 3
- omundiengi** (Nya)
 unplaced (Fabaceae). R: 50 [*Acacia dekindtii* Harms; Lunyaneka]
- omundihiala**
Celtis africana Burm.f. (Ulmaceae). R: 50 [*Celtis kraussiana* Bernh.; Lunyaneka], 3 [*Celtis adolfi-friderici* sensu auct. non Engl. (1909)]
- omundilodilo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 50
 [*Ancylanthos fulgidus* Welw. ex Hiern; Lunyaneka], 3 [*Ancylanthos fulgidus* Welw. ex Hiern]
- omundilo-dilo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- omundilondilo**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 3
 [*Ancylanthos fulgidus* Welw. ex Hiern]
- omundilo-ndilo** (Nya)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 3
 [*Ancylanthos fulgidus* Welw. ex Hiern]
- omundimba**
Euclea natalensis A.DC. (Ebenaceae). R: 50
 [*Euclea multiflora* Hiern; Lunyaneka], 3
- omundimbu** (Nya)
Polygala welwitschii Chodat subsp. *pygmaea* (Gürke) Paiva (Polygalaceae). R: 50 [*Polygala pygmaea* Gürke; Lunyaneka], 3 [*Polygala pygmaea* Gürke; Lunyaneka]
- omundime**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
 [*Euclea lanceolata* E.Mey. ex A.DC.; Lunyaneka], 3
- omundiove**
Piptadeniastrum africanum (Hook.f.) Brenan (Fabaceae). R: 50 [*Piptadenia africana* Hook.f.; Lunyaneka], 3
- omundirodiro** (Nya)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 3
 [*Ancylanthos fulgidus* Welw. ex Hiern]
- omundiundiu**
Vangueriopsis lanciflora (Hiern) Robyns (Rubiaceae). R: 47
- omundondo** (U)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R: 3 [*Chlorocodon whitei* Hook.f.]
- omundonji**
Hypericophyllum angolense (O.Hoffm.) N.E.Br. (Asteraceae). R: 50 [Lunyaneka], 3
- omundu**
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [*Berlinia paniculata* Benth.; U], 3
- omundulu** (Z)
Hoslundia opposita Vahl (Lamiaceae). R: 50
 [Tjiherero]
- omundumbila** (Nya)
Elachyptera parvifolia (Oliv.) N.Hallé (Celastraceae). R: 50 [*Hippocratea parvifolia* Oliv.; Lunyaneka], 3 [*Hippocratea parvifolia* Oliv.]
- omundumbilo** (Nya)
Elachyptera parvifolia (Oliv.) N.Hallé (Celastraceae). R: 3 [*Hippocratea parvifolia* Oliv.]
- omundumbili**
Elachyptera parvifolia (Oliv.) N.Hallé (Celastraceae). R: 50 [*Hippocratea parvifolia* Oliv.; Lunyaneka], 3 [*Hippocratea parvifolia* Oliv.]
- omundumbiri** (Nya)
Solanum incanum L. (Solanaceae). R: 3
- omundumbiro** (Nya)
Elachyptera parvifolia (Oliv.) N.Hallé (Celastraceae). R: 3 [*Hippocratea parvifolia* Oliv.]
- omundungo**
Chamaecrista mimosoides (L.) Greene (Fabaceae). R: 50 [*Cassia mimosoides* L.; Lunyaneka], 3 [*Cassia mimosoides* L.]
- omundungu**
Capsicum annuum L. (Solanaceae). R: 3
Capsicum frutescens L. (Solanaceae). R: 50
 [Lunyaneka]
- omundyalala**
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 3
- omundyambi**
Apodytes dimidiata E.Mey. ex Arn. (Icacinaceae). R: 3 [Nya]
Olea europaea L. subsp. *africana* (Mill.) P.S.Green (Oleaceae). R: 50 [*Olea chrysophylla* Lam.; Lukhumbi]
- omundyenyenga** (Nk)
Olea europaea L. subsp. *africana* (Mill.) P.S.Green (Oleaceae). R: 50 [*Olea chrysophylla* Lam.; Lukhumbi]
- omundyne** (Nya)
Ochna sp. (Ochnaceae). R: 3 [*Ochna densicoma*

sensu auct. non Engl. (1903)]

omundyundyu

Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 47

omune

Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 50 [*Berlinia paniculata* Benth.; U],
3

omungai

Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 50 [Lunyaneka], 3
[Lunyaneka]

Ptaeroxylon obliquum (Thunb.) Radlk.
(Ptaeroxylaceae). R: 50 [Lunyaneka], 3

omunganga (Nya)

Vernonia petersii Oliv. & Hiern ex Oliv.
(Asteraceae). R: 50 [Lunyaneka], 3 [Lunyaneka]

omungangambende

Rhus quartiniana A.Rich. (Anacardiaceae). R: 50
[*Rhus quartiniana* A.Rich. var. *acutifoliolata*
(Engl.) Meikle; Lunyaneka], 3 [*Rhus quartiniana*
A.Rich. var. *acutifoliolata* (Engl.) Meikle]

omungangu (Nya)

Strychnos henningsii Gilg (Strychnaceae). R: 50
[*Strychnos ligustroides* Gossw. & Mendonça, *nom.*
illeg.; Lunyaneka], 3 [*Strychnos ligustroides*
Gossw. & Mendonça, *nom. illeg.*; Lunyaneka]

omungendya (Nya)

Chaetacme aristata Planch. (Ulmaceae). R: 50
[Lunyaneka], 3 [Lunyaneka]

omungola

Piliostigma thonningii (Schumach.) Milne-Redh.
(Fabaceae). R: 50 [Lunyaneka], 3
Terminalia sericea Burch. ex DC. (Combretaceae).
R: 3

omungolo (Nya)

Commiphora sp. (Burseraceae). R: 3
Terminalia sericea Burch. ex DC. (Combretaceae).
R: 50 [Lunyaneka], 3 [Lunyaneka]

omungome (U)

Mystroxylon aethiopicum (Thunb.) Loes.
(Celastraceae). R: 50

omungondo (Z)

Acacia reficiens Wawra (Fabaceae). R: 50 [*Acacia*
uncinata Engl.; Tjiherero]

omungongo

Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
(Sond.) Kokwaro (Anacardiaceae). R: 50
[*Sclerocarya* sp.; Lunyaneka], 3 [*Sclerocarya* sp.]

omungongola

Carissa spinarum L. (Apocynaceae). R: 50
[*Carissa edulis* (Forssk.) Vahl; Lunyaneka], 58
[*Carissa edulis* (Forssk.) Vahl; Huíla, Moçâmedes
(Serra da Chela)], 3 [*Carissa edulis* (Forssk.)
Vahl]

omungongolua (Nya)

Lannea rubra (Hiern) Engl. (Anacardiaceae). R:
50 [Lunyaneka]
Lannea sp. (Anacardiaceae). R: 3

omungu

Landolphia parvifolia K.Schum. (Apocynaceae).
R: 50 [Lunyaneka], 59 [Lubango]

omungula

Terminalia sericea Burch. ex DC. (Combretaceae).
R: 11

omungumbei (Nya)

Mystroxylon aethiopicum (Thunb.) Loes.
(Celastraceae). R: 50 [Lunyaneka], 3 [*Cassine*
aethiopica Thunb.]

omungundo

Sesbania macrantha Welw. ex E.Phillips & Hutch.
(Fabaceae). R: 3

omungundu

Sesbania macrantha Welw. ex E.Phillips & Hutch.
(Fabaceae). R: 3

omungungumbala

Ziziphus abyssinica Hochst. ex A.Rich.
(Rhamnaceae). R: 50 [U], 3 [Nya]

omunhinhine (Nya)

Osyris lanceolata Hochst. & Steud. (Santalaceae).
R: 50 [*Osyris abyssinica* Hochst. & A.Rich.;
Lunyaneka], 3 [*Osyris compressa* sensu auct. non
(P.J.Bergius) A.DC. (1857)]

omunhomboki (Nya)

Psorospermum febrifugum Spach (Hypericaceae).
R: 50 [Lunyaneka], 3

omunhundi

Boscia microphylla Oliv. (Capparaceae). R: 3
[*Boscia rehmanniana* sensu auct. non Pestal.]

omuni (O)

Strychnos cocculoides Baker (Strychnaceae). R: 50
[*Strychnos schumanniana* Gilg; Xikuanhama]

omunia

Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.;
Lunyaneka], 58 [Huíla (Gambos)], 3

omuniakalenga

Celtis africana Burm.f. (Ulmaceae). R: 50 [*Celtis*
kraussiana Bernh.; Lunyaneka], 3 [*Celtis adolfi-*
fiderici sensu auct. non Engl. (1909)]

omuniande

Diospyros mespiliformis Hochst. ex A.DC.
(Ebenaceae). R: 58 [Huíla]

omuniandi

Diospyros kirkii Hiern (Ebenaceae). R: 3
Diospyros kirkii Hiern ? (Ebenaceae). R: 50
[*Diospyros latifolia* Gürke; Lunyaneka]
Diospyros mespiliformis Hochst. ex A.DC.
(Ebenaceae). R: 49, 50 [Lunyaneka], 3

omunianiambungu (Nya)

Acacia polyacantha Willd. subsp. *campylacantha*
(Hochst. ex A.Rich.) Brenan (Fabaceae). R: 50
[*Acacia campylacantha* Hochst. ex A.Rich.;
Lunyaneka]

omuniliniki (Nye)

Chenopodium ambrosioides L. (Chenopodiaceae).
R: 50 [Ganguela]

omunime

Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50

- [*Euclea lanceolata* E.Mey. ex A.DC.;
Lunyaneka], 3
- omuninga**
Ximenia americana L. (Olacaceae). R: 49, 50
[Lunyaneka], 3
Ximenia caffra Sond. (Olacaceae). R: 50
[Lunyaneka]
- omuniomungati** (O)
Strychnos cocculoides Baker (Strychnaceae). R: 50
[*Strychnos schumanniana* Gilg; Xikuanhama]
- omuniongola**
Carissa spinarum L. (Apocynaceae). R: 58
[*Carissa edulis* (Forssk.) Vahl; Huíla (South)]
- omuniongolo**
Carissa spinarum L. (Apocynaceae). R: 50
[*Carissa edulis* (Forssk.) Vahl; Lunyaneka], 58
[*Carissa edulis* (Forssk.) Vahl; Moçâmedes], 3
[*Carissa edulis* (Forssk.) Vahl]
- omunjambe** (Nya)
Erythroxylum dekindtii (Engl.) O.E.Schulz
(Erythroxylaceae). R: 50 [Lunyaneka]
Olea europaea L. subsp. *africana* (Mill.)
P.S.Green (Oleaceae). R: 50 [*Olea chrysophylla*
Lam.; Lunyaneka]
- omunjavui** (O)
Dovyalis sp. (Flacourtiaceae). R: 50 [Xikuanhama]
- omunje**
Uapaca benguelensis Müll.Arg. (Euphorbiaceae).
R: 50 [Lunyaneka], 58 [Huíla]
- omunjungue-vandonga** (Nye)
Protea welwitschii Engl. (Proteaceae). R: 50
[*Protea myrsinifolia* Engl. & Gilg; Ganguela]
- omunjungui** (Nye)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
(Proteaceae). R: 50 [*Faurea speciosa* Welw.;
Ganguela]
- omunkhenga** (Nya)
Acacia brevispica Harms (Fabaceae). R: 3
- omunkhenia-khenia**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- omunkhenya** (Nya)
Acacia brevispica Harms (Fabaceae). R: 3
- omunkhete**
Schinziophyton rautanenii (Schinz) Radcl.-Sm.
(Euphorbiaceae). R: 50 [*Ricinodendron rautanenii*
Schinz; Lukhumbi; Xikuanhama]
- omunkhete-omulumentu** (male) (O)
Schinziophyton rautanenii (Schinz) Radcl.-Sm.
(Euphorbiaceae). R: 50 [*Ricinodendron rautanenii*
Schinz; Xikuanhama]
- omunkhonde**
Acacia sp. (Fabaceae). R: 3
- omunkhondo** (Nya)
Acacia reficiens Wawra (Fabaceae). R: 3
- omunkhopio** (Nya)
Kotschyia strigosa (Benth.) Dewit & P.A.Duvign.
var. *strigosa* (Fabaceae). R: 3
Kotschyia strobilantha (Welw. ex Baker) Dewit &
P.A.Duvign. var. *strobilantha* (Fabaceae). R: 3
- omunkhuliu** (Nya)
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3
- omunkhuriu** (Nya)
Bridelia micrantha (Hochst.) Baill.
(Euphorbiaceae). R: 3
- omunome** (Nya)
Ipomoea sp. (Convolvulaceae). R: 3
- omunonke** (Nye)
Strychnos gossweileri Exell (Strychnaceae). R: 50
[*Strychnos caespitosa* R.D.Good; Ganguela]
- omuntafua**
Ceropogia abyssinica Decne. var. *abyssinica*
(Apocynaceae). R: 3 [*Ceropogia leucotaenia*
K.Schum.]
- omunthafua** (Nya)
Ceropogia abyssinica Decne. var. *abyssinica*
(Apocynaceae). R: 3 [*Ceropogia leucotaenia*
K.Schum.]
- omunthiati**
Colophospermum mopane (J.Kirk ex Benth.)
J.Léonard (Fabaceae). R: 49 [*Copaifera mopane*
J.Kirk ex Benth.; Huíla], 50 [Lunyaneka]
- omunthinta**
Ekebergia benguelensis Welw. ex C.DC.
(Meliaceae). R: 3
- omunthinthia** (Nya)
Ekebergia benguelensis Welw. ex C.DC.
(Meliaceae). R: 3
- omunthombo**
Ximenia americana L. (Olacaceae). R: 3
- omunthumbili** (Nya)
Solanum incanum L. (Solanaceae). R: 3
- omunthumbilili**
Solanum incanum L. (Solanaceae). R: 50
[Lunyaneka], 3
- omunthumbiriri**
Solanum incanum L. (Solanaceae). R: 50
[Lunyaneka], 3
- omunthunthu-nopohi** (Nya)
Dombeya quinqueseta (Delile) Exell
(Sterculiaceae). R: 3
- omuntola** (Nya)
Hugonia platysepala Welw. ex Oliv. (Linaceae).
R: 50 [Lunyaneka]
- omuntombo** (U)
Combretum psidioides Welw. (Combretaceae).
R: 50
- omuntontola** (Nya)
Acacia hebeclada DC. subsp. *tristis* (Welw. ex
Oliv.) A.Schreib. (Fabaceae). R: 50 [*Acacia tristis*
Welw. ex Oliv.; Lunyaneka]
- omuntyavele**
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
(Sapotaceae). R: 50 [*Mimusops cuneifolia* Baker;
Lunyaneka], 3
- omuntyilombo**
Euclea natalensis A.DC. (Ebenaceae). R: 50
[*Euclea multiflora* Hiern; Lunyaneka], 3

- omunue-nomukulu** (Nya)
Polygala kalaxariensis Schinz (Polygalaceae). R: 50 [Lunyaneka]
- omunungo** (Nya)
Dovyalis macrocalyx (Oliv.) Warb. (Flacourtiaceae). R: 50 [Lunyaneka]
- omunungu**
Scolopia zeyheri (Nees) Harv. (Flacourtiaceae). R: Dekindt 1148
- omunyamalena** (Nya)
Acacia kirkii Oliv. (Fabaceae). R: 50 [Lunyaneka]
- omunyamba**
Chaetacme aristata Planch. (Ulmaceae). R: 3
- omunyandi**
Diospyros mespiliformis Hochst. ex A.DC. (Ebenaceae). R: 49 [Huila], 50 [Lunyaneka], 3 [Lunyaneka]
Diospyros kirkii Hiern (Ebenaceae). R: 3 [Nya]
- omunyanga** (Nya)
Buxus benguellensis Gilg (Buxaceae). R: 50 [Lunyaneka]
- omunyankuele**
Pittosporum viridiflorum Sims (Pittosporaceae). R: 50 [Lunyaneka], 3
- omunyankuere** (Nya)
Pittosporum viridiflorum Sims (Pittosporaceae). R: 50 [Lunyaneka]
- omunyavamua** (U)
Mystroxylon aethiopicum (Thunb.) Loes. (Celastraceae). R: 50
- omunyda** (Nya)
Ocimum americanum L. (Lamiaceae). R: 50 [Lunyaneka], 3 [*Ocimum canum* Sims]
- omunye**
Euphorbia radiifera L.C.Leach (Euphorbiaceae). R: 50 [*Euphorbia verticillata* Pax, nom. illeg.; Lunyaneka], 3
- omunyele** (Nya)
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 50 [*Acacia albida* Delile; Lunyaneka]
- omunyere**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R: 49 [*Acacia albida* Delile; Huila], 50 [*Acacia albida* Delile; Lunyaneka]
- omunyime** (Nya)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50 [*Euclea lanceolata* E.Mey. ex A.DC.; Lunyaneka], 3
Euclea divinorum Hiern (Ebenaceae). R: 3
Euclea natalensis A.DC. (Ebenaceae). R: 50 [*Euclea multiflora* Hiern; Lunyaneka], 3
- omunyme**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- omunyoa** (Nya)
Ocimum americanum L. (Lamiaceae). R: 50 [Lunyaneka], 3 [*Ocimum canum* Sims]
- omunyongolo** (Nya)
Carissa spinarum L. (Apocynaceae). R: 50 [*Carissa edulis* (Forssk.) Vahl; Lunyaneka], 3 [*Carissa edulis* (Forssk.) Vahl; Lunyaneka]
- omunysine** (Nya)
Euclea natalensis A.DC. (Ebenaceae). R: 3
- omuolo** (O)
Commiphora glaucescens Engl. (Burseraceae). R: 50 [Xikuhanhama]
- omuombo** (Nya)
Otiophora scabra Zucc. (Rubiaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- omuonde** (O)
Acacia erioloba E.Mey. (Fabaceae). R: 50 [*Acacia giraffae* sensu auct. non Sieber ex Steud. (1840); Xikuhanhama]
- omuongo**
Landolphia sp. (Apocynaceae). R: 3
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro (Anacardiaceae). R: 50 [*Sclerocarya* sp.; Lunyaneka], 58 [*Sclerocarya birrea* (A.Rich.) Hochst.; Huila (Cuanhama)]
- omuongo** (timber)
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro (Anacardiaceae). R: 49 [*Sclerocarya schweinfurthiana* Schinz; Serra da Chela]
- omuonime**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50 [*Euclea lanceolata* E.Mey. ex A.DC.; Lunyaneka], 3
- omupake**
Pterocarpus angolensis DC. (Fabaceae). R: 49 [South of Angola]
- omupako**
Pterocarpus angolensis DC. (Fabaceae). R: 49 [Huila]
- omupaku** (Nya)
Pericopsis angolensis (Baker) Meeuwen (Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.; Lunyaneka]
- omupalala**
Peltophorum africanum Sond. (Fabaceae). R: 50 [Lunyaneka; Xikuhanhama; Tjiherero], 3 [Lunyaneka]
- omupalalu** (Nya)
Peltophorum africanum Sond. (Fabaceae). R: 50 [Lunyaneka]
- omupameka** (Nya)
Secamone erythradenia K.Schum. (Apocynaceae). R: 3
- omupameke** (Nya)
Secamone erythradenia K.Schum. (Apocynaceae). R: 50 [Lunyaneka], 3
- omupanda** (O)
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [Xikuhanhama]
- omupandambale**
Philenoptera pallescens (Welw. ex Baker) Schrire (Fabaceae). R: 3 [*Lonchocarpus pallescens* Welw. ex Baker]
- omupandela**
Mussaenda arcuata Poir. (Rubiaceae). R: 50 [Lunyaneka], 47

- omupanduambale** (Nya)
Philenoptera pallescens (Welw. ex Baker) Schrire
 (Fabaceae). R: 3 [*Lonchocarpus pallescens* Welw.
 ex Baker]
- omupandua-mbale** (Nya)
Philenoptera pallescens (Welw. ex Baker) Schrire
 (Fabaceae). R: 3 [*Lonchocarpus pallescens* Welw.
 ex Baker]
- omupanga** (Nya)
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 50 [Lunyaneka], 9 [Lunhaneca]
- omupange**
Dichrostachys cinerea (L.) Wight & Arn. subsp.
cinerea (Fabaceae). R: 50 [*Dichrostachys*
glomerata (Forssk.) Chiov.; Lunyaneka], 3
- omupapa**
Baikiaea plurijuga Harms (Fabaceae). R: 50
 [Lunyaneka], 63 [Lunhaneca]
Baikiaea sp. (Fabaceae). R: 2 [Cuanhama]
Dalbergia nitidula Welw. ex Baker (Fabaceae). R:
 50 [*Dalbergia dekindtiana* Harms; Xikuhamama]
Spirostachys africana Sond. (Euphorbiaceae). R:
 49 [Huíla], 50 [Lunyaneka], 3 [Lunyaneka]
- omupaya** (Nya)
Leonotis leonurus (L.) R.Br. (Lamiaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
- omupeke**
Ximenia americana L. (Olacaceae). R: 49, 50
 [Lukhumbi; Lunyaneka], 3
- omupembate** (Z)
Boscia polyantha Gilg (Capparaceae). R: 50
 [Tjiherero]
- omupepe** (Nya)
Hymenodictyon floribundum (Hochst. & Steud.)
 Rob. (Rubiaceae). R: 3
Lippia javanica (Burm f.) Spreng. (Verbenaceae).
 R: 50 [*Lippia asperifolia* A.Rich. ex Marthe;
 Lunyaneka]
- omupianema**
Tricalysia buxifolia Hiern var. *australis* Robbr.
 (Rubiaceae). R: 47
- omupinja** (U)
Ficus cyathistipula Warb. (Moraceae). R: 50
- omupo**
Euphorbia macra Hiern (Euphorbiaceae). R: 50
 [Lunyaneka]
Otiophora scabra Zucc. (Rubiaceae). R: 50
 [Lunyaneka]
Otiophora scabra Zucc. subsp. *scabra*
 (Rubiaceae). R: 47
Plectranthus tenuicaulis (Hook.f.) J.K.Morton
 (Lamiaceae). R: 50 [*Coleus drymophilus*
 G.Taylor], 3 [*Coleus drymophilus* G.Taylor; U]
Vangueria cyanescens Robyns (Rubiaceae). R: 47
 [Cuanhama]
- omopolalu**
Burkea africana Hook. (Fabaceae). R: 50
 [Lunyaneka], 3
- omupombo**
Pimpinella huillensis Welw. ex Engl. (Apiaceae).
- R: 8 [*Pimpinella platyphylla* Welw. ex Hiern;
 Lunhaneca], 3 [Nya]
Rhus tenuinervis Engl. (Anacardiaceae). R: 30
- omupondandyamba** (U)
Pterocarpus lucens Lepr. ex Guill. & Perr. subsp.
antunesii (Taub.) Rojo (Fabaceae). R: 50
 [*Pterocarpus antunesii* (Taub.) Harms]
- omupondanjamba** (U)
Markhamia tomentosa (Benth.) K.Schum.
 (Bignoniaceae). R: 50 [*Markhamia sessilis*
 Sprague]
- omupondenunga** (Nya)
Morella serrata (Lam.) Killick (Myricaceae). R:
 50 [*Myrica conifera* sensu auct. non Burm.f.
 (1768); Lunyaneka], 3 [*Myrica conifera* sensu
 auct. non Burm.f. (1768); Lunyaneka]
- omupondo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus welwitschii*
 Rolfe; Lunyaneka]
Steganotaenia araliacea Hochst. (Apiaceae). R: 50
 [Lunyaneka], 8 [Lunhaneca], 3
- omupondololu** (Nya)
Steganotaenia araliacea Hochst. (Apiaceae). R: 3
- omupopo** (Nya)
Euphorbia transvaalensis Schltr. (Euphorbiaceae).
 R: 50 [Lunyaneka], Antunes 781
- omupota** (Nya)
Psorospermum febrifugum Spach (Hypericaceae).
 R: 50 [Lunyaneka], 3 [Lunyaneka]
- omupoya**
Leonotis leonurus (L.) R.Br. (Lamiaceae). R: 3
- omupuhamalenge** (Nya)
Albizia versicolor Welw. ex Oliv. (Fabaceae). R:
 50 [Lunyaneka], 3 [Lunyaneka]
- omupuhamalengue**
Albizia antunesiana Harms (Fabaceae). R: Antunes
 330
- omupuka** (U)
Cordia sinensis Lam. (Boraginaceae). R: 50
 [*Cordia rothii* Roem. & Schult.], 3
- omupumgahila**
Psorospermum febrifugum Spach (Hypericaceae).
 R: 50 [Lunyaneka], 3
- omupunduka**
Myrsine africana L. (Myrsinaceae). R: 50
 [Lunyaneka], 3
- omupupu** (Nya)
Combretum psidioides Welw. (Combretaceae). R:
 50 [Lunyaneka]
Combretum zeyheri Sond. (Combretaceae). R: 50
 [Lunyaneka]
Combretum sp. (Combretaceae). R: 3
- omupute** (Nya)
Crotalaria abscondita Welw. ex Baker
 (Fabaceae). R: 50 [Lunyaneka], 61 [Lunianeca]
- omuquequete**
Ziziphus abyssinica Hochst. ex A.Rich.
 (Rhamnaceae). R: 27 [Huíla]

omuriambambi

Pseudolachnostylis maprouneifolia Pax var.
dekindtii (Pax) Radcl.-Sm. (Euphorbiaceae). R: 3

omuriamphalanka (Nya)

Diospyros heterotricha (Welw. ex Hiern) F.White
(Ebenaceae). R: 3

omuriampolankha

Diospyros heterotricha (Welw. ex Hiern) F.White
(Ebenaceae). R: 50 [*Royena heterotricha* (Welw.
ex Hiern) B.L.Burtt; Lunyaneka], 3

omuriampundya

Piptadeniastrum africanum (Hook.f.) Brenan
(Fabaceae). R: 50 [*Piptadenia africana* Hook.f.;
Lunyaneka], 3

omuriandele (Nya)

Xylopia odoratissima Welw. ex Oliv.
(Annonaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]

omuriandynoi

Sebaea brachiphylla Griseb. (Gentianaceae). R: 3

omuriandyoi (Nya)

Sebaea brachiphylla Griseb. (Gentianaceae). R:
50 [*Sebaea multinodis* N.E.Br.; Lunyaneka]

omuriandyuhohi

Sebaea brachiphylla Griseb. (Gentianaceae). R: 3

omuriangungu

Humularia welwitschii (Taub.) P.A.Duvign. var.
lundaensis (P.A.Duvign.) Verdc. (Fabaceae). R: 50
[*Geissaspis megalophylla* (Harms) Baker f.;
Lunyaneka], Antunes vel Dekindt 94

omuriankhuere (Nya)

Pittosporum viridiflorum Sims (Pittosporaceae).
R: 3

omuriankuele

Pittosporum viridiflorum Sims (Pittosporaceae).
R: 3

omuriankuere

Pittosporum viridiflorum Sims (Pittosporaceae).
R: 3

omurianthite (Nya)

Otomeria elatior (A.Rich. ex DC.) Verdc.
(Rubiaceae). R: 50 [*Otomeria dilatata* Hiern;
Lunyaneka]

omuria-tymeme (Nya)

Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 50 [Lunyaneka], 3
[Lunyaneka]

omuriondere

Psorospermum febrifugum Spach (Hypericaceae).
R: 50 [Lunyaneka], 3

omuryatymeme

Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 47

omusa (Nya)

Gnidia dekindtiana Gilg (Thymelaeaceae). R: 50
[*Arthrosolen dekindtiana* (Gilg) H.Pearson;
Lunyaneka]

omusamba

Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 50 [U], 3

omusasa

Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 50 [U]

Securidaca longipedunculata Fresen.
(Polygalaceae). R: 50 [Lunyaneka], 3

omusea-sete (Z)

Terminalia sericea Burch. ex DC. (Combretaceae).
R: 50 [Tjiherero]

omuseke

Rhynchosia insignis (O.Hoffm.) R.E.Fr.
(Fabaceae). R: 3

omusene (O)

Albizia antunesiana Harms (Fabaceae). R: 50
[Xikuanhama]

omusengue (O)

Combretum molle R.Br. ex G.Don
(Combretaceae). R: 50 [Xikuanhama]

omusivi

Guibourtia coleosperma (Benth.) J.Léonard
(Fabaceae). R: 59 [Huila – Caconda, Mulondo,
Gambos]

omussala

Dialium englerianum Henriq. (Fabaceae). R: 59
[Cuando Cubango – between R. Luassingua and
R. Longa]

omutahindi

Indigofera baumiana Harms (Fabaceae). R: 50

omutaku (Nye)

Ilex mitis Radlk. (AQUIFOLIACEAE). R: 50
[Ganguela]

omutaku (timber) (Nya)

Entandrophragma ekebergioides (Harms) Sprague
(Meliaceae). R: 50 [Lunyaneka]

omutandu (Nya)

Boscia welwitschii Gilg (Capparaceae). R: 50
[Lunyaneka]

omutane (Nya)

Diospyros batocana Hiern (Ebenaceae). R: 3

omutchiatchimeme

Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 47

omutehiankunie

Xylopia odoratissima Welw. ex Oliv.
(Annonaceae). R: 50 [Lunyaneka], 3

omutela-bobo (Nya)

Commiphora mollis (Oliv.) Engl. (Burseraceae).
R: 50 [Lunyaneka]

omutena

Ziziphus abyssinica Hochst. ex A.Rich.
(Rhamnaceae). R: 50 [Lunyaneka], 3

Ziziphus mucronata Willd. (Rhamnaceae). R: 50
[Lunyaneka]

omutendeleti (Z)

Boscia albitrunca (Burch.) Gilg & Gilg-Ben.
(Capparaceae). R: 50 [*Boscia pechuelii* Kuntze;
Tjiherero]

omutengualitiko

Tricalysia griseiflora K.Schum. var. *benguellensis*
(Welw. ex Hiern) Robbr. (Rubiaceae). R: 47

- omutengue** (Nya)
Sterculia quinqueloba (Garcke) K.Schum.
 (Sterculiaceae). R: 50 [Lunyaneka]
Sterculia setigera Delile (Sterculiaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
- omuthapua**
Ceropogia multiflora Baker subsp. *tentaculata*
 (N.E. Br.) H.Huber (Apocynaceae). R: 49
 [*Ceropogia tentaculata* N.E.Br.], 50 [*Ceropogia tentaculata* N.E.Br. var. *puberula* Hiern;
 Lunyaneka]
- omuthiati** (Nya)
Colophospermum mopane (J.Kirk ex Benth.)
 J.Léonard (Fabaceae). R: 50 [Lunyaneka]
- omuthompi**
Celtis africana Burm.f. (Ulmaceae). R: *Dekindt*
 1049
- omutiatupa** (Z)
Tarchonanthus camphoratus L. (Asteraceae). R:
 50 [Tjiherero]
- omutie** (Nya)
Indigofera baumiana Harms (Fabaceae). R: 50
 [Lunyaneka]
- omutieketyeke**
Chamaecrista biensis (Steyaert) Lock (Fabaceae).
 R: *Dekindt s.n. LISC 011896*
- omutia**
Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 58 [Huíla]
- omuti-ie-omphunda**
Polystachya mauritiana Spreng. (Orchidaceae). R:
 3 [*Polystachya nitidula* Rchb.f.]
- omutijila** (Nya)
Baissea wulffhorstii Schinz (Apocynaceae). R: 50
 [Lunyaneka]
- omutimunene** (Nya)
Securidaca longipedunculata Fresen.
 (Polygalaceae). R: 50 [Lunyaneka]
- omutiombo**
Paropsia brazzaeana Baill. (Passifloraceae). R: 44
- omutiompi**
Celtis africana Burm.f. (Ulmaceae). R: 50 [*Celtis kraussiana* Bernh.; Lunyaneka], 3 [*Celtis adolfi-friderici* sensu auct. non Engl. (1909)]
- omutionjoka** (Z)
Steganotaenia araliacea Hochst. (Apiaceae). R: 50
 [Tjiherero]
- omutipa-tipa** (Nya)
Physalis angulata L. (Solanaceae). R: 50
 [Lunyaneka]
- omutoko** (Nya)
Craibia brevicaudata (Vatke) Dunn subsp.
baptistarum (Büttner) J.B.Gillett (Fabaceae). R: 50
 [*Craibia baptistarum* (Büttner) Dunn; Lunyaneka]
- omutola** (Nya)
Piliostigma thonningii (Schumach.) Milne-Redh.
 (Fabaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- omutombo**
Ximenia americana L. (Olacaceae). R: 50
 [Lunyaneka], 3
- omutomboti**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 50 [Lunyaneka], 9 [Lunhaneca]
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum antunesii* Engl.; Lunyaneka], 3 [*Chrysophyllum antunesii* Engl.]
- omutona** (Nya)
Dalbergia nitidula Welw. ex Baker (Fabaceae). R:
 50 [*Dalbergia dekindtiana* Harms; Lunyaneka], 3
- omutonga-tonga** (U)
Phytolacca dodecandra L'Hér. (Phytolaccaceae).
 R: 50, 3
- omutopo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilosopus* Welw. ex Ficalho & Hiern; Lunyaneka], 3
- omutu** (U)
Cucurbita maxima Duchesne ex Lam.
 (Cucurbitaceae). R: 3
- omutuaje** (Nye)
Landolphia parvifolia K.Schum. (Apocynaceae).
 R: 50 [Ganguela]
- omutua-koyo** (Nya)
Cordia sinensis Lam. (Boraginaceae). R: 3
- omutuhu-tuhu**
Dombeya quinqueseta (Delile) Exell
 (Sterculiaceae). R: 50 [Lunyaneka], 3
- omutuionfolo**
Piliostigma thonningii (Schumach.) Milne-Redh.
 (Fabaceae). R: 50 [Lunyaneka], 3
- omutujete** (Z)
Dichrostachys cinerea (L.) Wight & Arn. subsp.
cinerea (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.; Tjiherero]
- omutumbili**
Solanum incanum L. (Solanaceae). R: 59
 [Lubango]
- omutumboti** (Nya)
Englerophytum magalismontanum (Sond.)
 T.D.Penn. (Sapotaceae). R: 3 [*Chrysophyllum antunesii* Engl.]
- omutunda**
Boscia microphylla Oliv. (Capparaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka], 3 [*Boscia rehmanniana* sensu auct. non Pestal.; Nya]
Boscia polyantha Gilg (Capparaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
Boscia sp. (Capparaceae). R: 3
- omutunda-kalunga** (U)
Boscia sp. (Capparaceae). R: 3
- omutundandyembo** (Nya)
Diplolophium zambesianum Hiern (Apiaceae).
 R: 3
- omutundu** (Nya)
Hexalobus monopetalus (A.Rich.) Engl. & Diels
 (Annonaceae). R: 50 [*Hexalobus huillensis* Engl.
 & Diels; Lunyaneka]
- omutundungu** (O)
Burkea africana Hook. (Fabaceae). R: 50

[Xikuanhama]
omutuntun-nopohi (Nya)
 Dombeya quinqueseta (Delile) Exell
 (Sterculiaceae). R: 3
omutunu (U)
 Vigna vexillata (L.) A.Rich. (Fabaceae). R: 50
omututu (O)
 Piliostigma thonningii (Schumach.) Milne-Redh.
 (Fabaceae). R: 50 [Xikuanhama]
omuty
 Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 49 [*Parinari mobola* Oliv.;
 Huíla], 50 [*Parinari mobola* Oliv.; Lunyaneka], 3
omutyameka (Nya)
 Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 3
omutyate
 Colophospermum mopane (J.Kirk ex Benth.)
 J.Léonard (Fabaceae). R: 49 [*Copaifera mopane*
 J.Kirk ex Benth.; Huíla]
omutyati (Z)
 Colophospermum mopane (J.Kirk ex Benth.)
 J.Léonard (Fabaceae). R: 50 [Tjiherero]
omutytya (Nya)
 Dichrostachys cinerea (L.) Wight & Arn.
 (Fabaceae). R: 3
omutyekele (Nya)
 Acacia mellifera (Vahl) Benth. subsp. *detinens*
 (Burch.) Brenan (Fabaceae). R: 50 [*Acacia*
 detinens Burch.; Lunyaneka]
omutyekeyeke
 Crotalaria pittardiana Torre (Fabaceae). R: 61
omutyetye
 Dichrostachys cinerea (L.) Wight & Arn. subsp.
 cinerea (Fabaceae). R: 50 [*Dichrostachys*
 glomerata (Forssk.) Chiov.; Lunyaneka;
 Tjiherero], 3
omutyahila
 Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 50 [Lunyaneka], 3
omutyihi
 Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R:
 50 [*Cassia kirkii* Oliv.; Lunyaneka], 3 [*Cassia*
 kirkii Oliv.]
omutyle (Nya)
 Gyrocarpus americanus Jacq. subsp. *africanus*
 Kubitzki (Hernandiaceae). R: 50 [*Gyrocarpus*
 asiaticus Willd.; Lunyaneka]
omutylombo (Nya)
 Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
 [*Euclea dekindtii* Gürke; Lunyaneka]
omutypatipa (Nya)
 Physalis angulata L. (Solanaceae). R: 50
 [Lunyaneka]
omutyo (Nya)
 Heteromorpha occidentalis P.J.D.Winter
 (Apiaceae). R: 8 [*Heteromorpha trifoliata* sensu
 auct. Cannon (1970) pro parte, non (Wendl.) Eckl.
 & Zeyh. (1837); Lunhaneca]

Heteromorpha stenophylla Welw. ex Schinz
 (Apiaceae). R: 50 [Lunyaneka], 3
omutymouene
 Mystroxylon aethiopicum (Thunb.) Loes.
 (Celastraceae). R: 50 [Lunyaneka], 3 [*Cassine*
 aethiopica Thunb.]
omutyovi (Nya)
 Capparis tomentosa Lam. (Capparaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
omutzinku
 Ziziphus abyssinica Hochst. ex A.Rich.
 (Rhamnaceae). R: 50 [Lunyaneka], 3
omuva (O)
 Pterocarpus angolensis DC. (Fabaceae). R: 50
 [Xikuanhama]
omuvalahahe (Nya)
 Faurea discolor Welw. (Proteaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
omuvandye (Nya)
 Monotes caloneurus Gilg (Dipterocarpaceae). R:
 50 [Lunyaneka]
omuvatu
 Bridelia scleroneura Müll.Arg. subsp. *angolensis*
 (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50
 [*Bridelia angolensis* Müll.Arg.; Lunyaneka], 3
 [*Bridelia angolensis* Müll.Arg.]
 Haumaniastrum praealtum (Briq.) P.A.Duvign. &
 Plancke var. *praealtum* (Lamiaceae). R: 50
 [*Acrocephalus lippoides* Baker; Lunyaneka]
omuve (Nya)
 Berchemia discolor (Klotzsch) Hemsl.
 (Rhamnaceae). R: 50 [Lunyaneka; Xikuanhama]
omuviandynai (Nya)
 Sebaea brachyphylla Griseb. (Gentianaceae). R:
 50 [*Sebaea multinodis* N.E.Br.; Lunyaneka]
omuviu
 Indigofera rhynchocarpa Welw. ex Baker
 (Fabaceae). R: 61
 Pterocarpus lucens Lepr. ex Guill. & Perr. subsp.
 antunesii (Taub.) Rojo (Fabaceae). R: 50
 [*Pterocarpus antunesii* (Taub.) Harms;
 Lunyaneka], 3 [*Pterocarpus antunesii* (Taub.)
 Harms; Lunyaneka]
omuvole (Nya)
 Bridelia scleroneura Müll.Arg. subsp. *angolensis*
 (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50
 [*Bridelia angolensis* Müll.Arg.; Lunyaneka], 3
 [*Bridelia angolensis* Müll.Arg.; Lunyaneka]
omuvovo (Nya)
 Commiphora mollis (Oliv.) Engl. (Burseraceae).
 R: 50 [Lunyaneka]
 Commiphora sp. (Burseraceae). R: 3
 Gnidia dekindtiana Gilg (Thymelaeaceae). R: 50
 [*Arthrosolen dekindtiana* (Gilg) H.Pearson;
 Lunyaneka]
omuvyu
 unplaced (Fabaceae). R: 49 [*Pterocarpus*
 microphyllus Harms; Huíla]
omuwe (Nye)
 Julbernardia paniculata (Benth.) Troupin

(Fabaceae). R: 50 [*Berlinia baumii* Harms; Ganguela; *Berlinia paniculata* Benth.; Lunyaneka]

omuxakatapua
Celtis sp. (Ulmaceae). R: 3

omuxengue (U)
Acacia tortilis (Forssk.) Hayne (Fabaceae). R: 60
Acacia tortilis (Forssk.) Hayne subsp. *spiroparpa* (Hochst. ex A.Rich.) Brenan var. *spiroparpa* (Fabaceae). R: 50 [*Acacia spiroparpa* Hochst. ex A.Rich.]

omuyalavi
Gardenia ternifolia Schumach. & Thonn. subsp. *jovis-tonantis* (Welw.) Verdc. (Rubiaceae). R: 50 [*Gardenia jovis-tonantis* (Welw.) Hiern; Lunyaneka], 3

omuyavambua (Nya)
Mystroxylon aethiopicum (Thunb.) Loes. (Celastraceae). R: 3 [*Cassine aethiopica* Thunb.]

omuyoaa (Nya)
Ocimum americanum L. (Lamiaceae). R: 3
[*Ocimum canum* Sims]

omuyohe
Faroea salutaris Welw. (Gentianaceae). R: 3
Sebaea primuliflora (Welw.) Sileshi (Gentianaceae). R: 3 [*Belmontia primuliflora* (Welw.) Schinz; Nya]

omuyoko
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 1

omuyola (Nya)
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 50 [*Annona cuneata* (Oliv.) R.E.Fr.; Lunyaneka]

omuyolela (Nya)
Commelina subulata Roth (Commelinaceae). R: 50 [Lunyaneka]
Commelina sp. (Commelinaceae). R: 3

omuyolo (Nya)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 50 [*Annona nana* Exell var. *oblonga* Robyns & Ghesq.; Lunyaneka], 3

omuyombo (Nya)
Cassia psilocarpa Welw. (Fabaceae). R: 50 [Lunyaneka]

omuyumba (Nya)
Baikiae plurijuga Harms (Fabaceae). R: 50 [Lunyaneka]

omuzana (Z)
Acacia mellifera (Vahl) Benth. subsp. *detinens* (Burch.) Brenan (Fabaceae). R: 50 [*Acacia detinens* Burch.; Tjiherero]

omuzaona (Nya)
Acacia mellifera (Vahl) Benth. subsp. *detinens* (Burch.) Brenan (Fabaceae). R: 50 [*Acacia detinens* Burch.; Lunyaneka]

omuzena (Nya)
Euclea pseudebenus E.Mey. ex A.DC. (Ebenaceae). R: 50 [Lunyaneka]

omwi (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3

omwi (fruit) (U)
Strychnos sp. (Strychnaceae). R: 3

omwi (tree) (U)
Strychnos sp. (Strychnaceae). R: 3

omwi-katito (tree) (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3

omyaho (Nya)
Acacia sp. (Fabaceae). R: 3

omya-inene (U)
Ochna pygmaea Hiern (Ochnaceae). R: 3

omya-katito (U)
Psorospermum mechowii Engl. (Hypericaceae). R: 3 [*Psorospermum hundtii* Exell & Mendonça]

omya-yo'veñala (U)
Ochna arenaria De Wild. & T.Durand (Ochnaceae). R: 3 [*Ochna angustifolia* Engl. & Gilg]

omya-yo'veñala
Ochna arenaria De Wild. & T.Durand (Ochnaceae). R: 3 [*Ochna angustifolia* Engl. & Gilg]

ona (Nya)
Plumbago zeylanica L. (Plumbaginaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]

onaitembo-otyiria-nona (Nya)
Gloriosa superba L. (Colchicaceae). R: 3 [*Gloriosa simplex* L.]

onama (U)
Grewia newtonii Burret (Tiliaceae). R: 3

onamba
Dicliptera sp. (Acanthaceae). R: 3

onambeke
Ximenia americana L. (Olacaceae). R: 50 [U], 3

onambilis (Nya)
Entandrophragma ekebergioides (Harms) Sprague (Meliaceae). R: 3

onambiri (Nya)
Entandrophragma ekebergioides (Harms) Sprague (Meliaceae). R: 3

onambumbu (Nya)
Croton gratissimus Burch. var. *gratissimus* (Euphorbiaceae). R: 50 [*Croton zambesicus* Müll.Arg.; Lunyaneka]
Croton integrifolius Pax (Euphorbiaceae). R: 50 [Lunyaneka]

onamele (U)
Bidens biternata (Lour.) Merr. & Sherff (Asteraceae). R: 3

onamelela (U)
Bidens biternata (Lour.) Merr. & Sherff (Asteraceae). R: 3

onamerela
Bidens biternata (Lour.) Merr. & Sherff (Asteraceae). R: 3

oñandjila (U)
Solanum incanum L. (Solanaceae). R: 3 [*Solanum panduriforme* E.Mey. ex Dunal]

- onceliko** (U)
Spirostachys africana Sond. (Euphorbiaceae).
R: 50
- oncocongo**
Albizia zygia (DC.) J.F.Macbr. (Fabaceae). R:
Gossweiler 7949
- oncongo** (Nya)
Mundulea sericea (Willd.) A.Chev. (Fabaceae). R:
61 [Lunyaneca]
- ondamba** (U)
Polygala gomesiana Welw. ex Oliv.
(Polygalaceae). R: 50, 3
- ondamba-lyv'olwi** (U)
Polygala gomesiana Welw. ex Oliv.
(Polygalaceae). R: 3
- ondambi-yolui**
Lippia javanica (Burm f.) Spreng. (Verbenaceae).
R: 50 [*Lippia asperifolia* A.Rich. ex Marthe; U], 3
- ondambi-yov'olwi**
Hymenodictyon floribundum (Hochst. & Steud.)
Rob. (Rubiaceae). R: 3
Lippia javanica (Burm f.) Spreng. (Verbenaceae).
R: 3 [U]
- ondangala**
Tephrosia huillensis Welw. ex Baker var.
grandiflora Baker (Fabaceae). R: 50 [U]
Vigna reticulata Hook.f. (Fabaceae). R: 50 [U], 62
- ondau**
Cyperus articulatus L. (Cyperaceae). R: 3
- ondawu** (U)
Cyperus articulatus L. (Cyperaceae). R: 3
- ondeho**
Ozoroa insignis Delile (Anacardiaceae). R: 50
[*Heeria insignis* (Delile) Kuntze; U]
- ondembi** (U)
Cymbopogon citratus (DC.) Stapf (Poaceae). R: 3
Lippia sp. (Verbenaceae). R: 3
Myrothamnus flabellifolius Welw.
(Myrothamnaceae). R: 52
- ondende** (fruit) (U)
Elaeis guineensis Jacq. (Arecaceae). R: 3
- ondeo** (U)
Ozoroa insignis Delile (Anacardiaceae). R: 3
- ondeya** (Nya)
Acalypha sp. (Euphorbiaceae). R: 3
- ondyea** (Nya)
Clematis simensis Fresen. (Ranunculaceae). R: 50
[Lunyaneka]
- ondhimbe** (Nya)
Ipomoea prismatosyphon Welw.
(Convolvulaceae). R: 50 [*Ipomoea*
prismatosyphon Welw. var. *buchneri* (Peter)
Britten; Lunyaneka], 3 [*Ipomoea prismatosyphon*
Welw. var. *buchneri* (Peter) Britten; Lunyaneka]
- ondilasonde** (U)
Pterocarpus angolensis DC. (Fabaceae). R: 3
- ondjamba** (U)
Rumex abyssinicus Jacq. (Polygonaceae). R: 3
- ondjavayu**
Lepisanthes senegalensis (Juss. ex Poir.) Leenh.
- (Sapindaceae). R: 3 [*Aphania senegalensis* (Juss.
ex Poir.) Radlk.]
- ondjelavayo** (U)
Lepisanthes senegalensis (Juss. ex Poir.) Leenh.
(Sapindaceae). R: 3 [*Aphania senegalensis* (Juss.
ex Poir.) Radlk.]
- ondjelele** (U)
Asparagus laricinus Burch. (Asparagaceae). R: 3
[*Asparagus angolensis* Baker]
- ondjelele-itito**
Asparagus laricinus Burch. (Asparagaceae). R: 3
[*Asparagus angolensis* Baker]
- ondjilasonde** (U)
Pterocarpus angolensis DC. (Fabaceae). R: 52
[U], 3
- ondjilavayo-yitito**
Lepisanthes senegalensis (Juss. ex Poir.) Leenh.
(Sapindaceae). R: 3 [*Aphania senegalensis* (Juss.
ex Poir.) Radlk.]
- ondjilosonde**
Pterocarpus angolensis DC. (Fabaceae). R: 3
- ondjiu** (U)
Brachystegia wangermeeana De Wild. (Fabaceae).
R: 52
- ondjolela** (U)
Sopubia lanata Engl. var. *densiflora* (Skan)
O.J.Hansen (Orobanchaceae). R: 52
- ondjululu** (U)
Mentha sp. (Lamiaceae). R: 3
- ondjunge** (U)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
(Proteaceae). R: 3 [*Faurea speciosa* Welw.]
- ondjwandjwa** (U)
Cyphostemma chloroleucum (Welw. ex Baker)
Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- ondombe** (Nya)
Arachis hypogaea L. (Fabaceae). R: 50
[Lunyaneka]
- ondombuahila** (Nya)
Sium repandum Welw. ex Hiern (Apiaceae). R: 8
[Lunhaneca]
- ondondo** (U)
Mondia whitei (Hook.f.) Skeels (Apocynaceae). R:
50 [*Chlorocodon whitei* Hook.f.], 3 [*Chlorocodon*
whitei Hook.f.]
- ondondo-ia-ndundu** (U)
Plumbago zeylanica L. (Plumbaginaceae). R: 3
- ondsunge** (U)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
(Proteaceae). R: 52
- onduka**
Brachystegia spiciformis Benth. (Fabaceae). R: 50
[U], 3
- onduko** (U)
Brachystegia spiciformis Benth. (Fabaceae). R: 3
- onduluyepanda** (U)
Senecio sp. (Asteraceae). R: 3
- ondulyepanda**
Senecio sp. (Asteraceae). R: 3

ondumbo

Sarcostemma viminale (L.) R.Br. (Apocynaceae).
R: 50 [Lunyaneka], 3 [Lunyaneka; U]
Scoparia dulcis L. (Scrophulariaceae). R: 3 [Nya]

ondunda (Nya)

Physotrichia muriculata (Welw. ex Hiern)
S.Droop & C.C.Towns. (Apiaceae). R: 8
[*Peucedanum heracleoides* Baker; Lunhaneca]
Ranunculus multifidus Forssk. (Ranunculaceae).
R: 3

ondunge-vyokahulukayi

Momordica sp. (Cucurbitaceae). R: 3

ondungo-viakalakata

Capsicum frutescens L. (Solanaceae). R: 3

onduva (U)

Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
[*Emilia sagittata* sensu auct. non (Vahl) DC.
(1838)]

Gloriosa superba L. (Colchicaceae). R: 3
[*Gloriosa simplex* L.]

Littonia littonioides (Welw. ex Baker) K.Krause
(Colchicaceae). R: 3 [*Littonia welwitschii* Benth.
& Hook.f.]

ondyahó

Acacia sp. (Fabaceae). R: 3

ondyai (Nya)

Phyllanthus nummulariifolius Poir.
(Euphorbiaceae). R: 3

ondyiai

Phyllanthus nummulariifolius Poir.
(Euphorbiaceae). R: 3
Phyllanthus nummulariifolius Poir. var. *capillaris*
(Schumach. & Thonn.) Radcl.-Sm.
(Euphorbiaceae). R: 50 [*Phyllanthus capillaris*
Schumach. & Thonn.; Tjiherero]

ondyihiori

Ochna pulchra Hook. (Ochnaceae). R: 50
[Lunyaneka], 3

ondyihiovi (Nya)

Ochna pulchra Hook. (Ochnaceae). R: 3

ondyilono (Nya)

Dicoma elegans Welw. ex O.Hoffm. (Asteraceae).
R: 50 [Lunyaneka]

ondyiri (Nya)

Cardiospermum grandiflorum Sw. (Sapindaceae).
R: 50 [Lunyaneka]

ondyivi

Cardiospermum corindum L. (Sapindaceae). R: 29
Cardiospermum halicacabum L. (Sapindaceae). R:
50 [Lunyaneka], 3 [Lunyaneka]

ondzerele-enene (U)

Humularia welwitschii (Taub.) P.A.Duvign.
(Fabaceae). R: 52

ongahe (Nya)

Sebaea chironioides Gilg (Gentianaceae). R: 50
[Lunyaneka], 3 [Lunyaneka]

ongandja

Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
& Wiersema (Fabaceae). R: 2 [*Swartzia*

madagascariensis Desv.], 3 [*Swartzia*
madagascariensis Desv.; U], 52 [U]

onganga

Leptactina benguellensis (Welw. ex Benth. &
Hook.f.) R.D.Good (Rubiaceae). R: 3

onganja (U)

Bobgunnia madagascariensis (Desv.) J.H.Kirkbr.
& Wiersema (Fabaceae). R: 50 [*Swartzia*
madagascariensis Desv.; U], 3 [*Swartzia*
madagascariensis Desv.]

ongayawa (U)

Psidium guajava L. (Myrtaceae). R: 3

ongayawa

Psidium guajava L. (Myrtaceae). R: 3

ongaye

Erythrophleum africanum (Welw. ex Benth.)
Harms (Fabaceae). R: 3

on̄ge

Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3

ongeke (Z)

Mundulea sericea (Willd.) A.Chev. (Fabaceae). R:
50 [*Mundulea suberosa* (DC.) Benth.; Tjiherero]

ongelenge (U)

Diheteropogon filifolius (Nees) Clayton (Poaceae).
R: 3 [*Andropogon filifolius* (Nees) Steud.]

ongenge (U)

Brachystegia spiciformis Benth. (Fabaceae). R: 50
[U], 3

ongeve (U)

Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 52

ongo (O)

Ozoroa sp. (Anacardiaceae). R: 50 [*Heeria* sp.;
Xikuhamama]

ongombe (U)

Argyrolobium aequinoctiale Welw. ex Baker
(Fabaceae). R: 3 [U]

Cordia sinensis Lam. (Boraginaceae). R: 50

[*Cordia rothii* Roem. & Schult.; U], 3 [U]

Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 47

ongondjo

Brachystegia spiciformis Benth. (Fabaceae). R: 3

ongondjo-yonduko

Brachystegia spiciformis Benth. (Fabaceae). R: 3

ongongo (U)

Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
(Sond.) Kokwaro (Anacardiaceae). R: 58

[*Sclerocarya birrea* (A.Rich.) Hochst.; Huíla]

Strophanthus amboensis (Schinz) Engl. & Pax
(Apocynaceae). R: 3 [*Strophanthus intermedius*
Pax; U]

ongongo (fruit)

Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra*
(Sond.) Kokwaro (Anacardiaceae). R: 50

[*Sclerocarya* sp.], 3 [*Sclerocarya* sp.]

ongongololo (Nya)

Senna singueana (Delile) Lock (Fabaceae). R: 3

- [*Cassia singueana* Delile]
- ongongualunda**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 50 [*Erythrina huillensis* Welw. ex Baker; U], 3
- ongongwela (U)**
Commiphora mollis (Oliv.) Engl. (Burseraceae). R: 3
- ongonjila**
Lannea rubra (Hiern) Engl. (Anacardiaceae). R: 50 [U], 3
- ongote**
Brachystegia russelliae I.M.Johnst. (Fabaceae). R: 2
Cryptosepalum mimosoides Welw. ex Oliv. (Fabaceae). R: 50 [*Barbosa 11164a*]
Cryptosepalum verdickii De Wild. (Fabaceae). R: 50 [U]
- ongoti**
Brachystegia russelliae I.M.Johnst. (Fabaceae). R: 63 [*Caconda*], 3 [U]
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 50 [*Brachystegia aff. tamarindoides* Welw. ex Benth.; U], 3
Cryptosepalum maraviense Oliv. (Fabaceae). R: 3 [U]
Cryptosepalum verdickii De Wild. (Fabaceae). R: 50 [U]
- ongoyava**
Psidium guajava L. (Myrtaceae). R: 3
- onguehejo-zondundu (Z)**
Sansevieria cylindrica Bojer ex Hook. (Dracaenaceae). R: 50 [*Tjiherero*]
- onguerengue**
Diheteropogon filifolius (Nees) Clayton (Poaceae). R: 3 [*Andropogon filifolius* (Nees) Steud.]
- onguku (seed)**
Cannabis sativa L. (Cannabaceae). R: 3
- ongululu-ngumbi (U)**
Melinis repens (Willd.) Zizka (Poaceae). R: 3
[*Rhynchelytrum repens* (Willd.) C.E.Hubb.]
- onguluve (Nya)**
Tylosema fassoglense (Kotschy ex Schweinf.) Torre & Hillc. (Fabaceae). R: 50 [*Bauhinia fassoglensis* Kotschy ex Schweinf.; Lunyaneka]
- ongupa (U)**
Arachis hypogaea L. (Fabaceae). R: 3
- onguva**
Pterocarpus angolensis DC. (Fabaceae). R: 3, 52 [U]
- ongwangwalunda**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 3
- onhoha**
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 3
- onhua**
Indigofera pruinosa Welw. ex Baker (Fabaceae). R: 61
- onungi (U)**
Fadogia cienkowskii Schweinf. var. *cienkowskii*
- (Rubiaceae). R: 3
- onjamba**
Tricalysia cacondensis Hiern (Rubiaceae). R: 47
- onjeje (U)**
Humularia welwitschii (Taub.) P.A.Duvign. var. *welwitschii* (Fabaceae). R: 62
- onjelele**
Asparagus laricinus Burch. (Asparagaceae). R: 3
[*Asparagus angolensis* Baker]
- onjenje (U)**
Humularia welwitschii (Taub.) P.A.Duvign. var. *welwitschii* (Fabaceae). R: 50 [*Geissaspis welwitschii* (Taub.) Baker f.]
- onjericó**
Spirostachys africana Sond. (Euphorbiaceae). R: 49 [*Hanha de Benguela*]
- onjile (U)**
Tephrosia paniculata Welw. ex Baker (Fabaceae). R: 50 [*Tephrosia dimorphophylla* Welw. ex Baker]
- onjolele (U)**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 50
[*Ancylanthos fulgidus* Welw. ex Hiern]
- onjuke (Nye)**
Faurea discolor Welw. (Proteaceae). R: 50
[Ganguela]
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 50 [*Faurea speciosa* Welw.]; Ganguela]
Faurea saligna Harv. (Proteaceae). R: 50
[Ganguela]
- onjunge**
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm. (Proteaceae). R: 49 [*Faurea speciosa* Welw.]; Huila]
- onjungue-vandonga (Nye)**
Protea welwitschii Engl. (Proteaceae). R: 50
[*Protea myrsinifolia* Engl. & Gilg; Ganguela]
- onkeia**
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 50 [U], 3
- onkhandi-ngongo (female)**
Sclerocarya birrea (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro (Anacardiaceae). R: 50
[*Sclerocarya* sp.; Lunyaneka], 3 [*Sclerocarya* sp.]
- onkhatanga (Nya)**
Marsdenia abyssinica (Hochst.) Schltr. (Apocynaceae). R: 3 [*Dregea abyssinica* (Hochst.) K.Schum.]
- onkhathangá**
Marsdenia abyssinica (Hochst.) Schltr. (Apocynaceae). R: 50 [Lunyaneka], 3 [*Dregea abyssinica* (Hochst.) K.Schum.]
- onkhongo (Nya)**
Mundulea sericea (Willd.) A.Chev. (Fabaceae). R: 3
- onkhotankhota**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae). R: 3

- onkhota-nkhota**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
 R: 3
- onkhulukufua** (Nya)
Grewia sp. (Tiliaceae). R: 3
- onkongo** (Nya)
Mundulea sericea (Willd.) A.Chev. (Fabaceae). R:
 50 [*Mundulea suberosa* (DC.) Benth.; Lunyaneka]
- onkotankota**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
 R: 50 [Lunyaneka], 3
- onkota-nkota**
Panicum maximum Jacq. (Poaceae). R: 3
- onkue** (Nye)
Combretum imberbe Wawra (Combretaceae). R:
 50 [Ganguela]
- onkuku** (Nya)
Combretum imberbe Wawra (Combretaceae). R:
 50 [Lunyaneka]
- onkulavendu** (Nya)
Dovyalis macrocalyx (Oliv.) Warb.
(Flacourtiaceae). R: 50 [Lunyaneka]
- oñoha** (U)
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 3
- onombo** (U)
Chlorophytum sp. ? (Anthericaceae). R: 3
- onomono**
Ricinus communis L. (Euphorbiaceae). R: 59 [Bié – Cuító; Huíla – Gambos]
- onompheke** (fruit)
Ximenia americana L. (Olacaceae). R: 3
- onongolo** (Nya)
Pandiaka welwitschii (Schinz) Hiern
(Amaranthaceae). R: 50 [Lunyaneka]
- ononkeho** (Nya)
Albuca abyssinica Jacq. (Hyacinthaceae). R: 50
[*Albuca angolensis* Welw.; Lunyaneka]
- ontakuta**
Baphia massaiensis Taub. subsp. *obovata* (Schinz)
Brummitt var. *obovata* (Fabaceae). R: 62
[Mugambo]
- ontelekunde** (Nya)
Macrotyloma axillare (E.Mey.) Verdc. var.
glabrum (E.Mey.) Verdc. (Fabaceae). R: 50
[*Dolichos biflorus* sensu auct. non L. (1753);
Lunyaneka]
- onteta**
Brachystegia bakeriana Hutch. & Burtt Davy
(Fabaceae). R: 63 [Cubango], 2
Coccinia barteri (Hook.f.) Keay (Cucurbitaceae).
R: 45
- onthohitohi**
Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 3 [*Cassia mimosoides* L.]
- onthumba** (Nya)
Welwitschia mirabilis Hook.f. (Welwitschiaceae).
R: 50 [Lunyaneka]
- onthumbandy** (Nya)
Adenocarpus mannii (Hook.f.) Hook.f. (Fabaceae).
- R: 50 [*Adenocarpus benguellensis* Welw. ex Baker; Lunyaneka], 3
- onthumbu** (Nya)
Crotalaria amoena Welw. ex Baker (Fabaceae). R:
50 [Lunyaneka], 61 [Lunianeca]
- ontite**
Androcymbium striatum Hochst. ex A.Rich.
(Colchicaceae). R: 3
- ontohitohi**
Chamaecrista mimosoides (L.) Greene (Fabaceae).
R: 50 [*Cassia mimosoides* L.; Lunyaneka], 3
[*Cassia mimosoides* L.]
- ontongo-tongo**
Pappea capensis Eckl. & Zeyh. (Sapindaceae). R:
29 [*Pappea radlkoferi* Schweinf. ex Penz. var.
angolensis Schltr.]
- ontube** (Nya)
Mucuna pruriens (L.) DC. (Fabaceae). R: 50
[Lunyaneka]
- ontyahai**
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 58 [Huíla (Gambos)]
- ontyahi**
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; Lunyaneka], 3
- ontyhai**
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 49 [*Parinari mobola* Oliv.; Serra da Chela]
- onuandi**
Diospyros mespiliformis Hochst. ex A.DC.
(Ebenaceae). R: 58 [Huíla (Baixo Cunene)]
- onue**
Faidherbia albida (Delile) A.Chev. (Fabaceae). R:
49 [*Acacia albida* Delile; South of Angola]
- onulu** (U)
Hibiscus rhodanthus Gürke (Malvaceae). R: 50
- onundulu-ypeanda**
Senecio sp. (Asteraceae). R: 3
- onungo** (U)
Indigofera sutherlandoides Welw. ex Baker
(Fabaceae). R: 3
- onyango**
Rhamnus prinoides L'Hér. (Rhamnaceae). R: 3
- onyenga** (Nya)
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 50
[*Pennisetum echinurus* (K.Schum.) Stapf &
C.E.Hubb. forma *augusta* Stapf & C.E.Hubb.;
Lunyaneka]
- onyoha**
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 50 [*Berlinia baumii* Harms; U], 3
[*Julbernardia baumii* (Harms) Troupin]
- onyoha-omanda**
Julbernardia paniculata (Benth.) Troupin
(Fabaceae). R: 3
- opus**
Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).

- R: 47
- orininghi** (Nya)
Fadogia stenophylla Welw. ex Hiern (Rubiaceae).
 R: 50 [Lunyaneka]
- orquídea-das-matabeiras** (P)
Ansellia africana Lindl. (Orchidaceae). R: 50
- ortiga-branca** (P)
Boehmeria nivea (L.) Gaudich. (Urticaceae). R: 49
- orucú**
Bixa orellana L. (Bixaceae). R: 57
- osakwa** (U)
Buchnerodendron speciosum Gürke
 (Flacourtiaceae). R: 3
Sesamum indicum L. (Pedaliaceae). R: 3
- osamba**
Brachystegia tamarindoides Welw. ex Benth.
 (Fabaceae). R: 50 [U], 3
- osanda-malia**
Chenopodium ambrosioides L. (Chenopodiaceae).
 R: 3
- osanga** (U)
Acacia hebeclada DC. subsp. *tristis* (Welw. ex Oliv.) A.Schreib. (Fabaceae). R: 50 [*Acacia tristis* Welw. ex Oliv.]
- osapola** (U)
Allium cepa L. (Alliaceae). R: 3
- osasa-lusamba** (U)
Brachystegia tamarindoides Welw. ex Benth.
 (Fabaceae). R: 3
- osasi** (U)
Brachystegia puberula Hutch. & Burtt Davy
 (Fabaceae). R: 52
- oseke** (U)
Rhynchosia insignis (O.Hoffm.) R.E.Fr.
 (Fabaceae). R: 50, 3
- osenge** (U)
Xerophyta sp. (Velloziaceae). R: 3
- osenosino** (U)
Vitex doniana Sweet (Lamiaceae). R: 52
- osese** (U)
Albizia antunesiana Harms (Fabaceae). R: 52
Cassia angolensis Welw. ex Hiern (Fabaceae).
 R: 50, 3
- osoka**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 3
- osokata** (Nya)
Thunbergia angolensis S.Moore (Acanthaceae). R:
 50 [Lunyaneka]
- osoke** (Kim)
Hyparrhenia diplandra (Hack.) Stapf (Poaceae).
 R: 50
- osoma** (U)
Euphorbia conspicua N.E.Br. (Euphorbiaceae).
 R: 3
- osombo** (U)
Euclea divinorum Hiern (Ebenaceae). R: 3
- osonde**
Pterocarpus angolensis DC. (Fabaceae). R: 3
- ososo** (U)
Blepharis malangensis S.Moore (Acanthaceae).
- R: 3
- ososo-yolui**
Acanthus montanus (Nees) T.Anderson
 (Acanthaceae). R: 3
- ososo-yov'olwi** (U)
Acanthus montanus (Nees) T.Anderson
 (Acanthaceae). R: 3
- ososo-yov'usenge**
Acanthus montanus (Nees) T.Anderson
 (Acanthaceae). R: 3
- osossi**
Albizia antunesiana Harms (Fabaceae). R: 2
- ossum**
Monotes discolor R.E.Fr. (Dipterocarpaceae). R: 2
- osui** (U)
Monotes caloneurus Gilg (Dipterocarpaceae).
 R: 50
Monotes dasyanthus Gilg (Dipterocarpaceae).
 R: 50
- osuim** (U)
Monotes caloneurus Gilg (Dipterocarpaceae).
 R: 52
- osui-vinene** (U)
Marquesia acuminata R.E.Fr. (Dipterocarpaceae).
 R: 50
- osui-yitito** (U)
Bridelia scleroneura Müll.Arg. subsp. *angolensis*
 (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50
 [*Bridelia angolensis* Müll.Arg.; U], 3 [*Bridelia angolensis* Müll.Arg.]
- osukili** (U)
Saccharum officinarum L. (Poaceae). R: 3
- osusu** (U)
Trichilia welwitschii C.DC. (Meliaceae). R: 3
- oswa-wov'olwi** (U)
Solanum nigrum L. (Solanaceae). R: 3
- oswi-yitito** (U)
Bridelia scleroneura Müll.Arg. subsp. *angolensis*
 (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 3
 [*Bridelia angolensis* Müll.Arg.]
- otalamba** (Nye)
Landolphia thollonii Dewèvre (Apocynaceae). R:
 50 [*Landolphia chylorrhiza* (K.Schum.) Stapf;
 Ganguela]
- otchambanda**
Crotalaria ononoides Benth. (Fabaceae). R: 3
- otchandala-ekundu**
Aloe zebrina Baker (Asphodelaceae). R: 3
- otchavatchusoma** (U)
Maprounea africana Müll.Arg. (Euphorbiaceae).
 R: 52
- otcheka**
Panicum maximum Jacq. (Poaceae). R: 3
- otchengo**
Anisophyllea buchneri Engl. & Brehmer
 (Anisophylleaceae). R: 3
- otchenha** (U)
Acacia amythethophylla Steud. ex A.Rich.
 (Fabaceae). R: 60

- otcheo**
Petroselinum crispum (Mill.) A.W.Hill
 (Apiaceae). R: 3 [*Petroselinum* sp.]
- otchieko**
Burkea africana Hook. (Fabaceae). R: 3
- otchiinco**
Rubus rigidus Sm. (Rosaceae). R: 58 [Huila]
- otchikamba (U)**
Argyrolobium aequinoctiale Welw. ex Baker
 (Fabaceae). R: 3
Dolichos trinervatus Baker (Fabaceae). R: 3
- otchikamba-tchitita (U)**
Eriosema benguellense Rossberg (Fabaceae). R: 3
- otchikova (U)**
Vernonia gerberiformis Oliv. & Hiern subsp.
macrocyanus (O.Hoffm.) C.Jeffrey (Asteraceae).
 R: 3
- otchikwalu (U)**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax kraussiana* Meisn.]
- otchikwalu-tchov'epya**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax kraussiana* Meisn.]
- otchikwalu-tchov'otchumbo**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax kraussiana* Meisn.]
- otchilambahombo (U)**
Angolaea fluitans Wedd. (Podostemaceae). R: 52
- otchilava**
Gardenia volkensii K.Schum. subsp. *spathulifolia*
 (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47
- otchilavi (U)**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 52
Psychotria sp. (Rubiaceae). R: 3
- otchilombo (U)**
Senecio latifolius DC. (Asteraceae). R: 3
- otchilongo-longo (U)**
Ageratum conyzoides L. (Asteraceae). R: 3
- otchilya (U)**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- otchimama (U)**
Carica papaya L. (Caricaceae). R: 3
- otchimandalo (U)**
Dombeya rotundifolia (Hochst.) Planch.
 (Sterculiaceae). R: 52
- otchimandalu (U)**
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838)]
- otchimandalu-kov'eñala**
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC.
 (1838)]
- otchimbali-mbali (U)**
Opuntia ficus-indica (L.) Mill. (Cactaceae). R: 3
 [*Opuntia vulgaris* Mill.]
- otchimbandu (U)**
Portulaca oleracea L. (Portulacaceae). R: 3
- otchimbinga (U)**
Strophanthus sp. (Apocynaceae). R: 3
- otchimbinga-tchitito**
Strophanthus sp. (Apocynaceae). R: 3
- otchimbinga-tchov'usenge**
Strophanthus sp. (Apocynaceae). R: 3
- otchimbombo**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 3
- otchimbombolo-tchovimbo**
Melia azedarach L. (Meliaceae). R: 3
- otchimbombolo-tchov'usenge**
Melia azedarach L. (Meliaceae). R: 3
- otchimboto (U)**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- otchimbungo-tchohanda (Kim)**
Sarcostemma viminale (L.) R.Br. (Apocynaceae).
 R: 52
- otchimbuti**
Agave sisalana Perrine (Agavaceae). R: 3
- otchinana (U)**
Corchorus sp. (Tiliaceae). R: 3
- otchindawu (U)**
Cyperus articulatus L. (Cyperaceae). R: 3
- otchindembe (U)**
Lantana rugosa Thunb. (Verbenaceae). R: 3
 [*Lantana salviifolia* Jacq.]
- otchindjalo**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- otchindjalu**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- otchindjambala (U)**
Agelanthus falcifolius (Sprague) Polhill & Wiens
 (Loranthaceae). R: 3
- otchindjambela**
Agelanthus falcifolius (Sprague) Polhill & Wiens
 (Loranthaceae). R: 3
- otchindjole (U)**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- otchindjovole**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 3
- otchindjua-ndjua**
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- otchindjwandjwa (U)**
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- otchindongo (U)**
Vernonia sp. (Asteraceae). R: 3
- otchindiyasi (U)**
Triumfetta geoides Welw. ex Mast. (Tiliaceae).
 R: 3
- otchiñga-nguluve**
Curculigo pilosa (Schumach. & Thonn.) Engl.
 (Hypoxidaceae). R: 3

- Hypoxis polystachya** Welw. ex Baker
 (Hypoxidaceae). R: 3
- otchingeso**
Sclerocroton oblongifolius (Müll.Arg.) Kruijt & Roebers (Euphorbiaceae). R: 3 [*Sapium oblongifolium* (Müll.Arg.) Pax]
- otchingondjila** (U)
Lannea sp. (Anacardiaceae). R: 3
- otchingonge** (U)
Humularia welwitschii (Taub.) P.A.Duvign. var. *gossweileri* (Baker f.) P.A.Duvign. (Fabaceae). R: 3
- otchingongwila** (fruit) (U)
Lannea sp. (Anacardiaceae). R: 3
- otchingwangwa**
Cyphostemma chloroleucum (Welw. ex Baker)
 Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- otchinhe**
Pavetta radicans Hiern (Rubiaceae). R: 47
- otchinjoaojoao**
Cyphostemma violaceo-glandulosum (Gilg) Desc.
 (Vitaceae). R: 28 [*Cissus violaceo-glandulosa* Gilg]
- otchipembe** (U)
Ilex mitis Radlk. (Aquifoliaceae). R: 3
- otchipipa** (U)
Typha capensis (Rohrb.) N.E.Br. (Typhaceae). R: 3
- otchipipa-tchov'olwi**
Typha capensis (Rohrb.) N.E.Br. (Typhaceae). R: 3
- otchipoke** (U)
Physostigma mesoponticum Taub. (Fabaceae). R: 3
- otchipulupulu** (U)
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 52
- otchipumbandembe**
Protea angolensis Welw. (Proteaceae). R: 3
- otchipungwandembe** (U)
Protea angolensis Welw. (Proteaceae). R: 3
- otchipupu** (U)
Lonchocarpus sericeus (Poir.) Kunth ex DC.
 (Fabaceae). R: 3
- otchipusu** (U)
Aristida junciformis Trin. & Rupr. subsp. *welwitschii* (Rendle) Melderis (Poaceae). R: 3
- otchirima**
Diodia flavescens Hiern (Rubiaceae). R: 47
- otchisanda** (U)
Raphia sp. (Arecaceae). R: 3
- otchisango**
Eriosema affine De Wild. (Fabaceae). R: 3
- otchisangu** (U)
Eriosema affine De Wild. (Fabaceae). R: 3
- otchisesekua**
Hirpicium antunesii (O.Hoffm.) Roessler
 (Asteraceae). R: 3
- otchisekwa** (U)
Hirpicium antunesii (O.Hoffm.) Roessler
- (Asteraceae). R: 3
- otchisipandjongo** (U)
Dissotis princeps (Kunth) Triana
 (Melastomataceae). R: 52
- otchisipesipe**
Gladiolus sp. (Iridaceae). R: 3
- otchisipe-sipe** (U)
Gladiolus sp. (Iridaceae). R: 3
- otchisoñwa** (U)
Cucumis anguria L. (Cucurbitaceae). R: 3
- otchitina-kanguluve** (U)
Curculigo pilosa (Schumach. & Thonn.) Engl.
 (Hypoxidaceae). R: 3
- otchitina** (U)
Hypoxis polystachya Welw. ex Baker
 (Hypoxidaceae). R: 3
- otchitumba** (U)
Crotalaria teixeirae Torre (Fabaceae). R: 3
- otchivava**
Cassytha filiformis L. (Lauraceae). R: 3
- otchiyukula** (U)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3
- otchungulila**
Solanum anomalum Thonn. (Solanaceae). R: 3
- otchyambanda** (U)
Crotalaria ononoides Benth. (Fabaceae). R: 3
- otchyanana** (U)
Corchorus sp. (Tiliaceae). R: 3
- otchyandala** (U)
Aloe zebrina Baker (Asphodelaceae). R: 3
- otchyelo** (U)
Petroselinum crispum (Mill.) A.W.Hill
 (Apiaceae). R: 3 [*Petroselinum* sp.]
- otchyengo** (U)
Anisophyllea buchneri Engl. & Brehmer
 (Anisophylleaceae). R: 3
- otchykeka** (U)
Solanum aethiopicum L. (Solanaceae). R: 3
 [*Solanum naumannii* Engl.]
- otcimbungo**
Oxytenanthera abyssinica (A.Rich.) Munro
 (Poaceae). R: 3
- otendulu** (U)
Clematis welwitschii Hiern ex Kuntze
 (Ranunculaceae). R: 52
- otikutiku** (Nya)
Protea dekindtiana Engl. (Proteaceae). R: 50
 [Lunyaneka]
- otinu** (Nye)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
 [*Euclea lanceolata* E.Mey. ex A.DC.; Ganguela]
- otjiolo** (Nye)
Eriospermum flexuosum Welw. ex Baker
 (Eriospermaceae). R: 50 [Ganguela]
- otlusambiambia**
Ximenia americana L. (Olacaceae). R: 49
- otukepa** (U)
Cynodon dactylon (L.) Pers. (Poaceae). R: 3
- otulembe** (U)
Tephrosia vogelii Hook.f. (Fabaceae). R: 3

- otuli** (U)
Pelargonium luridum (Andrews) Sweet
(Geraniaceae). R: 3
- otuluku** (U)
Eleusine coracana (L.) Gaertn. (Poaceae). R: 3
- otulume** (U)
Galinsoga parviflora Cav. (Asteraceae). R: 3
- otumbambi** (U)
Eragrostis superba Peyr. (Poaceae). R: 3
- otundandjambo**
Diplolophium zambesianum Hiern (Apiaceae).
R: 3
- otundjungulwila** (U)
Solanum anomalum Thonn. (Solanaceae). R: 3
- otuninga-hombo** (U)
Crossopteryx febrifuga (Afzel. ex G.Don) Benth.
(Rubiaceae). R: 3
- otupilangu** (U)
Burkea africana Hook. (Fabaceae). R: 3
- otusongo** (U)
Berkheya carlinopsis Welw. ex O.Hoffm. subsp.
sylicola (S.Moore) Roessler (Asteraceae). R: 3
- otutende** (U)
Vernonia conferta Benth. (Asteraceae). R: 3
- otutetembula** (U)
Uapaca benguelensis Müll.Arg. (Euphorbiaceae).
R: 3
- otuwiya** (U)
Myrsine africana L. (Myrsinaceae). R: 3
- otuwiya-wiya** (U)
Myrsine africana L. (Myrsinaceae). R: 3
- otuyela-yela** (U)
Faurea saligna Harv. (Proteaceae). R: 3
- otuyikuyu**
Ficus exasperata Vahl (Moraceae). R: 49
- otyenguete** (Nya)
Sopubia cana Harv. (Orobanchaceae). R: 50
[*Sopubia angolensis* Engl.; Lunyaneka]
- otyhielu** (Nya)
Maerua angolensis DC. (Capparaceae). R: 50
[Lunyaneka]
- otyimbambo** (Nya)
Distephanus angolensis (O.Hoffm.) H.Rob. &
B.Kahn (Asteraceae). R: 50 [*Gongrothamnus*
angolensis (O.Hoffm.) Hiern; Lunyaneka]
- otyandola** (Nye)
Aloe zebrina Baker (Asphodelaceae). R: 50 [*Aloe*
baumii Engl. & Gilg; Ganguela]
- otyiantangolo** (Nya)
Acalypha segetalis Müll.Arg. (Euphorbiaceae). R:
50 [Lunyaneka]
- otybota** (Nya)
Catha edulis Forssk. (Celastraceae). R: 50
[Lunyaneka]
- otyiengangu** (Nya)
Bauhinia petersiana Bolle subsp. *macrantha*
(Oliv.) Brummitt & J.H.Ross (Fabaceae). R: 50
[*Bauhinia macrantha* Oliv.; Lunyaneka]
- otyiengati** (Nya)
Myrothamnus flabellifolius Welw.
- (Myrothamnaceae). R: 50 [Lunyaneka], 3
[Lunyaneka]
- otyiengueti** (Nya)
Barleria spinulosa Klotzsch (Acanthaceae). R: 50
[Lunyaneka]
- otyifiti** (Nya)
Helichrysum subglomeratum Less. (Asteraceae).
R: 50 [Lunyaneka], 3 [Lunyaneka]
- otyigantantei**
Pittosporum viridiflorum Sims (Pittosporaceae).
R: 3
- otyhambela** (Nya)
Phragmanthera glaucocarpa (Peyr.) Balle
(Loranthaceae). R: 3 [*Tapinanthes glaucocarpus*
(Peyr.) Danser]
- otyhambelu** (Nya)
Phragmanthera glaucocarpa (Peyr.) Balle
(Loranthaceae). R: 50 [*Loranthus glaucocarpus*
(Peyr.; Lunyaneka), 3 [*Tapinanthes glaucocarpus*
(Peyr.) Danser]
- otyihanandimba** (Nya)
Helichrysum stenopterum DC. (Asteraceae). R: 50
[*Helichrysum hochstetteri* (Sch.Bip.) Hook.f.;
Lunyaneka], 3 [*Helichrysum hochstetteri*
(Sch.Bip.) Hook.f.; Lunyaneka]
- otyihangandue** (Nya)
Geigeria acicularis O.Hoffm. (Asteraceae). R: 50
[Lunyaneka], 3 [Lunyaneka]
Geigeria angolensis O.Hoffm. (Asteraceae). R: 50
[Lunyaneka], 3 [Lunyaneka]
Indigofera subulifera Welw. ex Baker (Fabaceae).
R: 50 [Lunyaneka], 3 [Lunyaneka]
Indigofera subulifera Welw. ex Baker var.
polysperma J.B.Gillett (Fabaceae). R: 61
- otyhenegete** (Nya)
Unplaced (Lythraceae). R: 50 [*Rotala senegalensis*
Lam.; Lunyaneka]
- otyhenguengu** (Nya)
Geigeria hoffmanniana Hiern (Asteraceae). R: 50
[Lunyaneka]
- otyihiaikete** (Nya)
Phyllanthus welwitschianus Müll.Arg.
(Euphorbiaceae). R: 50 [Lunyaneka], 3
[Lunyaneka]
- otyihihii** (Nya)
Stathmostelma welwitschii Britten & Rendle var.
welwitschii (Apocynaceae). R: 50 [*Asclepias*
welwitschii (Britton & Rendle) Britton & Rendle
ex N.E.Br.; Lunyaneka]
- otyihilambya** (Nya)
Pavonia burchellii (DC.) R.A.Dyer (Malvaceae).
R: 50 [*Pavonia patens* (Andrews) Chiov.;
Lunyaneka]
- otyihindi**
Amaranthus spinosus L. (Amaranthaceae). R: 50
[Lunyaneka], 3
- otyihipai**
Desmodium barbatum (L.) Benth. var. *dimorphum*
(Welw. ex Baker) B.G.Schub. (Fabaceae). R: 3
[*Desmodium barbatum* (L.) Benth. subsp.

- dimorphum* (Welw. ex Baker) Laundon]
Mikania cordata (Burm.f.) B.L.Rob. ?
(Asteraceae). R: 3 [Nya]
Mikania sp. (Asteraceae). R: 50 [*Mikania scandens* (L.) Willd.; Lunyaneka]
Stomatianthes africanus (Oliv. & Hiern) R.M.King & H.Rob. (Asteraceae). R: 50 [*Eupatorium africanum* Oliv. & Hiern; Lunyaneka], 3
[*Eupatorium africanum* Oliv. & Hiern;
Lunyaneka]
- otyihiti** (Nya)
Helichrysum benguellense Hiern (Asteraceae). R: 50 [Lunyaneka]
- otyihoho**
Rotala nummularia Welw. ex Hiern (Lythraceae). R: 36
- otyihongo** (Nya)
Pleiotaxis antunesii O.Hoffm. (Asteraceae). R: 3
- otyihu**
Rhynchosciara poggei (Taub.) Harms (Fabaceae). R: 61 [Huila]
- otyihundumbiru** (Nya)
Diospyros pallens (Thunb.) F.White (Ebenaceae). R: 50 [*Royena pallens* Thunb.; Lunyaneka]
- otyiime**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- otyiinge** (Nya)
Pavetta schumanniana F.Hoffm. ex K.Schum. (Rubiaceae). R: 3
- otyipai** (Nya)
Desmodium barbatum (L.) Benth. var. *dimorphum* (Welw. ex Baker) B.G.Schub. (Fabaceae). R: 3
[*Desmodium barbatum* (L.) Benth. subsp. *dimorphum* (Welw. ex Baker) Laundon]
- otyikalameva** (Nya)
Faroa salutaris Welw. (Gentianaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- otyikalamuhepe**
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 50 [*Cassia kirkii* Oliv.; Lunyaneka], 3 [*Cassia kirkii* Oliv.]
- otyikalatyipembe** (Nya)
Burkea africana Hook. (Fabaceae). R: 3
- otyikalu-mohito**
Secamone erythradenia K.Schum. (Apocynaceae). R: 3
- otyikalu-mohitu** (Nya)
Secamone erythradenia K.Schum. (Apocynaceae). R: 50 [Lunyaneka]
- otykangona** (Nya)
Senecio coronatus (Thunb.) Harv. (Asteraceae). R: 3 [*Senecio lasiorhizus* DC.]
- otyikarimba**
Crotalaria pittardiana Torre (Fabaceae). R: 61
- otyikei** (Nya)
Sida cordifolia L. (Malvaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- otykeli-keli** (Nya)
Celosia trigyna L. (Amaranthaceae). R: 3
- otyikenyena** (Nya)
Waltheria indica L. (Sterculiaceae). R: 3
- otyikeri-keri**
Celosia trigyna L. (Amaranthaceae). R: 3
- otyikete** (Nya)
Acacia sp. (Fabaceae). R: 3
- otyikonyankuvi** (Nya)
Hyptis pectinata (L.) Poit. (Lamiaceae). R: 50 [Lunyaneka]
- otyikualu** (Nya)
Justicia baumii S.Moore (Acanthaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
Stomatianthes africanus (Oliv. & Hiern) R.M.King & H.Rob. (Asteraceae). R: 50 [*Eupatorium africanum* Oliv. & Hiern; Lunyaneka]
- otyikubende**
Rhus natalensis Bernh. (Anacardiaceae). R: 3
- otyiku-bende** (Nya)
Rhus natalensis Bernh. (Anacardiaceae). R: 50 [Lunyaneka]
- otyikuku**
Rhus natalensis Bernh. (Anacardiaceae). R: 50 [Lunyaneka], 3
- otyikukubendye** (Nya)
Unplaced (Anacardiaceae). R: 3 [*Rhus villosa* L.f. var. *dekindtiana* Engl.]
- otyikukumbende** (Nya)
Unplaced (Anacardiaceae). R: 50 [*Rhus villosa* L.f. var. *dekindtiana* Engl.; Lunyaneka], 3 [*Rhus villosa* L.f. var. *dekindtiana* Engl.; Lunyaneka]
- otyikukumbendye** (Nya)
Unplaced (Anacardiaceae). R: 3 [*Rhus villosa* L.f. var. *dekindtiana* Engl.]
- otyikukutiyapanda** (Nya)
Eriosema shirensis Baker f. (Fabaceae). R: 50 [*Eriosema filipendulum* Welw. ex Baker f.; Lunyaneka]
- otykumba** (Nya)
Phoenix reclinata Jacq. (Arecaceae). R: 50 [Lunyaneka]
- otykumba**
Phoenix reclinata Jacq. (Arecaceae). R: 3
- otykumba-muari** (Nya)
Phoenix reclinata Jacq. (Arecaceae). R: 3
- otykwalu** (Nya)
Justicia baumii S.Moore (Acanthaceae). R: 3
- otylalankhondo**
Kohautia caespitosa Schnizl. subsp. *brachyloba* (Sond.) D.Mantell (Rubiaceae). R: 47
- otylalankhondu** (Nya)
Kohautia virgata (Willd.) Bremek. (Rubiaceae). R: 50 [*Oldenlandia virgata* (Willd.) DC.; Lunyaneka]
- otylangaladhimba** (Nya)
Buchnera henriquesii Engl. (Orobanchaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
- otylembelembe**
Strophanthus amboensis (Schinz) Engl. & Pax (Apocynaceae). R: 50 [Lunyaneka], 3
- otylembe-lembe** (Nya)
Strophanthus amboensis (Schinz) Engl. & Pax

- (Apocynaceae). R: 3
- otyiliankhana** (Nya)
Chamaesyce prostrata (Aiton) Small
 (Euphorbiaceae). R: 3 [*Euphorbia prostrata* Aiton]
- otyiliankopo** (Nya)
Euphorbia coerulans Pax (Euphorbiaceae). R: 50
 [Lunyaneka]
- otylianvantita**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 3
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 3 [*Maytenus senegalensis* (Lam.) Exell]
- otyliatadimba** (Nya)
Haumaniastrum caeruleum (Oliv.) P.A.Duvign. & Plancke (Lamiaceae). R: 50 [*Acrocephalus gracilis* Briq.; Lunyaneka]
- otyilisa** (Nya)
Clematis commutata Kuntze (Ranunculaceae). R: 3
- otyilinge** (Nya)
Pavetta schumanniana F.Hoffm. ex K.Schum. (Rubiaceae). R: 3
- otylombagolongo**
Indigofera arrecta Hochst. ex A.Rich. (Fabaceae). R: 61
- otylombangolungo** (Nya)
Indigofera baumiana Harms (Fabaceae). R: 50 [Lunyaneka]
- otyimbambabirinki** (Nya)
Conyza gouanii (L.) Willd. (Asteraceae). R: 50 [Lunyaneka]
- otyimbambubilingi** (Nya)
Blumea decurrens (Vahl) Merxm. (Asteraceae). R: 50 [*Blumea gariepina* DC.; Lunyaneka]
- otyimbangalala** (Nya)
Chamaecrista kirkii (Oliv.) Standl. (Fabaceae). R: 50 [*Cassia kirkii* Oliv.; Lunyaneka], 3 [*Cassia kirkii* Oliv.; Lunyaneka]
Chamaecrista mimosoides (L.) Greene (Fabaceae). R: 50 [*Cassia mimosoides* L.; Lunyaneka], 3 [*Cassia mimosoides* L.; Lunyaneka]
- otyime**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50 [*Euclea lanceolata* E.Mey. ex A.DC.; Lunyaneka], 3
- otyimiankhana** (Nya)
Chamaesyce granulata (Forssk.) Soják (Euphorbiaceae). R: 50 [*Euphorbia granulata* Forssk.; Lunyaneka], 3 [*Euphorbia granulata* Forssk.; Lunyaneka]
- otyimpianena**
Duranta erecta L. (Verbenaceae). R: 3 [*Duranta repens* L.]
- otyimpui** (Nya)
Haumaniastrum minor (Briq.) A.J.Paton (Lamiaceae). R: 50 [*Acrocephalus minor* Briq.; Lunyaneka]
- otyimumbula** (Nya)
Protea paludosa (Hiern) Engl. (Proteaceae). R: 50 [Lunyaneka]
- otyinambulukutu**
Hypericophyllum angolense (O.Hoffm.) N.E.Br. (Asteraceae). R: 3
- otyinamburukuta** (Nya)
Hypericophyllum angolense (O.Hoffm.) N.E.Br. (Asteraceae). R: 3
- otyinbuku** (Z)
Acacia hebeclada DC. (Fabaceae). R: 50 [Tjiherero]
- otyindindo** (Nya)
Hypoxis obtusa Burch. ex Ker Gawl. (Hypoxidaceae). R: 3 [*Hypoxis angolensis* Baker]
- otyindindu**
Hypoxis obtusa Burch. ex Ker Gawl. (Hypoxidaceae). R: 50 [*Hypoxis angolensis* Baker; Lunyaneka], 3 [*Hypoxis angolensis* Baker]
- otyindombe**
Phyllanthus glaucophyllus Sond. (Euphorbiaceae). R: 50 [*Phyllanthus glaucophyllus* Sond. var. *major* Müll.Arg.; Lunyaneka]
Phyllanthus welwitschianus Müll.Arg. (Euphorbiaceae). R: 50 [Lunyaneka], 3
- otyindombuahila**
Euphorbia radiifera L.C.Leach (Euphorbiaceae). R: 50 [*Euphorbia verticillata* Pax, nom. illeg.; Lunyaneka], 3, *Antunes* 889
- otyindombwahila** (Nya)
Euphorbia radiifera L.C.Leach (Euphorbiaceae). R: 3
- otyindumbili**
Euclea angolensis Gürke (Ebenaceae). R: 3
- otyindumbiri** (Nya)
Diospyros pallens (Thunb.) F.White (Ebenaceae). R: 50 [*Royena pallens* Thunb.; Lunyaneka]
Euclea angolensis Gürke (Ebenaceae). R: 50 [Lunyaneka]
- otyinembulukuta** (Nya)
Hypericophyllum angolense (O.Hoffm.) N.E.Br. (Asteraceae). R: 3
- otyinengui** (U)
Heteromorpha gossweileri (C.Norman) C.Norman (Apiaceae). R: 8
- otyinengu-nengu** (Nya)
Geigeria hoffmanniana Hiern (Asteraceae). R: 50 [Lunyaneka]
- otyingalangangga** (Nya)
Rhynchosia procurrens (Hiern) K.Schum. (Fabaceae). R: 50 [Lunyaneka]
- otyingalongangu** (Nya)
Kotschyaeaeschynomoides (Welw. ex Baker)

Dewit & P.A.Duvign. (Fabaceae). R: 50 [*Smithia aeschynomenoides* Welw. ex Baker; Lunyaneka]
otyingangantei (Nya)
 Pittosporum viridiflorum Sims (Pittosporaceae). R: 50 [Lunyaneka]
 Tephrosia elegans Schumach. (Fabaceae). R: 50 [Lunyaneka]
otyinganganteya (Nya)
 Clematis villosa DC. (Ranunculaceae). R: 50 [*Clematopsis scabiosifolia* (DC.) Hutch.; Lunyaneka], 3 [*Clematopsis scabiosifolia* (DC.) Hutch.; Lunyaneka]
otyingangateya
 Clematis villosa DC. (Ranunculaceae). R: 3 [*Clematopsis scabiosifolia* (DC.) Hutch.]
otyingangu (Nya)
 Bauhinia petersiana Bolle subsp. *macrantha* (Oliv.) Brummitt & J.H.Ross (Fabaceae). R: 3 [*Perlebia macrantha* (Oliv.) A.Schmitz subsp. *serpae* (Ficalho & Hiern) A.Schmitz]
otyingeti (Nya)
 Myrothamnus flabellifolius Welw. (Myrothamnaceae). R: 3
otyingo
 Dissotis welwitschii Cogn. (Melastomataceae). R: 41
otyingonduo (Nya)
 Fockea multiflora K.Schum. (Apocynaceae). R: 50 [*Fockea schinzii* N.E.Br.; Lunyaneka]
otyingue (Nya)
 Pavetta schumanniana F.Hoffm. ex K.Schum. (Rubiaceae). R: 50 [Lunyaneka], 3
otyingugu (Nya)
 Euphorbia macra Hiern (Euphorbiaceae). R: 50 [Lunyaneka]
otyingui (O)
 Fockea multiflora K.Schum. (Apocynaceae). R: 50 [*Fockea schinzii* N.E.Br.; Xikuanhama]
otyingungumbala
 Marsdenia abyssinica (Hochst.) Schltr. (Apocynaceae). R: 50 [Lunyaneka], 3 [*Dregea abyssinica* (Hochst.) K.Schum.]
otyinguyu (Nya)
 Croton integrifolius Pax (Euphorbiaceae). R: 50 [Lunyaneka]
otyinkenya
 Waltheria indica L. (Sterculiaceae). R: 50 [Lunyaneka], 3
otyinkhili (Nya)
 Faroea amara Gilg ex Baker (Gentianaceae). R: 3
otyinkhu (Nya)
 Rubus pinnatus Willd. (Rosaceae). R: 3
otyinkhula (Nya)
 Shirakiopsis elliptica (Hochst.) Esser (Euphorbiaceae). R: 50 [*Sapium mannianum* (Müll.Arg.) Benth.; Lunyaneka], 3 [*Sapium ellipticum* (Hochst.) Pax]
otyinki
 Pseudomussaenda monteiroi (Wernham) Wernham (Rubiaceae). R: 47

otyinkiri
 Faroea amara Gilg ex Baker (Gentianaceae). R: 50 [Lunyaneka], 3
otyinkonkho (Nya)
 Hippocratea antunesii (O.Hoffm.) Roessler (Asteraceae). R: 50 [*Berkheya antunesii* O.Hoffm.; Lunyaneka]
 Hippocratea gorterioides (Oliv. & Hiern) Roessler subsp. *gorterioides* (Asteraceae). R: 50 [*Berkheyopsis angolensis* O.Hoffm.; Lunyaneka]
otyinkopio
 Kotschyia strigosa (Benth.) Dewit & P.A.Duvign. var. *strigosa* (Fabaceae). R: 50 [*Smithia strigosa* Benth.; Lunyaneka], 3
 Kotschyia strobilantha (Welw. ex Baker) Dewit & P.A.Duvign. var. *strobilantha* (Fabaceae). R: 50 [*Smithia strobilantha* Welw. ex Baker; Lunyaneka], 3
otyinku (Nya)
 Rubus pinnatus Willd. (Rosaceae). R: 50 [Lunyaneka]
otyinkula (Nya)
 Acalypha dumetorum Müll.Arg. (Euphorbiaceae). R: 50 [Lunyaneka]
otyinkulu (Nya)
 Combretum platypetalum Welw. ex M.A.Lawson subsp. *baumii* (Engl. & Gilg) Exell (Combretaceae). R: 50 [*Combretum baumii* Engl. & Gilg; Lunyaneka]
otyinkundu-natena
 Apodytes dimidiata E.Mey. ex Arn. (Icacinaceae). R: 50 [Lunyaneka], 3
otyinkuyir (Nya)
 Euphorbia bellica Hiern (Euphorbiaceae). R: 50 [Lunyaneka]
otyinombuluktu (Nya)
 Hypericophyllum angolense (O.Hoffm.) N.E.Br. (Asteraceae). R: 50 [Lunyaneka], 3
otyinteye
 Zehneria racemosa Hook.f. (Cucurbitaceae). R: 45
otyinthiki
 Myrsine africana L. (Myrsinaceae). R: 3
otyinthumbua (Nya)
 Polygala kalaxariensis Schinz (Polygalaceae). R: 50 [Lunyaneka], 3 [Lunyaneka]
otyintiki
 Myrsine africana L. (Myrsinaceae). R: 50 [Lunyaneka], 3
otyintiko
 Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
otyintuvelu (Nya)
 Dolichos splendens Welw. ex Baker (Fabaceae). R: 50 [Lunyaneka]
otyinuhuvulu
 Plumbago zeylanica L. (Plumbaginaceae). R: 50 [Lunyaneka], 3
otyinulu (Nya)
 Plumbago zeylanica L. (Plumbaginaceae). R: 3
otyinyangundi (Nya)
 Sarcostemma viminale (L.) R.Br. (Apocynaceae).

- R: 50 [Lunyaneka], 3 [Lunyaneka]
- otyinye**
Pavetta schumanniana F.Hoffm. ex K.Schum.
 (Rubiaceae). R: 47
 Unplaced (Rubiaceae). R: 50 [*Canthium monteiroi* Hook.; Lunyaneka]
- otyinyua** (Nya)
Crotalaria anthyllopsis Welw. ex Baker
 (Fabaceae). R: 3
- otyi-oya** (Nya)
Hugonia platysepala Welw. ex Oliv. (Linaceae).
 R: 50 [Lunyaneka]
- otyipahu**
Haumaniastrum sericeum (Briq.) A.J.Paton
 (Lamiaceae). R: 3 [*Acrocephalus sericeus* Briq.]
- otyipai**
Desmodium barbatum (L.) Benth. var. *dimorphum*
 (Welw. ex Baker) B.G.Schub. (Fabaceae). R: 3
 [*Desmodium barbatum* (L.) Benth. subsp.
dimorphum (Welw. ex Baker) Laundon]
Stomatianthes africanus (Oliv. & Hiern) R.M.King
 & H.Rob. (Asteraceae). R: 3 [*Eupatorium*
africanum Oliv. & Hiern]
- otyipaio** (Nya)
Desmodium barbatum (L.) Benth. var. *argyreum*
 (Welw. ex Baker) B.G.Schub. (Fabaceae). R: 50
 [*Desmodium dimorphum* Welw. ex Baker var.
argyreum Welw. ex Baker; Lunyaneka]
- otyipalala**
Combretum platypetalum Welw. ex M.A.Lawson
 subsp. *baumii* (Engl. & Gilg) Exell
 (Combretaceae). R: 50 [*Combretum baumii* Engl.
 & Gilg; U], 3
- otyipayo**
Desmodium barbatum (L.) Benth. var. *dimorphum*
 (Welw. ex Baker) B.G.Schub. (Fabaceae). R: 3
 [*Desmodium barbatum* (L.) Benth. subsp.
dimorphum (Welw. ex Baker) Laundon]
- otyipohu** (Nya)
Haumaniastrum sericeum (Briq.) A.J.Paton
 (Lamiaceae). R: 50 [*Acrocephalus sericeus* Briq.;
 Lunyaneka], 3 [*Acrocephalus sericeus* Briq.;
 Lunyaneka]
- otyipulombila** (Nya)
Gnidia fruticulosa Gilg (Thymelaeaceae). R: 50
 [Lunyaneka], 3 [Lunyaneka]
- otyipunduka** (Nya)
Euclea angolensis Gürke (Ebenaceae). R: 3
Nuxia oppositifolia (Hochst.) Benth.
 (Buddlejaceae). R: 3 [*Nuxia antunesii* Gilg]
- otyipunduko**
Euclea angolensis Gürke (Ebenaceae). R: 50
 [Lunyaneka], 3
Nuxia oppositifolia (Hochst.) Benth.
 (Buddlejaceae). R: 50 [*Nuxia antunesii* Gilg;
 Lunyaneka], 3 [*Nuxia antunesii* Gilg]
- otyiriaiumito**
Oldenlandia rosulata K.Schum. (Rubiaceae). R: 3
- otyiriakete**
Phyllanthus welwitschianus Müll.Arg.
- (Euphorbiaceae). R: 3
- otyiriambandy**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 50 [*Eugenia angolensis* Engl.;
 Lunyaneka], 3
- otyiriankhana** (Nya)
Chamaesyce prostrata (Aiton) Small
 (Euphorbiaceae). R: 3 [*Euphorbia prostrata*
 Aiton]
- otyiriankopo** (Nya)
Euphorbia coerulans Pax (Euphorbiaceae). R: 50
 [Lunyaneka]
- otyirianona-onaitembe**
Gloriosa superba L. (Colchicaceae). R: 50
 [*Gloriosa virescens* Lindl.; Lunyaneka], 3
 [*Gloriosa simplex* L.]
- otyirianvanthita**
Gymnosporia senegalensis (Lam.) Loes.
 (Celastraceae). R: 50 [*Maytenus senegalensis*
 (Lam.) Exell; Lunyaneka], 3 [*Maytenus*
senegalensis (Lam.) Exell]
- otyiranvantita**
Eugenia malangensis (O.Hoffm.) Nied.
 (Myrtaceae). R: 3
- Gymnosporia senegalensis* (Lam.) Loes.
 (Celastraceae). R: 3 [*Maytenus senegalensis*
 (Lam.) Exell]
- Nesaea rigidula* (Sond.) Koehne (Lythraceae).
 R: 36
- otyiririsa**
Clematis commutata Kuntze (Ranunculaceae). R:
 50 [Lunyaneka], 3
- otyiririssa**
Clematis commutata Kuntze (Ranunculaceae).
 R: 3
- otyitabakomboma** (Z)
Nicotiana rustica L. (Solanaceae). R: 50
 [Tjiherero]
- otyitiko**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- otyituitui**
Lantana rugosa Thunb. (Verbenaceae). R: 50
 [*Lantana salviifolia* Jacq.; Lunyaneka], 3
- otyitui-tui**
Lantana rugosa Thunb. (Verbenaceae). R: 3
- otyitumbaveto** (Nya)
Senecio pentecostus Hiern (Asteraceae). R: 3
Triumfetta annua L. (Tiliaceae). R: 50
 [Lunyaneka]
Vernonia undulata Oliv. & Hiern (Asteraceae).
 R: 3
- otyitya-tya** (Nya)
Dichrostachys cinerea (L.) Wight & Arn.
 (Fabaceae). R: 3
- otiyu-uve**
Justicia baumii S.Moore (Acanthaceae). R: 3
- otivandamberi** (Nya)
Indigofera longibracteata Engl. (Fabaceae). R: 3
- otivandankhanda** (Nya)
Indigofera longibracteata Engl. (Fabaceae). R: 3

- Indigofera longibarbata* Engl. ? (Fabaceae). R: 50
[*Indigofera longibracteata* Engl.; uplaced name;
Lunyaneka]
- otyivoto** (Nya)
Nuxia congesta R.Br. ex Fresen. (Buddlejaceae).
R: 50 [*Nuxia dekindtiana* Gilg; Lunyaneka]
- otywena** (Nya)
Cynodon dactylon (L.) Pers. (Poaceae). R: 50
[Lunyaneka]
- otykuyu** (Nya)
Ficus exasperata Vahl (Moraceae). R: 50
[Lunyaneka]
- otyngangantei**
Tephrosia melanocalyx Welw. ex Baker
(Fabaceae). R: 61
- otyngge** (Nya)
Pavetta schumanniana F.Hoffm. ex K.Schum.
(Rubiaceae). R: 47 [Muila]
- otyngongue** (Nya)
Sansevieria cylindrica Bojer ex Hook.
(Dracaenaceae). R: 50 [Lunyaneka]
- otyntiko** (Nya)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
[*Euclea lanceolata* E.Mey. ex A.DC.; Lunyaneka]
- otyriamate-nene** (Nya)
Anthospermum ternatum Hiern subsp. *randii*
(S.Moore) Puff (Rubiaceae). R: 47 [Muila]
- otyrianvantita** (Nya)
Eugenia malangensis (O.Hoffm.) Nied.
(Myrtaceae). R: 50 [*Eugenia angolensis* Engl.;
Lunyaneka]
- otyu-uve** (Nya)
Justicia baumii S.Moore (Acanthaceae). R: 50
[Lunyaneka]
- ouhiba**
Indigastrum guerranum (Torre) Schrire
(Fabaceae). R: 61 [*Indigofera guerrana* Torre;
Mutua]
- oumhe-oumhe** (O)
Ochna hiernii (Tiegh.) Exell (Ochnaceae). R: 50
[Xikuanhama]
- ounkala** (Nye)
Plectranthus esculentus N.E.Br. (Lamiaceae). R:
50 [*Coleus dazo* A.Chev.; Ganguela]
- ounkola** (Nya)
Plectranthus esculentus N.E.Br. (Lamiaceae). R:
49 [*Coleus esculentus* (N.E.Br.) G.Taylor;
Lunyaneka]
- ouro** (P)
Musa acuminata Colla (Musaceae). R: 50 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]
- ovaeng**
Anisophyllea boehmii Engl. (Anisophylleaceae).
R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
Anisophyllea buchneri Engl. & Brehmer
(Anisophylleaceae). R: 3
- ovahelele** (U)
Indigofera antunesiana Harms (Fabaceae). R: 3
- ovahondyo** (U)
Musa ×paradisiaca L. (Musaceae). R: 3 [*Musa*
- paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]
- ovahondyo-olumbombo** (root) (U)
Musa acuminata Colla (Musaceae). R: 3 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]
- ovaiolo** (Nya)
Annona stenophylla Engl. & Diels subsp. *nana*
(Exell) N.Robson (Annonaceae). R: 50 [*Annona*
nana Exell var. *subsessilifolia* (Engl.) Exell &
Mendonça; Lunyaneka], 3
- ovakai** (Nya)
Gloriosa superba L. (Colchicaceae). R: 50
[*Gloriosa virescens* Lindl.; Lunyaneka], 3
[*Gloriosa simplex* L.]
- ovakasa** (U)
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 3
- ovakaya** (U)
Nicotiana tabacum L. (Solanaceae). R: 3
- ovakopoka-mbunda** (U)
Droogmansia megalantha (Taub.) De Wild.
(Fabaceae). R: 3
- ovakova** (U)
Vernonia gerberiformis Oliv. & Hiern subsp.
macrocyanus (O.Hoffm.) C.Jeffrey (Asteraceae).
R: 3
- ovakula-kula** (U)
Psorospermum mechowii Engl. (Hypericaceae).
R: 3
- ovakunde** (U)
Vigna unguiculata (L.) Walp. (Fabaceae). R: 3
- ovakuyu** (fruit) (U)
Ficus sp. (Moraceae). R: 3
- ovala**
Afzelia quanzensis Welw. (Fabaceae). R: 50
[Ganguela]
Pentaclethra macrophylla Benth. (Fabaceae). R:
60 [Quioco]
- ovalalandja** (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- ovalalandja-uti** (tree) (U)
Citrus ×sinensis (L.) Osbeck (Rutaceae). R: 3
- ovalindili** (U)
Canarium schweinfurthii Engl. (Burseraceae). R: 3
- ovalivili** (U)
Erica benguelensis (Welw. ex Engl.) E.G.H.Oliv.
(Ericaceae). R: 3 [*Philippia benguelensis* (Welw.
ex Engl.) Britten]
- ovalomeke** (U)
Ximenia americana L. (Olacaceae). R: 3
- ovalota-emutu** (U)
Vigna unguiculata (L.) Walp. subsp. *dekindtiana*
(Harms) Verdc. (Fabaceae). R: 3 [*Vigna huillensis*
Welw. ex Baker]
- ovalota-kakunde** (U)
Vigna antunesii Harms (Fabaceae). R: 3 [*Vigna*
hundtii Rossberg]
- ovaluhelele-linene** (U)
Indigofera antunesiana Harms (Fabaceae). R: 3
- ovaluhengo** (fruit) (U)
Anisophyllea boehmii Engl. (Anisophylleaceae).

R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
ovaluhulyungu (U)
 Bridelia atroviridis Müll.Arg. (Euphorbiaceae).
 R: 3
ovaluku (U)
 Eleusine coracana (L.) Gaertn. (Poaceae). R: 3
ovalulu (U)
 Biophytum jessenii R.Knuth (Oxalidaceae). R: 3
ovalumbala (U)
 Combretum platypetalum Welw. ex M.A.Lawson
 subsp. *baumii* (Engl. & Gilg) Exell
 (Combretaceae). R: 3
ovalumbalala (U)
 Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 3
ovalumbalu (U)
 Combretum platypetalum Welw. ex M.A.Lawson
 subsp. *baumii* (Engl. & Gilg) Exell
 (Combretaceae). R: 3
ovalumbombola (U)
 Melia azedarach L. (Meliaceae). R: 3
ovalumbombolo (U)
 Melia azedarach L. (Meliaceae). R: 3
ovalumbungu (U)
 Oxytenanthera abyssinica (A.Rich.) Munro
 (Poaceae). R: 3
ovalumeke (U)
 Ximenia americana L. (Olacaceae). R: 3
ovalunamba (U)
 Dicliptera sp. (Acanthaceae). R: 3
ovalundawu (U)
 Cyperus articulatus L. (Cyperaceae). R: 3
ovalundungu
 Capsicum frutescens L. (Solanaceae). R: 3
ovalungongwila (fruit) (U)
 Lannea sp. (Anacardiaceae). R: 3
ovalungupa (U)
 Arachis hypogaea L. (Fabaceae). R: 3
ovalungwengwe (U)
 Agave sisalana Perrine (Agavaceae). R: 3
ovalusaka-kolondjila (U)
 Solanum aculeastrum Dunal var. *albifolium*
 (C.H.Wright) Bitter (Solanaceae). R: 3
ovalusombo (fruit) (U)
 Syzygium guineense (Willd.) DC. (Myrtaceae).
 R: 3
ovaluswa (U)
 Xylopia acutiflora (Dunal) A.Rich. (Annonaceae).
 R: 3
ovaluvonga (U)
 Aeschynomene angolense Rossberg (Fabaceae).
 R: 3
 Chamaecrista mimosoides (L.) Greene (Fabaceae).
 R: 3 [*Cassia mimosoides* L.]
ovaluwawa (U)
 Stomatianthes africanus (Oliv. & Hiern) R.M.King
& H.Rob. (Asteraceae). R: 3 [*Eupatorium*
africanum Oliv. & Hiern]
ovalwavava (U)
 Cassytha filiformis L. (Lauraceae). R: 3

ovamangalala (U)
 Pandanus sp. (Pandanaceae). R: 3
ovamatya (U)
 Lycopersicon esculentum Mill. (Solanaceae). R: 3
ovambinga (U)
 Strophanthus sp. (Apocynaceae). R: 3
ovamela-ahondyo (leaf) (U)
 Musa acuminata Colla (Musaceae). R: 3 [*Musa*
paradisiaca L. subsp. *sapientum* (L.) K.Schum.]
ovamwi (U)
 Strychnos cocculoides Baker (Strychnaceae). R: 3
ovamwi (fruit) (U)
 Strychnos sp. (Strychnaceae). R: 3
ovañati (U)
 Cissampelos mucronata A.Rich.
(Menispermaceae). R: 3
ovandjululu (U)
 Datura stramonium L. (Solanaceae). R: 3
ovaninga (U)
 Helichrysum stenopterum DC. (Asteraceae). R: 3
 [*Helichrysum hochstetteri* (Sch.Bip.) Hook.f.]
ovankhumbi
 Diospyros batocana Hiern (Ebenaceae). R: 3
ovapangwe (U)
 Cannabis sativa L. (Cannabaceae). R: 3
ovapumbisa-muku (U)
 Holostylon robustum (Hiern) G.Taylor
(Lamiaceae). R: 3
ovapumu-epungu (cob)
 Zea mays L. (Poaceae). R: 3
ovapungu (U)
 Zea mays L. (Poaceae). R: 3
ovapungu-osovo (seedling) (U)
 Zea mays L. (Poaceae). R: 3
ovasa (U)
 Crotalaria stenothysa Taub. (Fabaceae). R: 50
 Sorghum bicolor (L.) Moench (Poaceae). R: 50
 [*Sorghum nigricans* (Ruiz & Pav.) Snowden var.
angolense (Rendle) Snowden]
 Sorghum bicolor (L.) Moench (Poaceae). R: 3
 [*Sorghum caudatum* Stapf var. *angolense* Stapf]
ovasangala (U)
 Rhus wellmanii Engl. (Anacardiaceae). R: 3
ovasangalala (fruit) (U)
 Rhus wellmanii Engl. (Anacardiaceae). R: 3
ovasango (U)
 Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Stapf &
C.E.Hubb.; *Pennisetum echinurus* (K.Schum.)
Stapf & C.E.Hubb.]
ovasangu (U)
 Pennisetum glaucum (L.) R.Br. (Poaceae). R: 3
 [*Pennisetum typhoides* (Burm.f.) Stapf &
C.E.Hubb.; *Pennisetum echinurus* (K.Schum.)
Stapf & C.E.Hubb.]
ovasenge (U)
 Xerophyta sp. (Velloziaceae). R: 3
ovasengwe (U)
 Xerophyta capillaris Baker (Velloziaceae). R: 3

- ovasisa (U)**
Aframomum laurentii (De Wild. & T.Durand)
 K.Schum. (Zingiberaceae). R: 3
- ovasongombeovolui**
Mussaenda arcuata Poir. (Rubiaceae). R: 3
- ovasongombe-ovului**
Mussaenda arcuata Poir. (Rubiaceae). R: 50 [U], 3
- ovasoñwa (U)**
Cucumis anguria L. (Cucurbitaceae). R: 3
- ovaso-ongombe (U)**
Mussaenda arcuata Poir. (Rubiaceae). R: 3
- ovasosa (fruit) (U)**
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- ovatamba (U)**
Grewia sp. (Tiliaceae). R: 3
- ovatanga (U)**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 3
- ovatende-mupa (fruit) (U)**
Strychnos sp. (Strychnaceae). R: 3
- ovatendende (U)**
Vigna platyloba Welw. ex Hiern (Fabaceae). R: 3
- ovatesu (U)**
Gossypium herbaceum L (Malvaceae). R: 3
- ovatete (U)**
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 3
- ovatondo-akandimba (U)**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 3
- ovatumba-ndjali (U)**
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3
 [*Indigofera hendecaphylla* Jacq. in syn. of
Indigofera spicata Forssk.]
- ovatyambulu (U)**
Chenopodium ambrosioides L. (Chenopodiaceae). R: 3
Phragmanthera glaucocarpa (Peyr.) Balle (Loranthaceae). R: 3
- ovavulu (U)**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae). R: 3
Hyparrhenia variabilis Stapf (Poaceae). R: 3
- ovawangulungu (U)**
Cryptolepis oblongifolia (Meisn.) Schltr. (Apocynaceae). R: 3 [*Cryptolepis welwitschii* Schltr.]
- ovayolo (U)**
Annona stenophylla Engl. & Diels subsp. *cuneata* (Oliv.) N.Robson (Annonaceae). R: 3
- ovayolo (fruit) (U)**
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 3
- ovayu (U)**
Allium sativum L. (Alliaceae). R: 3
- ovayukula (U)**
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3
- ovayumbi (U)**
Mucuna stans Welw. ex Baker (Fabaceae). R: 3
- ovendanguluve**
Oxyanthus sp. (Rubiaceae). R: 3
- ovi (Nya)**
Berkheya welwitschii O.Hoffm. (Asteraceae). R: 50 [Lunyaneka]
- oviandala (U)**
Aloe zebrina Baker (Asphodelaceae). R: 3
- ovifilanganga (U)**
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 3 [*Chrysophyllum argyrophyllum* Hiern]
- ovihelekete (U)**
Ziziphus mucronata Willd. (Rhamnaceae). R: 3
- ovihulyungu (U)**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 3
- ovikeka (U)**
Solanum aethiopicum L. (Solanaceae). R: 3
 [*Solanum naumannii* Engl.]
- ovikengo (tree) (U)**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
- ovikondo (U)**
Garcinia buchneri Engl. (Clusiaceae). R: 3
- ovikova (U)**
Vernonia gerberiformis Oliv. & Hiern subsp. *macrocyanus* (O.Hoffm.) C.Jeffrey (Asteraceae). R: 3
- ovikula-kula (U)**
Psorospermum mechowii Engl. (Hypericaceae). R: 3
- ovikumbi (U)**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 3
- ovikuñambambi (U)**
Chrysophyllum bangweolense R.E.Fr. (Sapotaceae). R: 3 [*Chrysophyllum cacondense* Greves]
- ovikuyu (tree) (U)**
Ficus sp. (Moraceae). R: 3
- ovikwalu (U)**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax kraussiana* Meisn.]
- ovilavi (U)**
Psychotria sp. (Rubiaceae). R: 3
- ovilemba (U)**
Ficus sp. (Moraceae). R: 3
- oviliambandye (Nya)**
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 3
- ovilombo (U)**
Landolphia foretiana (Pierre ex Jum.) Pichon (Apocynaceae). R: 3 [*Carpodinus rufinervis* Pierre ex Stapf]
Senecio latifolius DC. (Asteraceae). R: 3
- ovilongo-longo (U)**
Ageratum conyzoides L. (Asteraceae). R: 3
- ovilya (U)**
Diplorrhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 3

- ovilyanete** (U)
Lactuca andongensis Hiern (Asteraceae). R: 3
 [*Lactuca imbricata* Hiern var. *hockii* sensu auct. non (De Wild.) Dethier (1982)]
- ovimama** (U)
Carica papaya L. (Caricaceae). R: 3
- ovimandalu** (U)
Emilia coccinea (Sims) G.Don (Asteraceae). R: 3
 [*Emilia sagittata* sensu auct. non (Vahl) DC. (1838)]
- ovimbala** (U)
Bridelia micrantha (Hochst.) Baill. (Euphorbiaceae). R: 3
- ovimbali-mbali** (U)
Opuntia ficus-indica (L.) Mill. (Cactaceae). R: 3
 [*Opuntia vulgaris* Mill.]
- ovimbandu** (U)
Portulaca oleracea L. (Portulacaceae). R: 3
- ovimbangalunda** (U)
Erythrina abyssinica Lam. ex DC. (Fabaceae). R: 3
- ovimbango** (U)
Croton mubango Müll.Arg. (Euphorbiaceae). R: 3
- ovimbili**
Canarium schweinfurthii Engl. (Burseraceae). R: 3
- ovimbinga** (U)
Strophanthus sp. (Apocynaceae). R: 3
- ovimbolo-mbolo** (U)
Cussonia angolensis (Seem.) Hiern (Araliaceae). R: 3
- ovimbombo** (U)
Cochlospermum angolense Welw. ex Oliv. (Cochlospermaceae). R: 3
- ovimboto** (U)
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- ovimbungululu** (U)
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroxylaceae). R: 3
- ovimeke** (U)
Ximenia americana L. (Olacaceae). R: 3
- ovimolo** (U)
Jatropha curcas L. (Euphorbiaceae). R: 3
- ovimondolwa** (U)
Steganotaenia araliacea Hochst. (Apiaceae). R: 3
- ovimugui** (Nya)
Tricalysia cacondensis Hiern (Rubiaceae). R: 47
 [Muila]
- ovimwi** (tree) (U)
Strychnos sp. (Strychnaceae). R: 3
- ovimwi-katito** (tree) (U)
Strychnos cocculoides Baker (Strychnaceae). R: 3
- ovina**
Pterocarpus lucens Lepr. ex Guill. & Perr. subsp. *antunesii* (Taub.) Rojo (Fabaceae). R: 49
 [*Pterocarpus antunesii* (Taub.) Harms; Caconda, Hanha], 50 [*Pterocarpus antunesii* (Taub.) Harms; U]
- ovinco**
Rubus apetalus Poir. (Rosaceae). R: 53 [*Rubus adolfi-frederici* Engl.]
- ovindawu** (U)
Cyperus articulatus L. (Cyperaceae). R: 3
- ovindembe** (U)
Lantana rugosa Thunb. (Verbenaceae). R: 3
 [*Lantana salviifolia* Jacq.]
Myrothamnus flabellifolius Welw. (Myrothamnaceae). R: 3
- ovindindi**
Commelina sp. (Commelinaceae). R: 3
- ovindindo**
Commelina sp. (Commelinaceae). R: 3
- ovindjambala** (U)
Agelanthus falcifolius (Sprague) Polhill & Wiens (Loranthaceae). R: 3
- ovindjole** (U)
Diplorhynchus condylocarpon (Müll.Arg.) Pichon (Apocynaceae). R: 3
- ovindjwandjwa** (U)
Cyphostemma chloroleucum (Welw. ex Baker) Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3
- ovindongo** (U)
Vernonia sp. (Asteraceae). R: 3
- ovindyasi** (U)
Triumfetta geoides Welw. ex Mast. (Tiliaceae). R: 3
- ovingeve** (U)
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 3
- ovingevya** (U)
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 3
- ovingolo** (U)
Terminalia brachystemma Welw. ex Hiern (Combretaceae). R: 3
- ovingondjila** (U)
Lannea sp. (Anacardiaceae). R: 3
- ovingonge** (U)
Humularia welwitschii (Taub.) P.A.Duvign. var. *gossweileri* (Baker f.) P.A.Duvign. (Fabaceae). R: 3
- ovingongolo**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 50
 [*Euclea lanceolata* E.Mey. ex A.DC.; Lunyaneka], 3
- ovingongwila** (shrub) (U)
Lannea sp. (Anacardiaceae). R: 3
- ovininghe** (Nya)
Fadogia cienkowskii Schweinf. (Rubiaceae). R: 50
 [Lunyaneka]
- oviningi** (Nya)
Fadogia cienkowskii Schweinf. var. *cienkowskii* (Rubiaceae). R: 3
- oviningue**
Fadogia cienkowskii Schweinf. var. *cienkowskii* (Rubiaceae). R: 3
- oviningui**
Fadogia cienkowskii Schweinf. var. *cienkowskii* (Rubiaceae). R: 47
- ovinkhu**
Rubus pinnatus Willd. (Rosaceae). R: 50

- [Lunyaneka], 3
Rubus rigidus Sm. (Rosaceae). R: 53
- ovintyahi** (fruit) (Nya)
Parinari capensis Harv. (Chrysobalanaceae). R: 50 [Lunyaneka]
- ovipembe** (U)
Ilex mitis Radlk. (Aquifoliaceae). R: 3
- ovipipa** (U)
Typha capensis (Rohrb.) N.E.Br. (Typhaceae). R: 3
- ovipo** (U)
Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 3
- ovipoke** (U)
Physostigma mesoponticum Taub. (Fabaceae). R: 3
- ovipu** (U)
Strychnos spinosa Lam. (Strychnaceae). R: 3
- ovipungwandembe** (U)
Protea angolensis Welw. (Proteaceae). R: 3
- ovipupu** (U)
Lonchocarpus sericeus (Poir.) Kunth ex DC. (Fabaceae). R: 3
- oviriambandye** (Nya)
Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 3
- ovisamba** (U)
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 3
- ovisanda** (U)
Raphia sp. (Arecaceae). R: 3
- ovisangu** (U)
Eriosema affine De Wild. (Fabaceae). R: 3
- ovisekwa** (U)
Hirpicium antunesii (O.Hoffm.) Roessler (Asteraceae). R: 3
- ovisilo-silo** (U)
Vitex madiensis Oliv. (Lamiaceae). R: 3
- ovisipe-sipe** (U)
Gladiolus sp. (Iridaceae). R: 3
- ovisole** (U)
Rothmannia engleriana (K.Schum.) Keay (Rubiaceae). R: 3
- ovisombo** (tree) (U)
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 3
- ovisonge** (U)
Acacia sieberiana DC. (Fabaceae). R: 3
- ovisoñwa** (U)
Cucumis anguria L. (Cucurbitaceae). R: 3
- ovisossa** (U)
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- ovisyá** (tree) (U)
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 3
- ovitata** (U)
Securidaca longipedunculata Fresen. (Polygalaceae). R: 3
- ovitendelekete** (U)
Oldfieldia dactylophylla (Welw. ex Oliv.) J.Léonard (Euphorbiaceae). R: 3
- ovitende-mupa** (tree) (U)
Strychnos sp. (Strychnaceae). R: 3
- oviteta-hopa** (U)
Celtis sp. (Ulmaceae). R: 3
- ovitina-kanguluve** (U)
Curculigo pilosa (Schumach. & Thonn.) Engl. (Hypoxidaceae). R: 3
Hypoxis polystachya Welw. ex Baker (Hypoxidaceae). R: 3
- ovitola** (U)
Piliostigma thonningii (Schumach.) Milne-Redh. (Fabaceae). R: 3
- ovitombo** (U)
Manihot esculenta Crantz (Euphorbiaceae). R: 3
- ovitona** (U)
Dalbergia nitidula Welw. ex Baker (Fabaceae). R: 3
- ovitopota-vaso** (U)
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- ovitumba** (U)
Crotalaria teixeirae Torre (Fabaceae). R: 3
- ovitunda-kalunga** (U)
Boscia sp. (Capparaceae). R: 3
- ovitunda-ndjembo** (U)
Diplolophium zambesianum Hiern (Apiaceae). R: 3
- ovitunda-sonde** (U)
Eriosema sp. (Fabaceae). R: 3
- ovivenda-nguluve** (U)
Oxyanthus sp. (Rubiaceae). R: 3
- ovivungu**
Landolphia camptoloba (K.Schum.) Pichon (Apocynaceae). R: 50 [*Carpodinus gracilis* Stapf; Ganguela], 58 [*Carpodinus gracilis* Stapf; Hufla, Ganguelas]
- oviyo** (U)
Annona stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson (Annonaceae). R: 3
- oviyukula** (U)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 3
- ovolyanete** (U)
Lactuca andongensis Hiern (Asteraceae). R: 3 [*Lactuca imbricata* Hiern var. *hockii* sensu auct. non (De Wild.) Dethier (1982)]
- ovombango** (U)
Croton mubango Müll.Arg. (Euphorbiaceae). R: 3
- ovonana** (U)
Corchorus sp. (Tiliaceae). R: 3
- ovondende** (tree) (U)
Elaeis guineensis Jacq. (Arecaceae). R: 3
- ovondjululu** (U)
Mentha sp. (Lamiaceae). R: 3
- ovongolo** (U)
Terminalia brachystemma Welw. ex Hiern (Combretaceae). R: 3

ovongongo-vov'usenge
Strophanthus amboensis (Schinz) Engl. & Pax
 (Apocynaceae). R: 3 [*Strophanthus intermedius*
 Pax]

ovopu (U)
Strychnos spinosa Lam. (Strychnaceae). R: 3

ovotele (U)
Gossypium herbaceum L (Malvaceae). R: 3

ovotombo (U)
Manihot esculenta Crantz (Euphorbiaceae). R: 3

ovovanda (U)
Chamaesyce hirta (L.) Millsp. (Euphorbiaceae).
 R: 3 [*Euphorbia hirta* L.]

ovyambanda (U)
Crotalaria ononoides Benth. (Fabaceae). R: 3

ovyanaganá (U)
Corchorus sp. (Tiliaceae). R: 3

ovyengo (U)
Anisophyllea buchneri Engl. & Brehmer
 (Anisophylleaceae). R: 3

owala (C)
Pentaclethra macrophylla Benth. (Fabaceae). R:
 50 [Kioko]

owangulungu (U)
Cryptolepis oblongifolia (Meisn.) Schltr.
 (Apocynaceae). R: 3 [*Cryptolepis welwitschii*
 Schltr.]

owangu-olungu
Cryptolepis oblongifolia (Meisn.) Schltr.
 (Apocynaceae). R: 3 [*Cryptolepis welwitschii*
 Schltr.]

oxincomba (O)
Melhania velutina Forssk. (Sterculiaceae). R: 13
 [Cuanhama]

oyipeke
Ximenia americana L. (Olacaceae). R: 49

ozeu (Z)
Cyperus usitatus Burch. ex Roem. & Schult.
 (Cyperaceae). R: 50 [*Cyperus edulis* Dinter;
 Tjiherero]

ozombanui (Z)
Tylosema esculentum (Burch) A.Schreib.
 (Fabaceae). R: 50 [*Bauhinia burkeana* Benth. ex
 Harv.; Tjiherero]

P

paco
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 24 [Bengo, Icolo], 58 [North,
 Centre]
Schumanniphycyon hirsutum (Hiern) R.D.Good
 (Rubiaceae). R: 47 [Kim]

paco-balo
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 20 [*Fagara macrophylla* Engl.]

paco-balú
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 49 [*Fagara macrophylla* Engl.]

paco-do-Golungo (P)
Corynanthe paniculata Welw. (Rubiaceae).
 R: 49, 50

painço (P)
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 49
 [*Pennisetum echinurus* (K.Schum.) Stapf &
 C.E.Hubb.]
Pennisetum robustum Stapf & C.E.Hubb.
 (Poaceae). R: 49

painço-barbado (P)
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 49
 [*Pennisetum echinurus* (K.Schum.) Stapf &
 C.E.Hubb.]

painço-liso (P)
Pennisetum glaucum (L.) R.Br. (Poaceae). R: 49
 [*Pennisetum typhoides* (Burm.f.) Stapf &
 C.E.Hubb.], 50 [*Pennisetum typhoides* (Burm.f.)
 Stapf & C.E.Hubb.]

paku
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 49 [Icolo, Bengo], 50 [Kim]

paku-balu (Kim)
Zanthoxylum gilletii (De Wild.) P.G.Waterman
 (Rutaceae). R: 50 [*Fagara macrophylla* Engl.]
Zanthoxylum leprieurii Guill. & Perr. (Rutaceae).
 R: 50 [*Fagara angolensis* Engl.]
Zanthoxylum rubescens Planch. ex Hook.f.
 (Rutaceae). R: 50 [*Fagara welwitschii* Engl.]

palangonga (Kim)
Albizia coriaria Welw. ex Oliv. (Fabaceae). R: 3

palha-rota (P)
Eremospatha cabrae (De Wild. & T.Durand) De
 Wild. (Arecaceae). R: 49

palma-de-príncipe-de-Gales (P)
Attalea cohune Mart. (Arecaceae). R: 49

palmeira-bambú (P)
Raphia matombe De Wild. (Arecaceae). R: 49
 [*Raphia gossweileri* Burret]

palmeira-bordão (P)
Raphia hookeri G.Mann & H.Wendl. (Arecaceae).
 R: 50 [*Raphia maxima* Pechuél-Loesche]
Raphia textilis Welw. (Arecaceae). R: 57, 49, 50

palmeira-bordão-do-estuário-do-Zaire (P)
Raphia matombe De Wild. (Arecaceae). R: 50
 [*Raphia gossweileri* Burret], 3 [*Raphia*
gossweileri Burret]

palmeira-da-California (P)
Washingtonia filifera (L.Lindl.) H.Wendl.
 (Arecaceae). R: 49

palmeira-de-Luanda (P)
Hyphaene guineensis Schumach. & Thonn.
 (Arecaceae). R: 2 [*Hyphaene gossweileri* Furtado]

palmeira-dendém (P)
Elaeis guineensis Jacq. (Arecaceae). R: 3

palmeira-do-açúcar (P)
Arenga pinnata (Wurmb) Merr. (Arecaceae). R: 49
 [*Arenga saccharifera* Labill. ex DC.]

palmeira-do-azeite (P)
Elaeis guineensis Jacq. (Arecaceae). R: 3

palmeira-do-dendém (P)

- Elaeis guineensis** Jacq. (Arecaceae). R: 2
palmeira-do-óleo (P)
Elaeis guineensis Jacq. (Arecaceae). R: 49
palmeira-jaggeri (P)
Caryota urens L. (Arecaceae). R: 49
palmeira-real (P)
Roystonea regia (Kunth) O.F.Cook (Arecaceae). R: 49 [Oreodoxa regia Kunth]
palmeira-sagú (P)
Cycas revoluta Thunb. (Cycadaceae). R: 49
pampilho-das-serras (P)
Chrysanthemum segetum L. (Asteraceae). R: 49
pampilho-de-micão (P)
Coleostephus myconis (L.) Cass. (Asteraceae). R: 49 [Chrysanthemum myconis L.]
panda
Brachystegia spiciformis Benth. (Fabaceae). R: 50 [Kim], 63
Julbernardia paniculata (Benth.) Troupin (Fabaceae). R: 50 [Berlinia paniculata Benth.; Kim]
pangu-ia-muxito
Fagaropsis angolensis (Engl.) Dale (Rutaceae). R: 50 [Kim], 3
panje (U)
Albizia gummosa (J.F.Gmel.) C.A.Sm. (Fabaceae). R: 50
pão-paco (P)
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroylaceae). R: 49
papagaios (P)
Euphorbia pulcherrima Willd. ex Klotzsch (Euphorbiaceae). R: 49
papaia (P)
Carica papaya L. (Caricaceae). R: 49, 38, 59, 3
papiro
Cyperus papyrus L. (Cyperaceae). R: 57
papoula (Kim)
Argemone mexicana L. (Papaveraceae). R: 3
papoula-do-México (P)
Argemone mexicana L. (Papaveraceae). R: 49, 3
pariapembe
Millettia acuticarinata Baker f. (Fabaceae). R: 61
patu (Kim)
Avicennia germinans (L.) L. (Avicenniaceae). R: 50 [Avicennia nitida Jacq.]
pau-cachique (P)
Blighia unijugata Baker (Sapindaceae). R: 49 [Phialodiscus plurijugatus Radlk.]
Trichilia welwitschii C.DC. (Meliaceae). R: 49
pau-cahique (P)
Trichilia prieureana A.Juss. (Meliaceae). R: 24
pau-careca (P)
Millettia aromatica Dunn (Fabaceae). R: 35
pau-casseco (P)
Millettia aromatica Dunn (Fabaceae). R: 49, 3
pau-caxique (P)
Trichilia welwitschii C.DC. (Meliaceae). R: 35
pau-cobra (P)
Adenia lobata (Jacq.) Engl. (Passifloraceae). R: 49
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia* (Engl. & Harms) Lye (Passifloraceae). R: 3 [*Adenia ruminicifolia* Engl. & Harms]
pau-de-caseque (P)
Millettia aromatica Dunn (Fabaceae). R: 3
pau-de-cobra (P)
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia* (Engl. & Harms) Lye (Passifloraceae). R: 3 [*Adenia ruminicifolia* Engl. & Harms]
pau-de-óleo (P)
Breonadia salicina (Vahl) Hepper & J.R.I.Wood (Rubiaceae). R: 50 [*Adina microcephala* (Delile) Hiern var. *galpinii* (Oliv.) Hiern]
pau-de-raio (P)
Albizia zygia (DC.) J.F.Macbr. (Fabaceae). R: 35
pau-ébano-de-tamboco (P)
Diospyros dendo Welw. ex Hiern (Ebenaceae). R: 49 [Ambrizete]
pau-ferro (P)
Afzelia bipindensis Harms (Fabaceae). R: 2
Monotes caloneurus Gilg (Dipterocarpaceae). R: 52
Pericopsis angolensis (Baker) Meeuwen (Fabaceae). R: 50 [*Afrormosia angolensis* (Baker) De Wild.]
pau-mucumbi (P)
Lannea antscorbutica (Hiern) Engl. (Anacardiaceae). R: 49
pau-munguengue (P)
Premna angolensis Gürke (Lamiaceae). R: 49
pau-mussesse (P)
Piptadeniastrum africanum (Hooke.f.) Brenan (Fabaceae). R: 49 [*Piptadenia africana* Hooke.f.]
pau-mutune (P)
Harungana madagascariensis Lam. ex Poir. (Hypericaceae). R: 49
pau-óleo (P)
Breonadia salicina (Vahl) Hepper & J.R.I.Wood (Rubiaceae). R: 49 [*Adina microcephala* (Delile) Hiern; Moçamedes], 47
pau-paco (P)
Ptaeroxylon obliquum (Thunb.) Radlk. (Ptaeroylaceae). R: 50
pau-pacobala (P)
Zanthoxylum gilletii (De Wild.) P.G.Waterman (Rutaceae). R: 49 [*Fagara macrophylla* Engl.]
pau-preto (P)
Dalbergia melanoxylon Guill. & Perr. (Fabaceae). R: 2
pau-purga (P)
Croton draconopsis Müll.Arg. (Euphorbiaceae). R: 35
pau-quicongo (P)
Tarchonanthus camphoratus L. (Asteraceae). R: 57, 49
pau-quicongo-da-Huila (P)
Tarchonanthus camphoratus L. (Asteraceae). R: 57
pau-quisecua (P)
Millettia aromatica Dunn (Fabaceae). R: 61

- pau-quizemba (P)**
Dalbergia hostilis Benth. (Fabaceae). R: 49
- pau-rosa (P)**
Bobgunnia madagascariensis (Desv.) J.H.Kirkbr. & Wiersema (Fabaceae). R: 52
- pau-senze (P)**
Piptadeniastrum africanum (Hook.f.) Brenan (Fabaceae). R: 49 [*Piptadenia africana* Hook.f.]
- pau-setim (P)**
Chloroxylon swietenia (Roxb.) DC. (Rutaceae). R: 49
- pé-de-galinha (P)**
Eleusine coracana (L.) Gaertn. (Poaceae). R: 49
- pelenga**
Nauclea diderrichii (De Wild.) Merr. (Rubiaceae). R: 49 [*Sarcocephalus diderrichii* De Wild.; Mussorongo, Zaire]
- pemba**
Psychotria eminiana (Kuntze) E.M.A.Petit var. *eminiana* (Rubiaceae). R: 47
- penge**
Guibourtia arnoldiana (De Wild. & T.Durand) J.Léonard (Fabaceae). R: 63
- penje (Kik)**
Guibourtia arnoldiana (De Wild. & T.Durand) J.Léonard (Fabaceae). R: 50
- penze**
Dialium gossweileri Baker f. (Fabaceae). R: 2
- penze-maolo**
Dialium gossweileri Baker f. (Fabaceae). R: M.E.F.A. 682
Dialium tessmannii Harms (Fabaceae). R: M.E.F.A. 412
- penze-muolo**
Dialium tessmannii Harms (Fabaceae). R: M.E.F.A. 412
- pepe**
Monodora myristica (Gaertn.) Dunal (Annonaceae). R: 57, 3 [Kim]
- pepe-ia-songo (Kim)**
Monodora angolensis Welw. (Annonaceae). R: 3
- pepino (P)**
Cucumis sativus L. (Cucurbitaceae). R: 49, 50
- pereira (P)**
Pyrus communis L. (Rosaceae). R: 49
- pernambuco (P)**
Myrianthus arboreus P.Beauv. (Moraceae). R: 49, 50
- perpétuas-roxas (pl.) (P)**
Gomphrena globosa L. (Amaranthaceae). R: 49
- persimon-da-China (P)**
Diospyros kaki L.f. (Ebenaceae). R: 49
- pessegueiro (P)**
Prunus persica (L.) Batsch (Rosaceae). R: 49
- pessegueiro-do-mato (P)**
Chytranthus carneus Radlk. (Sapindaceae). R: 49 [*Chytranthus welwitschii* Exell], 29 [*Chytranthus welwitschii* Exell]
- peti**
Hymenocardia acida Tul. (Euphorbiaceae). R: 2
- pia (seed)**
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 45 [Guinguinha]
- pianeka (Kim)**
Abutilon mauritianum (Jacq.) Medik. (Malvaceae). R: 3
- pilreteiro (P)**
Crataegus curvisepala Lindm. (Rosaceae). R: 49 [*Crataegus oxyacantha* L.]
- pimentão (P)**
Capsicum annuum L. (Solanaceae). R: 49
- pimentão-de-Caiena (P)**
Capsicum frutescens L. (Solanaceae). R: 49, 3 [*Capsicum annuum sensu auct. non* L. (1753)]
- pimenteira-bastarda (P)**
Schinus molle L. (Anacardiaceae). R: 49, 30
- pimenteira-doce (P)**
Capsicum annuum L. (Solanaceae). R: 49
- pimenteira-jindungo (P)**
Capsicum frutescens L. (Solanaceae). R: 49, 3
- pimenteira-preta (P)**
Piper nigrum L. (Piperaceae). R: 49
- pimento (P)**
Capsicum annuum L. (Solanaceae). R: 3
- pimpinela (P)**
Sechium edule (Jacq.) Sw. (Cucurbitaceae). R: 49
- pinheiro-da-ilha-Norfolk (P)**
Araucaria excelsa (Lamb.) R.Br. (Pinaceae). R: 49
- pinheiro-das-Canárias (P)**
Pinus canariensis Sweet ex C.K.Spreng. (Pinaceae). R: 49
- pinheiro-de-Alepo (P)**
Pinus halepensis Mill. (Pinaceae). R: 49
- pinheiro-manso (P)**
Pinus pinea L. (Pinaceae). R: 49
- pinho-de-muxito (P)**
Podocarpus milanjianus Rendle (Podocarpaceae). R: 2
- pinho-do-muxito (P)**
Podocarpus milanjianus Rendle (Podocarpaceae). R: 50
- piretro (P)**
Tanacetum cinerariifolium (Trevir.) Sch.Bip. (Asteraceae). R: 49 [*Chrysanthemum cinerariifolium* (Trevir.) Vis.]
- piri-piri (P)**
Capsicum frutescens L. (Solanaceae). R: 49
- pitanga (fruit) (P)**
Eugenia uniflora L. (Myrtaceae). R: 58, 1
- pitangueira (P)**
Eugenia uniflora L. (Myrtaceae). R: 49, 50, 58
- pitaya (P)**
Hylocereus undatus (Haw.) Britton & Rose (Cactaceae). R: 49 [*Hylocereus tricostatus* (Rol.-Goss.) Britton & Rose]
- piteira (P)**
Agave americana L. (Agavaceae). R: 49
Agave attenuata Salm-Dyck subsp. *attenuata* (Agavaceae). R: 49 [*Agave cernua* A.Berger]
Agave filifera Salm-Dyck (Agavaceae). R: 49

Agave salmiana Otto ex Salm-Dyck var. *ferox* (K.Koch) Gentry (Agavaceae). R: 49 [*Agave ferox* K.Koch.]

piteira-do-musseque-de-Luanda (P)

Agave vivipara L. (Agavaceae). R: 49 [*Agave angustifolia* Haw.]

piteira-espinhosa (P)

Opuntia ficus-indica (L.) Mill. (Cactaceae). R: 49

piteira-ornamental (P)

Furcraea selloa K.Koch. (Agavaceae). R: 49

piteira-sem-espinhos (P)

Opuntia ficus-indica (L.) Mill. (Cactaceae). R: 49

plátano (P)

Musa ×paradisiaca L. (Musaceae). R: 50, 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]

poinsetia (P)

Euphorbia pulcherrima Willd. ex Klotzsch (Euphorbiaceae). R: 49

poko-ia-nzambi (Kim)

Cyperus renchii Boeck. (Cyperaceae). R: 50

pombica-muco

Holostylon robustum (Hiern) G.Taylor (Lamiaceae). R: 3

pombisa-muco

Holostylon robustum (Hiern) G.Taylor (Lamiaceae). R: 3

pomelo (P)

Citrus maxima (Burm.) Merr. (Rutaceae). R: 49 [*Citrus grandis* (L.) Osbeck]

ponjoloi

Jasminum angolense Welw. ex Baker (Oleaceae). R: 3

ponta-de-cacho-de-banana (inflorescence) (P)

Musa acuminata Colla (Musaceae). R: 3 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]

pori

Napoleonaea gossweileri Baker f. (Lecythidaceae). R: 39 [Vassequele]

posa (Kim)

Triumfetta cordifolia A.Rich. (Tiliaceae). R: 50

Urena lobata L. (Malvaceae). R: 50

possa

Berlinia grandiflora (Vahl) Hutch. & Dalziel (Fabaceae). R: 49 [*Berlinia acuminata* Sol.; Baixo Maiombe]

prata (P)

Musa acuminata Colla (Musaceae). R: 50 [*Musa paradisiaca* L. subsp. *sapientum* (L.) K.Schum.]

pu

Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 47

pulka (Kik)

Schefflera barteri Harms (Araliaceae). R: 50 [*Schefflera* sp.]

pumpundje

Schumanniphycyon hirsutum (Hiern) R.D.Good (Rubiaceae). R: 46

punga (Kik)

Triumfetta cordifolia A.Rich. (Tiliaceae). R: 50

punga-kalokoso (Kik)

Urena lobata L. (Malvaceae). R: 50

punga-saiangua (Kik)

Clappertonia ficifolia Decne. (Tiliaceae). R: 50

pungatete (Kik)

Triumfetta cordifolia A.Rich. (Tiliaceae). R: 50

punguixi (Kim)

Combretum celastroides Welw. ex M.A.Lawson subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell (Combretaceae). R: 50 [*Combretum laxiflorum* Welw. ex M.A.Lawson]

punxixi (Kim)

Combretum celastroides Welw. ex M.A.Lawson subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell (Combretaceae). R: 50 [*Combretum laxiflorum* Welw. ex M.A.Lawson]

pupopo (C)

Afzelia quanzensis Welw. (Fabaceae). R: 50 [Kioko]

purgueira (P)

Jatropha curcas L. (Euphorbiaceae). R: 49, 3

Q

qipexi (U)

Trema orientalis (L.) Blume (Ulmaceae). R: 50 [*Trema guineense* (Schumach. & Thonn.) Ficalho; U], 3

queseladi

Zantha golungensis Hiern (Sapindaceae). R: 2

quiabos (P)

Abelmoschus esculentus (L.) Moench (Malvaceae). R: 49 [*Hibiscus esculentus* L.]

quiahalu (C)

Psychotria eminiana (Kuntze) E.M.A.Petit var. *eminiana* (Rubiaceae). R: 47 [Chokwe]

quiambungo

Oxytenanthera abyssinica (A.Rich.) Munro (Poaceae). R: 57

quibaba

Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 57

Khaya anthotheca (Welw.) C.DC. (Meliaceae). R: 2

quibaba-da-Queta

Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 57

quibaba-de-Mussengue

Khaya anthotheca (Welw.) C.DC. (Meliaceae). R: 57

quibaba-do-Hungo

Khaya anthotheca (Welw.) C.DC. (Meliaceae). R: 57

quibaba-do-Mussengue

Khaya anthotheca (Welw.) C.DC. (Meliaceae). R: 57

quibaba-roxa

Celtis mildbraedii Engl. ? (Ulmaceae). R: 57 [*Celtis soyauxii* Engl.]

- quibondo-ia-mulemba**
Sterculia purpurea Exell (Sterculiaceae). R: 13
 [Ambundo]
- quibosa**
Triumfetta cordifolia A.Rich. var. *tomentosa*
 Sprague (Tiliaceae). R: 14 [Ambundo]
Triumfetta orthacantha Welw. ex Mast.
 (Tiliaceae). R: 57
Triumfetta rhomboidea Jacq. (Tiliaceae). R: 57
- quibosa-ia-mugito**
Cordia aurantiaca Baker (Boraginaceae). R: 57
- quicacaia (Kik)**
Dialium tessmannii Harms (Fabaceae). R: 63
- quicanda-palanca**
Panicum maximum Jacq. (Poaceae). R: 2
- quiçango**
Eriosema affine De Wild. (Fabaceae). R: 3
- quicumba**
Cordia millenii Baker (Boraginaceae). R: 2
 [Cordia chrysocarpa Baker]
- quieque-bungubungu**
Landolphia camptoloba (K.Schum.) Pichon
 (Apocynaceae). R: 58 [*Carpodinus gracilis* Stapf;
 Cuango, Quimbele]
- quifilo**
Heinsia crinita (Afzel.) G.Taylor subsp. *crinita*
 (Rubiaceae). R: 46
- quifuge (Kim)**
Entada gigas (L.) Fawc. & Rendle (Fabaceae).
 R: 60
- quifula-quia-maquequie (Kik)**
Dialium dinklagei Harms (Fabaceae). R: 63
- quifusa (Kik)**
Anthonotha fragrans (Baker f.) Exell & Hillc.
 (Fabaceae). R: 63
- quihalauqua**
Hymenodictyon floribundum (Hochst. & Steud.)
 Rob. (Rubiaceae). R: 47
- quihesto**
Hymenocardia acida Tul. (Euphorbiaceae). R: 2
- quila**
Mucuna stans Welw. ex Baker (Fabaceae). R: 62
 [Malange]
- quimama**
Lagenaria siceraria (Molina) Standl.
 (Cucurbitaceae). R: 45
- quineira (P)**
Cinchona sp. (Rubiaceae). R: 49
- quingombo**
Abelmoschus moschatus (L.) Medik. (Malvaceae).
 R: 12 [*Hibiscus abelmoschus* L.]
- quingongo**
Carissa spinarum L. (Apocynaceae). R: 58
 [*Carissa edulis* (Forssk.) Vahl; Luanda]
- quinguengue**
Spondias mombin L. (Anacardiaceae). R: 58
 [Zaire]
- quinjuanjuan**
Ampelocissus dissecta (Baker) Planch. (Vitaceae).
 R: 28
- quinoa (P)**
Chenopodium quinoa Willd. (Chenopodiaceae).
- quinomba**
Chazaliella sp. A (Rubiaceae). R: 46
Keetia hispida (Benth.) Bridson (Rubiaceae).
 R: 46
Rothmannia hispida (K.Schum.) Fagerl.
 (Rubiaceae). R: 46
- quinombo**
Rothmannia lujae (De Wild.) Keay (Rubiaceae).
 R: 46
- quinzuma**
Combretum paniculatum Vent. (Combretaceae).
 R: 11
- quiongo**
Lefebvreabyssinica A.Rich. (Apiaceae). R: 8
 [*Lefebvreastuhlmannii* Engl.]
- quipuculo-cafele**
Vernonia conferta Benth. (Asteraceae). R: 57
- quisafu**
Bixa orellana L. (Bixaceae). R: 57
- quisaque**
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R:
 23 [*Santiriopsis trimera* (Oliv.) Guillaumin ex
 Engl.]
- quiseco**
Millettia sp. (Fabaceae). R: 57 [*Millettia*
rhodantha Baill.]
- quisécua**
Millettia sp. (Fabaceae). R: 57 [*Millettia*
rhodantha Baill.]
- quiseniungo**
Nesogordonia leplaei (Vermoesen) Capuron
 (Sterculiaceae). R: 14 [*Cistanthera leplaei*
 Vermoesen]
- quisiahima**
Turraeanthus africanus (Welw. ex C.DC.) Pellegr.
 (Meliaceae). R: 24
- quisoco**
Trichilia gilgiana Harms (Meliaceae). R: 24
- quissafú (P)**
Bixa orellana L. (Bixaceae). R: 49
- quissala (Kik)**
Bussea gossweileri Baker f. (Fabaceae). R: 63
- quissalala**
Pentaclethra eetveldeana De Wild. & T.Durand
 (Fabaceae). R: Raimundo, Matos & Figueira 33
- quissapo**
Psychotria eminiana (Kuntze) E.M.A.Petit var.
eminiana (Rubiaceae). R: 47
- quissinhassinha**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
 [Massuelia]
- quissoma**
Euphorbia conspicua N.E.Br. (Euphorbiaceae).
 R: 2
- quissossongue**
Spermacoce radiata (DC.) Hiern (Rubiaceae).
 R: 47

quisunhunga
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
(Sapotaceae). R: 57 [*Mimusops welwitschii* Engl.]

quitapo
Myrothamnus flabellifolius Welw.
(Myrothamnaceae). R: 55

quitenda
Millettia drastica Welw. ex Baker (Fabaceae).
R: 61

quitoco-antiscorbutico (P)
Blumea mollis (D.Don) Merr. (Asteraceae). R: 50
[*Blumea lacera* (Burm.f.) DC.], 3 [*Blumea lacera* (Burm.f.) DC.]

quitoco-pequeno (P)
Pluchea dioscoridis (L.) DC. (Asteraceae). R: 50

quitotoco
Psychotria dermatophylla (K.Schum.) E.M.A.Petit (Rubiaceae). R: 46

quituba
Elaeodendron buchananii (Loes.) Loes.
(Celastraceae). R: 26 [*Elaeodendron warneckei* Loes.]

quitundo
Ozoroa insignis Delile (Anacardiaceae). R: 57
[*Heeria insignis* (Delile) Kuntze]

quivinde
Maranthes glabra (Oliv.) Prance (Chrysobalanaceae). R: 54 [*Maranthes glabra* (Oliv.) Prance var. *gilletii* (De Wild.) Mendes] *Pinacopodium congolense* (S.Moore) Exell & Mendonça (Erythroxylaceae). R: 15

quixibua
Ampelocissus dissecta (Baker) Planch. (Vitaceae). R: 28

quiximba
Zanha golungensis Hiern (Sapindaceae). R: 2

quizo
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 2

R

rabanete (P)
Dicliptera sp. (Acanthaceae). R: 3
Raphanus sativus L. (Brassicaceae). R: 49

rabano (P)
Raphanus sativus L. (Brassicaceae). R: 49

rabão (P)
Raphanus sativus L. (Brassicaceae). R: 49

rabo-de-gato (P)
Phleum pratense L. (Poaceae). R: 49

raliamato
Kohautia cuspidata (K.Schum.) Bremek. (Rubiaceae). R: 47

ramie
Boehmeria nivea (L.) Gaudich. (Urticaceae). R: 49

ramo-de-ouro
Galphimia hirsuta Cav. (Malpighiaceae). R: 49

rebento-de-milho (seedling) (P)
Zea mays L. (Poaceae). R: 3

repolho (P)
Brassica oleracea L. (Brassicaceae). R: 49

riamba (P)
Cannabis sativa L. (Cannabaceae). R: 57, 49

rícino (P)
Ricinus communis L. (Euphorbiaceae). R: 3

riniungo
Lagenaria siceraria (Molina) Standl. (Cucurbitaceae). R: 45

risanza (Kim)
Tragia benthamii Baker (Euphorbiaceae). R: 50

ritanga
Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 45

româzeira-do-mato (P)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47

romeira (P)
Punica granatum L. (Punicaceae). R: 49

rosa-da-China (P)
Hibiscus mutabilis L. (Malvaceae). R: 49

rosa-de-S.Miguelito (P)
Antigonon leptopus Hook. & Arn. (Polygonaceae). R: 49

roseira (P)
Rosa gallica L. (Rosaceae). R: 49

rotang (P)
Eremospatha cabrae (De Wild. & T.Durand) De Wild. (Arecaceae). R: 49

rutabaga (P)
Brassica napus L. (Brassicaceae). R: 49 [*Brassica napobrassica* (L.) Mill.]

S

saba
Ctenolophon englerianus Mildbr. (Ctenolophonaceae). R: 17, 50 [Kik]

sabongo
Xylopia aethiopica (Dunal) A.Rich.? (Annonaceae). R: 57

sabugueiro (P)
Sambucus nigra L. (Caprifoliaceae). R: 49

sacala
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 58 [*Chrysophyllum gossweileri* De Wild.; Cuando Cubango, Capico]

sacalaséne
Aframomum angustifolium (Sonn.) K.Schum. (Zingiberaceae). R: 57 [*Amomum erythrocarpum* Ridl.]

safu
Bixa orellana L. (Bixaceae). R: 3 [Kim]
Dacryodes edulis (G.Don) H.J.Lam (Burseraceae). R: 23 [*Pachylobus edulis* G.Don], 50 [*Pachylobus edulis* G.Don]

- safu-cala**
Dacryodes pubescens (Vermoesen) H.J.Lam
(Burseraceae). R: 23 [*Pachylobus pubescens*
Vermoesen]
- safueiro (P)**
Dacryodes edulis (G.Don) H.J.Lam (Burseraceae).
R: 49 [*Pachylobus edulis* G.Don]
- safukala**
Dacryodes pubescens (Vermoesen) H.J.Lam
(Burseraceae). R: 49 [*Pachylobus gossweileri*
Exell; Alto Maiombe], 50 [*Pachylobus pubescens*
Vermoesen; Kik]
- safu-nkala (Kik)**
Dacryodes edulis (G.Don) H.J.Lam (Burseraceae).
R: 50 [*Pachylobus edulis* G.Don]
- sage (Kim)**
Mezoneuron angolense Welw. ex Oliv.
(Fabaceae). R: 63
- saia (Kik)**
Corynanthe paniculata Welw. (Rubiaceae).
R: 50, 47
- saie (U)**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 50
[*Gardenia jovis-tonantis* (Welw.) Hiern]
- saje (Kim)**
Mezoneuron angolense Welw. ex Oliv.
(Fabaceae). R: 50
- saka (Kik)**
Synsepalum brevipes (Baker) T.D.Penn.
(Sapotaceae). R: 50 [*Pachystela brevipes* (Baker)
Baill.]
- sakambua (Kim)**
Burkea africana Hook. (Fabaceae). R: 50
- saku (Nye)**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
R: 50 [Ganguela]
- sakuala (Kim)**
Anchomanes difformis (Blume) Engl. (Araceae).
R: 50 [*Anchomanes dubius* Schott]
- saku-saku (Nye)**
Cymbopogon densiflorus (Steud.) Stapf (Poaceae).
R: 50 [Ganguela]
- sala (C)**
Dialium englerianum Henriq. (Fabaceae). R: 50
[*Dialium simii* E.Phillips; Kioko]
- salgadeira (P)**
Atriplex halimus L. (Chenopodiaceae). R: 49
- salgueiro-chorão (P)**
Salix babylonica L. (Salicaceae). R: 49
- salgueiro-indígena (P)**
Salix mucronata Thunb. (Salicaceae). R: 50 [*Salix*
safsaf Forssk. ex Trautv.]
- salsa (P)**
Petroselinum crispum (Mill.) A.W.Hill
(Apiaceae). R: 49 [*Petroselinum hortense*
Hoffm.], 8, 3 [*Petroselinum* sp.]
- salsaparrilha (P)**
Smilax anceps Willd. (Smilacaceae). R: 49 [*Smilax*
kraussiana Meisn.], 3 [*Smilax kraussiana* Meisn.]
- salsaparrilha-de-Angola (P)**
Smilax anceps Willd. (Smilacaceae). R: 57 [*Smilax*
kraussiana Meisn.]
- samba**
Brachystegia boehmii Taub. (Fabaceae). R: 63
Brachystegia gossweileri Hutch. & Burtt Davy
(Fabaceae). R: 50 [Ganguela]
Brachystegia longifolia Benth. (Fabaceae). R: 63
[Bié]
Brachystegia russelliae I.M.Johnst. (Fabaceae). R:
50 [Ganguela]
Brachystegia tamarindoides Welw. ex Benth.
(Fabaceae). R: 63
Brachystegia longifolia Benth. × *B. boehmii* Taub.
(Fabaceae). R: 63
- sambalala (Kim)**
Solanecio mannii (Hook.f.) C.Jeffrey (Asteraceae).
R: 50 [*Crassocephalum multicorymbosum* (Klatt)
S.Moore; Kim], 3 [*Crassocephalum*
multicorymbosum (Klatt) S.Moore; Cuanza Norte]
- sambexi (Nye)**
Cryptosepalum verdickii De Wild. (Fabaceae). R:
50 [Ganguela]
- sambi (Kik)**
Uapaca guineensis Müll.Arg. (Euphorbiaceae).
R: 50
- sambilá (Kik)**
Boscia urens Welw. ex Oliv. (Capparaceae). R: 50
- sambo**
Bobgunnia fistuloides (Harms) J.H.Kirkbr. &
Wiersema (Fabaceae). R: 63 [*Swartzia fistuloides*
Harms; Kik]
Dioscorea praehensilis Benth. (Dioscoreaceae). R:
49 [Chitato], 50 [Kioko]
- sambo-sambo**
Bobgunnia fistuloides (Harms) J.H.Kirkbr. &
Wiersema (Fabaceae). R: *Teixeira & Gerez 7514*
- sambu (Kik)**
Bobgunnia fistuloides (Harms) J.H.Kirkbr. &
Wiersema (Fabaceae). R: 50 [*Swartzia fistuloides*
Harms]
- senha-damenha (Kim)**
Kalanchoe laciniata (L.) DC. (Crassulaceae).
R: 50
- samfi**
Uapaca guineensis Müll.Arg. (Euphorbiaceae). R:
49 [Maiombe]
- samo (Kik)**
Parkia bicolor A.Chev. (Fabaceae). R: 60
- samu**
Parkia bicolor A.Chev. (Fabaceae). R: 49 [*Parkia*
zenkeri Harms; Alto Maiombe], 50 [*Parkia*
zenkeri Harms; Kik]
- sana**
Maesopsis eminii Engl. (Rhamnaceae). R: 49
[Amoim, Cuanza Sul], 50 [U]
- sandalo (P)**
Santalum album L. (Santalaceae). R: 49
- sande (Kik)**
Ficus psilosopoga Welw. ex Ficalho (Moraceae).

- R: 50
- sane**
Maesopsis eminii Engl. (Rhamnaceae). R: 27
 [Amboim]
- sanfeno (P)**
Onobrychis viciifolia Scop. (Fabaceae). R: 49
- sanga**
Milicia excelsa (Welw.) C.C.Berg (Moraceae). R: 49
 [Chlorophora excelsa (Welw.) Benth. & Hook.f.; Lunda], 50 [Chlorophora excelsa (Welw.) Benth. & Hook.f.]
- sangala**
Rhus wellmanii Engl. (Anacardiaceae). R: 3
Eragrostis prolifera (Sw.) Steud. (Poaceae). R: 50
 [Eragrostis fascicularis Trin.; Kim]
- sangalele**
Eragrostis prolifera (Sw.) Steud. (Poaceae). R: 2
 [Eragrostis fascicularis Trin.]
- sangambua (Kim)**
Burkea africana Hook. (Fabaceae). R: 50
- sanga-posa (Kim)**
Urena lobata L. (Malvaceae). R: 50
- sangue-de-drago (P)**
Pterocarpus angolensis DC. (Fabaceae). R: 49
- sanha**
Corynanthe paniculata Welw. (Rubiaceae). R: 46
Pausinystalia macroceras (K.Schum.) Pierre ex Beille (Rubiaceae). R: 46
- sanha-lubango**
Aidia ochroleuca (K.Schum.) E.M.A.Petit (Rubiaceae). R: 46
- sanha-m'vungo**
Pausinystalia macroceras (K.Schum.) Pierre ex Beille (Rubiaceae). R: 46
- sanha-m'vungo**
Corynanthe paniculata Welw. (Rubiaceae). R: 46
- sania (Kik)**
Pausinystalia macroceras (K.Schum.) Pierre ex Beille (Rubiaceae). R: 50 [*Pausinystalia angolensis* Wernham]
- sankulu (Kik)**
Aloe zebrina Baker (Asphodelaceae). R: 50
- sanu**
Ongokea gore (Hua) Pierre (Olacaceae). R: 49
 [Ongokea klaineana Pierre; Baixo Maiombe]
- sanvi**
Uapaca guineensis Müll.Arg. (Euphorbiaceae). R: 2
- sapotilha (P)**
Manilkara zapota (L.) P.Royen (Sapotaceae). R: 49 [*Achras sapota* L.]
- sap-sap (P)**
Annona muricata L. (Annonaceae). R: 49
- sardinheiras (P)**
Pelargonium sp. (Geraniaceae). R: 49
- sarraceno (P)**
Fagopyrum esculentum Moench (Polygonaceae). R: 49
- sasambia (U)**
Rhus anchietae Ficalho & Hiern (Anacardiaceae).
- R: 52 [*Rhus mendoncae* Meikle]
- sase (Kim)**
Mezoneuron angolense Welw. ex Oliv. (Fabaceae). R: 50
- sasse (Kim)**
Mezoneuron angolense Welw. ex Oliv. (Fabaceae). R: 63
- seca-seca**
Lonchocarpus sericeus (Poir.) Kunthex DC. (Fabaceae). R: 2
- seinha**
Maesopsis eminii Engl. (Rhamnaceae). R: 2
- seka (Kik)**
Erythroxylum emarginatum Thonn. (Erythroxylaceae). R: 50
- seka-seka**
Lonchocarpus sericeus (Poir.) Kunth ex DC. (Fabaceae). R: 50 [Kim], 3 [Cuanza Norte]
- seke (Kim)**
Millettia aromatica Dunn (Fabaceae). R: 3
- sekenia (timber) (Kik)**
Diospyros viridicans Hiern (Ebenaceae). R: 50
- seku (Kim)**
Brachylaena sp. (Asteraceae). R: 3
- sena**
Maesopsis eminii Engl. (Rhamnaceae). R: 2
- senda (Kim)**
Dichrostachys cinerea (L.) Wight & Arn. subsp. *cinerea* (Fabaceae). R: 50 [*Dichrostachys glomerata* (Forssk.) Chiov.], 60 [*Dichrostachys glomerata* (Forssk.) Chiov.]
- sengalele**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 49 [Zaire], 50 [Kik]
- sengue**
Xerophyta sp. (Velloziaceae). R: 3
- senha**
Aidia ochroleuca (K.Schum.) E.M.A.Petit (Rubiaceae). R: 46
Corynanthe paniculata Welw. (Rubiaceae). R: 50 [Kik], 46 [Kik]
Pausinystalia macroceras (K.Schum.) Pierre ex Beille (Rubiaceae). R: 46
- senha-lebango**
Aidia ochroleuca (K.Schum.) E.M.A.Petit (Rubiaceae). R: 47
- senha-lubango**
Aidia ochroleuca (K.Schum.) E.M.A.Petit (Rubiaceae). R: 46
- senha-m'bango**
Aidia ochroleuca (K.Schum.) E.M.A.Petit (Rubiaceae). R: 46
- senhe**
Acacia amythethophylla Steud. ex A.Rich. (Fabaceae). R: Teixeira & Sales 6012
- sensenvu (C)**
Vigna stenophylla Harms (Fabaceae). R: 50 [Kioko]
- senu (Kim)**
Imperata cylindrica (L.) Raeusch. (Poaceae).

- R: 50 [*Imperata cylindrica* (L.) Raeusch. var. *thunbergii* T.Durand & Schinz]
- senzala** (Kik)
Landolphia lanceolata (K.Schum.) Pichon
 (Apocynaceae). R: 50 [*Carpodinus lanceolata* K.Schum.]
- senze** (Kik)
Pterocarpus soyauxii Taub. (Fabaceae). R: 50
- seringueira-do-Pará** (P)
Hevea brasiliensis (A.Juss.) Müll.Arg.
 (Euphorbiaceae). R: 49
- serndanda** (C)
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
 [Chokwe]
- serradela** (P)
Ornithopus sativus Brot. (Fabaceae). R: 49
- serralhas** (P)
Launaea intybacea (Jacq.) Beauverd (Asteraceae). R: 49 [*Lactuca goraeensis* (Lam.) Sch.Bip.]
- sese** (Kim)
Setaria welwitschii Rendle (Poaceae). R: 50
- sevadilha** (P)
Nerium oleander L. (Apocynaceae). R: 49
- shirua**
Momordica foetida Schumach. (Cucurbitaceae). R: 45
- shivua**
Momordica foetida Schumach. (Cucurbitaceae). R: 45
- siba** (Kik)
Musa acuminata Colla (Musaceae). R: 49 [*Musa sapientum* L.]
- sicomora** (P)
Melia azedarach L. (Meliaceae). R: 50
- sicomoro-bastardo** (P)
Melia azedarach L. (Meliaceae). R: 3
- sikatu** (U)
Ozoroa benguellensis (Engl.) R.Fern.
 (Anacardiaceae). R: 3
- silu** (Kim)
Combretum molle R.Br. ex G.Don
 (Combretaceae). R: 50 [*Combretum welwitschii* Engl. & Diels]
- silveira**
Diospyros mespiliformis Hochst. ex A.DC.
 (Ebenaceae). R: 49 [*Icolo, Bengo*], 50 [P], 2 [P], 58 [Luanda]
- sincomoro-bastardo** (P)
Melia azedarach L. (Meliaceae). R: 49
- singa**
Parkia bicolor A.Chev. (Fabaceae). R: *Monteiro, Santos & Murta* 377
Parkia filicoidea Welw. ex Oliv. (Fabaceae). R: 49
 [Buco Zau, Maiombe]
- singa-singa**
Piptadeniastrum africanum (Hook.f.) Brenan
 (Fabaceae). R: 2
- sino-sino**
Vitex madiensis Oliv. (Lamiaceae). R: 3
- sisa** (Kik)
Aframomum laurentii (De Wild. & T.Durand) K.Schum. (Zingiberaceae). R: 3
- sisal** (P)
Agave fourcroydes Lem. (Agavaceae). R: 49
Agave sisalana Perrine (Agavaceae). R: 49, 3
- sissinhessinha**
Tricalysia pallens Hiern (Rubiaceae). R: 47
- sitixa**
Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; Kioko], 58 [Moxico]
- sivua** (Kim)
Momordica foetida Schumach. (Cucurbitaceae). R: 50 [*Momordica schimperiana* Naudin]
- sobreiro** (P)
Quercus suber L. (Fagaceae). R: 49
- soja** (P)
Glycine max (L.) Merr. (Fabaceae). R: 49 [*Glycine soja* Siebold & Zucc.]
- sokia** (Kik)
Hyparrhenia diplandra (Hack.) Stapf (Poaceae). R: 50
- soko**
Dioscorea quartiniana A.Rich. (Dioscoreaceae). R: 50 [Kim]
Dioscorea sansibarensis Pax (Dioscoreaceae). R: 49 [*Dioscorea macroura* Harms; Dembos, Cuanza Norte], 50 [*Dioscorea macroura* Harms; Kim]
Hyparrhenia rufa (Nees) Stapf (Poaceae). R: 50 [Kim]
- sola** (Kik)
Andropogon gayanus Kunth (Poaceae). R: 50
 [*Andropogon gayanus* Kunth var. *squamulatus* Stapf]
- solokoto** (Kim)
Acanthospermum hispidum DC. (Asteraceae). R: 50
Alternanthera nodiflora R.Br. (Amaranthaceae). R: 50
- sombo**
Elaeis guineensis Jacq. (Arecaceae). R: 49 [Kim], 50 [Kim]
Euclea divinorum Hiern (Ebenaceae). R: 50
Euclea huillensis Gürke; U], 3
- somye-menga** (Kik)
Staudtia kamerunensis Warb. var. *gabonensis* (Warb.) Fouilloy (Myristicaceae). R: 50 [*Staudtia gabonensis* Warb.]
- songa-jangoma** (Kim)
Bidens biternata (Lour.) Merr. & Sherff (Asteraceae). R: 50
- songati** (Kik)
Alstonia congensis Engl. (Apocynaceae). R: 50
 [*Alstonia gilletii* De Wild. var. *laurentii* De Wild.]
- songo** (U)
Spermacoce dibrachiata Oliv. (Rubiaceae). R: 52
- songue** (U)
Echinochloa pyramidalis (Lam.) Hitchc. & Chase (Poaceae). R: 50

sonhi (Kik)
Imperata cylindrica (L.) Raeusch. (Poaceae). R: 50 [*Imperata cylindrica* (L.) Raeusch. var. *thunbergii* T.Durand & Schinz]

sonji (U)
Elaeophorbia hiernii Croizat (Euphorbiaceae). R: 50

sorgo (P)
Sorghum bicolor (L.) Moench (Poaceae). R: 50 [*Sorghum caffrorum* P.Beauv.; *Sorghum nigricans* (Ruiz & Pav.) Snowden var. *angolense* (Rendle) Snowden], 3 [*Sorghum caffrorum* P.Beauv.]

sorgo-massambala (P)
Sorghum bicolor (L.) Moench (Poaceae). R: 49 [*Sorghum caffrorum* P.Beauv.]

sorveira (P)
Sorbus domestica L. (Rosaceae). R: 49

sosa (U)
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 50 [*Solanum albifolium* C.H.Wright]

soso (Kik)
Hyparrhenia familiaris (Steud.) Stapf (Poaceae). R: 50

soso-yolui (U)
Acanthus montanus (Nees) T.Anderson (Acanthaceae). R: 50

sossa
Solanum incanum L. (Solanaceae). R: 59
 [Benguela – Bocoio]

so-wafa
Mimosa pudica L. (Fabaceae). R: 3

soxi (Kim)
Entada abyssinica Steud. ex A.Rich. (Fabaceae). R: 50, 60

speiser-sissi (Nd)
Typha capensis (Rohrb.) N.E.Br. (Typhaceae). R: 50 [Xindonga]

sua
Xylopia acutiflora (Dunal) A.Rich. (Annonaceae). R: 50 [U], 3

suanza (Kim)
Schwenckia americana L. (Solanaceae). R: 3

súbi
Ataenidia conferta (Benth.) Milne-Redh. (Marantaceae). R: 57 [*Phrynum textile* Ridl.] *Marantochloa purpurea* (Ridl.) Milne-Redh. (Marantaceae). R: 57 [*Donax purpurea* K.Schum.]

subi-io-fele (Kim)
Marantochloa cuspidata (Roscoe) Milne-Redh. (Marantaceae). R: 50 [*Marantochloa flexuosa* (Benth.) Hutch.]

subi-io-nene (Kim)
Ataenidia conferta (Benth.) Milne-Redh. (Marantaceae). R: 50 [*Phrynum confertum* (Benth.) K.Schum.]

sueia (Kik)
Hymenocardia acida Tul. (Euphorbiaceae). R: 50

suessue
Lagenaria breviflora (Benth.) Roberty

(Cucurbitaceae). R: 45

suezua (Kim)
Peponium vogelii (Hook.f.) Engl. (Cucurbitaceae). R: 50

sula (P)
Hedysarum coronarium L. (Fabaceae). R: 49

sulo
Brachystegia spiciformis Benth. (Fabaceae). R: 2 [*Brachystegia lujae* De Wild. ex Hutch. & Burtt Davy]

sumbila (Kik)
Combretum camporum Engl. (Combretaceae). R: 50

sunga (Kim)
Echinochloa crus-pavonis (Kunth) Schult. (Poaceae). R: 50

susa (Kik)
Pseudospondias microcarpa (A.Rich.) Engl. (Anacardiaceae). R: 50

susso
Tapiphllum molle Robyns (Rubiaceae). R: 47

susu
Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 49 [Amboim] *Trichilia welwitschii* C.DC. (Meliaceae). R: 50 [U], 3

susua (U)
Entandrophragma angolense (Welw. ex C.DC.) C.DC. (Meliaceae). R: 50 *Sterculia tragacantha* Lindl. (Sterculiaceae). R: 50, 3

suswa (U)
Sterculia tragacantha Lindl. (Sterculiaceae). R: 3

T

tabaco (P)
Nicotiana tabacum L. (Solanaceae). R: 49, 3

tabaco-ornamental (P)
Nicotiana alata Link & Otto (Solanaceae). R: 49

tabua (P)
Typha capensis (Rohrb.) N.E.Br. (Typhaceae). R: 49, 50

tacula (P)
Pterocarpus rotundifolius (Sond.) Druce subsp. *rotundifolius* (Fabaceae). R: 49 [*Pterocarpus melliferus* Welw. ex Baker] *Pterocarpus tinctorius* Welw. (Fabaceae). R: 57, 49, 2

tacula (timber) (P)
Pterocarpus sp. (Fabaceae). R: 49

tacula-escura (timber) (P)
Diospyros abyssinica (Hiern) F.White (Ebenaceae). R: 49 [*Maba mualala* Welw. ex Hiern]

tacula-do-Zenza
Pterocarpus tinctorius Welw. (Fabaceae). R: 57

tacula-falsa (P)
Hymenostegia laxiflora (Benth.) Harms

(Fabaceae). R: 57 [*Cynometra laxiflora* Benth.]

tagasaste (P)

Cytisus proliferus L.f. (Fabaceae). R: 49

tahue

Craterispermum schweinfurthii Hiern (Rubiaceae). R: 47

takanga

Olea capensis L. subsp. *welwitschii* (Knobl.) Friis & P.S.Green (Oleaceae). R: 49 [*Linociera welwitschii* (Knobl.) Knobl.; Cuanza Norte], 50 [*Steganthus welwitschii* (Knobl.) Knobl.; Kim]

takula

Pterocarpus soyauxii Taub. (Fabaceae). R: 49 [Belize, River Lufo]

Pterocarpus tinctorius Welw. (Fabaceae). R: 49 [*Pterocarpus cabrae* De Wild.; Cazengo], 50 [*Pterocarpus cabrae* De Wild.; Kim], 50 [Kim], 52 [P]

tala-menha (Kim)

Lonchocarpus sericeus (Poir.) Kunth ex DC. (Fabaceae). R: 3

tamareira (P)

Phoenix dactylifera L. (Arecaceae). R: 49

tamareira-brava (P)

Phoenix sylvestris (L.) Roxb. (Arecaceae). R: 49

tamareira-das-Canárias (P)

Phoenix canariensis Chabaud (Arecaceae). R: 49

tamarindeiro (P)

Tamarindus indica L. (Fabaceae). R: 49, 3, 58 [Luanda, Cuanza Norte]

tamarindo-de-veludo (P)

Dialium angolense Welw. ex Oliv. (Fabaceae). R: 35

tamba

Grewia angolensis Welw. ex Mast. (Tiliaceae). R: 50 [U]

Grewia carpinifolia Juss. (Tiliaceae). R: 14

Grewia welwitschii Burret (Tiliaceae). R: 50 [U]

Grewia sp. (Tiliaceae). R: 3

Ipomoea batatas (L.) Lam. (Convolvulaceae). R: 50 [Kioko]

Pogostemon mutamba (Hiern) G.Taylor (Lamiaceae). R: 50

tamba (sing.) (Kim)

Plectranthus esculentus N.E.Br. (Lamiaceae). R: 50 [*Coleus dazo* A.Chev.]

tambahembe (U)

Holostylon robustum (Hiern) G.Taylor (Lamiaceae). R: 52

tamboli (Z)

Spirostachys africana Sond. (Euphorbiaceae). R: 50 [Tjiherero]

tambuti (Nya)

Ximenia americana L. (Olacaceae). R: 50 [Lunyaneka]

tanda-mbale (U)

Clerodendrum capitatum (Willd.) Schumach. & Thonn. (Lamiaceae). R: 50 [*Clerodendrum conglobatum* Baker]

tandu (U)

Pennisetum macrourum Trin. (Poaceae). R: 50 [*Pennisetum angolense* Rendle]

tanga

Ficus psilopoga Welw. ex Ficalho (Moraceae). R: 50 [U]

Ficus thonningii Blume (Moraceae). R: 3

Olea capensis L. subsp. *welwitschii* (Knobl.) Friis & P.S.Green (Oleaceae). R: 50 [*Steganthus welwitschii* (Knobl.) Knobl.; U]

tangage

Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 45

tanganze (Kik)

Citrullus lanatus (Thunb.) Matsum. & Nakai (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad. ex Eckl. & Zeyh.]

tangerineira (P)

Citrus reticulata Blanco (Rutaceae). R: 49 [*Citrus nobilis* Lour. var. *deliciosa* (Ten.) Swingle], 3

tanhe (Kim)

Craterispermum cerinanthum Hiern (Rubiaceae). R: 50 [*Craterispermum laurinum* sensu auct. non (DC.) Benth. (1849)]

taro (P)

Colocasia esculenta (L.) Schott (Araceae). R: 49

tarrafe

Tamarix usneoides E.Mey. ex Bunge (Tamaricaceae), R: 2

tatango (Kik)

Tridesmosistem onthalocarpoides Engl. (Sapotaceae). R: 50 [*Sideroxylon gossweileri* Greves]

tati-tati (Kik)

Suregada zanzibariensis Baill. (Euphorbiaceae). R: 50 [*Gelonium zanzibariense* (Baill.) Müll.Arg.]

tauhi

Ampelocissus poggei Gilg & M.Brandt (Vitaceae). R: 28

tchela-tchacalumba

Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]

tchenhe

Pavetta schumanniana F.Hoffm. ex K.Schum. (Rubiaceae). R: 47

tchero-calumba

Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 59 [Cuando Cubango]

tchicalamufito

Baissea wulfforstii Schinz (Apocynaceae). R: 2

tchicamba

Vitex sp. (Lamiaceae). R: 2

tchicuali

Pausinystalia johimbe (K.Schum.) Pierre ex Beille (Rubiaceae). R: 46

tchicuco

Eugenia malangensis (O.Hoffm.) Nied. (Myrtaceae). R: 1 [*Eugenia marquesii* Engl.]

Phyllocosmus lemaireanus (De Wild. & T.Durand) T.Durand & H.Durand (Ixonanthaceae). R: 2

- [*Ochthocosmus lemaireanus* De Wild. & T.Durand]
- tchicuencu**
Brachystegia bakeriana Hutch. & Burtt Davy (Fabaceae). R: Santos 1677
- tchicungo**
Brachystegia russelliae I.M.Johnst. (Fabaceae). R: Barbosa & Moreno 12255
- tchieque (C)**
Dissotis sizenandii Cogn. var. *brevipilosa* A.Fern. & R.Fern. (Melastomataceae). R: 41 [Quioco]
- tchifuica**
Fadogia cienkowskii Schweinf. var. *lanceolata* Robyns (Rubiaceae). R: 47
- tchifufuua**
Fadogia cienkowskii Schweinf. var. *lanceolata* Robyns (Rubiaceae). R: 47
- tchifutua**
Bauhinia petersiana Bolle subsp. *macrantha* (Oliv.) Brummitt & J.H.Ross (Fabaceae). R: Pompeu 514
Bauhinia sp. (Fabaceae). R: 2
- tchiguamba (Kik)**
Cyperus esculentus L. (Cyperaceae). R: 50
- tchijilangene**
Morinda angolensis (R.D.Good) F.White (Rubiaceae). R: 47
- tchikamba (C)**
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex cuneata* Schumach. & Thonn.; Kioko]
- tchikualhe**
Pausinystalia johimbe (K.Schum.) Pierre ex Beille (Rubiaceae). R: 46
- tchilabi (Nya)**
Gardenia volkensii K.Schum. subsp. *spathulifolia* (Stapf & Hutch.) Verdc. (Rubiaceae). R: 47 [Muhumbe]
- tchilamatchacana**
Diospyros virgata (Gürke) Brenan (Ebenaceae). R: 59 [Bié – Cuemba]
- tchimbunze (C)**
Alchornea cordifolia (Schumach. & Thonn.) Müll.Arg. (Euphorbiaceae). R: 50 [Kioko]
- tchimingue**
Fadogia cienkowskii Schweinf. var. *cienkowskii* (Rubiaceae). R: 47
Tapiphllum psammophilum (S.Moore) Robyns (Rubiaceae). R: 47
- tchindungu**
Capsicum frutescens L. (Solanaceae). R: 3
- tchinginda**
Combretum gossweileri Exell (Combretaceae). R: 11
- tchingnhe (Nya)**
Pavetta schumanniana F.Hoffm. ex K.Schum. (Rubiaceae). R: 47 [Lunyaneka]
- tchingongue**
Humularia welwitschii (Taub.) P.A.Duvign. var. *gossweileri* (Baker f.) P.A.Duvign. (Fabaceae). R: 3
- tchinhe**
Pavetta schumanniana F.Hoffm. ex K.Schum. (Rubiaceae). R: 47
- tchingue**
Fadogia homblei De Wild. (Rubiaceae). R: 47
- tchinomba**
Rothmannia hispida (K.Schum.) Fagerl. (Rubiaceae). R: 46
- tchintui (Nya)**
Pygmaeothamnus zeyheri (Sond.) Robyns var. *zeyheri* (Rubiaceae). R: 47 [Lunyaneka]
- tchiola (Nya)**
Psydrax livida (Hiern) Bridson (Rubiaceae). R: 47 [Quipungo]
- tchionde (C)**
Baphia massaiensis Taub. subsp. *obovata* (Schinz) Brummitt var. *obovata* (Fabaceae). R: 62 [Kioko]
Baphia massaiensis Taub. subsp. *obovata* (Schinz) Brummitt var. *whitei* (Brummitt) Soladoye (Fabaceae). R: 62 [*Baphia whitei* Brummitt]
- tchiria-ngulo**
Giseckia africana (Lour.) Kuntze (Gisekiaceae). R: 48
- tchirierie (C)**
Morinda morindoides (Baker) Milne-Redh. (Rubiaceae). R: 47 [Kioko]
- tchissangua**
Tricalysia angolensis A.Rich. ex DC. (Rubiaceae). R: 47
- tchissobula**
Dichaetanthera corymbosa (Cogn.) Jacq.-Fél. (Melastomataceae). R: 41
- tchitchaba**
Stereospermum harmsianum K.Schum. (Bignoniacae). R: 10
- tchiua**
Pygmaeothamnus zeyheri (Sond.) Robyns var. *zeyheri* (Rubiaceae). R: 47
- tchiviangulo**
Zaleya pentandra (L.) C.Jeffrey (Aizoaceae). R: 48
- teba**
Allophylus africanus P.Beauv. (Sapindaceae). R: 50 [Kim]
Homalium viridiflorum Exell (Flacourtiaceae). R: 50 [Kik]
- teca (P)**
Tectona grandis L.f. (Verbenaceae). R: 49
- teke**
Landolphia lanceolata (K.Schum.) Pichon (Apocynaceae). R: 50 [*Carpodinus lanceolata* K.Schum.]
- tekula-fuku (Kim)**
Combretum collinum Fresen. (Combretaceae). R: 50 [*Combretum mechowianum* O.Hoffm.]
- telej (C)**
Ludwigia abyssinica A.Rich. (Onagraceae). R: 42 [Quioco]
- tembe (U)**
Imperata cylindrica (L.) Raeusch. (Poaceae).

- R: 50 [*Imperata cylindrica* (L.) Raeusch. var. *thunbergii* T.Durand & Schinz]
- tembuambo**
Chenopodium ambrosioides L. (Chenopodiaceae).
R: 3
- tenda** (Kim)
Millettia drastica Welw. ex Baker (Fabaceae).
R: 3
- tende**
Vernonia conferta Benth. (Asteraceae). R: 50
[Kim], 3 [Kim]
Ziziphus abyssinica Hochst. ex A.Rich.
(Rhamnaceae). R: 27 [Ambriz]
- tende** (fruit) (P)
Ziziphus abyssinica Hochst. ex A.Rich.
(Rhamnaceae). R: 49 [*Ziziphus mauritiana* sensu auct. non Lam. (1789); Ambriz]
- tenga-kanga** (U)
Aframomum daniellii (Hook.f.) K.Schum.
(Zingiberaceae). R: 50
- téosinte** (P)
Zea luxurians (Durieu & Asch.) R.M.Bird
(Poaceae). R: 50 [*Euchlaena mexicana* Schrad.
var. *luxurians* (Durieu & Asch.) Haines]
- tese** (Kim)
Rinorea brachypetala (Turcz.) Kuntze
(Violaceae). R: 50
- teta-nkalala** (Kik)
Diospyros sparsirama Hiern ex Greves
(Ebenaceae). R: 50
- tete-ialikota** (Kim)
Andropogon gayanus Kunth (Poaceae). R: 50
[*Andropogon gayanus* Kunth var. *squamulatus* Stapf]
- tete-mbulu** (Kim)
Tinnea antiscorbutica Welw. (Lamiaceae). R: 3
- teupa**
Rhynchotropis poggei (Taub.) Harms (Fabaceae).
R: 61
- textele** (C)
Ricinodendron heudelotii (Baill.) Heckel subsp. *africanum* (Müll.Arg.) J.Léonard (Euphorbiaceae). R: 50 [*Ricinodendron africanum* Müll.Arg.; Kioko]
- thyndio** (Nya)
Plumbago zeylanica L. (Plumbaginaceae). R: 50
[Lunyaneka], 3 [Lunyaneka]
- ticuta-ngolongo** (B)
Cissus rubiginosa (Welw. ex Baker) Planch.
(Vitaceae). R: 28 [Libolo]
- tiendje-mungongo** (Kik)
Dracaena mannii Baker (Dracaenaceae). R: 50
[*Dracaena reflexa* Lam. var. *nitens* Baker]
- tiengu** (Nya)
Pseudomussaenda monteiroi (Wernham)
Wernham (Rubiaceae). R: 47 [Muquilengue]
- tihandiatí** (Nya)
Pseudomussaenda monteiroi (Wernham)
Wernham (Rubiaceae). R: 47 [Muquilengue]
- tiko** (Kim)
Blumea mollis (D.Don) Merr. (Asteraceae). R: 3
[*Blumea lacera* (Burm.f.) DC.]
- tila-tila** (U)
Spathodea campanulata P.Beauv. (Bignoniaceae).
R: 50
- tilema** (U)
Commiphora angolensis Engl. (Burseraceae).
R: 50
- tingu** (Kim)
Abrus canescens Welw. ex Baker (Fabaceae).
R: 50
- tiningui**
Fadogia lactiflora Welw. ex Hiern (Rubiaceae).
R: 47
- tipu** (P)
Tipuana tipu (Benth.) Kuntze (Fabaceae). R: 49
[*Tipuana speciosa* Benth.]
- tira**
Spathodea campanulata P.Beauv. (Bignoniaceae).
R: 2
- titutu** (Kik)
Andropogon gabonensis Stapf (Poaceae). R: 50
- tjikuala** (C)
Stereospermum harmsianum K.Schum.
(Bignoniaceae). R: 50 [Kioko]
- tjimonomonono** (C)
Trema orientalis (L.) Blume (Ulmaceae). R: 50
[*Trema guineense* (Schumach. & Thonn.) Ficalho; Kioko]
- tobe** (Kik)
Phaseolus vulgaris L. (Fabaceae). R: 50
- tojo** (P)
Ulex europaeus L. (Fabaceae). R: 49
- tola** (Kik)
Gossweilerodendron balsamiferum (Vermoesen)
Harms (Fabaceae). R: 63
- tola-branca** (P)
Gossweilerodendron balsamiferum (Vermoesen)
Harms (Fabaceae). R: 49 [Maiombe], 50, 63, 2
- tola-chinfuta**
Oxystigma oxyphyllum (Harms) J.Léonard
(Fabaceae). R: 49 [*Pterygopodium oxyphyllum* Harms; Maiombe; P], 63 [Kik], 2
- tola-combo**
Daniellia klainei Pierre ex A.Chev. (Fabaceae). R:
M.E.F.A. 353
- tola-kombe**
Daniellia klainei Pierre ex A.Chev. (Fabaceae).
R: 2
- tola-tchinfuta**
Oxystigma oxyphyllum (Harms) J.Léonard
(Fabaceae). R: M.E.F.A. 672
- tole** (Kim)
Cyperus nutans Vahl (Cyperaceae). R: 50
- tolo** (Kim)
Strychnos henningsii Gilg (Strychnaceae). R: 3
- tomai-mai** (U)
Erythrina abyssinica Lam. ex DC. (Fabaceae). R:
50 [*Erythrina suberifera* Welw. ex Baker]

- tomate (P)**
Lycopersicon esculentum Mill. (Solanaceae). R: 3
- tomateiro (P)**
Lycopersicon esculentum Mill. (Solanaceae). R: 49
- tombe (Kim)**
Raphia matombe De Wild. (Arecaceae). R: 3
 [*Raphia gossweileri* Burret]
- tomboka**
Mystroxylon aethiopicum (Thunb.) Loes.
 (Celastraceae). R: 3 [*Cassine aethiopica* Thunb.]
- tomboli**
Spirostachys africana Sond. (Euphorbiaceae). R:
 49 [South of Huíla]
- tomilho (P)**
Thymus vulgaris L. (Lamiaceae). R: 49
- tonga (Kik)**
Phytolacca dodecandra L'Hér. (Phytolaccaceae).
 R: 50
- tonga-tonga (Kim)**
Phytolacca dodecandra L'Hér. (Phytolaccaceae).
 R: 50, 3
- tongo (U)**
Vernonia auriculifera Welw. ex Hiern
 (Asteraceae). R: 50, 3
- tongo-a-ndongo**
Vernonia auriculifera Welw. ex Hiern
 (Asteraceae). R: 50 [U], 3
- tongonoche**
Tricalysia cacondensis Hiern (Rubiaceae). R: 47
- tongo-ntongo**
Vernonia auriculifera Welw. ex Hiern
 (Asteraceae). R: 3
- tonjo (C)**
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
 [*Voandzeia subterranea* (L.) DC.; Kioko]
- topinambo (P)**
Helianthus tuberosus L. (Asteraceae). R: 49
- toranja (P)**
Citrus ×paradisi Macfad. (Rutaceae). R: 49
 [*Citrus grandis* sensu auct. non (L.) Osbeck
 (1757)]
- toto**
Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
 R: 47
- tremoço-amarelo (P)**
Lupinus luteus L. (Fabaceae). R: 49
- tremoço-flor-azul (P)**
Lupinus angustifolius L. (Fabaceae). R: 49
- trepadeira-gibóia (P)**
Fockea sp. (Apocynaceae). R: 2
- trepadeira-piton (P)**
Fockea sp. (Apocynaceae). R: 2
- trevo-da-Alexandria (P)**
Trifolium alexandrinum L. (Fabaceae). R: 49
- trevo-do-Japão (P)**
Lespedeza striata (Murray) Hook. & Arn.
 (Fabaceae). R: 49
- trevo-dos-prados (P)**
Trifolium pratense L. (Fabaceae). R: 49
- trevo-encarnado (P)**
Trifolium incarnatum L. (Fabaceae). R: 49
- trevo-violeta (P)**
Trifolium pratense L. (Fabaceae). R: 49
- trigo (P)**
Triticum aestivum L. (Poaceae). R: 49
- trigo-fartura (P)**
Sorghum bicolor (L.) Moench (Poaceae). R: 49
 [*Sorghum vulgare* Pers.]
- trigo-sarraceno (P)**
Fagopyrum esculentum Moench (Polygonaceae).
 R: 49
- trombetão-roxo (P)**
Datura metel L. (Solanaceae). R: 3
- trombetões-roxos (pl.) (P)**
Datura metel L. (Solanaceae). R: 49 [*Datura*
fastuosa L.]
- tronadora (P)**
Tecoma stans (L.) Juss. ex Kunth (Bignoniaceae).
 R: 49
- tsamona (Kik)**
Heinsia crinita (Afzel.) G.Taylor subsp. *crinita*
 (Rubiaceae). R: 47
- tsa-tsi (Kh)**
Leptactina angolensis (Hutch.) Bullock ex
 I.Nogueira (Rubiaceae). R: 47 [Bushman]
- tschitshapa**
Markhamia obtusifolia Sprague (Bignoniaceae).
 R: 10
- tshibuiá**
Hymenodictyon floribundum (Hochst. & Steud.)
 Rob. (Rubiaceae). R: 47
- tshififa**
Leptactina liebrechtsiana De Wild. & T. Durand
 (Rubiaceae). R: 47
- tshififi**
Leptactina liebrechtsiana De Wild. & T. Durand
 (Rubiaceae). R: 47
- Pavetta nitidula** Welw. ex Hiern (Rubiaceae). R:
 47
- tshifuko-tsha-hashi**
Fadogia cienkowskii Schweinf. var. *cienkowskii*
 (Rubiaceae). R: 47
- tshihende-hende**
Gaertnera paniculata Benth. (Rubiaceae). R: 47
- tshihuna**
Otiophora caerulea (Hiern) Bullock (Rubiaceae).
 R: 47
- tshikunji**
Gaertnera paniculata Benth. (Rubiaceae). R: 47
- tshilunga-tsha-mulengu**
Gaertnera paniculata Benth. (Rubiaceae). R: 47
- tshilunga-tsha-tshimuku**
Dissotis thollonii Cogn. ex Büttner
 (Melastomataceae). R: 41
- tshilunga-tsha-tshimulcu**
Dissotis falcipila Gilg (Melastomataceae). R: 41
- tshimbimbi-tsha-sheta**
Ludwigia abyssinica A.Rich. (Onagraceae). R: 42

- tshimuco**
Dissotis falcipila Gilg (Melastomataceae). R: 41
- tshimuku (C)**
Heterotis canescens (E.Mey. ex Graham) Jacq.-Fél. (Melastomataceae). R: 41 [*Dissotis canescens* Hook.f.; Quioco]
- tshimuku-tshamutshana**
Antherotoma debilis (Sond.) Jacq.-Fél. (Melastomataceae). R: 41 [*Dissotis debilis* (Sond.) Triana var. *debilis*]
- tshingoma**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47 [Quioco]
Fadogia homblei De Wild. (Rubiaceae). R: 47
- tshinjinda**
Mussaenda arcuata Poir. (Rubiaceae). R: 47
- tshissangu**
Sericanthe suffruticosa (Hutch.) Robbr. (Rubiaceae). R: 47
- tshissangu-ua-tshana**
Ancylanthos rubiginosus Desf. (Rubiaceae). R: 47
- tshissessu**
Gardenia imperialis K.Schum. subsp. *imperialis* (Rubiaceae). R: 47
- tshissokela**
Keetia venosa (Oliv.) Bridson (Rubiaceae). R: 47
- tshissuingi (C)**
Combretum cuspidatum Planch. ex Benth. (Combretaceae). R: 11 [*Combretum tenuifolium* Exell; Quioco]
- tshito**
Basananthe baumii (Harms) W.J.de Wilde var. *caeruleascens* (A.Fern. & R.Fern.) W.J.de Wilde (Passifloraceae). R: 44 [*Tryphostemma caeruleascens* A.Fern. & R.Fern.]
- tshizabula**
Ochthocharis dicellandrodes (Gilg) C.Hansen & Wickens (Melastomataceae). R: 41 [*Phaeoneuron dicellandrodes* Gilg]
- tshizabula-tsha-tenga**
Dissotis princeps (Kunth) Triana var. *candolleana* (Cogn.) A.Fern. & R.Fern. (Melastomataceae). R: 41
- tshizavula**
Calvoa angolensis A.Fern. & R.Fern. (Melastomataceae). R: 41
- tuamba**
Anisophyllea quangensis Engl. ex Henriq. (Anisophylleaceae). R: 56
- tuanza-nkamba (Kik)**
Elaeis guineensis Jacq. (Arecaceae). R: 50
- tuanzinkamba (Kik)**
Elaeis guineensis Jacq. (Arecaceae). R: 49
- tuetue (sing.) (Kim)**
Solanum anomalum Thonn. (Solanaceae). R: 50
- tukolokosch**
Kalanchoe lanceolata (Forssk.) Pers. (Crassulaceae). R: 40
- tula (Kim)**
Synadenium angolense N.E.Br. (Euphorbiaceae).
- R: 3
- tulipeira-do-Gabão (P)**
Spathodea campanulata P.Beauv. (Bignoniaceae). R: 49, 50
- tumbalele**
Diospyros pseudomespilus Mildbr. subsp. *undabunda* (Hiern ex Greves) F.White (Ebenaceae). R: 58 [*Diospyros undabunda* Hiern ex Greves; Moxico]
- tumbanjadi**
Indigofera hendecaphylla Jacq. (Fabaceae). R: 50 [U]
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3 [*Indigofera hendecaphylla* Jacq. in syn. of *Indigofera spicata* Forssk.]
- tumbanjali**
Indigofera hendecaphylla Jacq. ? (Fabaceae). R: 3 [*Indigofera hendecaphylla* Jacq. in syn. of *Indigofera spicata* Forssk.]
- tumba-tcholondele**
Crotalaria teixeirae Torre (Fabaceae). R: 3
- tumbiriri**
Solanum incanum L. (Solanaceae). R: 59 [Cunene]
- tumbo**
Calanda rubricaulis K.Schum. var. *pubescens* Figueiredo (Rubiaceae). R: 47
- tumadolulu**
Aframomum sp. (Zingiberaceae). R: 50
- tundu-ia-malonde (Kim)**
Aframomum alboviolaceum (Ridl.) K.Schum. (Zingiberaceae). R: 50
- tunga (Kik)**
Solanum aethiopicum L. (Solanaceae). R: 50
- tungu (Kim)**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 50
- tuno**
Harungana madagascariensis Lam. ex Poir. (Hypericaceae). R: 2
- tunu (U)**
Harungana madagascariensis Lam. ex Poir. (Hypericaceae). R: 50
- tuta-ria-mbole (Kim)**
Psorospermum mechowii Engl. (Hypericaceae). R: 50
- tuta-riambula**
Kalanchoe welwitschii Britten (Crassulaceae). R: 40
- tuta-rianyula (Kim)**
Kalanchoe welwitschii Britten (Crassulaceae). R: 50
- tutu-ombula (U)**
Ochna pulchra Hook. (Ochnaceae). R: 50
- txeza**
Dioscorea hirtiflora Benth. (Dioscoreaceae). R: 49 [Chitato, NE Lunda]
- txifutxi (C)**
Entada gigas (L.) Fawc. & Rendle (Fabaceae). R: 50 [Kioko]

- txihuna** (Nya)
Diodia flavesrens Hiern (Rubiaceae). R: 47
 [Muila]
- txikamba** (C)
Oldfieldia dactylophylla (Welw. ex Oliv.)
 J.Léonard (Euphorbiaceae). R: 50 [*Paivaeusa dactylophylla* Welw. ex Oliv.; Kioko]
Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex cuneata* Schumach. & Thonn.; Kioko]
- txikete**
Zaleya pentandra (L.) C.Jeffrey (Aizoaceae). R: 48
- txiligo** (C)
Dioscorea alata L. (Dioscoreaceae). R: 49, 50
 [Kioko; Chitato, Lunda]
- txilongolongo** (C)
Ageratum conyzoides L. (Asteraceae). R: 50
 [Kioko]
- txilua** (C)
Tetraceras masuiana De Wild. & T.Durand (Dilleniaceae). R: 50 [Kioko]
- txilueia** (U)
Alternanthera sessilis (L.) R.Br. ex DC. (Amaranthaceae). R: 50
- txinguete** (C)
Palisota schweinfurthii C.B.Clarke (Commelinaceae). R: 50 [Kioko]
- txipampa** (Nye)
Monotes caloneurus Gilg (Dipterocarpaceae). R: 50 [Ganguela]
- txipulambila** (Nya)
Amphiasma benguellense (Hiern) Bremek. (Rubiaceae). R: 47 [Lunyaneka]
- txipumbulo**
Eriosema benguellense Rossberg (Fabaceae). R: Teixeira 259
- txisadi** (C)
Dioscorea praedensis Benth. (Dioscoreaceae). R: 49 [Kioko], 50 [Kioko]
- txise** (C)
Hibiscus sabdariffa L. (Malvaceae). R: 50 [Kioko]
- txissumanha** (C)
Euphorbia tirucalli L. (Euphorbiaceae). R: 50 [*Euphorbia rhipsaloidea* Lem.; Kioko]
- tzeza** (C)
Dioscorea hirtiflora Benth. (Dioscoreaceae). R: 50 [Kioko]

U

- uanda** (Nye)
Gossypium barbadense L. (Malvaceae). R: 50
 [*Gossypium barbadense* L. var. *brasiliense* (Macfad.) Mauer; Ganguela]
- uandu** (Kik)
Cajanus cajan (L.) Millsp. (Fabaceae). R: 50
- uangandu** (U)
Tephrosia rigidula Welw. ex Baker (Fabaceae). R: 50

- uangbiri**
Combretum platypetalum Welw. ex M.A.Lawson subsp. *platypetalum* (Combretaceae). R: 11
- ua-ngongo** (Kim)
Strophanthus amboensis (Schinz) Engl. & Pax (Apocynaceae). R: 50 [*Strophanthus intermedius* Pax]
- uanjila** (Kim)
Sesamum indicum L. (Pedaliaceae). R: 50
- uaranganga**
Albizia harveyi E.Fourn. (Fabaceae). R: Teixeira 59
- ubanji**
Indigofera rhynchocarpa Welw. ex Baker (Fabaceae). R: 50 [U], 61
- ubunze** (Kim)
Indigofera suffruticosa Mill. (Fabaceae). R: 61
- uca**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 58 [Benguela, Ganda]
- ucalati** (U)
Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 63 [*Cryptosepalum arboreum* Baker f.]
- ucari**
Pelargonium luridum (Andrews) Sweet (Geraniaceae). R: 3
- ucaxe** (Lui)
Psydrax kraussioides (Hiern) Bridson (Rubiaceae). R: 47 [Luimbe]
- uchia**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 2
- uchilom-chilom**
Vitex madiensis Oliv. (Lamiaceae). R: 3
- ucipanjonjo** (U)
Eriosema psoraleoides (Lam.) G.Don (Fabaceae). R: 50
- uço**
Calanda rubricaulis K.Schum. var. *rubricaulis* (Rubiaceae). R: 47
- ucondo**
Garcinia buchneri Engl. (Clusiaceae). R: 3
- ucualo**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax kraussiana* Meisn.]
- ucube**
Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 63 [*Cryptosepalum arboreum* Baker f.; Caconda]
- ucunha-cunha**
Syzygium guineense (Willd.) DC. subsp. *macrocarpum* (Engl.) F.White (Myrtaceae). R: 1
- udiuia** (Kim)
Euphorbia conspicua N.E.Br. (Euphorbiaceae). R: 50, 3
- ue** (U)
Faidherbia albida (Delile) A.Chev. (Fabaceae).

- R: 50 [*Acacia albida* Delile]
- uelungo**
Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.) C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.; U], 3 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.]
- uelungu**
Ficus mucoso Welw. ex Ficalho (Moraceae). R: 50 [U], 3
- ufigangga** (U)
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum argyrophyllum* Hiern], 3 [*Chrysophyllum argyrophyllum* Hiern]
- ufu** (U)
Ficus sycomorus L. subsp. *gnaphalocarpa* (Miq.) C.C.Berg (Moraceae). R: 50 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.], 3 [*Ficus gnaphalocarpa* (Miq.) Steud. ex Miq.]
- ugamba** (U)
Dioscorea dumetorum (Kunth) Pax (Dioscoreaceae). R: 50
- uguengo**
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 2 [*Anisophyllea gossweileri* Engl. & Brehmer]
- uhelekete** (U)
Ziziphus mucronata Willd. (Rhamnaceae). R: 3
- uheleketwa**
Ziziphus mucronata Willd. (Rhamnaceae). R: 3
- uhelele** (U)
Indigofera antunesiana Harms (Fabaceae). R: 50
- uhelele-linene**
Indigofera antunesiana Harms (Fabaceae). R: 3
- uhulyungu** (U)
Bridelia atroviridis Müll.Arg. (Euphorbiaceae). R: 3
- uiangola**
Carissa spinarum L. (Apocynaceae). R: 58
 [Carissa edulis (Forssk.) Vahl; Benguela]
- uiangolo** (U)
Carissa spinarum L. (Apocynaceae). R: 50
 [Carissa edulis (Forssk.) Vahl]
- u-ienguo**
Parinari capensis Harv. (Chrysobalanaceae). R: 54 [*Parinari pumila* Mildbr.]
- ujetungondinje**
Faurea saligna Harv. (Proteaceae). R: 50 [U], 3
- uka**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 50 [*Parinari mobola* Oliv.; U], 3
- ukala** (Nye)
Plectranthus esculentus N.E.Br. (Lamiaceae). R: 50 [*Coleus dazo* A.Chev.; Ganguela]
- ukalati** (U)
Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 50 [*Cryptosepalum arboreum* Baker f.]
- ukali**
Pelargonium luridum (Andrews) Sweet (Geraniaceae). R: 3
- ukanda**
Ficus glomosa Delile (Moraceae). R: 50 [*Ficus glumosoides* Hutch.; U], 3
- ukasi-kasi** (U)
Alysicarpus aff. zeyheri Harv. (Fabaceae). R: 50
- ukekete** (U)
Berchemia discolor (Klotzsch) Hemsl. (Rhamnaceae). R: 50
- ukengo** (tree) (U)
Anisophyllea boehmii Engl. (Anisophylleaceae). R: 50 [*Anisophyllea gossweileri* Engl. & Brehmer], 3 [*Anisophyllea gossweileri* Engl. & Brehmer]
- ukengue**
Xerophyta capillaris Baker (Velloziaceae). R: 50 [*Vellozia capillaris* (Baker) Welw. ex B.D.Jacks.]; U], 3
- ukepukambunda**
Droogmansia megalantha (Taub.) De Wild. (Fabaceae). R: 3
- ukisia-nsisa** (Kik)
Aframomum sp. (Zingiberaceae). R: 50
- ukolu**
Plectranthus esculentus N.E.Br. (Lamiaceae). R: 49 [*Coleus esculentus* (N.E.Br.) G.Taylor; Malange]
- ukondo** (U)
Garcinia buchneri Engl. (Clusiaceae). R: 50 [*Garcinia edulis* Exell], 3 [*Garcinia edulis* Exell]
- ukopokombunda**
Droogmansia megalantha (Taub.) De Wild. (Fabaceae). R: 3
- ukoto**
Sesamum indicum L. (Pedaliaceae). R: 49
 [Malange], 50 [Kim; U], 3
- ukuba** (U)
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 50 [U], 3
- ukube** (U)
Cryptosepalum exfoliatum De Wild. subsp. *pseudotaxus* (Baker f.) P.A.Duvign. & Brenan (Fabaceae). R: 50 [*Cryptosepalum arboreum* Baker f.]
- ukuiu** (U)
Ficus polita Vahl (Moraceae). R: 3
- ukulakula**
Psorospermum mechowii Engl. (Hypericaceae). R: 3
- ukula-kula** (U)
Psorospermum mechowii Engl. (Hypericaceae). R: 3
- ukulangola**
Strychnos pungens Soler. (Strychnaceae). R: 50 [Lunyaneka], 3
- ukuliungu**
Boerhavia diffusa L. (Nyctaginaceae). R: 3

- ukulyungu**
Bridelia atroviridis Müll.Arg. (Euphorbiaceae).
 R: 3
- ukumbi (U)**
Syzygium guineense (Willd.) DC. (Myrtaceae).
 R: 50, 3
- ukumune**
Coula edulis Baill. (Olacaceae). R: 2
- ukuñambambi (U)**
Chrysophyllum bangweolense R.E.Fr.
 (Sapotaceae). R: 3 [*Chrysophyllum caondense*
 Greves]
- ukungulo (Nye)**
Chamaelitandra henriquesiana (Hallier f.)
 Pichon (Apocynaceae). R: 50 [*Clitandra*
henriquesiana (Hallier f.) Stapf; Ganguela]
- ukunhambambi (U)**
Chrysophyllum bangweolense R.E.Fr.
 (Sapotaceae). R: 50 [*Chrysophyllum caondense*
 Greves; U], 3 [*Chrysophyllum caondense* Greves]
- ukunlankunia (U)**
Syzygium guineense (Willd.) DC. subsp. *guineense*
 (Myrtaceae). R: 52
- ukuve (U)**
Cryptosepalum exfoliatum De Wild. subsp.
pseudotaxus (Baker f.) P.A.Duvign. & Brenan
 (Fabaceae). R: 50 [*Cryptosepalum pseudotaxus*
 Baker f.]
- ukuyu (tree) (U)**
Ficus sp. (Moraceae). R: 3
- ukwalu**
Smilax anceps Willd. (Smilacaceae). R: 3 [*Smilax*
kraussiana Meisn.]
- ukwanana**
Corchorus sp. (Tiliaceae). R: 3
- ulela-wondende**
Elaeis guineensis Jacq. (Arecaceae). R: 3
- ulele (Nye)**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus*
mossambicensis Benth. ex Oliv.; Ganguela]
- ulemba (U)**
Ficus sp. (Moraceae). R: 3
- ulembanhoha**
Ficus sp. (Moraceae). R: 3
- ulemba-ñoha**
Ficus sp. (Moraceae). R: 3
- ulenga (C)**
Citrullus lanatus (Thunb.) Matsum. & Nakai
 (Cucurbitaceae). R: 50 [*Citrullus vulgaris* Schrad.
 ex Eckl. & Zeyh.; Kioko]
- ulianete (U)**
Lactuca andongensis Hiern (Asteraceae). R: 50
 [U], 3 [*Lactuca imbricata* Hiern var. *hockii* sensu
 auct. non (De Wild.) Dethier (1982)]
- uliangulo (U)**
Boerhavia diffusa L. (Nyctaginaceae). R: 50
- ulo (Kim)**
Hibiscus cannabinus L. (Malvaceae). R: 50, 3
- ulo-amarelo (P)**
Hibiscus cannabinus L. (Malvaceae). R: 3
- ulo-branco (P)**
Hibiscus cannabinus L. (Malvaceae). R: 3
- ulombi (U)**
Lobelia columnaris Hook.f. (Lobeliaceae). R: 50
- ulombo (U)**
Landolphia foretiana (Pierre ex Jum.) Pichon
 (Apocynaceae). R: 3 [*Carpodinus rufinervis* Pierre
 ex Stapf]
- ulongo (U)**
Steganotaenia araliacea Hochst. (Apiaceae). R: 52
- ulota-kunde**
Vigna antunesii Harms (Fabaceae). R: 3 [*Vigna*
hundtii Rossberg]
- ulu (U)**
Hibiscus cannabinus L. (Malvaceae). R: 3
- ulu (tubercle) (U)**
Hibiscus cannabinus L. (Malvaceae). R: 3
- ulumba (U)**
Pterocarpus rotundifolius (Sond.) Druce subsp.
rotundifolius (Fabaceae). R: 50 [*Pterocarpus*
melliferus Welw. ex Baker]
- ulundu**
Brachystegia spiciformis Benth. (Fabaceae). R: 50
 [U], 3
- ulyanete (U)**
Lactuca andongensis Hiern (Asteraceae). R: 3
 [*Lactuca imbricata* Hiern var. *hockii* sensu auct.
 non (De Wild.) Dethier (1982)]
- ulyanete-olombombo (root)**
Lactuca andongensis Hiern (Asteraceae). R: 3
 [*Lactuca imbricata* Hiern var. *hockii* sensu auct.
 non (De Wild.) Dethier (1982)]
- ulyangulo (U)**
Boerhavia diffusa L. (Nyctaginaceae). R: 3
- umanama (Z)**
Grewia welwitschii Burret (Tiliaceae). R: 50
 [Tjiherero]
- umba (U)**
Gnidia chrysanththa Gilg (Thymelaeaceae). R: 52
- umbaga (U)**
Cordia africana Lam. (Boraginaceae). R: 50
 [*Cordia abyssinica* R.Br.]
- umba-katyetye**
Senecio latifolius DC. (Asteraceae). R: 3
- umbakumbaku (U)**
Tylosema fassoglense (Kotschy ex Schweinf.)
 Torre & Hillc. (Fabaceae). R: 50 [*Bauhinia*
fassoglensis Kotschy ex Schweinf.]
- umbalala (U)**
Antidesma venosum E.Mey. ex Tul.
 (Euphorbiaceae). R: 50
Bridelia micrantha (Hochst.) Baill.
 (Euphorbiaceae). R: 50, 3
- umbalele (Kim)**
Bridelia scleroneura Müll.Arg. subsp. *angolensis*
 (Müll.Arg.) Radcl.-Sm. (Euphorbiaceae). R: 50
 [*Bridelia angolensis* Müll.Arg.]

- umbanda**
Brachystegia spiciformis Benth. (Fabaceae). R: 50
 [*Brachystegia hockii* sensu auct. non De Wild.
 (1913); U], 3
- umbanga**
Cordia africana Lam. (Boraginaceae). R: 3
Erythrina abyssinica Lam. ex DC. (Fabaceae). R:
 50 [*Erythrina huillensis* Welw. ex Baker; U], 3
Piliostigma thonningii (Schumach.) Milne-Redh.
 (Fabaceae). R: 50 [U], 3
- umbangalala**
Scilla simiarum Baker (Hyacinthaceae). R: 50 [U]
Erythrina abyssinica Lam. ex DC. (Fabaceae).
 R: 3
- umbangalunda**
Erythrina abyssinica Lam. ex DC. (Fabaceae). R:
 2, 3 [U]
- umbango (U)**
Croton mubango Müll.Arg. (Euphorbiaceae). R: 3
- umbanji**
Indigofera rhynchocarpa Welw. ex Baker
 (Fabaceae). R: 50 [U], 61
- umbetulia**
Manilkara obovata (Sabine & G.Don) J.H.Hemsl.
 (Sapotaceae). R: 3
- umbolombolo (U)**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 50 [U], 9 [U], 3
- umbolo-mbolo (U)**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 3
- umbolumbolo**
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 2
- umbombo**
Cochlospermum angolense Welw. ex Oliv.
 (Cochlospermaceae). R: 50 [U], 3 [U], 59 [Huíla –
 Caonda]
Cussonia angolensis (Seem.) Hiern (Araliaceae).
 R: 9
- umbombolo**
Melia azedarach L. (Meliaceae). R: 24, 3
- umboto**
Euclea crispa (Thunb.) Gürke (Ebenaceae). R: 3
- umbuangularunda**
Erythrina abyssinica Lam. ex DC. (Fabaceae).
 R: 3
- umbukusu (U)**
Myrianthus arboreus P.Beauv. (Moraceae). R: 50
- umbungululu (U)**
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 3 [U], 58 [South]
- umbungurulu (Z)**
Ptaeroxylon obliquum (Thunb.) Radlk.
 (Ptaeroxylaceae). R: 50 [Tjiherero], 3 [Tjiherero]
- umbupu (U)**
Sterculia purpurea Exell (Sterculiaceae). R: 50
- umbutu**
Psidium guajava L. (Myrtaceae). R: 59 [Benguela – Bocoio]
- umeke (U)**
Ximenia americana L. (Olacaceae). R: 3
- umolo (U)**
Jatropha curcas L. (Euphorbiaceae). R: 50, 3
- umondola (U)**
Steganotaenia araliacea Hochst. (Apiaceae). R: 50
 [U], 8 [U], 3
- umondolwa (U)**
Steganotaenia araliacea Hochst. (Apiaceae). R: 3
- umonte (Nye)**
Syzygium guineense (Willd.) DC. subsp. *huillense*
 (Hiern) F.White (Myrtaceae). R: 50 [*Syzygium*
huillense (Hiern) Engl.; Ganguela]
- umpanda**
Brachystegia spiciformis Benth. (Fabaceae). R: 57
- umpapa (Nye)**
Baikiaea plurijuga Harms (Fabaceae). R: 50
 [Ganguela]
- umpeke (Z)**
Ximenia americana L. (Olacaceae). R: 50
 [Tjiherero]
- umpeque**
Ximenia americana L. (Olacaceae). R: 57
- umui**
Strychnos sp. (Strychnaceae). R: 3
- umui-utito**
Strychnos cocculoides Baker (Strychnaceae). R: 3
- uncha (U)**
Parinari curatellifolia Planch. ex Benth.
 (Chrysobalanaceae). R: 52
- uncumunu**
Coula edulis Baill. (Olacaceae). R: 2
- undai**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 57
 [*Gardenia jovis-tonantis* (Welw.) Hiern], 50
 [*Gardenia jovis-tonantis* (Welw.) Hiern; U]
- unday-de-Huila**
Gardenia ternifolia Schumach. & Thonn. subsp.
jovis-tonantis (Welw.) Verdc. (Rubiaceae). R: 57
 [*Gardenia jovis-tonantis* (Welw.) Hiern]
- undeho**
Ozoroa insignis Delile (Anacardiaceae). R: 50
 [*Heeria insignis* (Delile) Kuntze; U], 3
- undembe (U)**
Myrothamnus flabellifolius Welw.
 (Myrothamnaceae). R: 50, 3
- undende (tree) (U)**
Elaeis guineensis Jacq. (Arecaceae). R: 3
- undenu**
Diplorhynchus condylocarpon (Müll.Arg.) Pichon
 (Apocynaceae). R: 50 [*Diplorhynchus psilopus*
 Welw. ex Ficalho & Hiern; Lunyaneka], 3
- undeteleketé**
Oldfieldia dactylophylla (Welw. ex Oliv.)
 J.Léonard (Euphorbiaceae). R: 3
- undianunu (Kik)**
Entandrophragma angolense (Welw. ex C.DC.)
 C.DC. (Meliaceae). R: 50
Khaya ivorensis A.Chev. (Meliaceae). R: 50

undianunu (timber) (Kik)
Entandrophragma candollei Harms (Meliaceae).
R: 50

undjetungondindje
Faurea saligna Harv. (Proteaceae). R: 3

undji
Ozoroa insignis Delile (Anacardiaceae). R: 3

undjungue
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
(Proteaceae). R: 49 [*Faurea speciosa* Welw.; Lepi,
Huambo]

undjwandjwa (U)
Cyphostemma chloroleucum (Welw. ex Baker)
Desc. ex Wild & R.B.Drumm. (Vitaceae). R: 3

undumalende (U)
Baphia bequaertii De Wild. (Fabaceae). R: 50

ungaiava
Psidium guajava L. (Myrtaceae). R: 59 [Chibia]

unganga (U)
Burkea africana Hook. (Fabaceae). R: 52

ungenha (U)
Dichrostachys cinerea (L.) Wight & Arn. subsp.
cinerea (Fabaceae). R: 50 [*Dichrostachys*
glomerata (Forssk.) Chiov.]

ungeve (U)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 50, 3

ungevi
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3

ungevyia (U)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3

ungewi
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3

ungolo (U)
Terminalia brachystemma Welw. ex Hiern
(Combretaceae). R: 50, 3, 52

ungondhe
Sesbania pachycarpa DC. subsp. *dinteriana*
J.B.Gillett (Fabaceae). R: *Teixeira & Andrade*
4212

ungondi (Nye)
Orthanthera jasminiflora (Decne.) Schinz
(Apocynaceae). R: 50 [Ganguela]

ungongwila (shrub) (U)
Lannea sp. (Anacardiaceae). R: 3

unguenga (U)
Anisophyllea quangensis Engl. ex Henriq.
(Anisophylleaceae). R: 50 [*Anisophyllea*
fruticulosa Engl. & Gilg]

ungueve
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 3

unguiu (U)
Adenium boehmianum Schinz (Apocynaceae).
R: 50

unguva
Pterocarpus angolensis DC. (Fabaceae). R: 3

unhandi
Diospyros mespiliformis Hochst. ex A.DC.
(Ebenaceae). R: 50 [Lunyaneka], 58 [Huíla], 3

unjele-kasonje (U)
Asparagus laricinus Burch. (Asparagaceae). R: 50
[*Asparagus angolensis* Baker; U], 3

unjelite (U)
Spirostachys africana Sond. (Euphorbiaceae).
R: 50

unji
Ozoroa insignis Delile (Anacardiaceae). R: 50
[*Heeria insignis* (Delile) Kuntze; U], 3

unjoia (U)
Rhynchosia insignis (O.Hoffm.) R.E.Fr.
(Fabaceae). R: 50 [U], 3

unjunge (U)
Faurea rochetiana (A.Rich.) Chiov. ex Pic.Serm.
(Proteaceae). R: 50 [*Faurea speciosa* Welw.]

unkeve (Nye)
Entada abyssinica Steud. ex A.Rich. (Fabaceae).
R: 50 [Ganguela]

unsa-mandiankaiu (Kik)
Hibiscus diversifolius Jacq. (Malvaceae). R: 50

unteate (Nya)
Colophospermum mopane (J.Kirk ex Benth.)
J.Léonard (Fabaceae). R: 50 [Lunyaneka]

uololonga (Kim)
Multidentia crassa (Hiern) Bridson & Verdc. var.
crassa (Rubiaceae). R: 47 [Negola]

upanda-jambu (U)
Combretum molle R.Br. ex G.Don
(Combretaceae). R: 50 [*Combretum welwitschii*
Engl. & Diels]

upilasongo
Englerophytum magalismontanum (Sond.)
T.D.Penn. (Sapotaceae). R: 3 [*Chrysophyllum*
argyrophyllum Hiern]

upirasongo
Englerophytum magalismontanum (Sond.)
T.D.Penn. (Sapotaceae). R: 3 [*Chrysophyllum*
argyrophyllum Hiern]

upo
Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 3 [U], 47

upole
Strychnos cocculoides Baker (Strychnaceae). R: 50
[*Strychnos schumanniana* Gilg; U]
Strychnos sp. (Strychnaceae). R: 3

upondandjamba (U)
Pterocarpus lucens Lepr. ex Guill. & Perr. subsp.
antunesii (Taub.) Rojo (Fabaceae). R: 3
[*Pterocarpus antunesii* (Taub.) Harms]

upu
Strychnos spinosa Lam. (Strychnaceae). R: 50 [U],
3 [U]
Strychnos sp. (Strychnaceae). R: 3

urd
Vigna mungo (L.) Hepper (Fabaceae). R: 49
[*Phaseolus mungo* L.]

- urucú (P)**
Bixa orellana L. (Bixaceae). R: 57, 49
- usaka-saka**
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- usamba (U)**
Brachystegia spiciformis Benth. (Fabaceae). R: 50
[*Brachystegia hockii* sensu auct. non De Wild. (1913); U], 3
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 50 [U], 3 [U]
- usamba-wol'olwi**
Brachystegia tamarindoides Welw. ex Benth. (Fabaceae). R: 3
- usambia (U)**
Englerophytum magalismontanum (Sond.) T.D.Penn. (Sapotaceae). R: 50 [*Chrysophyllum argyrophyllum* Hiern], 3 [*Chrysophyllum argyrophyllum* Hiern]
- usangu (U)**
Acacia hebeclada DC. subsp. *tristis* (Welw. ex Oliv.) A.Schreib. (Fabaceae). R: 50 [*Acacia tristis* Welw. ex Oliv.]
- use (Kim)**
Hibiscus cannabinus L. (Malvaceae). R: 50, 3
Hibiscus sabdariffa L. (Malvaceae). R: 50
- usekele (U)**
Acacia goetzei Harms subsp. *microphylla* Brenan (Fabaceae). R: 50 [*Acacia gossweileri* Baker f.]
- usenge**
Xerophyta sp. (Velloziaceae). R: 3
- use-ua-ngoje (Kim)**
Hibiscus acetosella Welw. ex Hiern (Malvaceae). R: 50
- usila (U)**
Cynodon dactylon (L.) Pers. (Poaceae). R: 49 [U], 50 [U], 3
- usilonsilo (U)**
Vitex doniana Sweet (Lamiaceae). R: 52
- usilo-silo (U)**
Vitex madiensis Oliv. (Lamiaceae). R: 3
- usilusilu (U)**
Vitex madiensis Oliv. (Lamiaceae). R: 50 [*Vitex madiensis* Oliv. var. *typica* Pieper; U], 3
- usilu-silu**
Vitex madiensis Oliv. (Lamiaceae). R: 3
- usipe (U)**
Cordia monoica Roxb. (Boraginaceae). R: 50 [*Cordia ovalis* R.Br. ex DC.]
- uso (U)**
Cassytha filiformis L. (Lauraceae). R: 3
- usole**
Rothmannia engleriana (K.Schum.) Keay (Rubiaceae). R: 3 [U]
Rothmannia engleriana (K.Schum.) Keay var. *engleriana* (Rubiaceae). R: 50 [*Randia kuhniana* F.Hoffm. & K.Schum.; U]
Rothmannia engleriana (K.Schum.) Keay var. *ternifolia* (Ficalho & Hiern) Somers (Rubiaceae). R: 3
- usombo (U)**
Syzygium guineense (Willd.) DC. subsp. *guineense* (Myrtaceae). R: 52
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 50 [*Syzygium huillense* (Hiern) Engl.]
- usombo (tree) (U)**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 3
- usombo-do-mato (P)**
Syzygium guineense (Willd.) DC. (Myrtaceae). R: 3
- usonge (U)**
Acacia sieberiana DC. (Fabaceae). R: 3
- usongue (U)**
Acacia sieberiana DC. (Fabaceae). R: 50 [U], 3
- usongue-pequeno (P)**
Acacia sieberiana DC. (Fabaceae). R: 3
- usosa (U)**
Solanum aculeastrum Dunal var. *albifolium* (C.H.Wright) Bitter (Solanaceae). R: 3
- ussala**
Dialium englerianum Henriq. (Fabaceae). R: 59 [Cuando Cubango – Menongue]
- usso**
Calanda rubricaulis K.Schum. var. *pubescens* Figueiredo (Rubiaceae). R: 47
Calanda rubricaulis K.Schum. var. *rubricaulis* (Rubiaceae). R: 47
- ussombo**
Syzygium cordatum Hochst. ex Krauss (Myrtaceae). R: 1
Syzygium guineense (Willd.) DC. subsp. *huillense* (Hiern) F.White (Myrtaceae). R: 1 [*Syzygium huillense* (Hiern) Engl.]
- usue (Kim)**
Elaeis guineensis Jacq. (Arecaceae). R: 50
- usya (tree) (U)**
Parinari curatellifolia Planch. ex Benth. (Chrysobalanaceae). R: 3
- usyosilo**
Vitex madiensis Oliv. (Lamiaceae). R: 3
- utalamba (C)**
Landolphia thollonii Dewèvre (Apocynaceae). R: 50 [*Landolphia chylorrhiza* (K.Schum.) Stapf; Kioko]
- utambe**
Santiria trimera (Oliv.) Aubrév. (Burseraceae). R: 23 [*Santiriopsis trimera* (Oliv.) Guillaumin ex Engl.]
- utapatambaka**
Psorospermum febrifugum Spach (Hypericaceae). R: 50 [U], 3
- utata (U)**
Securidaca longipedunculata Fresen. (Polygalaceae). R: 50, 3, 52
- utchindje (U)**
Syzygium guineense (Willd.) DC. subsp. *guineense* (Myrtaceae). R: 52

- utehopa**
Celtis sp. (Ulmaceae). R: 3
- utele** (U)
Gossypium herbaceum L (Malvaceae). R: 3
- utende**
Vernonia conferta Benth. (Asteraceae). R: 3
- utendelekete** (U)
Oldfieldia dactylophylla (Welw. ex Oliv.)
J.Léonard (Euphorbiaceae). R: 50 [*Paivaeusa dactylophylla* Welw. ex Oliv.], 3, 52
- utendelequete**
Oldfieldia dactylophylla (Welw. ex Oliv.)
J.Léonard (Euphorbiaceae). R: 3
- utende'mupa**
Strychnos sp. (Strychnaceae). R: 3
- utende-mupa** (tree) (U)
Strychnos sp. (Strychnaceae). R: 3
- utende-wok'omunda**
Vernonia conferta Benth. (Asteraceae). R: 3
- utende-wongong**
Vernonia conferta Benth. (Asteraceae). R: 3
- utende-wov'tchikala**
Vernonia conferta Benth. (Asteraceae). R: 3
- utende-wov'usenge**
Vernonia conferta Benth. (Asteraceae). R: 3
- utendulu** (U)
Trichodesma ambacense Welw. (Boraginaceae). R: 52
Trichodesma arenicola Gürke (Boraginaceae). R: 52
- utetahopa**
Celtis sp. (Ulmaceae). R: 3
- uteta-hopá** (U)
Celtis sp. (Ulmaceae). R: 3
- utetia** (Nye)
Hibiscus sabdariffa L. (Malvaceae). R: 50
[Ganguela]
- utietiembolongo** (U)
Rumex abyssinicus Jacq. (Polygonaceae). R: 50
[U], 3
- utinda** (Kim)
Gomphocarpus semilunatus A.Rich.
(Apocynaceae). R: 50 [*Asclepias semilunata* (A.Rich.) N.E.Br.]
- utiupotovaso**
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- uti'utund'osonde**
Eriosema sp. (Fabaceae). R: 3
- utola** (U)
Piliostigma thonningii (Schumach.) Milne-Redh. (Fabaceae). R: 3
- utola-utito**
Piliostigma thonningii (Schumach.) Milne-Redh. (Fabaceae). R: 3
- utolo**
Sesamum indicum L. (Pedaliaceae). R: 50
[Ganguela], 3
- utombe**
Santiria trimera (Oliv.) Aubrév. (Burseraceae).
- R: 49 [*Santiria trimera* (Oliv.) Guillaumin ex Engl.; Maiombe]
- utombo** (U)
Manihot esculenta Crantz (Euphorbiaceae). R: 3
- utona** (U)
Dalbergia nitidula Welw. ex Baker (Fabaceae). R: 50, 3
- utola**
Dalbergia nitidula Welw. ex Baker (Fabaceae). R: 3
- utopotavaso**
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- utopota-vaso** (U)
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- utopotavaso-katito**
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- utopotavaso-unene**
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- utota**
Gardenia imperialis K.Schum. (Rubiaceae). R: 50 [Kim]
Gardenia imperialis K.Schum. subsp. *imperialis* (Rubiaceae). R: 47
- utumbe** (C)
Gynura scandens O.Hoffm. (Asteraceae). R: 50 [Kioko]
- utumbu**
Manihot esculenta Crantz (Euphorbiaceae). R: 3
- utumbu-uti**
Manihot esculenta Crantz (Euphorbiaceae). R: 3
- utundakalunga**
Boscia sp. (Capparaceae). R: 3
- utunda-kalunga** (U)
Boscia sp. (Capparaceae). R: 3
- utunda-ndjembo** (U)
Diplolophium zambesianum Hiern (Apiaceae). R: 3
- utundasonde**
Eriosema sp. (Fabaceae). R: 3
- utunda-sonde** (U)
Eriosema sp. (Fabaceae). R: 3
- utundosonde**
Eriosema sp. (Fabaceae). R: 3
Pterocarpus angolensis DC. (Fabaceae). R: 52 [U]
- utundumbidi** (Nya)
Euclea divinorum Hiern (Ebenaceae). R: 50
[Euclea huillensis Gürke; Lunyaneka]
- utyopotavaso**
Psorospermum febrifugum Spach (Hypericaceae). R: 3
- uva-da-praia** (P)
Coccoloba uvifera (L.) L. (Polygonaceae). R: 49
- uvala** (Nye)
Afzelia quanzensis Welw. (Fabaceae). R: 50
[Ganguela]

uvanda (U)
Chamaesyce hirta (L.) Millsp. (Euphorbiaceae). R:
3 [*Euphorbia hirta* L.]

uvanda-olongombe
Chamaesyce hirta (L.) Millsp. (Euphorbiaceae). R:
3 [*Euphorbia hirta* L.]

uvanda-wolongombe
Chamaesyce hirta (L.) Millsp. (Euphorbiaceae). R:
3 [*Euphorbia hirta* L.]

uvanga
Paropsia brazzaeana Baill. (Passifloraceae). R: 44

uvava (U)
Vigna ramanniana Rossberg (Fabaceae). R: 50

uvenda-nguluve (U)
Oxyanthus sp. (Rubiaceae). R: 3

uxa
Maranthes floribunda (Baker) F.White
(Chrysobalanaceae). R: 54 [*Maranthes polyandra*
(Benth.) Prance subsp. *floribunda* (Baker) Prance]
Parinari sp. (Chrysobalanaceae). R: 50 [Ganguela]

uxengue (U)
Acacia tortilis (Forssk.) Hayne subsp. *spiroparpa*
(Hochst. ex A.Rich.) Brenan var. *spiroparpa*
(Fabaceae). R: 50 [*Acacia spiroparpa* Hochst. ex
A.Rich.]

uxevile (U)
Monotes hypoleucus (Oliv.) Gilg
(Dipterocarpaceae). R: 50

uyolo (U)
Annona stenophylla Engl. & Diels subsp. *nana*
(Exell) N.Robson (Annonaceae). R: 3

V

valverde-dos-sapais (P)
Suaeda fruticosa (L.) Forssk. (Chenopodiaceae).
R: 49

vanda
Chamaesyce hirta (L.) Millsp. (Euphorbiaceae). R:
50 [*Euphorbia hirta* L.; Kim], 3 [*Euphorbia hirta*
L.]

vandeia (U)
Trapa natans L. var. *bispinosa* (Roxb.) Makino
(Trapaceae). R: 43

vanga (Kik)
Acacia welwitschii Oliv. (Fabaceae). R: 2

vanger (P)
Vangueria madagascariensis J.F.Gmel.
(Rubiaceae). R: 49

vanza
Pentaclethra macrophylla Benth. (Fabaceae). R:
50 [Kik], 2

vanze (Kik)
Albizia gummifera (J.F.Gmel.) C.A.Sm.
(Fabaceae). R: 50

vasa (Kik)
Dalbergia ecastaphyllum (L.) Taub. (Fabaceae).
R: 50

vele (U)
Ficus cordata Thunb. subsp. *cordata* (Moraceae).
R: 50 [*Ficus welwitschii* Warb.]

veneno-de-leão (P)
Fockea multiflora K.Schum. (Apocynaceae). R:
49, 50 [*Fockea schinzii* N.E.Br.]

viaihi (Nya)
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 54 [*Parinari curatellifolia*
Planch. ex Benth. subsp. *mobola* (Oliv.)
R.A.Graham; Muhila]

vialunji (Kik)
Entandrophragma angolense (Welw. ex C.DC.)
C.DC. (Meliaceae). R: 50

videira (P)
Vitis vinifera L. (Vitaceae). R: 49

vielo (P)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 49
[*Voandzeia subterranea* (L.) DC.]

vieu (Nye)
Vigna subterranea (L.) Verdc. (Fabaceae). R: 50
[*Voandzeia subterranea* (L.) DC.; Ganguela]

viliu (Kim)
Adenia lobata (Jacq.) Engl. subsp. *ruminicifolia*
(Engl. & Harms) Lye (Passifloraceae). R: 3
[*Adenia ruminicifolia* Engl. & Harms]

vimbungu
Pygmaeothamnus zeyheri (Sond.) Robyns var.
rogersii Robyns (Rubiaceae). R: 47

vingangue
Momordica welwitschii Hook.f. (Cucurbitaceae).
R: 45 [Mucuixe]

vinhefute
Momordica foetida Schumach. (Cucurbitaceae).
R: 45

vini (Kik)
Baphia letestui Pellegr. (Fabaceae). R: 50

vinkongo (Nye)
Cissus guerkeana (Büttner) T.Durand & Schinz
(Vitaceae). R: 50 [Ganguela]

vinseli (fruit) (C)
Warneckea sapinii (De Wild.) Jacq.-Fél.
(Melastomataceae). R: 41 [*Memecylon sapinii* De
Wild.; Quioco]

vinxa (Nye)
Parinari curatellifolia Planch. ex Benth.
(Chrysobalanaceae). R: 54 [*Parinari curatellifolia*
Planch. ex Benth. subsp. *mobola* (Oliv.)
R.A.Graham; Ganguela]

violeta (P)
Viola odorata L. (Violaceae). R: 49

violeta-de-Usambara (P)
Saintpaulia ionantha H.Wendl. (Gesneriaceae). R:
49 [*Saintpaulia kewensis* C.B.Clarke]

violeteira-do-Brasil (P)
Duranta erecta L. (Verbenaceae). R: 49 [*Duranta*
plumieri Jacq.]

vitimberi
Rubus rigidus Sm. (Rosaceae). R: 58 [Cuando
Cubango, Baixo Longa]

vivua (Kik)

Pseudospondias microcarpa (A.Rich.) Engl.
(Anacardiaceae). R: 50

voa (P)

Vangueria madagascariensis J.F.Gmel.
(Rubiaceae). R: 49

vombalu (Kik)

Trichoscypha oddonii De Wild. (Anacardiaceae).
R: 50 [*Trichoscypha cabinensis* Exell &
Mendonça]

vombua (Kik)

Trichoscypha oddonii De Wild. (Anacardiaceae).
R: 50 [*Trichoscypha cabinensis* Exell &
Mendonça]

vondeia (U)

Trapa natans L. var. *bispinosa* (Roxb.) Makino
(Trapaceae). R: 50 [*Trapa bispinosa* Roxb.]

vonkou

Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
50 [*Mitragyna stipulosa* (DC.) Kuntze; from
Gabon]

vosia (Kik)

Dalbergia ecastaphyllum (L.) Taub. (Fabaceae).
R: 50

vuiba (Kik)

Myrianthus arboreus P.Beauv. (Moraceae). R: 50

vuiti (Kik)

Entandrophragma angolense (Welw. ex C.DC.)
C.DC. (Meliaceae). R: 50

vuku (Kik)

Hallea stipulosa (DC.) J.-F.Leroy (Rubiaceae). R:
50 [*Mitragyna stipulosa* (DC.) Kuntze]

vulu (Kik)

Grewia welwitschii Burret (Tiliaceae). R: 50

vulungu

Landolphia camptoloba (K.Schum.) Pichon
(Apocynaceae). R: 50 [*Carpodinus gracilis* Stapf;
Kik]; 58 [*Carpodinus gracilis* Stapf; Congo (East),
Moxico; Sacandica]

vungo-vungo

Kigelia africana (Lam.) Benth. (Bignoniaceae).
R: 10

vungu-vungu (Nye)

Kigelia africana (Lam.) Benth. (Bignoniaceae). R:
50 [*Kigelia pinnata* (Jacq.) DC.; Ganguela]

vuvuku (Kik)

Vernonia conferta Benth. (Asteraceae). R: 50

vuvunga

Sterculia tragacantha Lindl. (Sterculiaceae). R: 13

vuvungu (Kik)

Sterculia tragacantha Lindl. (Sterculiaceae). R: 50

W**wattle-da-casca-taninosa** (P)

Acacia decurrens Willd. (Fabaceae). R: 49

X**xamuna** (C)

Sabicea venosa Benth. (Rubiaceae). R: 50
[Chokwe]

xepape

Albizia versicolor Welw. ex Oliv. (Fabaceae). R: 2

xikala-kunga (Kim)

Fagaropsis angolensis (Engl.) Dale (Rutaceae).
R: 3

xikualhe

Pausinystalia johimbe (K.Schum.) Pierre ex Beille
(Rubiaceae). R: 46

xikuku (C)

Phyllocosmus lemaireanus (De Wild. & T.Durand)
T.Durand & H.Durand (Ixanthaceae). R: 50
[*Ochthocosmus candidus* Hallier f.; Kioko]

xilama (C)

Antidesma membranaceum Müll.Arg.
(Euphorbiaceae). R: 50 [Kioko]

xila-xila (Kik)

Smilax anceps Willd. (Smilacaceae). R: 50 [*Smilax*
kraussiana Meisn.]

xile (Kim)

Tiliacora chrysobotrya Welw. ex Ficalho
(Menispermaceae). R: 50 [Kim], 3 [Cuanza Norte,
Golongo Alto]

xilolo (Kim)

Uapaca gossweileri Hutch. (Euphorbiaceae). R: 50

xilonga-longa (C)

Vitex doniana Sweet (Lamiaceae). R: 50 [*Vitex*
cuneata Schumach. & Thonn.; Kioko]

xilo-xilo

Vitex madiensis Oliv. (Lamiaceae). R: 3

xilu (Kim)

Combretum celastroides Welw. ex M.A.Lawson
subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
(Combretaceae). R: 50 [*Combretum laxiflorum*
Welw. ex M.A.Lawson]

Combretum molle R.Br. ex G.Don

(Combretaceae). R: 50 [*Combretum welwitschii*
Engl. & Diels]

ximbo (Kim)

Hydnora africana Thunb. (Hydnoraceae). R: 50
[*Hydnora longicollis* Welw.]

ximbulu (Kim)

Bidens grandis Sherff (Asteraceae). R: 50

ximpinhi (Kim)

Canavalia virosa (Roxb.) Wight & Arn.
(Fabaceae). R: 50 [*Canavalia gladiata* sensu auct.
non (Jacq.) DC. (1825)]

xinda-ka-menha (Kim)

Stachytarpheta indica (L.) Vahl (Verbenaceae).
R: 3

xinde (Kim)

Hydnora africana Thunb. (Hydnoraceae). R: 3

xindeia

Tricalysia cacondensis Hiern (Rubiaceae). R: 47

xinga (Nye)
Xylopia odoratissima Welw. ex Oliv.
(Annonaceae). R: 50 [Ganguela]

xinjujuan
Ampelocissus dissecta (Baker) Planch. (Vitaceae).
R: 28

xipa
Antidesma venosum E.Mey. ex Tul.
(Euphorbiaceae). R: 50 [Kim]

Cordia monoica Roxb. (Boraginaceae). R: 50
[*Cordia ovalis* R.Br. ex DC.; U]

xipepe-de-Songo

Monodora angolensis Welw. (Annonaceae). R: 57

xise (C)
Clappertonia ficifolia Decne. (Tiliaceae). R: 50
[Kioko]

xiteta

Tricalysia cacondensis Hiern (Rubiaceae). R: 47

xiu (C)
Solanum incanum L. (Solanaceae). R: 50 [Kioko],
59 [Lunda Norte]

xivua (Kim)
Momordica foetida Schumach. (Cucurbitaceae). R:
50 [*Momordica schimperiana* Naudin]

xixe (Kim)
Oncoba welwitschii Oliv. (Flacourtiaceae). R: 50
[*Caloncba welwitschii* (Oliv.) Gilg]

xixibia
Cucumis anguria L. (Cucurbitaceae). R: 45

xixila (Kim)
Vernonia steteziana Oliv. & Hiern (Asteraceae).
R: 3

xiximba (Kik)
Diospyros canaliculata De Wild. (Ebenaceae). R:
50 [*Maba nutans* Hiern]

xixi-onene (Kim)
Oncoba welwitschii Oliv. (Flacourtiaceae). R: 50
[*Caloncba welwitschii* (Oliv.) Gilg]

xongonhongo (Nya)
Cucumis anguria L. (Cucurbitaceae). R: 45
[Muquilengue]

xoxio (Ma)
Acanthosicyos naudinianus (Sond.) C.Jeffrey
(Cucurbitaceae). R: 45 [*Citrullus naudinianus*
Hook.f.; Camaxe]

Y

yendje
Sesbania bispinosa (Jacq.) W.Wight (Fabaceae).
R: 3

ygaze
Ximenia americana L. (Olacaceae). R: 49

ypo

Rothmannia engleriana (K.Schum.) Keay var.
ternifolia (Ficalho & Hiern) Somers (Rubiaceae).
R: 47

Z

zakambula (Kik)

Lagenaria siceraria (Molina) Standl.
(Cucurbitaceae). R: 50 [*Lagenaria vulgaris* Ser.]

zaman (P)

Samanea saman (Jacq.) Merr. (Fabaceae). R: 49
[*Pithecellobium saman* (Jacq.) Benth.]

zambujeiro (P)

Olea europaea L. subsp. *oleaster* (Hoffmanns. &
Link) Negodi (Oleaceae). R: 49 [*Olea europaea* L.
var. *oleaster* (Hoffmanns. & Link) DC.]

zanzula (Kik)

Oncoba mannii Oliv. (Flacourtiaceae). R: 50
[*Camptostylus aristatus* (Oliv.) Gilg]

zapote-de-água (P)

Pachira aquatica Aubl. (Bombacaceae). R: 49

zela

Syzygium guineense (Willd.) DC. subsp.
afromontanum F.White (Myrtaceae). R: 1

zembula (Kim)

Solanecio mannii (Hook.f.) C.Jeffrey (Asteraceae).
R: 3 [*Crassocephalum multicorymbosum* (Klatt)
S.Moore]

zi-fuba (Kik)

Pandanus candelabrum P.Beauv. (Pandanaceae).
R: 50

zima (Kik)

Combretum celastroides Welw. ex M.A.Lawson
subsp. *laxiflorum* (Welw. ex M.A.Lawson) Exell
(Combretaceae). R: 50 [*Combretum laxiflorum*
Welw. ex M.A.Lawson]

zimonono

Ricinus communis L. (Euphorbiaceae). R: 59
[Huila – Cassinga]

zinvuta (Kik)

Trichoscypha acuminata Engl. (Anacardiaceae).
R: 50

zonjila (Kim)

Lefebvreia grantii (Kingston ex Oliv.) S.Droop
(Apiaceae). R: 3 [*Peucedanum angolense* (Welw.
ex Ficalho) Cannon]

zua-dila (Kim)

Piper umbellatum L. (Piperaceae). R: 3

zunu (Kik)

Sida rhombifolia L. (Malvaceae). R: 50

ADDITIONAL PORTUGUESE COMMON NAMES

Portuguese common names that have not been recorded for Angolan plants (indigenous, naturalised or cultivated) but are quite likely in use there.

acácia-dealbada

Acacia dealbata Link R: 33

acácia-tipuana

Tipuana tipu (Benth.) Kuntze R: 33

acaju

Khaya sp. R: 7

acaju-branco

Khaya anthotheca (Welw.) C.DC. R: 33, 7

acaju-de-casca-lisa

Khaya anthotheca (Welw.) C.DC. R: 33, 7

acufeifa-maior

Ziziphus abyssinica Hochst. ex A.Rich.
R: 33

agrião

Nasturtium officinale R.Br. R: 33

aipo-bravo

Apium graveolens L. R: 33

aipo-hortense

Apium graveolens L. var. *dulce* (Mill.) DC. R: 33

alfádega

Ocimum basilicum L. R: 34, 6

alfavaca

Ocimum basilicum L. R: 34, 6

alforvas

Trigonella foenum-graecum L. R: 33

algodoero (plant)

Gossypium sp. R: 33, 7

algodoero-arbóreo

Gossypium arboreum L. R: 33, 7

ambrósia-do-México

Chenopodium ambrosioides L. R: 33, 4

ameixa (fruit)

Prunus ×domestica L. R: 33

ananás (fruit)

Ananas comosus (L.) Merr. R: 33, 4

ananaseiro (plant)

Ananas comosus (L.) Merr. R: 33, 4

anis

Pimpinella anisum L. R: 33

anoneira

Annona sp. R: 33

araçá-amarelo

Psidium cattleianum Sabine R: 33

araçá-roxo

Psidium cattleianum Sabine R: 33

árvore-do-pão

Artocarpus altilis (Parkinson) Fosberg R: 33, 7

árvore-do-bálsamo

Santiria trimera (Oliv.) Aubrév. R: 33

baobab

Adansonia digitata L. R: 33, 4

basílico

Ocimum basilicum L. R: 34, 6

batata

Solanum tuberosum L. R: 33

baunilheira

Vanilla planifolia Jacks. ex Andrews R: 33, 7

bela-bicha

Welwitschia mirabilis Hook.f. R: 33

bergamota

Citrus bergamia Risso R: 33

berinjela

Solanum melongena L. R: 33

borracha-do-Ceará

Manihot glaziovii Müll.Arg. R: 33

'buffalo'-grass'

Zea luxurians (Durieu & Asch.) R.M.Bird R: 33

bunce

Alchornea cordifolia (Schumach. & Thonn.)

Müll.Arg. R: 33

cacauzeiro

Theobroma cacao L. R: 33

cafeeiro (plant)

Coffea sp. R: 7

cafeeiro-comum

Coffea arabica L. R: 33

calabaceira

Adansonia digitata L. R: 33, 4

cana-de-jardim

Canna indica L. R: 33, 4

cana-doce

Saccharum officinarum L. R: 33

cana-florífera

Canna indica L. R: 33, 4

canela (bark)

Cinnamomum verum J.Presl R: 33

canela-de-Ceilão

Cinnamomum verum J.Presl R: 33

câñhamo-da-Índia

Crotalaria juncea L. R: 33, 6

câñhamo-de-Bengala

Crotalaria juncea L. R: 6

câñhamo-do-Decão

Hibiscus cannabinus L. R: 33, 7

carambola

Averrhoa carambola L. R: 33, 7

caroba

Jacaranda mimosifolia D.Don R: 4

cássia-oficial
Cassia fistula L. R: 33, 6
castanha de cajú (nut)
Anacardium occidentale L. R: 4
ceboletas-de-França
Allium schoenoprasum L. R: 33
cebolinha
Allium schoenoprasum L. R: 33
chá-da-terra
Sida rhombifolia L. R: 33
chá-do-príncipe
Cymbopogon citratus (DC.) Stapf R: 33
chirimóia
Annona cherimola Mill. R: 33
chuva
Cyperus esculentus L. R: 33, 4
cidra (fruit)
Citrus medica L. R: 7
cítreo
Citrus sp. R: 7
citrino
Citrus sp. R: 7
côco (fruit)
Cocos nucifera L. R: 33, 7
colocintida
Acanthosicyos naudinianus (Sond.) C.Jeffrey R: 33
colodro
Lagenaria siceraria (Molina) Standl. R: 33
craveiro
Dianthus sp. R: 33

dióspiro (fruit)
Diospyros kaki L.f. R: 33

erva-anil
Indigofera sp. R: 33
erva-da-Guiné
Panicum maximum Jacq. R: 33, 5
erva-dos-rosários
Coix lacryma-jobi L. R: 33, 5
erva-príncipe
Cymbopogon citratus (DC.) Stapf R: 33, 5
ervilheira
Pisum sativum L. R: 33, 6
espargo
Asparagus sp. R: 33
espargo-hortense
Asparagus officinalis L. R: 33
espinafre
Spinacia oleracea L. R: 33

fava
Vicia faba L. R: 33
feijão-bravo
Canavalia rosea (Sw.) DC. R: 6

feijão-cutelo
Canavalia ensiformis (L.) DC. R: 33, 6
feno-grego
Trigonella foenum-graecum L. R: 33, 6
flor-de-sapato
Hibiscus rosa-sinensis L. R: 33, 7
franipana
Plumeria sp. R: 4

golfão
Nymphaea sp. R: 33
grama-de-boticas
Cynodon dactylon (L.) Pers. R: 33, 5

helianto
Helianthus annuus L. R: 33, 4
hená
Lawsonia inermis L. R: 33, 6
hené
Lawsonia inermis L. R: 33, 6
hortelã-pimenta
Mentha ×piperita L. R: 33

inhame
Dioscorea cayenensis Lam. R: 5
inhame-branco
Colocasia esculenta (L.) Schott R: 4
inhame-bravo
Dioscorea alata L. R: 5
inhame-cicorero
Dioscorea alata L. R: 5
inhame-da-China
Dioscorea alata L. R: 5
inhame-da-costa
Colocasia esculenta (L.) Schott R: 4
inhame-de-cariolá
Dioscorea alata L. R: 5
inhame-de-Lisboa
Dioscorea alata L. R: 5
inhame-de-S.Tomé
Dioscorea alata L. R: 5
inhame-taioba
Colocasia esculenta (L.) Schott R: 4

jambeiro
Syzygium jambos (L.) Alston R: 34, 7
jequiriti
Abrus precatorius L. R: 34
junça-de-comer
Cyperus esculentus L. R: 34
juta
Urena lobata L. R: 34, 7

lágrimas-de-Job
Coix lacryma-jobi L. R: 34, 5

- laranja** (fruit)
Citrus ×sinensis (L.) Osbeck R: 34, 7
- laranja-azeda** (fruit)
Citrus ×aurantium L. R: 34, 7
- laranja-do-mato**
Strychnos cocculoides Baker R: 34
- laranjeira-mandarin**
Citrus reticulata Blanco R: 34, 7
- laranjeira-tangerina**
Citrus reticulata Blanco R: 34, 7
- limão** (fruit)
Citrus ×aurantiifolia (Christm.) Swingle R: 7
- limociro-do-Japão**
Citrus medica L. R: 33
- loendro-amarelo**
Cascabela thevetia (L.) Lippold R: 34
- loureiro-rosa**
Nerium oleander L. R: 34, 4
- maboca-ácida**
Strychnos pungens Soler. R: 34
- maboca-doce**
Strychnos cocculoides Baker R: 34
- madressilva**
Lonicera sp. R: 34, 4
- mafumeira-branca**
Ceiba pentandra (L.) Gaertn. R: 34
- mafureiro**
Trichilia emetica Vahl R: 7
- malagueta-preta**
Xylopia aethiopica (Dunal) A.Rich.
R: 34, 4
- mangericão-branco**
Ocimum americanum L. R: 34, 6
Ocimum basilicum L. R: 6
- mangericão-de-folha-grande**
Ocimum basilicum L. R: 6
- mangericão-grande**
Ocimum basilicum L. R: 34, 6
- mangue**
Rhizophora sp. R: 7
- mangueiro**
Mangifera indica L. R: 4
- mangue-vermelho**
Rhizophora racemosa G.Mey. R: 34, 7
- manjericão-pequeno**
Ocimum minimum L. R: 34
- manjericó**
Ocimum minimum L. R: 34
- manjerico-de-folha-grande**
Ocimum basilicum L. R: 34
- maracujá-vulgar**
Passiflora edulis Sims R: 34, 7
- maravilhas-do-Perú**
Mirabilis jalapa L. R: 34, 7
- melancieira**
Citrullus lanatus (Thunb.) Matsum. & Nakai
R: 34
- meliloto-branco**
Melilotus albus Medik. R: 34
- meloeiro**
Cucumis melo L. R: 34
- micendeira**
Ficus psilopoga Welw. ex Ficalho R: 34
- milhã-verticilada**
Setaria verticillata (L.) P.Beauv. R: 34, 5
- milho-grande**
Zea mays L. R: 5
- milho-grosso**
Zea mays L. R: 34, 5
- milho-maês**
Zea mays L. R: 34, 5
- milho-zaburro**
Sorghum bicolor (L.) Moench R: 5
- mimosa**
Acacia dealbata Link R: 33
- morango**
Fragaria vesca L. R: 34
- morrão**
Anagallis arvensis L. R: 34, 7
- morugem**
Stellaria media (L.) Vill. R: 34, 4
- moscadeira**
Myristica fragans L. R: 34
- nanas**
Ananas comosus (L.) Merr. R: 4
- nenúfar**
Nymphaea sp. R: 34, 7
- nêspora** (fruit)
Eriobotrya japonica (Thunb.) Lindl. R: 34
- palmeira-da-tara**
Phoenix reclinata Jacq. R: 35, 7
- papiro**
Cyperus papyrus L. R: 35, 4
- pau-cânfora**
Tarchonanthus camphoratus L. R: 35
- pau-incenso**
Daniellia oliveri (Rolfe) Hutch. & Dalziel R: 6
- pau-preto**
Dalbergia melanoxylon Guill. & Perr. R: 35, 6
- pé-de-galinha**
Dactyloctenium aegyptium (L.) Willd.
R: 5
- pé-de-galo**
Eleusine indica (L.) Gaertn. R: 35, 5
- pepino**
Cucumis sativus L. R: 35
- pêssego** (fruit)
Prunus persica (L.) Batsch R: 35
- pimenta-comum**
Piper nigrum L. R: 35
- pimenta-de-São-Tomé**
Piper guineense Schumach. & Thonn.
R: 35, 7

piteira-amarela

Furcraea foetida (L.) Haw. R: 35

poilão

Ceiba pentandra (L.) Gaertn. R: 35, 4

poilão-ferro

Bombax buonopozense P. Beauv. R: 35, 4

polão

Ceiba pentandra (L.) Gaertn. R: 35, 4

quenopódio

Chenopodium ambrosioides L. R: 35, 4

quiabeiro

Abelmoschus esculentus (L.) Moench R: 7

quiabo (fruit)

Abelmoschus esculentus (L.) Moench R: 35, 7

quina

Cinchona sp. R: 35, 7

quinina

Cinchona sp. R: 7

raiz-de-empose

Gloriosa superba L. R: 35, 6

rok

Bixa orellana L. R: 4

romã (fruit)

Punica granatum L. R: 35, 6

romãzeira

Punica granatum L. R: 35, 6

sene

Senna italica Mill. subsp. *italica* R: 6

sésamo

Sesamum indicum L. R: 35, 7

sicomoro-figueira

Ficus psilopoga Welw. ex Ficalho R: 34

sucupira

Pentaclethra macrophylla Benth. R: 35, 6

sumáuma-africana

Ceiba pentandra (L.) Gaertn. R: 34

tâmara (fruit)

Phoenix dactylifera L. R: 35, 7

tamarindo (fruit)

Tamarindus indica L. R: 35

toranjeira

Citrus ×paradisi Macfad. R: 35, 7

uruku

Bixa orellana L. R: 4

uvas (fruit)

Vitis vinifera L. R: 35

SOURCE REFERENCES

1. Amshoff, G.J.H. (1970) Myrtaceae. *Conspectus florae angolensis* 4: 93–110.
2. Barbosa, L.A.G. (1970) *Carta fitogeográfica de Angola*. Instituto de Investigação Científica de Angola, Luanda.
3. Bossard, E. (1996) *La Médecine traditionnelle au centre et à l'ouest de l'Angola*. Instituto de Investigação Científica Tropical, Lisboa.
4. Burkill, H.M. (1985) *The useful plants of west tropical Africa*, volume 1, families A–D. Royal Botanic Gardens, Kew.
5. Burkill, H.M. (1994) *The useful plants of west tropical Africa*, volume 2, families E–I. Royal Botanic Gardens, Kew.
6. Burkill, H.M. (1995) *The useful plants of west tropical Africa*, volume 3, families J–L. Royal Botanic Gardens, Kew.
7. Burkill, H.M. (1997) *The useful plants of west tropical Africa*, volume 4, families M–R. Royal Botanic Gardens, Kew.
8. Cannon, J.F.M. (1970a) Umbelliferae. *Conspectus florae angolensis* 4: 334–360.
9. Cannon, J. (1970b) Araliaceae. *Conspectus florae angolensis* 4: 361–363.
10. Diniz, M.A. (1993) Bignoniaceae. *Conspectus florae angolensis*, fam. 122.
11. Exell, A. & Garcia, J. (1970) Combretaceae. *Conspectus florae angolensis* 4: 44–93.
12. Exell, A. & Mendonça, F. (1951a) Malvaceae (part 2). *Conspectus florae angolensis* 1,2: 177–184.
13. Exell, A. & Mendonça, F. (1951b) Sterculiaceae. *Conspectus florae angolensis* 1: 184–208.
14. Exell, A. & Mendonça, F. (1951c) Tiliaceae. *Conspectus florae angolensis* 1: 208–241.
15. Exell, A. & Mendonça, F. (1951d) Nectaropetalaceae. *Conspectus florae angolensis* 1: 246.
16. Exell, A. & Mendonça, F. (1951e) Ixonanthaceae. *Conspectus florae angolensis* 1: 246–248.
17. Exell, A. & Mendonça, F. (1951f) Ctenolophonaceae. *Conspectus florae angolensis* 1: 248.
18. Exell, A. & Mendonça, F. (1951g) Humiriaceae. *Conspectus florae angolensis* 1: 249.
19. Exell, A. & Mendonça, F. (1951h) Geraniaceae. *Conspectus florae angolensis* 1: 257–260.
20. Exell, A. & Mendonça, F. (1951i) Rutaceae. *Conspectus florae angolensis* 1: 265–276.
21. Exell, A. & Mendonça, F. (1951j) Simaroubaceae. *Conspectus florae angolensis* 1: 276–279.
22. Exell, A. & Mendonça, F. (1951k) Ochnaceae. *Conspectus florae angolensis* 1: 283–297.
23. Exell, A. & Mendonça, F. (1951l) Burseraceae. *Conspectus florae angolensis* 1: 297–305.
24. Exell, A. & Mendonça, F. (1951m) Meliaceae. *Conspectus florae angolensis* 1: 305–320.
25. Exell, A. & Mendonça, F. (1951n) Olacaceae. *Conspectus florae angolensis* 1: 331–338.
26. Exell, A. & Mendonça, F. (1954a) Celastraceae. *Conspectus florae angolensis* 2: 1–27.
27. Exell, A. & Mendonça, F. (1954b) Rhamnaceae. *Conspectus florae angolensis* 2: 28–34.
28. Exell, A. & Mendonça, F. (1954c) Vitaceae. *Conspectus florae angolensis* 2: 35–71.
29. Exell, A. & Mendonça, F. (1954d) Sapindaceae. *Conspectus florae angolensis* 2: 72–93.
30. Exell, A. & Mendonça, F. (1954e) Anacardiaceae. *Conspectus florae angolensis* 2: 95–134.
31. Exell, A. & Mendonça, F. (1954f) Moringaceae. *Conspectus florae angolensis* 2: 134–136.
32. Exell, A. & Mendonça, F. (1954–1956) Connaraceae. *Conspectus florae angolensis* 2: 136–154.
33. Feijão, R. O. (1960) *Elucidário fitológico : plantas vulgares de Portugal continental, insular e ultramarino : classificação, nomes vernáculos e aplicações*. Volume I: A-H. Lisboa, Instituto Botânico de Lisboa.
34. Feijão, R. O. (1961) *Elucidário fitológico: plantas vulgares de Portugal continental, insular e ultramarino : classificação, nomes vernáculos e aplicações*. Volume II: I-O. Lisboa, Instituto Botânico de Lisboa.
35. Feijão, R. O. (1963) *Elucidário fitológico: plantas vulgares de Portugal continental, insular e ultramarino : classificação, nomes vernáculos e aplicações*. Volume III: P-Z. Lisboa, Instituto Botânico de Lisboa.
36. Fernandes, A. (1970a) Lythraceae. *Conspectus florae angolensis* 4: 165–189.
37. Fernandes, A. (1970b) Samydaceae. *Conspectus florae angolensis* 4: 204–209.

-
38. Fernandes, A. (1970c) Caricaceae. *Conspectus florae angolensis* 4: 231.
39. Fernandes, A. & Fernandes, R. (1970) Barringtoniaceae. *Conspectus florae angolensis* 4: 110–114.
40. Fernandes, R. (1982) Crassulaceae. *Conspectus florae angolensis* 70: 1–39
41. Fernandes, R. & Fernandes, A. (1970a) Melastomataceae. *Conspectus florae angolensis* 4: 114–165.
42. Fernandes, R. & Fernandes, A. (1970b) Onagraceae. *Conspectus florae angolensis* 4: 190–203.
43. Fernandes, R. & Fernandes, A. (1970c) Trapaceae. *Conspectus florae angolensis* 4: 203.
44. Fernandes, R. & Fernandes, A. (1970d) Passifloraceae. *Conspectus florae angolensis* 4: 211–231.
45. Fernandes, R. & Fernandes, A. (1970e) Cucurbitaceae. *Conspectus florae angolensis* 4: 232–289.
46. Figueiredo, E. (2007) The Rubiaceae of Cabinda. *Botanical Journal of the Linnean Society* 154: 455–495.
47. Figueiredo, E. (2008) The Rubiaceae of Angola. *Botanical Journal of the Linnean Society* 156: 537–638.
48. Gonçalves, M.L. (1970) Aizoaceae. *Conspectus florae angolensis* 4: 302–333.
49. Gossweiler, J. (1950) *Flora exótica de Angola. Nomes vulgares e origem das plantas cultivadas ou sub-espontâneas*. Imprensa Nacional, Luanda.
50. Gossweiler, J. (1953) *Nomes indígenas das plantas de Angola*. Agronomia Angolana 7: 1–587.
51. Laundon, J. (1970) Droseraceae. *Conspectus florae angolensis* 4: 24–29.
52. Leyens, T. & Lobin, T. (2009) *Manual de plantas úteis de Angola*. Bischöfliches Hilfswerk Misericordia e.V. Aachen, Germany.
53. Mendes, E. (1970a) Rosaceae. *Conspectus florae angolensis* 4: 1–5.
54. Mendes, E. (1970b) Chrysobalanaceae. *Conspectus florae angolensis* 4: 5–22.
55. Mendes, E. (1970c) Myrothamnaceae. *Conspectus florae angolensis* 4: 30, 31.
56. Mendes, E. (1970d) Rhizophoraceae. *Conspectus florae angolensis* 4: 33–40.
57. Mendonça, F.A. (1945) *Colectânea de escritos doutrinários, florísticos e fitogeográficos de Frederico Welwitsch concernentes principalmente à flora de Angola. Compilação, revisão e notas de Ascenção Mendonça*. Lisboa, Agência Geral das Colónias.
58. Santos, R. Mendes dos. (1967) Plantas úteis de Angola. Contribuição Iconográfica. Instituto de Investigação Científica de Angola, Luanda.
59. Santos, R. Mendes dos. (1989) Plantas úteis de Angola. Contribuição Iconográfica II. Instituto de Investigação Científica Tropical, Lisboa.
60. Torre, A.R. (1956) Mimosoideae. *Conspectus florae angolensis* 2,2: 254–299.
61. Torre, A.R. (1962) Papilionoideae: Genisteae-Galegeae. *Conspectus florae angolensis* 3,1: 1–187.
62. Torre, A.R. (1966) Papilionoideae: Hedysareae-Sophoreae. *Conspectus florae angolensis* 3,2: 188–401.
63. Torre, A.R. & Hillcoat, D. (1956) Caesalpinoideae. *Conspectus florae angolensis* 2,2: 162–253.

INDEX TO GENERA

- Abelmoschus (Malvaceae) **40**
Abrus (Fabaceae) **28**
Abutilon (Malvaceae) **40**
Acacia (Fabaceae) **28**
Acalypha (Euphorbiaceae) **25**
Acanthosicyos (Cucurbitaceae) **22**
Acanthospermum (Asteraceae) **15**
Acanthus (Acanthaceae) **10**
Adansonia (Bombacaceae) **18**
Adenanthera (Fabaceae) **28**
Adenia (Passifloraceae) **45**
Adenium (Apocynaceae) **13**
Adenocarpus (Fabaceae) **28**
Adenodolichos (Fabaceae) **28**
Adenolobus (Fabaceae) **28**
Aechmea (Bromeliaceae) **19**
Aeollanthus (Lamiaceae) **38**
Aerva (Amaranthaceae) **10**
Aeschynomene (Fabaceae) **28**
Aframomum (Zingiberaceae) **59**
Afrocanthium (Rubiaceae) **50**
Afrocarum (Apiaceae) **12**
Afzelia (Fabaceae) **29**
Agarista (Ericaceae) **25**
Agave (Agavaceae) **10**
Agelanthus (Loranthaceae) **40**
Ageratum (Asteraceae) **16**
Aidia (Rubiaceae) **50**
Ailanthus (Simaroubaceae) **55**
Albizia (Fabaceae) **29**
Albuca (Hyacinthaceae) **37**
Alchornea (Euphorbiaceae) **25**
Aleurites (Euphorbiaceae) **25**
Allanblackia (Clusiaceae) **20**
Allium (Alliaceae) **10**
Allophylus (Sapindaceae) **54**
Alocasia (Araceae) **14**
Aloe (Asphodelaceae) **15**
Aloysia (Verbenaceae) **58**
Alstonia (Apocynaceae) **13**
Alternanthera (Amaranthaceae) **10**
Alvesia (Lamiaceae) **38**
Alysicarpus (Fabaceae) **29**
Amaranthus (Amaranthaceae) **10**
Amblygonocarpus (Fabaceae) **29**
Ammannia (Lythraceae) **40**
Ampelocissus (Vitaceae) **58**
Amphasma (Rubiaceae) **50**
Anacardium (Anacardiaceae) **11**
Anagallis (Primulaceae) **48**
Ananas (Bromeliaceae) **19**
Anchromanes (Araceae) **14**
Ancistrocarpus (Tiliaceae) **57**
Ancylanthos (Rubiaceae) **50**
Acylobotrys (Apocynaceae) **13**
Androcymbium (Colchicaceae) **21**
Andropogon (Poaceae) **46**
Angolaea (Podostemaceae) **48**
Angylocalyx (Fabaceae) **29**
Anisophyllea (Anisophylleaceae) **11**
Annickia (Annonaceae) **12**
Annona (Annonaceae) **12**
Anonidium (Annonaceae) **12**
Anredera (Basellaceae) **18**
Ansellia (Orchidaceae) **45**
Antherotoma (Melastomataceae) **41**
Anthocleista (Gentianaceae) **37**
Anthonotha (Fabaceae) **29**
Anthospermum (Rubiaceae) **50**
Anthostema (Euphorbiaceae) **25**
Antiaris (Moraceae) **42**
Antidesma (Euphorbiaceae) **25**
Antigonon (Polygonaceae) **48**
Antirrhinum (Scrophulariaceae) **55**
Antrocaryon (Anacardiaceae) **11**
Aoranthe (Rubiaceae) **50**
Aphanocalyx (Fabaceae) **29**
Aphelandra (Acanthaceae) **10**
Apium (Apiaceae) **12**
Apodytes (Icacinaceae) **38**
Aptosimum (Scrophulariaceae) **55**
Arachis (Fabaceae) **29**
Araucaria (Pinaceae) **46**
Arenga (Arecaceae) **14**
Argemone (Papaveraceae) **45**
Argyranthemum (Asteraceae) **16**
Argyrolobium (Fabaceae) **29**
Aristida (Poaceae) **46**
Aristolochia (Aristolochiaceae) **15**
Artobotrys (Annonaceae) **12**
Artemisia (Asteraceae) **16**
Artocarpus (Moraceae) **42**
Arundo (Poaceae) **46**
Asparagus (Asparagaceae) **15**
Ataenidia (Marantaceae) **40**
Atriplex (Chenopodiaceae) **20**
Attalea (Arecaceae) **14**
Avena (Poaceae) **46**
Averrhoa (Averrhoaceae) **17**
Avicennia (Avicenniaceae) **17**
Axonopus (Poaceae) **46**
Baikiae (Fabaceae) **29**
Baillonella (Sapotaceae) **54**
Baissea (Apocynaceae) **13**
Balanites (Balanitaceae) **17**
Bambusa (Poaceae) **46**
Baphia (Fabaceae) **29**
Barleria (Acanthaceae) **10**
Barteria (Passifloraceae) **45**
Basananthe (Passifloraceae) **45**
Bauhinia (Fabaceae) **30**
Berchemia (Rhamnaceae) **49**
Berkheya (Asteraceae) **16**
Berlinia (Fabaceae) **30**
Bersama (Melianthaceae) **42**
Bertiera (Rubiaceae) **50**
Beta (Chenopodiaceae) **20**
Bidens (Asteraceae) **16**
Biophytum (Oxalidaceae) **45**
Bixa (Bixaceae) **18**
Blepharis (Acanthaceae) **10**
Blighia (Sapindaceae) **54**
Blumea (Asteraceae) **16**

-
- Bobgunnia (Fabaceae) **30**
 Boehmeria (Urticaceae) **58**
 Boerhavia (Nyctaginaceae) **44**
 Bombax (Bombacaceae) **18**
 Boophone (Amaryllidaceae) **11**
 Borago (Boraginaceae) **18**
 Borassus (Arecaceae) **14**
 Boszia (Capparaceae) **19**
 Brachiaria (Poaceae) **46**
 Brachylaena (Asteraceae) **16**
 Brachystegia (Fabaceae) **30**
 Brassica (Brassicaceae) **18**
 Brenania (Rubiaceae) **50**
 Breonadia (Rubiaceae) **50**
 Bridelia (Euphorbiaceae) **25**
 Bromelia (Bromeliaceae) **19**
 Bryophyllum (Crassulaceae) **22**
 Buchnera (Orobanchaceae) **45**
 Buchnerodendron (Flacourtiaceae) **37**
 Bulbine (Asphodelaceae) **15**
 Burkea (Fabaceae) **30**
 Bussea (Fabaceae) **30**
 Buxus (Buxaceae) **19**

 Caesalpinia (Fabaceae) **30**
 Cajanus (Fabaceae) **30**
 Caladium (Araceae) **14**
 Calamus (Arecaceae) **14**
 Calanda (Rubiaceae) **50**
 Callistephus (Asteraceae) **16**
 Calotropis (Apocynaceae) **13**
 Calvoa (Melastomataceae) **41**
 Calycosiphonia (Rubiaceae) **50**
 Camellia (Theaceae) **57**
 Canarium (Burseraceae) **19**
 Canavalia (Fabaceae) **30**
 Canna (Cannaceae) **19**
 Cannabis (Cannabaceae) **19**
 Capparis (Capparaceae) **19**
 Capsella (Brassicaceae) **18**
 Capsicum (Solanaceae) **55**
 Carapa (Meliaceae) **41**
 Cardiospermum (Sapindaceae) **54**
 Carica (Caricaceae) **20**
 Carissa (Apocynaceae) **13**
 Carludovica (Cyclanthaceae) **23**
 Carpobrotus (Mesembryanthemaceae) **42**
 Caryota (Arecaceae) **14**
 Cascabela (Apocynaceae) **13**
 Cassia (Fabaceae) **30**
 Cassythia (Lauraceae) **39**
 Castanea (Fagaceae) **37**
 Castilla (Moraceae) **42**
 Catha (Celastraceae) **20**
 Catharanthus (Apocynaceae) **13**
 Catophractes (Bignoniaceae) **18**
 Ceiba (Bombacaceae) **18**
 Celosia (Amaranthaceae) **10**
 Celtis (Ulmaceae) **58**
 Ceratonia (Fabaceae) **31**
 Ceratotheca (Pedaliaceae) **46**
 Cercis (Fabaceae) **31**
 Ceropegia (Apocynaceae) **13**
 Chaetacme (Ulmaceae) **58**
 Chaetocarpus (Euphorbiaceae) **25**
 Chamaeleandra (Apocynaceae) **13**
 Chamaecrista (Fabaceae) **31**

 Chamaesyce (Euphorbiaceae) **26**
 Chasmanthera (Menispermaceae) **42**
 Chazaliella (Rubiaceae) **50**
 Chenopodium (Chenopodiaceae) **20**
 Chimonobambusa (Poaceae) **46**
 Chionanthus (Oleaceae) **45**
 Chloris (Poaceae) **46**
 Chlorophytum (Anthericaceae) **12**
 Chloroxylon (Rutaceae) **53**
 Chrysanthellum (Asteraceae) **16**
 Chrysanthemum (Asteraceae) **16**
 Chrysobalanus (Chrysobalanaceae) **20**
 Chrysophyllum (Sapotaceae) **54**
 Chrysopogon (Poaceae) **46**
 Chytranthus (Sapindaceae) **54**
 Cicer (Fabaceae) **31**
 Cinchona (Rubiaceae) **50**
 Cincinnobotrys (Melastomataceae) **41**
 Cinnamomum (Lauraceae) **39**
 Cissampelos (Menispermaceae) **42**
 Cissus (Vitaceae) **58**
 Citrullus (Cucurbitaceae) **22**
 Citrus (Rutaceae) **53**
 Clappertonia (Tiliaceae) **57**
 Clausena (Rutaceae) **54**
 Cleistanthus (Euphorbiaceae) **26**
 Clematis (Ranunculaceae) **49**
 Cleome (Capparaceae) **19**
 Clerodendrum (Lamiaceae) **38**
 Cliffortia (Rosaceae) **49**
 Cnestis (Connaraceae) **22**
 Coccinia (Cucurbitaceae) **22**
 Coccoloba (Polygonaceae) **48**
 Cochlospermum (Cochlospermaceae) **21**
 Cocos (Arecaceae) **15**
 Codiaeum (Euphorbiaceae) **26**
 Coelocaryon (Myristicaceae) **43**
 Coffea (Rubiaceae) **50**
 Cogniauxia (Cucurbitaceae) **22**
 Coix (Poaceae) **46**
 Cola (Sterculiaceae) **56**
 Coleostephus (Asteraceae) **16**
 Colocasia (Araceae) **14**
 Colophospermum (Fabaceae) **31**
 Combretum (Combretaceae) **21**
 Commelina (Commelinaceae) **22**
 Commiphora (Burseraceae) **19**
 Conyza (Asteraceae) **16**
 Coparia (Fabaceae) **31**
 Corallocarpus (Cucurbitaceae) **22**
 Corbicchia (Molluginaceae) **42**
 Corchorus (Tiliaceae) **57**
 Cordia (Boraginaceae) **18**
 Cordyline (Agavaceae) **10**
 Coreopsis (Asteraceae) **16**
 Coriandrum (Apiaceae) **12**
 Corylus (Betulaceae) **18**
 Corynanthe (Rubiaceae) **50**
 Cosmos (Asteraceae) **16**
 Costus (Costaceae) **22**
 Coula (Olacaceae) **44**
 Craibia (Fabaceae) **31**
 Crassocephalum (Asteraceae) **16**
 Crataegus (Rosaceae) **49**
 Craterispermum (Rubiaceae) **50**
 Cremaspora (Rubiaceae) **50**
 Crescentia (Bignoniaceae) **18**

| | |
|----------------------------------|----|
| Crossopteryx (Rubiaceae) | 50 |
| Crotalaria (Fabaceae) | 31 |
| Croton (Euphorbiaceae) | 26 |
| Cryptanthus (Bromeliaceae) | 19 |
| Cryptolepis (Apocynaceae) | 13 |
| Cryptosepalum (Fabaceae) | 31 |
| Ctenolophon (Ctenolophonaceae) | 22 |
| Cucumeropsis (Cucurbitaceae) | 22 |
| Cucumis (Cucurbitaceae) | 22 |
| Cucurbita (Cucurbitaceae) | 23 |
| Cupressus (Cupressaceae) | 23 |
| Curculigo (Hypoxidaceae) | 38 |
| Curcuma (Zingiberaceae) | 59 |
| Cussonia (Araliaceae) | 14 |
| Cuviera (Rubiaceae) | 50 |
| Cycas (Cycadaceae) | 23 |
| Cydonia (Rosaceae) | 49 |
| Cymbopogon (Poaceae) | 46 |
| Cynodon (Poaceae) | 46 |
| Cynometra (Fabaceae) | 31 |
| Cyperus (Cyperaceae) | 23 |
| Cyphostemma (Vitaceae) | 59 |
| Cytisus (Fabaceae) | 31 |
| Dacryodes (Burseraceae) | 19 |
| Dactyladenia (Chrysobalanaceae) | 20 |
| Dahlia (Asteraceae) | 16 |
| Dalbergia (Fabaceae) | 31 |
| Dalechampia (Euphorbiaceae) | 26 |
| Daniellia (Fabaceae) | 31 |
| Datura (Solanaceae) | 55 |
| Daucus (Apiaceae) | 12 |
| Deinbollia (Sapindaceae) | 54 |
| Delonix (Fabaceae) | 31 |
| Dendrocalamus (Poaceae) | 46 |
| Desmodium (Fabaceae) | 31 |
| Dialium (Fabaceae) | 32 |
| Dianthus (Caryophyllaceae) | 20 |
| Dichaetanthera (Melastomataceae) | 41 |
| Dichapetalum (Dichapetalaceae) | 23 |
| Dichrostachys (Fabaceae) | 32 |
| Dicliptera (Acanthaceae) | 10 |
| Dicoma (Asteraceae) | 16 |
| Dictyandra (Rubiaceae) | 50 |
| Dictyophleba (Apocynaceae) | 13 |
| Digitaria (Poaceae) | 47 |
| Diheteropogon (Poaceae) | 47 |
| Dinophora (Melastomataceae) | 41 |
| Dioclea (Fabaceae) | 32 |
| Diodia (Rubiaceae) | 50 |
| Diogoa (Olacaceae) | 44 |
| Dioscorea (Dioscoreaceae) | 24 |
| Diospyros (Ebenaceae) | 24 |
| Diplolophium (Apiaceae) | 12 |
| Diplorhynchus (Apocynaceae) | 13 |
| Discoglypremma (Euphorbiaceae) | 26 |
| Dissotis (Melastomataceae) | 41 |
| Distephanus (Asteraceae) | 16 |
| Dolichos (Fabaceae) | 32 |
| Dombeya (Sterculiaceae) | 56 |
| Dorstenia (Moraceae) | 42 |
| Dovyalis (Flacourtiaceae) | 37 |
| Dracaena (Dracaenaceae) | 24 |
| Droogmansia (Fabaceae) | 32 |
| Drosera (Droseraceae) | 24 |
| Dryptetes (Euphorbiaceae) | 26 |
| Duguetia (Annonaceae) | 12 |
| Duranta (Verbenaceae) | 58 |
| Durio (Bombacaceae) | 18 |
| Echinochloa (Poaceae) | 47 |
| Ekebergia (Meliaceae) | 41 |
| Elachyptera (Celastraceae) | 20 |
| Elaeis (Arecaceae) | 15 |
| Elaeodendron (Celastraceae) | 20 |
| Elaeophorbia (Euphorbiaceae) | 26 |
| Elettaria (Zingiberaceae) | 59 |
| Eleusine (Poaceae) | 47 |
| Emilia (Asteraceae) | 16 |
| Encephalartos (Zamiaceae) | 59 |
| Englerophytum (Sapotaceae) | 54 |
| Ensete (Musaceae) | 43 |
| Entada (Fabaceae) | 32 |
| Entandrophragma (Meliaceae) | 41 |
| Epilobium (Onagraceae) | 45 |
| Epiphyllum (Cactaceae) | 19 |
| Equisetum (Equisetaceae) | 25 |
| Eragrostis (Poaceae) | 47 |
| Eremospatha (Arecaceae) | 15 |
| Erica (Ericaceae) | 25 |
| Eriobotrya (Rosaceae) | 49 |
| Eriocoelum (Sapindaceae) | 54 |
| Eriosema (Fabaceae) | 32 |
| Eriospermum (Eriospermaceae) | 25 |
| Erlangea (Asteraceae) | 16 |
| Erythrina (Fabaceae) | 32 |
| Erythrocephalum (Asteraceae) | 16 |
| Erythrococca (Euphorbiaceae) | 26 |
| Erythrophleum (Fabaceae) | 32 |
| Erythroxylum (Erythroxylaceae) | 25 |
| Eucaliptus (Myrtaceae) | 43 |
| Eucharis (Amaryllidaceae) | 11 |
| Euclea (Ebenaceae) | 25 |
| Eugenia (Myrtaceae) | 43 |
| Eulophia (Orchidaceae) | 45 |
| Euphorbia (Euphorbiaceae) | 26 |
| Fadogia (Rubiaceae) | 50 |
| Fagaropsis (Rutaceae) | 54 |
| Fagopyrum (Polygonaceae) | 48 |
| Faidherbia (Fabaceae) | 33 |
| Falcataria (Fabaceae) | 33 |
| Faroa (Gentianaceae) | 37 |
| Faurea (Proteaceae) | 48 |
| Ficalhoa (Theaceae) | 57 |
| Ficus (Moraceae) | 42 |
| Fillaeopsis (Fabaceae) | 33 |
| Flueggea (Euphorbiaceae) | 26 |
| Fockea (Apocynaceae) | 13 |
| Fragaria (Rosaceae) | 49 |
| Fraxinus (Oleaceae) | 45 |
| Friesodielsia (Annonaceae) | 12 |
| Fuchsia (Onagraceae) | 45 |
| Fumaria (Fumariaceae) | 37 |
| Funtumia (Apocynaceae) | 13 |
| Furcraea (Agavaceae) | 10 |
| Gaertnera (Rubiaceae) | 51 |
| Galinsoga (Asteraceae) | 16 |
| Galphimia (Malpighiaceae) | 40 |
| Garcinia (Clusiaceae) | 20 |
| Gardenia (Rubiaceae) | 51 |
| Geigeria (Asteraceae) | 16 |
| Geophila (Rubiaceae) | 51 |

-
- Gilbertiodendron (Fabaceae) **33**
 Gilletidendron (Fabaceae) **33**
 Girardinia (Urticaceae) **58**
 Gisekia (Gisekiaceae) **37**
 Gladiolus (Iridaceae) **38**
 Gleditschia (Fabaceae) **33**
 Glinus (Molluginaceae) **42**
 Globimetula (Loranthaceae) **40**
 Gloriosa (Colchicaceae) **21**
 Glycine (Fabaceae) **33**
 Glyphaea (Tiliaceae) **57**
 Gnetum (Gnetaceae) **37**
 Gnidia (Thymelaeaceae) **57**
 Gomphocarpus (Apocynaceae) **13**
 Gomphrena (Amaranthaceae) **11**
 Gossweilerodendron (Fabaceae) **33**
 Gossypium (Malvaceae) **40**
 Grangea (Asteraceae) **16**
 Greenwayodendron (Annonaceae) **12**
 Grewia (Tiliaceae) **57**
 Guazuma (Sterculiaceae) **56**
 Guibourtia (Fabaceae) **33**
 Gymnosporia (Celastraceae) **20**
 Gynura (Asteraceae) **16**
 Gyrocarpus (Hernandiaceae) **37**

 Haematoxylum (Fabaceae) **33**
 Hallea (Rubiaceae) **51**
 Halopegia (Marantaceae) **40**
 Haplocoelum (Sapindaceae) **54**
 Harungana (Hypericaceae) **37**
 Haumaniastrum (Lamiaceae) **38**
 Hedera (Araliaceae) **14**
 Hedysarum (Fabaceae) **33**
 Heinsia (Rubiaceae) **51**
 Helianthus (Asteraceae) **16**
 Helichrysum (Asteraceae) **16**
 Heteromorpha (Apiaceae) **12**
 Heteropogon (Poaceae) **47**
 Heterosamara (Polygalaceae) **48**
 Heterotis (Melastomataceae) **41**
 Hevea (Euphorbiaceae) **26**
 Hexalobus (Annonaceae) **12**
 Hibiscus (Malvaceae) **40**
 Hippeastrum (Amaryllidaceae) **11**
 Hirpicium (Asteraceae) **16**
 Holcus (Poaceae) **47**
 Holoptelea (Ulmaceae) **58**
 Holostylon (Lamiaceae) **38**
 Homalium (Flacourtiaceae) **37**
 Hordeum (Poaceae) **47**
 Hoslundia (Lamiaceae) **38**
 Hoya (Apocynaceae) **13**
 Hugonia (Linaceae) **39**
 Humularia (Fabaceae) **33**
 Hura (Euphorbiaceae) **26**
 Hydnora (Hydnoraceae) **37**
 Hydrangea (Saxifragaceae) **55**
 Hylocereus (Cactaceae) **19**
 Hymenocardia (Euphorbiaceae) **26**
 Hymenocoleus (Rubiaceae) **51**
 Hymenodictyon (Rubiaceae) **51**
 Hymenostegia (Fabaceae) **33**
 Hyparrhenia (Poaceae) **47**
 Hypericophyllum (Asteraceae) **16**
 Hyperthelia (Poaceae) **47**
 Hyphaene (Arecaceae) **15**

 Hypoxis (Hypoxidaceae) **38**
 Hypselodelphys (Marantaceae) **40**
 Hyptis (Lamiaceae) **38**

 Ilex (Aquifoliaceae) **14**
 Impatiens (Balsaminaceae) **18**
 Imperata (Poaceae) **47**
 Indigastrum (Fabaceae) **33**
 Indigofera (Fabaceae) **33**
 Ipomoea (Convolvulaceae) **22**
 Iris (Iridaceae) **38**
 Irvingia (Irvingiaceae) **38**
 Ismelia (Asteraceae) **16**
 Isoberlinia (Fabaceae) **33**

 Jacaranda (Bignoniaceae) **18**
 Jacquemontia (Convolvulaceae) **22**
 Jasminum (Oleaceae) **45**
 Jatropha (Euphorbiaceae) **26**
 Juglans (Juglandaceae) **38**
 Julbernardia (Fabaceae) **33**
 Justicia (Acanthaceae) **10**

 Kalanchoe (Crassulaceae) **22**
 Keetia (Rubiaceae) **51**
 Khaya (Meliaceae) **41**
 Kigelia (Bignoniaceae) **18**
 Kikuyuochloa (Poaceae) **47**
 Klainedoxa (Irvingiaceae) **38**
 Kniphofia (Asphodelaceae) **15**
 Kohautia (Rubiaceae) **51**
 Kotschyia (Fabaceae) **34**
 Kyllinga (Cyperaceae) **23**

 Lablab (Fabaceae) **34**
 Laburnum (Fabaceae) **34**
 Laccosperma (Arecaceae) **15**
 Lactuca (Asteraceae) **16**
 Lagenaria (Cucurbitaceae) **23**
 Lagerstroemia (Lythraceae) **40**
 Laggera (Asteraceae) **17**
 Landolphia (Apocynaceae) **13**
 Lannea (Anacardiaceae) **11**
 Lantana (Verbenaceae) **58**
 Lapeirousia (Iridaceae) **38**
 Laportea (Urticaceae) **58**
 Lathyrus (Fabaceae) **34**
 Launaea (Asteraceae) **17**
 Lavandula (Malvaceae) **40**
 Lawsonia (Lythraceae) **40**
 Leea (Leeaceae) **39**
 Lefebvreia (Apiaceae) **12**
 Lens (Fabaceae) **34**
 Leonotis (Lamiaceae) **38**
 Lepidagathis (Acanthaceae) **10**
 Lepisanthes (Sapindaceae) **54**
 Lepistemon (Convolvulaceae) **22**
 Leptactina (Rubiaceae) **51**
 Leptoderris (Fabaceae) **34**
 Lespedeza (Fabaceae) **34**
 Leucaena (Fabaceae) **34**
 Ligustrum (Malvaceae) **40**
 Lijndenia (Melastomataceae) **41**
 Lilium (Liliaceae) **39**
 Linariopsis (Pedaliaceae) **46**
 Linum (Linaceae) **39**
 Lippia (Verbenaceae) **58**

- Litchi (Sapindaceae) **54**
 Litogyne (Asteraceae) **17**
 Littonia (Colchicaceae) **21**
 Lobelia (Lobeliaceae) **40**
 Lolium (Poaceae) **47**
 Lonchocarpus (Fabaceae) **34**
 Lonicera (Caprifoliaceae) **19**
 Lotus (Fabaceae) **34**
 Loudetia (Poaceae) **47**
 Ludwigia (Onagraceae) **45**
 Luffa (Cucurbitaceae) **23**
 Lupinus (Fabaceae) **34**
 Lycopersicon (Solanaceae) **55**
- Macaranga (Euphorbiaceae) **26**
 Machaerium (Fabaceae) **34**
 Macledium (Asteraceae) **17**
 Macrotyloma (Fabaceae) **34**
 Maerua (Capparaceae) **19**
 Maesa (Myrsinaceae) **43**
 Maesopsis (Rhamnaceae) **49**
 Magnistipula (Chrysobalanaceae) **20**
 Malus (Rosaceae) **49**
 Mammea (Clusiaceae) **20**
 Mangifera (Anacardiaceae) **11**
 Manihot (Euphorbiaceae) **26**
 Manilkara (Sapotaceae) **55**
 Manotes (Connaraceae) **22**
 Maprounea (Euphorbiaceae) **27**
 Maranta (Marantaceae) **40**
 Maranthes (Chrysobalanaceae) **20**
 Marantochloa (Marantaceae) **40**
 Margaritaria (Euphorbiaceae) **27**
 Markhamia (Bignoniaceae) **18**
 Marquesia (Dipterocarpaceae) **24**
 Marsdenia (Apocynaceae) **13**
 Massularia (Rubiaceae) **51**
 Medicago (Fabaceae) **34**
 Megaphrynum (Marantaceae) **40**
 Melaleuca (Myrtaceae) **44**
 Melanthera (Asteraceae) **17**
 Melastomastrum (Melastomataceae) **41**
 Melhania (Sterculiaceae) **56**
 Melia (Meliaceae) **41**
 Melilotus (Fabaceae) **34**
 Melinis (Poaceae) **47**
 Memecylon (Melastomataceae) **41**
 Mentha (Lamiaceae) **39**
 Merremia (Convolvulaceae) **22**
 Mespilus (Rosaceae) **49**
 Mezoneuron (Fabaceae) **34**
 Mikania (Asteraceae) **17**
 Milicia (Moraceae) **43**
 Millettia (Fabaceae) **34**
 Mimosa (Fabaceae) **34**
 Mirabilis (Nyctaginaceae) **44**
 Momordica (Cucurbitaceae) **23**
 Monanthotaxis (Annonaceae) **12**
 Mondia (Apocynaceae) **14**
 Monodora (Annonaceae) **12**
 Monotes (Dipterocarpaceae) **24**
 Monstera (Araceae) **14**
 Morella (Myricaceae) **43**
 Morinda (Rubiaceae) **51**
 Moringa (Moringaceae) **43**
 Morus (Moraceae) **43**
 Mucuna (Fabaceae) **34**
- Mukia (Cucurbitaceae) **23**
 Multidentia (Rubiaceae) **52**
 Mundulea (Fabaceae) **34**
 Murraya (Rutaceae) **54**
 Musa (Musaceae) **43**
 Musanga (Moraceae) **43**
 Mussaenda (Rubiaceae) **52**
 Myrianthus (Moraceae) **43**
 Myristica (Myristicaceae) **43**
 Myrothamnus (Myrothamnaceae) **43**
 Myrsine (Myrsinaceae) **43**
 Mystroxylon (Celastraceae) **20**
- Napoleona (Lecythidaceae) **39**
 Nasturtium (Brassicaceae) **18**
 Nauclea (Rubiaceae) **52**
 Neonotonia (Fabaceae) **34**
 Nerium (Apocynaceae) **14**
 Nesaea (Lythraceae) **40**
 Nesogordonia (Tiliaceae) **57**
 Newtonia (Fabaceae) **34**
 Nicandra (Solanaceae) **55**
 Nicotiana (Solanaceae) **55**
 Nuxia (Buddlejaceae) **19**
 Nymphaea (Nymphaeaceae) **44**
- Obetia (Urticaceae) **58**
 Ochna (Ochnaceae) **44**
 Ochthocharis (Melastomataceae) **41**
 Ocimum (Lamiaceae) **39**
 Oenothera (Onagraceae) **45**
 Oldenlandia (Rubiaceae) **52**
 Oldfieldia (Euphorbiaceae) **27**
 Olea (Oleaceae) **45**
 Olinia (Oliniaceae) **45**
 Omphalocarpum (Sapotaceae) **55**
 Oncinotis (Apocynaceae) **14**
 Oncoba (Flacourtiaceae) **37**
 Oncocalamus (Arecaceae) **15**
 Ongokea (Olacaceae) **44**
 Onobrychis (Fabaceae) **34**
 Opuntia (Cactaceae) **19**
 Origanum (Lamiaceae) **39**
 Ornithopus (Fabaceae) **34**
 Orthanthera (Apocynaceae) **14**
 Oryza (Poaceae) **47**
 Osyris (Santalaceae) **54**
 Otiophora (Rubiaceae) **52**
 Otomeria (Rubiaceae) **52**
 Ouratea (Ochnaceae) **44**
 Oxyanthus (Rubiaceae) **52**
 Oxygonum (Polygonaceae) **48**
 Oxystigma (Fabaceae) **34**
 Oxytenanthera (Poaceae) **47**
 Ozoroa (Anacardiaceae) **11**
- Pachira (Bombacaceae) **18**
 Pachycarpus (Apocynaceae) **14**
 Pachystigma (Rubiaceae) **52**
 Palisota (Commelinaceae) **22**
 Pancovia (Sapindaceae) **54**
 Pandanus (Pandanaceae) **45**
 Pandiaka (Amaranthaceae) **11**
 Panicum (Poaceae) **47**
 Papaver (Papaveraceae) **45**
 Pappea (Sapindaceae) **54**
 Parinari (Chrysobalanaceae) **20**

-
- Parkia (Fabaceae) **35**
 Parkinsonia (Fabaceae) **35**
 Paropsis (Passifloraceae) **45**
 Pasaccardoa (Asteraceae) **17**
 Paspalum (Poaceae) **47**
 Passiflora (Passifloraceae) **46**
 Paullinia (Sapindaceae) **54**
 Pauridiantha (Rubiaceae) **52**
 Pausinystalia (Rubiaceae) **52**
 Pavetta (Rubiaceae) **52**
 Pavonia (Malvaceae) **40**
 Pelargonium (Geraniaceae) **37**
 Peltophorum (Fabaceae) **35**
 Pennisetum (Poaceae) **47**
 Pentaclethra (Fabaceae) **35**
 Pentadesma (Clusiaceae) **21**
 Pentarrhinum (Apocynaceae) **14**
 Peponium (Cucurbitaceae) **23**
 Pereskia (Cactaceae) **19**
 Pericopsis (Fabaceae) **35**
 Persea (Lauraceae) **39**
 Persicaria (Polygonaceae) **48**
 Petersianthus (Lecythidaceae) **39**
 Petroselinum (Apiaceae) **13**
 Phalaris (Poaceae) **47**
 Phaseolus (Fabaceae) **35**
 Philenoptera (Fabaceae) **35**
 Phleum (Poaceae) **47**
 Phoenix (Arecaceae) **15**
 Phormium (Liliaceae) **39**
 Phragmanthera (Loranthaceae) **40**
 Phragmites (Poaceae) **47**
 Phyllanthus (Euphorbiaceae) **27**
 Phyllocosmus (Ixonanthaceae) **38**
 Phyllostachys (Poaceae) **47**
 Physalis (Solanaceae) **55**
 Physostigma (Fabaceae) **35**
 Physotrichia (Apiaceae) **13**
 Phytolacca (Phytolaccaceae) **46**
 Picralima (Apocynaceae) **14**
 Pilea (Urticaceae) **58**
 Pilostigma (Fabaceae) **35**
 Pimpinella (Apiaceae) **13**
 Pinacopodium (Erythroxylaceae) **25**
 Pinus (Pinaceae) **46**
 Piper (Piperaceae) **46**
 Piptadeniastrum (Fabaceae) **35**
 Piptostigma (Annonaceae) **12**
 Pistia (Araceae) **14**
 Pisum (Fabaceae) **35**
 Pittosporum (Pittosporaceae) **46**
 Plantago (Plantaginaceae) **46**
 Platycladus (Cupressaceae) **23**
 Plectranthus (Lamiaceae) **39**
 Pleiotaxis (Asteraceae) **17**
 Pluchea (Asteraceae) **17**
 Plumbago (Plumbaginaceae) **46**
 Plumeria (Apocynaceae) **14**
 Podocarpus (Podocarpaceae) **48**
 Podococcus (Arecaceae) **15**
 Poggea (Flacourtiaceae) **37**
 Pogonarthria (Poaceae) **48**
 Pogostemon (Lamiaceae) **39**
 Polyceratocarpus (Annonaceae) **12**
 Polygala (Polygalaceae) **48**
 Polyscias (Araliaceae) **14**
 Polystachya (Orchidaceae) **45**
 Populus (Salicaceae) **54**
 Portulaca (Portulacaceae) **48**
 Pouteria (Sapotaceae) **55**
 Pouzolzia (Urticaceae) **58**
 Prangos (Apiaceae) **13**
 Premna (Lamiaceae) **39**
 Prosopis (Fabaceae) **35**
 Protea (Proteaceae) **49**
 Prunus (Rosaceae) **49**
 Pseudarthria (Fabaceae) **35**
 Pseudeminia (Fabaceae) **35**
 Pseudoconyza (Asteraceae) **17**
 Pseudoeriosema (Fabaceae) **35**
 Pseudolachnostylis (Euphorbiaceae) **27**
 Pseudomussaenda (Rubiaceae) **52**
 Pseudospondias (Anacardiaceae) **11**
 Psiadia (Asteraceae) **17**
 Psidium (Myrtaceae) **44**
 Psophocarpus (Fabaceae) **35**
 Psorospermum (Hypericaceae) **38**
 Psychotria (Rubiaceae) **52**
 Psydrax (Rubiaceae) **52**
 Ptaeroxylon (Ptaeroxylaceae) **49**
 Pteleopsis (Combretaceae) **21**
 Pterocarpus (Fabaceae) **35**
 Pueraria (Fabaceae) **35**
 Punica (Punicaceae) **49**
 Pycnanthus (Myristicaceae) **43**
 Pycnocoma (Euphorbiaceae) **27**
 Pygmaeothamnus (Rubiaceae) **52**
 Pyrus (Rosaceae) **50**
 Quassia (Simaroubaceae) **55**
 Quercus (Fagaceae) **37**
 Radikofera (Sapindaceae) **54**
 Ranunculus (Ranunculaceae) **49**
 Raphanus (Brassicaceae) **18**
 Raphia (Arecaceae) **15**
 Raphionacme (Apocynaceae) **14**
 Ravenala (Strelitziaceae) **56**
 Reissantia (Celastraceae) **20**
 Renealmia (Zingiberaceae) **59**
 Rhabdophyllum (Ochnaceae) **44**
 Rhamnus (Rhamnaceae) **49**
 Rhigozum (Bignoniaceae) **18**
 Rhizophora (Rhizophoraceae) **49**
 Rhoicissus (Vitaceae) **59**
 Rhus (Anacardiaceae) **11**
 Rhynchosia (Fabaceae) **35**
 Rhynchosciurus (Fabaceae) **35**
 Ricinodendron (Euphorbiaceae) **27**
 Ricinus (Euphorbiaceae) **27**
 Rinorea (Violaceae) **58**
 Ritchiea (Capparaceae) **19**
 Robinia (Fabaceae) **35**
 Rosa (Rosaceae) **50**
 Rosmarinus (Lamiaceae) **39**
 Rotala (Lythraceae) **40**
 Rotheca (Lamiaceae) **39**
 Rothmannia (Rubiaceae) **53**
 Rottboellia (Poaceae) **48**
 Roystonea (Arecaceae) **15**
 Rubus (Rosaceae) **50**
 Rumex (Polygonaceae) **48**
 Ruta (Rutaceae) **54**
 Rytigynia (Rubiaceae) **53**

- Saba (Apocynaceae) **14**
 Sabicea (Rubiaceae) **53**
 Saccharum (Poaceae) **48**
 Sacoglottis (Humiriaceae) **37**
 Saintpaulia (Gesneriaceae) **37**
 Salix (Salicaceae) **54**
 Salvadoria (Salvadoraceae) **54**
 Samanea (Fabaceae) **36**
 Sambucus (Caprifoliaceae) **19**
 Sansevieria (Dracaenaceae) **24**
 Santalum (Santalaceae) **54**
 Santiria (Burseraceae) **19**
 Sarcocephalus (Rubiaceae) **53**
 Sarcophrynum (Marantaceae) **41**
 Sarcostemma (Apocynaceae) **14**
 Satureja (Lamiaceae) **39**
 Scadoxus (Amaryllidaceae) **11**
 Schefflera (Araliaceae) **14**
 Schinus (Anacardiaceae) **11**
 Schinziophyton (Euphorbiaceae) **27**
 Schizocarphus (Hyacinthaceae) **37**
 Schizocolea (Rubiaceae) **53**
 Schizolobium (Fabaceae) **36**
 Schrebera (Oleaceae) **45**
 Schumanniphyton (Rubiaceae) **53**
 Schwenckia (Solanaceae) **55**
 Scilla (Hyacinthaceae) **37**
 Sclerocarya (Anacardiaceae) **11**
 Sclerocroton (Euphorbiaceae) **27**
 Sclerosperma (Arecaceae) **15**
 Scolopia (Flacourtiaceae) **37**
 Scoparia (Scrophulariaceae) **55**
 Scorodophloeus (Fabaceae) **36**
 Sebaea (Gentianaceae) **37**
 Secale (Poaceae) **48**
 Secamone (Apocynaceae) **14**
 Sechium (Cucurbitaceae) **23**
 Securidaca (Polygalaceae) **48**
 Senecio (Asteraceae) **17**
 Senna (Fabaceae) **36**
 Sericanthe (Rubiaceae) **53**
 Seriphium (Asteraceae) **17**
 Sesamum (Pedaliaceae) **46**
 Sesbania (Fabaceae) **36**
 Sesuvium (Aizoaceae) **10**
 Setaria (Poaceae) **48**
 Sherbournia (Rubiaceae) **53**
 Shirakiopsis (Euphorbiaceae) **27**
 Sida (Malvaceae) **40**
 Siphonochilus (Zingiberaceae) **59**
 Sium (Apiaceae) **13**
 Smilax (Smilacaceae) **55**
 Solanecio (Asteraceae) **17**
 Solanum (Solanaceae) **55 56**
 Sonchus (Asteraceae) **17**
 Sopubia (Orobanchaceae) **45**
 Sopubia (Scrophulariaceae) **55**
 Sorbus (Rosaceae) **50**
 Sorghum (Poaceae) **48**
 Sorindeia (Anacardiaceae) **11**
 Spathiphyllum (Araceae) **14**
 Spathodea (Bignoniaceae) **18**
 Spergula (Caryophyllaceae) **20**
 Spermacoce (Rubiaceae) **53**
 Sphenostylis (Fabaceae) **36**
 Spinacea (Chenopodiaceae) **20**
 Spirostachys (Euphorbiaceae) **27**
 Spondias (Anacardiaceae) **11**
 Stachytarpheta (Verbenaceae) **58**
 Stathmostelma (Apocynaceae) **14**
 Staudtia (Myristicaceae) **43**
 Steganotaenia (Apiaceae) **13**
 Stellaria (Caryophyllaceae) **20**
 Stenotaphrum (Poaceae) **48**
 Stephania (Menispermaceae) **42**
 Sterculia (Sterculiaceae) **56**
 Stereospermum (Bignoniaceae) **18**
 Stipagrostis (Poaceae) **48**
 Stomatianthes (Asteraceae) **17**
 Strombosia (Olacaceae) **44**
 Strophanthus (Apocynaceae) **14**
 Strychnos (Strychnaceae) **56**
 Styphnolobium (Fabaceae) **36**
 Suaeda (Chenopodiaceae) **20**
 Succisa (Dipsacaceae) **24**
 Suregada (Euphorbiaceae) **27**
 Swertia (Gentianaceae) **37**
 Swietenia (Meliaceae) **42**
 Syagrus (Arecaceae) **15**
 Symphonia (Clusiaceae) **21**
 Synadenium (Euphorbiaceae) **27**
 Synsepalum (Sapotaceae) **55**
 Syzygium (Myrtaceae) **44**
 Tabernaemontana (Apocynaceae) **14**
 Tabernanthe (Apocynaceae) **14**
 Tacazzea (Apocynaceae) **14**
 Tagetes (Asteraceae) **17**
 Talinum (Portulacaceae) **48**
 Tamarindus (Fabaceae) **36**
 Tamarix (Tamaricaceae) **57**
 Tanacetum (Asteraceae) **17**
 Tapiphyllum (Rubiaceae) **53**
 Tarchonanthus (Asteraceae) **17**
 Tarennia (Rubiaceae) **53**
 Tecoma (Bignoniaceae) **18**
 Tectona (Verbenaceae) **58**
 Tephrosia (Fabaceae) **36**
 Terminalia (Combretaceae) **21**
 Tessmannia (Fabaceae) **36**
 Tetracera (Dilleniaceae) **23**
 Tetragonia (Aizoaceae) **10**
 Tetrapleura (Fabaceae) **36**
 Thalia (Marantaceae) **41**
 Thamnochalamus (Poaceae) **48**
 Thaumatococcus (Marantaceae) **41**
 Theobroma (Sterculiaceae) **56**
 Thesium (Santalaceae) **54**
 Thuja (Cupressaceae) **23**
 Thunbergia (Acanthaceae) **10**
 Thymus (Lamiaceae) **39**
 Tiliacora (Menispermaceae) **42**
 Tinnea (Lamiaceae) **39**
 Tipuana (Fabaceae) **36**
 Trachycalymma (Apocynaceae) **14**
 Trachypodium (Marantaceae) **41**
 Tragia (Euphorbiaceae) **27**
 Trapa (Trapaceae) **57**
 Treculia (Moraceae) **43**
 Trema (Ulmaceae) **58**
 Tribulus (Zygophyllaceae) **59**
 Tricalysia (Rubiaceae) **53**
 Trichilia (Meliaceae) **42**
 Trichodesma (Boraginaceae) **18**

| | |
|--|---|
| Tricholaena (Poaceae) 48 | Vigna (Fabaceae) 36 |
| Trichoscypha (Anacardiaceae) 11 | Viola (Violaceae) 58 |
| Tridesmostemon (Sapotaceae) 55 | Vitex (Lamiaceae) 39 |
| Trifolium (Fabaceae) 36 | Vitis (Vitaceae) 59 |
| Trigonella (Fabaceae) 36 | Voacanga (Apocynaceae) 14 |
| Trilepisma (Moraceae) 43 | Waltheria (Sterculiaceae) 56 |
| Tristemma (Melastomataceae) 41 | Warneckea (Melastomataceae) 41 |
| Triticum (Poaceae) 48 | Washingtonia (Arecaceae) 15 |
| Triumfetta (Tiliaceae) 57 | Welwitschia (Welwitschiaceae) 59 |
| Trochomeria (Cucurbitaceae) 23 | Wissadula (Malvaceae) 40 |
| Turraeanthus (Meliaceae) 42 | Xanthosoma (Araceae) 14 |
| Tylosema (Fabaceae) 36 | Xerophyta (Hypoxidaceae) 38 |
| Typha (Typhaceae) 57 | Ximenia (Olacaceae) 44 |
| Uapaca (Euphorbiaceae) 27 | Xylopia (Annonaceae) 12 |
| Ulex (Fabaceae) 36 | Zaleya (Aizoaceae) 10 |
| Uraria (Fabaceae) 36 | Zanha (Sapindaceae) 54 |
| Urena (Malvaceae) 40 | Zanthoxylum (Rutaceae) 54 |
| Urera (Urticaceae) 58 | Zea (Poaceae) 48 |
| Vangueria (Rubiaceae) 53 | Zea (Poaceae) 48 |
| Vangueriopsis (Rubiaceae) 53 | Zehneria (Cucurbitaceae) 23 |
| Vanilla (Orchidaceae) 45 | Zingiber (Zingiberaceae) 59 |
| Vernonia (Asteraceae) 17 | Ziziphus (Rhamnaceae) 49 |
| Vicia (Fabaceae) 36 | |

This volume presents a comprehensively updated and expanded catalogue of several thousand common names recorded for the indigenous and exotic floristic riches of Angola. Separate alphabetical lists of common names and accepted scientific names are provided, and reference is made to the synonyms under which they were recorded. Where known, the languages are given throughout.

The book provides biodiversity specialists and researchers in a broad spectrum of scientific and other endeavours, linguists, students and other stakeholders with the basic information on the common names of Angolan plants that has been unavailable for a long time. It represents a further critically important step towards assembling the knowledge of the flora of the country into a single, modern, easily accessible and scientifically sound framework.

Dr Estrela Figueiredo is a research associate in the Department of Botany at the Nelson Mandela Metropolitan University in Port Elizabeth, South Africa, and also attached to the University of Coimbra in Portugal.

Prof. Gideon F. Smith is Chief Director for Biosystematics Research and Biodiversity Collections at the South African National Biodiversity Institute and also attached to the University of Coimbra in Portugal. He is the John Acocks Professorial Chair in the Department of Plant Science at the University of Pretoria.



Okandole



Imbondeiro



Ukengue



Omunthumbiriri



Tulipeira-do-Gabão



Odre-do-deserto



Figueira-da-Índia